# **Composite Document Use-Case Model**

Version 1.0

## **Revision History**

		<u> </u>			
Date	Version	Description	Author		
20/MAR/2019	1.0	Initial Specification	Vlad-Cristian Brinzas		

## **Table of Contents**

Use-Cases Identification	4
UML Use-Case Diagrams	5

### **Use-Case Model**

#### 1. Use-Cases Identification

Use case: Suspend User

Level: user goal

**Primary actor:** moderator

#### Main success scenario:

- 1. The moderator opens the application
- 2. The moderator selects the "Login" option
- 3. The moderator writes his credentials
- 4. The moderator clicks "Login"
- 5. The system validates the credentials
- 6. The system redirects the moderator to the home page
- 7. The moderator navigates the site and notices a user whose conduct interferes with the service rules
- 8. The moderator clicks the name of the user
- 9. The system redirects the moderator to the user's profile page
- 10. The moderator clicks the "Suspend" button
- 11. The system provides a page where the moderator can select the duration and reasons for the suspension
- 12. The moderator fills in the data and clicks "Submit"
- 13. The system displays a confirmation dialog
- 14. The moderator confirms
- 15. The system marks the user as suspended and redirects the moderator back to the user's profile page

### 2. UML Use-Case Diagrams

