

Tower Inspection Report

Field	Details
Report ID	TIR-2025-004
FCC ASR Number	A1345314
Owner	AT&T Mobility Services LLC
Location	137 PLEASANT GROVE ROAD, GAFFNEY, SC
Coordinates	Lat 34.901417, Lon -81.492833
Tower Type	Guyed Tower
Overall Height (AGL)	121.9 m
Structure Height	125.9 m
Registration Status	Active, Construction Permit Issued
Registration Date	09/30/2025
FAA Study Number	2002-ASO-6894-OE
Inspection Date	2025-02-10
Inspector	S. Patel

Structural Assessment

Building-mounted tower section is structurally sound. Roof penetration seals intact & no water intrusion observed. Tower-to-building attachment bolts inspected and torqued. Building roof membrane in acceptable condition around tower base.

Visual Inspection – Equipment Shelter



Visual Inspection of Tower Surface



Grounding & Lightning Protection

Grounding system tested and resistance measured at 1.9 Ω (excellent). Bonding to building steel verified.

Summary

Tower and building mount are in good condition. Equipment shelter operational. No corrective actions required at this time. Next scheduled inspection: 2025-08-10.


Data Source: [FCC Antenna Structure Registration \(ASR\) Database](#) is a U.S. Federal Communications Commission. Tower registration data is public record.

Technical Documentation

Antenna Radiation Pattern


Antenna Radiation Pattern — Report 004

Frequency: 700 MHz | Max Gain: 17.5 dBi



700 MHz radiation pattern (LTE Band 12/17). Low-band provides excellent building penetration and wide area coverage. HPBW: 65° azimuth, downtilt optimized for 121.9m tower height.

Tower Elevation Drawing




Self-supporting tower elevation 121.9m AGL (125.9m structure height). Tallest tower in portfolio. Multiple carrier positions with 3m vertical spacing. Wide base: 4m tapering to 1.5m at top.

RF Exposure Compliance


RF Exposure Compliance — Report 004

FCC OET-65 Exclusion Zones



RF compliance for 700 MHz at 121.9m. High antenna placement creates large ground-level clearance.
Occupational zone: 3.9m. General public zone: 9.8m. Compliance margin excellent at ground level.

Predicted Coverage Map



700 MHz coverage from 121.9m tower — maximum range configuration. Excellent propagation characteristics provide coverage to ~15 km cell edge. Ideal for rural macro coverage.