



# SIMATS Online Programming Lab

## C PROGRAMMING



B.V.Tharun  
192525155RB



### CO1 - Assessment Tools - 1 MCQ

[← Back](#)

#### QUESTIONS

**Q1**

Operators and Expressions

1 mark

**Q2**

Operators and Expressions

1 mark

**Q3**

Operators and Expressions

1 mark

**Q4**

Operators and Expressions

1 mark

**Q5**

Operators and Expressions

1 mark

**Q6**

Operators and Expressions

1 mark

**Q7**

Operators and Expressions

1 mark

**Q8**

Operators and Expressions

1 mark

**Q9**

#### Q1 Operators and Expressions

1 mark

A macro `#define A 10+5` is used in an expression `A*2` without parentheses. What will be the output?

```
#define A 10+5
```

```
printf("%d", A*2);
```

A. 30

B. 25

C. 40

D. Error



Save Answer

Next →

Operators and Expressions  
1 mark

**Q10** ✓  
Operators and Expressions  
1 mark

**Q11** ✓  
Operators and Expressions  
1 mark

**Q12** ✓  
Operators and Expressions  
1 mark

**Q13** ✓  
Operators and Expressions  
1 mark

**Q14** ✓  
Operators and Expressions  
1 mark

**Q15** ✓  
Operators and Expressions  
1 mark

**Q16** ✓  
Operators and Expressions  
1 mark

**Q17** ✓  
Operators and Expressions  
1 mark

**Q18** ✓  
Operators and Expressions  
1 mark

**Q19** ✓  
Operators and Expressions  
1 mark

**Q20** ✓  
Operators and Expressions  
1 mark

---

20/20 answered

---

© 2026 **SIMATS Online Lab**. All rights reserved.

---