

## **Deep Clean and Standard Cleaning Procedure**

| beep clean and Standard Cleaning 1 rocedure   |  |
|---|--|
| Ambulance Standard Clean (post Patient)   |  |
| Method  | Standard   |
| Wheel stretcher to the back of the Ambulance with all other equipment left outside  | Stretcher should be locked in place and preferably in the shade (where possible) |
| Dispose of any inventory items used or soiled   | Follow correct clinical waste process  |
| New gloves should always be put on prior to cleaning  | Follow correct glove use process   |
| Remove any spill of body fluids. (Small and Large spills only – not heavily soiled. If heavily soiled refer to Deep Clean Process)  | As per Infection control program guidance on spill removal                       |
| Clean all supporting equipment and cabling reinstate to operational readiness and secure back within CAB  | Cleaned and Disinfected - All parts should be visibly clean with                 |
| Tidy and wipe down BLS bag before placing it back in the CAB  |  |
| Clean down all contact points from patient starting high working towards the floor (walls, handles, seats)  |  |
| Wipe down equipment on the stretcher (backboards, splints) and repack and place back in the vehicle   | no blood or body substances, dust, dirt, debris or spillages.                    |
| Wipe down stretcher including rails and underside   | Then disinfected   |
| Replace stretcher sheet   |  |
| Once MDT returns wipe down with Alcohol wipes and place into charger  |  |
| Remove clinical waste if ANY materials in it and replace with new one   | Follow correct clinical waste process  |
| Close doors and use wipes on all external door handles  | Hand hygiene 99.9999% bacteria free  |
| Return removed clinical waste bag to hospital if any removed materials from vehicle   | Follow correct clinical waste process  |
| If not called out, back at station - Mop ambulance patient treatment area floor with Blue mop Allow to air dry  | Correct maintenance of mop separation and use of perform                         |
| market excluding (Yellow, Red, Green and Blue))   |  |
| ,   | Hand hygiene 99.9999% bacteria free  |
| If not called out, back at station, Mop driver cabin floor Black/Gray mop (mop handles shall be designated with the color available in the market excluding (Yellow, Red, Green and Blue)) Allow to air dry Remove gloves and apply sanitizer |  |

| Remove gloves and apply sanitizer   | Hand hygiene 99.9999% bacteria free  |  |
|---|--|--|
| Ambulance Deep Clean (minimum monthly, or heavily soiled or Diseases known or suspected, listed in Append                           | dix E)   |  |
| Method  | Standard   |  |
| New gloves should always be put on prior to cleaning  | Follow correct glove use process   |  |
| Clean exterior including tyres, windshield, and step boards.  | Should be visibly clean with no blood or body substances, dust,              |  |
| Clean and Disinfect - Front CAB of Ambulance:   | dirt, debris or spillages.   |  |
| Clean and Distribut CAB of Ambulance.   |  |  |
| <ul> <li>Dashboard (cup holder, steering wheel, under the dashboard, compartment, above the sun visor, handle near door)</li> </ul> | Fully disinfected with concentrated level of approved                        |  |
| <ul> <li>Driver seat and passenger seat (under, behind seats and seatbelts)</li> </ul>  |  |  |
| Middle compartment (cup holder), hand break   |  |  |
| Disinfect MDT and Radios  | disinfectant. The appropriate PPE must be used.  Deep Clean concentration 3% |  |
| Wall behind seats and window  |  |  |
| Inside door and compartments on door  |  |  |
| Mop floor with Black/Gray Mop (mop handles shall be designated with the color available in the market excluding (Yellow, Red,       |  |  |
| Green and Blue))  |  |  |
| Clean and Disinfect the Patient Area  |  |  |
| All equipment must remove from the locker prior to cleaning   |  |  |
| Disinfect all the walls starting form the ceiling going down to the walls, including the AC grills and exhaust                      |  |  |
| Disinfect the lockers (includes locker for HX cylinder, trash bins)   |  |  |
| Clean HX cylinder and return back to locker   |  |  |
| <ul> <li>Counter check the items against the check list and return back to lockers, seal the lockers</li> </ul>                     |  |  |
| Disinfect the stretcher (seat belts, foam, handles)   | Fully disinfected with concentrated level of approved                        |  |
| Disinfect Scoop, Combi board and Stair Chair  | disinfectant. The appropriate PPE must be used.                              |  |
| Disinfect the BLS Bag, Entenox Bag (entenox cylinder and demand value), Lucas Machine and AED                                       |  |  |
| Disinfect the seats (Seat belts and lap belt, under and behind)   |  |  |
| Disinfect the plinth (under and space between plinth and locker 1)  |  |  |
| Remove and Disinfect the fire extinguisher (floor cleaned underneath)   |  |  |
| Disinfect the rear doors (wiring, small compartment and hinges)   |  |  |
| Mop the floor with Blue Mop and use approved disinfectant (Deep cleaning ratio of 3%)   |  |  |
| Update Operative IQ, seals and Deep Clean Stickers  |  |  |
| Close doors and use wipes on all external door handles  |  |  |
| Remove gloves and apply sanitizer   | Hand hygiene 99.9999% bacteria free  |  |

| First Aid Post Deep Clean (minimum monthly, or heavily soiled or Diseases known or suspected, listed in Appendix E)   |   |
|---|---|
| Method  | Standard  |
| New gloves should always be put on prior to cleaning. Remember to always wear gloves and other personal protection equipment, like a gown, cap or mask, as you could come in contact with blood or other body fluids during cleaning.                       | Follow correct glove use process  |
| Replace the used bed sheeth immediately after each patient is dismissed. Put it in the clinical waste trashcans.  |   |
| Empty the trashcans, and wipe all of them with a disinfectant cleaner. Change the bags in every trashcan  |   |
| Wipe all the surfaces with an accepted disinfectant cleaner. This includes countertops, chairs, desk areas, patient tables, door handles and knobs, and any other surface that may have been touched, held, or could have come in contact with body fluids. | Fully disinfected with concentrated level of approved disinfectant . The appropriate PPE must be used |
| Clean all the equipment for patient care. This is medical tools, procedure equipment, blood pressure cuffs, thermometers, and any other portable equipment; these should be wiped with a disinfectant as they are used during the day.                      |   |
| Wipe down of walls; interior cleaning of cabinetry and shelves.   |   |
| Tidy up the office waiting area. Make sure the trashcan is taken away and clean the chairs, table surfaces, and desk areas with an accepted disinfectant cleaner. Get rid of any garbage on the floor and vacuum or sweep the floors as much as needed.     |   |
| Remove gloves and apply sanitizer   | Hand hygiene 99.9999% bacteria free   |

| Follow correct glove use process           |
|--|
| rollow correct glove use process           |
| Cleaned and staff touch points disinfected |
|  |
| Hand hygiene 99.9999% bacteria free        |
|  |

Deep Clean and Standard Cleaning Procedure

CGP153

Nov-19



