

الإسعاف الوطني
National Ambulance

ARABIC COMMUNICATION BOOK

Arabic Communication Book
January 2020

وثيقة محظورة Restricted Document

QHP503
Version 1.0

Introduction

Assessment

History

Pain

Maternity

Burns & Stroke

Interventions

Transport

Useful Phrases

Useful words

Number + Dates

Patient Information
Gathering

This Arabic communication book forms a part of the National Ambulance commitment to be the

“Paramount pre-hospital care provider in the Middle East”

By using this communication book you will be better able to understand your patient’s needs and provide the best possible care in response.

This book compliment’s the Arabic training made available to all staff and available through National Ambulance e-learning.

For assistance with pronunciation, e-learning on the use of this book is provided within our QHSE Training Library.

This can be accessed online at the following address:

<http://www.nationalambulance.ae/Lessons/Arabic-Communication-Book/player.html>

We welcome any comments or suggestions for improvement and can be contacted at km@nationalambulance.ae

Regards,

The KM Team

Patient Information Gathering

ENGLISH	PRONUNCIATION	ARABIC
Please write these details down for me	<i>Lao samaht uktub hathi albayanaat</i>	لو سمحت اكتب هذه البيانات
Name	<i>Alisim</i>	الاسم
Age	<i>Alomur</i>	العمر
Date of Birth	<i>Yawm meladak</i>	يوم ميلادك
Address	<i>Alinwaan</i>	العنوان
Doctors information	<i>Baynaat ta-beeb</i>	بيانات الطبيب
Mobile number	<i>Raqam hatifak</i>	رقم هاتفك
Next of Kin	<i>Aqaari-bak</i>	أقاربك

Introduction

ENGLISH	PRONUNCIATION	ARABIC
Hello	<i>Salaam</i>	سلام
What is the problem?	<i>Kafa mumkin ausaa'dika</i>	كيف ممكن أساعدك؟
Do you have insurance?	<i>Indak ta'ameen</i>	عندك تأمين؟
What is your nationality?	<i>Min ay balad anta ?</i>	من أي بلد أنت ؟
I am here to help	<i>Ana huna Li-musa'datik</i>	أنا هنا لمساعدتك
Do not move	<i>La ta-tahrak</i>	لا تتحرك
Do not worry	<i>La taqlaq</i>	لا تقلق
My name is	<i>Ismee</i>	اسمي
What is your name?	<i>Ma ismuk?</i>	ما اسمك؟
How old are you?	<i>Omtrak?</i>	عمرك؟

Introduction

ENGLISH	PRONUNCIATION	ARABIC
Can I see your ID please?	<i>Hawiatak min Fadhlak?</i>	هويتك من فضلك؟
I need to ask some question and do some tests	<i>assa'lak wa afhasak</i>	أسألك وافحصك
What happened?	<i>Matha (shoo) hadath?</i>	ماذا حدث؟
Do you speak English?	<i>Hal tatkalam alengleeziya</i>	هل تتكلم الانجليزية؟
Where do you live?	<i>Ayna Taskun</i>	أين تسكن؟
Where do you work?	<i>Ayna ta'amal</i>	أين تعمل؟

Assessment

ENGLISH	PRONUNCIATION	ARABIC
May I Examine you	<i>Mumkin Afhasak</i>	ممکن أفحصك
What is the problem?	<i>Maa (shoo) almushkela</i>	ما (شو) المشكلة؟
What happened?	<i>Maatha hadath?</i>	ماذا حَدَث؟
Why did you call the ambulance?	<i>Lemaatha talabta al- esa'af?</i>	لماذا طلبت الإسعاف؟
When did the pain start?	<i>Muntho Mata badaa alwadje</i>	منذ متى بدأ الألم؟
Please open your mouth	<i>Minfathlak eftah famak</i>	من فضلك افتح فمك
Lift your tongue	<i>Erfa'a Lisanak</i>	ارفع لسانك

Assessment

ENGLISH	PRONUNCIATION	ARABIC
I am going to check your: <ul style="list-style-type: none"> • Pulse • Blood pressure • Temperature • Blood sugar 	Sa-afhas: <ul style="list-style-type: none"> • <i>Nabadhak</i> • <i>Dhaght al-dam</i> • <i>Al-hararah</i> • <i>Alsuqar</i> 	سأفحص: <ul style="list-style-type: none"> • نبضك • ضغط الدم • الحرارة • السكري
I am going to: <ul style="list-style-type: none"> • Shine a light in your eyes • Listen to your breathing • Put stickers on your chest • Check for injuries 	Sawfa: <ul style="list-style-type: none"> • <i>owajih dhaw a'la aynak</i> • <i>asma' tanafusak</i> • <i>Adhaa' Lasacat a'la sadrik</i> • <i>Af-has juroohak</i> 	سوف: <ul style="list-style-type: none"> • أوجه قلم الضوء على عينك • أسمع تنفسك • أضع لصقات على صدرك • افحص جروحك
Is that OK?	Hal Hatha Jayed (zain)?	هل هذا جيد (زين)؟

History

ENGLISH	PRONUNCIATION	ARABIC
Have you been injured?	Indak Jarih	عندك جرح؟
Do you have pain?	Indak Wadja	عندك وجع؟
Do you have allergies? <ul style="list-style-type: none"> • Medical gloves • Plasters • Food • Insects • Medication 	Indak hasasiya? <ul style="list-style-type: none"> • Kafazaat • Lasacat • Akil • A'dhat hasharaat • Adweeya 	عندك حساسية؟ <ul style="list-style-type: none"> • قفازات • لصقات • أكل • عضّة حشرات • أدوية (دوا)
Do you take medication? <ul style="list-style-type: none"> • Blood pressure • Heart • Asthma • Diabetes • Fever • Stroke 	Takhuth Adweeya? <ul style="list-style-type: none"> • Dhaght al-dam • Qaalb • Alrabu • Alsukaree • Humaa • Galta damaghiya 	تأخذ أدوية؟ <ul style="list-style-type: none"> • ضغط الدم • قلب • الربو • السكري • حمى • جلطة دماغية

History

ENGLISH	PRONUNCIATION	ARABIC
Have you taken these medications today?	<i>Hal akhatht hathi adweeya alyawm?</i>	هل أخذت هذه الادوية اليوم؟
Pain	<i>Wadja</i>	وجع
Do you know what medication you take?	<i>Hal ta'arif ay dawa taakhuth</i>	هل تعرف أي دواء تأخذ؟
What is the medication called?	<i>Maa isim al dawaa</i>	ما أسم الدواء؟
Dizziness	<i>Dookha</i>	دوخة
Faint	<i>Ighmaa, suqoot</i>	اغماء ، سقوط
Weakness	<i>D'houf</i>	ضعف
Nausea	<i>Gha-thayaan / Dookha</i>	غثيان / دوخة
Vomiting	<i>Zoa</i>	زواع
Infection	<i>A'dwaaa</i>	عدوى

History

ENGLISH	PRONUNCIATION	ARABIC
Fever	<i>Huma</i>	حمى
Diarrhoea	<i>Es-haal</i>	اسهال
Constipation	<i>Emsaak</i>	امساك
Palpitations	<i>Khafaqan</i>	خفقان
Urine	<i>Ball</i>	بول
Bleeding	<i>Nazeef (Dam)</i>	نزف (دم)
Violence	<i>o'nf</i>	عنف
Injury	<i>jurh</i>	جرح
Poisoning	<i>Tasammum</i>	تَسْمُم
Allergic reaction	<i>Tahassos</i>	تَحْسُس
Seizure	<i>Tashannuj</i>	تَشْنُج
Epilepsy	<i>Sara'a</i>	صَرَاع
CVA	<i>Sakta damaghia</i>	سكتة دماغية
Heart Attack	<i>Sakta qalbia</i>	سكتة قلبية

History

ENGLISH	PRONUNCIATION	ARABIC
Do you have pain?	<i>indak waja'?</i>	عندك وجع؟
Do you have trouble with your breathing?	<i>indak su'uba tana-fus?</i>	عندك صعوبة تنفس؟
Is your breathing normal?	<i>Tana-fusak zain?</i>	تنفسك زين؟
Do you have problems with your heart?	<i>indak mushkila fee alqalb?</i>	عندك مشكلة في القلب؟
Do you have problems with your urine?	<i>indak mushkila fee al-ball?</i>	عندك مشكلة في البول؟
Has this happened before?	<i>Hal hatha indak min qabil?</i>	هل هذا عندك من قبل؟
What time did this start?	<i>mata bada hatha?</i>	متى بدأ هذا؟
Have you eaten / drunk today?	<i>Akalt / sharabt alyawm?</i>	أكلت / شربت اليوم؟
Are you fasting?	<i>Anta saa-yem?</i>	أنت صائم؟







Parts of the Body

ENGLISH	PRONUNCIATION	ARABIC
Head	<i>Raas</i>	رأس
Eye	<i>ayn</i>	عين
Nose	<i>Anf</i>	أنف
Mouth	<i>Faam</i>	فم
Teeth	<i>Asnaan</i>	اسنان
Throat	<i>Hungarah (Halq)</i>	حنجرة (حلق)
Ear	<i>Othun</i>	أذن
Neck	<i>Raqaba</i>	عنق (رقبه)
Arm	<i>Thiraa (yad)</i>	ذراع
Leg	<i>Rejil</i>	رجل
Foot	<i>Qadam</i>	قدم
Back	<i>Dhahar</i>	ظهر
Abdomen	<i>Batin</i>	بطن
Chest	<i>Sadir</i>	صدر

Pain

ENGLISH	PRONUNCIATION	ARABIC
Do you have pain?	<i>Indak waja'?</i>	عندك وجع؟
Where is the pain?	<i>Ayna al waja</i>	أين الوجع؟
Is the pain constant?	<i>Hal alwaja' Thabit?</i>	هل الوجع ثابت؟
Does the pain get worse when you: • Breath? • Move? • Cough? • Touch?	<i>Hal al waja yasoo indama:</i> • <i>ta-tanafas?</i> • <i>ta-ta-harak?</i> • <i>ta-Kuh?</i> • <i>talmis?</i>	هل الوجع يسوء عندما: • تتنفس؟ • تتحرك؟ • تكح؟ • تلمس؟
Does the pain move anywhere? (point)	<i>Hal al-wja yataharak?</i>	هل الوجع يتحرك؟
How bad is the pain?	<i>Kam alwaja' say-ye?</i>	كم الوجع سيء؟

How bad is the pain?

					
0 NO HURT	2 HURTS LITTLE BIT	4 HURTS LITTLE MORE	6 HURTS EVEN MORE	8 HURTS WHOLE LOT	10 HURTS WORST
<i>La yojad alam</i>	<i>Alam baseet</i>	<i>Alam wasat</i>	<i>Akthar min al wasat</i>	<i>Alam shadeed</i>	<i>Alam haad</i>
لا يوجد ألم	ألم بسيط	ألم وسط	ألم أكثر من الوسط	ألم شديد	ألم حاد

From Hockenberry MJ, Wilson D: Wong's essentials of pediatric nursing, ed. 8, St. Louis, 2009, Mosby. Used with permission. Copyright Mosby.

Maternity

ENGLISH	PRONUNCIATION	ARABIC
Are you pregnant?	<i>Antee Hamil?</i>	أنتي حامل؟
How many weeks?	<i>Kam isboo anti hamil?</i>	كم اسبوع أنتِ حامل؟
How many babies have you had?	<i>kam tifil indak?</i>	كم طفل عندك؟
How often are your contractions? <ul style="list-style-type: none"> • Every 15 minutes • Every 10 minutes • Every 5 minutes • Every 2 minutes 	<i>Kam marah indak taqlusaat?</i> <ul style="list-style-type: none"> • <i>kol khamsat ashar daqeeqa</i> • <i>kol ashrat daqayeq</i> • <i>kol khamsat daqayeq</i> • <i>kol daqeeqatein</i> 	كم مرة عندك تقلصات؟ <ul style="list-style-type: none"> • كل خمسة عشر دقيقة • كل عشرة دقائق • كل خمسة دقيقة • كل دقيقتين

Maternity

ENGLISH	PRONUNCIATION	ARABIC
Have your waters broken?	<i>Hal nazal al-maa'?</i>	هل الماء نزل؟
Is the pregnancy normal?	<i>Hal alhaml tabe'ee?</i>	هل الحمل طبيعي؟
Have you informed your doctor?	<i>Hal Akhbarti tabeebak?</i>	هل اخبرت طبيبك؟
Have you ever had problems with previous pregnancies?	<i>Hal a'anayti min mashakil fi hamlik alsabiq?</i>	هل عانيت من مشاكل في حملك السابق؟

Burns & Stroke

BURNS		
ENGLISH	PRONUNCIATION	ARABIC
What is the cause of the burn?	<i>Ma hua sabab al harq</i>	ما هو سبب الحرق
Hot Water	<i>Maa' sakhin</i>	ماء ساخن
Hot Oil	<i>Zayt sakhin</i>	زيت ساخن
Chemical Substance	<i>Madda kimia'iya</i>	مادة كيميائية
Electrical Shock	<i>Sa'qa kahruba'iya</i>	صعقة كهربائية
STROKE		
ENGLISH	PRONUNCIATION	ARABIC
When did you start • feeling weakness in your limbs? • Have slurred speech	<i>Mata bada'ta bil</i> • <i>Ihsas bilda'af fi yadik/rijlik</i> • <i>Thiqal inda alta-haduth</i>	متى بدأت بال • احساس بالضعف في يدك/رجلك • ثقل عند التحدث

Interventions

ENGLISH	PRONUNCIATION	ARABIC
Keep still	<i>La ta-taharak</i>	لا تتحرك
This will help	<i>hatha yusa-eduk</i>	هذا يساعدك
Is this helping?	<i>hal hatha yusa-ed?</i>	هل هذا يساعد؟
This may hurt	<i>hatha qad you-limak</i>	هذا قد يؤلمك
This will not hurt	<i>hatha la you-lim</i>	هذا لا يؤلم
I am going to: <ul style="list-style-type: none"> • Give you oxygen • Put a needle in your arm • Give you medication • Put a collar on your neck • Put a splint on you 	Sa: <ul style="list-style-type: none"> • <i>oteeka oksigeen</i> • <i>adhaa ebrah ala thiraa-ak (Yaddak)</i> • <i>oteek dawaa'</i> • <i>Adhaa alyaqaa ala raqbatik</i> • <i>Adha' jibs alyka</i> 	سا: <ul style="list-style-type: none"> • أعطيك اوكسجين • أضع ابرة على ذراعك (يدك) • اعطيك دواء • اضع الياقة على رقبتك • أضع جبس عليك
We are going to move you	<i>sa-nu-harikak (raah Ahrkak)</i>	سنحركك (راح أحركك)

Interventions

ENGLISH	PRONUNCIATION	ARABIC
We are doing the best we can	<i>sa-naamal ma amkan</i>	سنعمل ما امكن
Take deep breaths	<i>Khuth Nafas ameeq</i>	خذ نفس عميق
Suck on the tube	<i>Mus al-inboob</i>	مص الأنبوب
Slow down your breathing	<i>Tanafas be hodoo'</i>	تنفس بهدوء
You are breathing too fast	<i>Anta tatanafas be-suraa'</i>	انت تتنفس بسرعة
Blow hard on this syringe	<i>unfukh be-quwa</i>	انفخ بقوة
Hold your arms out straight	<i>imsik thira'ak mustaqeeman</i>	امسك ذراعاك مستقيما
Lift your leg up	<i>irfah rijlak</i>	ارفع رجلك
Smile	<i>Ebtasim</i>	ابتسم
Can you chew this?	<i>Mumkin tia'liq haatha?</i>	ممكن تعلق هذا؟

Transport

ENGLISH	PRONUNCIATION	ARABIC
You need to go to hospital	<i>tahtaaj trooh mustashfa</i>	تحتاج تروح مستشفى
You need to see a doctor	<i>tahtaaj An tara tabeeb</i>	تحتاج أن ترى طبيب
We will take you to hospital	<i>sawfa nakhuthak Lel-mustashfaa</i>	سوف نأخذك للمستشفى
Do you want to go to hospital?	<i>Hal Treed trooh mustashfaa?</i>	هل تريد تروح مستشفى؟
Which hospital do you want to go?	<i>Ela Ay mustashfa tureed althihaab</i>	الى أي مستشفى تريد الذهاب؟
You have refused treatment / hospital, please sign this form to document your refusal	<i>rfadhat trooh mustasha waqih huna law samaht</i>	رفضت تروح مستشفى وقع هنا لو سمحت

Transport

ENGLISH	PRONUNCIATION	ARABIC
The patient is a minor, the guardian must sign to confirm refusal of treatment / hospital	<i>almareedh taht alsin alqanooni yajib an tuwa-qih huna li-tu-akid rafdhak lil-ilag</i>	المريض تحت السن القانوني يجب ان توقع هنا لتؤكد رفضك للعلاج
You have refused treatment / hospital but you can still seek help at any time	<i>rfadhat trooh almustashfa lakin yum-ki-nuk talab almusa-ada fee ay waqt</i>	رفضت تروح المستشفى لكن يمكنك طلب المساعدة في أي وقت
If you need any help please call or come back to us	<i>itha tahtaj musa-ada etasil aw raje-naa</i>	إذا تحتاج مساعدة اتصل أو راجعنا

Useful phrases

ENGLISH	PRONUNCIATION	ARABIC
Hospital	<i>Mustashfa</i>	مستشفى
Accident	<i>Hadith</i>	حادث
Car Accident	<i>Hadith sayarah</i>	حادث سيارة
Pedestrian	<i>Moshat</i>	مشاة
Medical	<i>Ti-bee</i>	طبي
Send	<i>Ersaal</i>	ارسال
Received	<i>estilaam</i>	استلام
Left	<i>Yasaar</i>	يسار
Right	<i>Yameen</i>	يمين
Straight	<i>mustaqeem</i>	مستقيم
Hour	<i>saa'a</i>	ساعة
Minute	<i>Daqeeqa</i>	دقيقة
Husband	<i>Zawjak</i>	زوجك
Wife	<i>Zawjatak</i>	زوجتك
Smoking	<i>al-tadhkheen</i>	التدخين
Drinking (alcohol)	<i>Shurb al kuhool</i>	شرب الكحول

Useful words

ENGLISH	PRONUNCIATION	ARABIC
And	<i>Wa</i>	و
Or	<i>Aw</i>	أو
Which	<i>Ay</i>	أي
What	<i>Matha (Shoo)</i>	ماذا (شوو)
When	<i>Mata</i>	متى
Do you know	<i>Hal taa'rif</i>	هل تعرف
How	<i>Kayf</i>	كيف
This	<i>Hatha</i>	هذا
Maybe	<i>Mumkin</i>	ممكن
Start	<i>Ba-da-a</i>	بدأ

Numbers and Dates

0	1	2	3	4	5	6	7	8	9	10
<i>sifir</i>	<i>wahid</i>	<i>ithnain</i>	<i>thalatha</i>	<i>Arba'a</i>	<i>khamisa</i>	<i>sita</i>	<i>saba'a</i>	<i>thamania</i>	<i>tisa'a</i>	<i>ashra</i>
صفر	واحد	اثنين	ثلاثة	اربعة	خمسة	سنة	سبعة	ثمانية	تسعة	عشرة

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
<i>Ahad</i>	<i>Ithnain</i>	<i>Thulathaa</i>	<i>Arbia'a</i>	<i>Khamees</i>	<i>Juma'a</i>	<i>Sabt</i>
أحد	اثنين	ثلاثاء	اربعاء	خميس	جمعة	سبت

Today	Yesterday	1 9 __	2 0 __
Alayawm	Ams	1 9 __	20 __
اليوم	امس	الف و تسعمائة __	الفين __

January	February	March	April	May	June
<i>Ynaayir</i>	<i>Febrayir</i>	<i>Mars</i>	<i>Aprel</i>	<i>Mayo</i>	<i>Yoniyo</i>
يناير	فبراير	مارس	ابريل	مايو	يونيو
July	August	September	October	November	December
<i>Yolyoo</i>	<i>Aghustus</i>	<i>September</i>	<i>Oktobar</i>	<i>November</i>	<i>December</i>
يوليو	اغسطس	سبتمبر	اكتوبر	نوفمبر	ديسمبر

Patient Information Gathering

ENGLISH	PRONUNCIATION	ARABIC
Please write these details down for me	<i>Lao samaht uktub hathi albayanaat</i>	لو سمحت اكتب هذه البيانات
Name	<i>Alisim</i>	الاسم
Age	<i>Alomur</i>	العمر
Date of Birth	<i>Yawm meladak</i>	يوم ميلادك
Address	<i>Alinwaan</i>	العنوان
Doctors information	<i>Baynaat ta-beeb</i>	بيانات الطبيب
Mobile number	<i>Raqam hatifak</i>	رقم هاتفك
Next of Kin	<i>Aqaari-bak</i>	أقاربك

This page is left intentionally blank for future content.

This page is left intentionally blank for future content.

This page is left intentionally blank for future content.

This page is left intentionally blank for future content.

Fall Risk Assessment Tool

If patient has any of the following condition, check the box and apply Fall Risk Intervention as indicated.

High Fall Risk - Ensure patient is moved by stretcher

- ☐ History of more than one fall within 6-month prior
- ☐ Patient has experienced a fall during the time crew has been with patient
- ☐ Patient experienced a seizure

Low Fall Risk – Patient must be moved by stretcher

- ☐ Complete paralysis or completely immobilized

Do not continue with Fall Risk Score Calculation if any above conditions are checked.

Fall Risk Calculation - Select the appropriate option in each category. Add all points to calculate the Fall Risk Score. (If no option is selected, score for category is 0)	Points
Age <input type="radio"/> 60-69 years (1 point) <input type="radio"/> 70-79 years (2 points) <input type="radio"/> greater than or equal to 80 years (3 points)	
Elimination, Bowel and Urine <input type="radio"/> Incontinence (2 point) <input type="radio"/> Urgency/Frequency and incontinence (3 points)	

Fall Risk Assessment Tool

Fall Risk Calculation - Select the appropriate option in each category. Add all points to calculate the Fall Risk Score. (If no option is selected, score for category is 0)	Points
<p>Medications: PCA/opiates, anticonvulsants, antihypertension, diuretics, hypnotics, laxatives, sedatives, and psychotropics</p> <p><input type="radio"/> On one fall risk drug (1 point)</p> <p><input type="radio"/> On two or more fall risk drugs (2 points)</p> <p><input type="radio"/> Sedation procedure within past 24 hours (3 points)</p>	
<p>Patient Care Equipment: Any equipment that tethers patient (e.g. IV Infusion, chest tube, indwelling catheter, etc.)</p> <p><input type="radio"/> One present (1 point)</p> <p><input type="radio"/> Two Present (2 points)</p> <p><input type="radio"/> Three or more present (3 points)</p>	
<p>Mobility (May select multiple and add score together)</p> <p><input type="radio"/> Requires assistance or supervision for mobility, transfer, or ambulation (2 points)</p> <p><input type="radio"/> Unsteady gait (2 points)</p> <p><input type="radio"/> Visual or auditory impairment affecting mobility (2 points)</p>	

Fall Risk Assessment Tool

Fall Risk Calculation - Select the appropriate option in each category. Add all points to calculate the Fall Risk Score. (If no option is selected, score for category is 0)	Points
Cognition (May select multiple and add score together) <input type="radio"/> Altered awareness of immediate physical environment (1 point) <input type="radio"/> Impulsive (2 points) <input type="radio"/> Lack of understanding of one's physical and cognitive limitations (4 points)	
Total Fall Risk Score (Sum of all points per category)	
SCORING: 6 or greater patient must be transported on stretcher	

Na'am



La



Muwafiq



FLACC

To be used to assess pain for children between the ages of 2 months - 7 years or individuals that are unable to communicate their pain. The scale is scored between a range of 0 - 10 with 0 representing no pain.

Only document the total pain score in the PCR and write as 'FLACC 3' for example. This score is to be repeated frequently to continuously re-evaluate pain status'.

Category	Scoring		
	0	1	2
Face	No Particular expression or smile	Occasional grimace or frown, withdrawn, disinterested	Frequent to constant quivering chin, clenched jaw
Legs	Normal position or relaxed	Uneasy, restless, tense	Kicking or legs drawn up
Activity	Lying quietly, normal position, moves easily	Squirming, shifting back and forth, tense	Arched, rigid or jerking
Cry	No cry (awake or asleep)	Moans or whimpers; occasional complaint	Crying steadily, screams or sobs, frequent complaints
Consolability	Content, relaxed	Reassured by occasional touching, hugging or being talked to; distractable	Difficult to console

Each of the five categories is scored from 0 - 2, resulting in total range of 0 - 10, FLACC = Face, Legs, Activity, Cry, Consolability

FLACC









Organization Accredited
by Joint Commission International

الإسعاف National الوطني Ambulance

Level 13, Aldar HQ Building
Al Raha Beach, P.O. Box 63788
Abu Dhabi, United Arab Emirates
Dispatch (24 hrs.): +971 2 596 8700
Telephone: +971 2 596 8600
Fax: +971 2 441 2266
www.nationalambulance.ae

Wong-Baker FACES Pain Rating Scale

					
0 NO HURT	2 HURTS LITTLE BIT	4 HURTS LITTLE MORE	6 HURTS EVEN MORE	8 HURTS WHOLE LOT	10 HURTS WORST
<i>La yojad alam</i>	<i>Alam baseet</i>	<i>Alam wasat</i>	<i>Akthar min al wasat</i>	<i>Alam shadeed</i>	<i>Alam haad</i>
لا يوجد ألم	ألم بسيط	ألم وسط	ألم أكثر من الوسط	ألم شديد	ألم حاد

From Hockenberry MJ, Wilson D: Wong's essentials of pediatric nursing, ed 8, St. Louis, 2009, Mosby. Used with permission.
Copyright Mosby.