AWS Route 53

Domain Name System (DNS) Service

Google

142.250.184.238

Phone Contact List




Copyright © 2022 ChandraMohan Lingam. All Rights Reserved.

Domain Name System – Lookup Table

Domain	IP Address
www.google.com	142.250.184.238
www.yahoo.com	98.137.11.164

- Where is this lookup table maintained
- Who keeps it up-to-date
- How do we access

DNS Lookup



Name Server

Google's Name Server

Domain	IP Address	TTL
www.google.com	142.250.184.238	300 Seconds
google.com	142.250.184.238	300 Seconds
youtube.com	64.233.177.190	300 Seconds
maps.google.com	108.177.122.139	300 Seconds

Domain Owner Maintains Accurate Lookup Entries

Authoritative Name Server

DNS entries are distributed to other Name Servers

Utilities for DNS Lookup

Windows

nslookup www.google.com


Linux

dig www.google.com

Web

https://simpledns.plus/lookup-dg

Global Network of Name Servers



Why TTL?

Domain	IP Address	TTL
www.mywebsite.com	95.210.32.123	24 Hours

Resource IP address can change during scaling or availability event



Domain	IP Address	TTL
www.mywebsite.com	65.120.122.55	24 Hours

DNS Entry Updated To Route
Traffic to a Different Resource

95.210.32.123 [Region 1]

www.mywebsite.com

65.120.122.55 [Region 2]

Large TTL – Cached Entries are Stale and Not Accurate

Domain	IP Address	TTL
www.mywebsite.com	95.210.32.123	24 Hours



Domain	IP Address	TTL
www.mywebsite.com	65.120.122.55	24 Hours

Original entry had a TTL of 24 hours

New changes are not updated in cache for 24 hours ☺

Traffic will go to the old resource until TTL expires

95.210.32.123 [Region 1]

www.mywebsite.com

65.120.122.55 [Region 2]

Smaller TTL – Cached Entries are Frequently Updated

Domain	IP Address	ΠL
www.mywebsite.com	95.210.32.123	5 Minutes



Domain	IP Address	TTL
www.mywebsite.com	65.120.122.55	5 Minutes

Original entry had a TTL of 5 Minutes.

After 5 minutes, all traffic will be routed to the new resource

95.210.32.123 [Region 1]

www.mywebsite.com

65.120.122.55 [Region 2]

TTL

Select an appropriate value for TTL to react quickly to infrastructure events

Security

DNS is a critical service

Multi-step verification mechanism to confirm domain ownership

Route 53





Manage Domains

Configure DNS Entries

DNS Record Types

A, AAAA Record – Map domain name to IP address

Record Type	Domain	IP Address	TTL
А	www.mywebsite.com	95.210.32.123	5 Minutes
AAAA	www.mywebsite.com	<ipv6 address=""></ipv6>	5 Minutes

Alias Record – Route 53 specific

Route traffic to AWS resources such as ELB, CloudFront, S3 Bucket, API Gateway and more

IP Address can change for these resources

Record Type	Domain	Value
Alias	www.mywebsite.com	myelb.us-east- 2.amazonaws.com

Alias Record – Zone apex support

https://www.google.com

https://google.com

Zone Apex

Record Type	Domain	Value
Alias	www.mywebsite.com	myelb.us-east-2.amazonaws.com
Alias	mywebsite.com	myelb.us-east-2.amazonaws.com

CNAME Record – Rename

https://humanresources.mywebsite.com

https://hr.mywebsite.com

Record Type	Domain	Value
Alias	humanresources.mywebsite.	myelb.us-east-2.amazonaws.com
CNAME	hr.mywebsite.com	humanresources.mywebsite.com

MX Record - Mail servers for your domain

Record Type	Domain	IP Address	TTL
MX	www.mywebsite.com	95.210.32.144	5 Minutes
MX	www.mywebsite.com	95.210.32.145	5 Minutes

Recipient Mail Server can cross check MX record to see if sender is a valid email server for your domain [spam protection]

Remote server needs to forward email to your domain - Check MX record to get the server details

TTL

TTL parameter required for every record

Route 53 Alias Record - Inherits TTL settings from the target service

Record Type	Domain	Value
Alias	www.mywebsite.com	myelb.us-east- 2.amazonaws.com

DNS Summary



Lookup Table to connect resources using friendly name



DNS entries are public information



Entries are cached at various Name Servers and Resolvers



Use an appropriate TTL value

Route 53 Features



Manage Domains



DNS Records Management

Public Certificates for SSL/TLS

- 1. AWS Certificate Manager (ACM) Free Public Certificates for hosting on AWS
- 2. To verify domain ownership, ACM will require you to add a CNAME record with a specific value to your DNS
- 3. ACM will do a DNS lookup to verify if correct value is configured
- 4. With Route 53, ACM can automatically configure required CNAME records

Existing domains

Transfer your existing domain from another registrar to Route 53

Route 53 Hosted Zones

DNS records are organized as hosted zones

- Public Hosted Zone
- Private Hosted Zone

Public Hosted Zone

Route internet traffic for your domain

https://www.mywebsite.com

Domain	Value
www.mywebsite.com	myelb.us-east-2.amazonaws.com

Private Hosted Zone

Route traffic inside one or more VPCs

DNS records are visible only inside your VPC

https://www.internaluse.com

Configure internal apps

Domain	Value
hrdb.internaluse.com	mydb.us-east-1.rds.amazonaws.com

Name Servers For Hosted Zone

Four Name Servers (Virtual)

Answer DNS queries for your domain

Global anycast network - DNS queries are answered from optimal Route 53 location based on network condition

Route 53 Security


IAM based fine-grain access control

Who can update DNS records

Route 53 Health Checks

Health Checks to continuously monitor your application for failures

Route user requests to healthy infrastructure



Route 53 Routing Policies

Run application in multiple locations around the world

Manage traffic flow based on:

- Endpoint health
- Geolocation
- Latency and so forth


Simple Routing

App hosted in a single location



Routing	Domain	Value
Simple	www.mywebsite.com	myelb.us-east- 2.amazonaws.com

Failover Routing




Routing	Domain	Value	Health Check
Failover - Primary	www.mywebsite.com	myelb.us-east- 2.amazonaws.com	Primary Health Check Endpoint
Failover - Secondary	www.mywebsite.com	static-website-s3-bucket.us- east-2.amazonaws.com	

Weighted Routing – Distribute traffic by weight




Routing	Domain	Value	Weight
Weighted	www.mywebsite.com	myelb-v1.us-east- 2.amazonaws.com	80%
Weighted	www.mywebsite.com	myelb-v2.us-east- 2.amazonaws.com	20%

Geolocation Routing – Route based on user's location



Routing	Domain	Value	Country
Geolocation	www.mywebsite.com	myelb.us-west- 2.amazonaws.com	North America
Geolocation	www.mywebsite.com	myelb.ap-south- 1.amazonaws.com	India
Geolocation	www.mywebsite.com	myelb.ap-southeast- 1.amazonaws.com	Default

Latency Routing - Route based on lowest latency



Routing	Domain	Value	Country
Latency	www.mywebsite.com	myelb.me-south- 1.amazonaws.com	Bahrain
Latency	www.mywebsite.com	myelb.ap-southeast- 1.amazonaws.com	Singapore
Latency	www.mywebsite.com	myelb.ap-southeast- 2.amazonaws.com	Sydney

Geoproximity Routing

- Similar to Geolocation based routing
- Gives more routing control using a bias parameter
- Expand and shrink size of geographic region covered by a resource
- Requires Route 53 Traffic Flow Capability (additional charge)

Multivalue Answer Routing – Let the client decide!

- Several resources can handle the traffic Route 53 returns up to eight configured resources
- Let the client decide which one to use!
- Optional configure health checks to return only healthy resources

Routing	Domain	Value
Multivalue answer	www.mywebsite.com	myelb.me-south-1.amazonaws.com
Multivalue answer	www.mywebsite.com	myelb.ap-southeast-1.amazonaws.com
Multivalue answer	www.mywebsite.com	myelb.ap-southeast-2.amazonaws.com

Route 53



Domain Registration



DNS Records Management



Ease of Integration



Flexible Routing Policies



aws o aws o aws o **Chandra Lingam** Solutions SysOps Developer Administrator Architect aws aws o aws 🤣 aws certified 75,000+ Students Solutions Machine Cloud Security Architect Learning Practitioner

Instructor, Course Developer

7X AWS Certified

For a list of courses, visit https://www.cloudwavetraining.com/

Connect with me on LinkedIn https://www.linkedin.com/in/chandralingam/

