The information in this document is subject to change without notice and should not be construed as a commitment by ABB. ABB assumes no responsibility for any errors that may appear in this document.

Except as may be expressly stated anywhere in this document, nothing herein shall be construed as any kind of guarantee or warranty by ABB for losses, damages to persons or property, fitness for a specific purpose or the like.

In no event shall ABB be liable for incidental or consequential damages arising from use of this document.

This document and parts thereof must not be reproduced or copied without ABB's written permission, and contents therof must not be imparted to a third party nor be used for any unauthorized purpose. Contravention will be prosecuted.

Additional copies of this document may be obtained from ABB at its then current charge.

© Copyright 2004 ABB ALL right reserved.

ABB Automation Technologies AB
Robotics
SE-721 68 Västerås
Sweden

Latest revision:

SAFETY INTERFACE A/L/S

Approved

Status:

Approved

Document no.

Prepared by, date: PR, 100507

Prepared by, date: PR, 100507

Prepared by, date: AL,100517

Approved by, date: AL,100517

Status:

Approved

Document no.

Approved by, date: AL,100517

Approved by, date: AL,100517

: SAFETY INTERFACE A/L/S

: 3HEA802301-001

: 04

: 2010-05-17

Customer

Year of construction 2010

: PAW/PR Drawn by

Number of pages : 15

Latest revision:

ABB

Lab/Office: PAW

SAFETY INTERFACE A/L/S

TITLE PAGE

Status: Approved Plant: Location: + Sublocation:+

Document no.

Rev. Ind Page 2
Next 3
Total 15

Prepared by, date: PR, 100507 Approved by, date: AL,100517

3HEA802301-001 04

We reserve all rights in this document and in the information contained therein. Reproduction, use or disclosure to third parties without express authority is strictly forbidden. © Copyright 2003 ABB

## TABLE OF CONTENTS

| PAGE | PAGE DESCRIPTION                                       | Date       | Edited by |           |
|------|--|------------|-----------|-----------|
| 1    | COPYRIGHT PAGE   | 2009-02-25 | PAW/PR    |           |
| 2    | TITLE PAGE   | 2009-02-25 | PAW/PR    |           |
| 3    | TABLE OF CONTENTS                                      | 2010-05-07 | PAW/PR    | 03        |
| 4    | BLOCK DIAGRAM  | 2010-05-07 | PAW/PR    | 04        |
| 5    | MAINS / CAN BUS  | 2010-03-24 | PAW/PR    | 03        |
| 6    | RUN CHAIN A/L/S  | 2010-03-24 | PAW/PR    |           |
| 7    | GUARD EQUIPMENT LB TYPE MSLZ AND M4000/M40Z            | 2010-03-24 | PAW/PR    |           |
| 8    | RESET PROTECTION                                       | 2010-02-02 | PAW/PR    |           |
| 9    | SERVICE DOOR SUPERVISION                               | 2010-02-02 | PAW/PR    |           |
| 10   | STATION INDICATION WITH MECHANICAL SWITCHES AXIS 1,IRB | 2010-05-07 | PAW/PR    | 04        |
| 11   | HOME POSITION WITH MECHANICAL SWITCHES AXIS 1,IRB      | 2010-05-07 | PAW/PR    | 04        |
| 12   | ACTIVATION FROM GUARDED AREAS                          | 2010-02-15 | PAW/PR    |           |
| 13   | JUMPERS CONNECTIONS / CUSTOMER CONNECTIONS             | 2010-02-02 | PAW/PR    |           |
| 14   | STATION INDICATION WITH EPS FOR AXIS 1,IRB             | 2010-05-07 | PAW/PR    | 04        |
| 15   | HOME POSITION WITH EPS FOR AXIS 1,IRB                  | 2010-05-07 | PAW/PR    | 04        |
|      |  |            |           |           |
|      |  |            |           |           |
|      |  |            |           |           |
|      |  |            |           |           |
|      |  |            |           |           |
|      |  |            |           |           |
|      |  |            |           |           |
|      |  |            |           |           |
|      |  |            |           |           |
|      |  |            |           |           |
|      |  |            |           |           |
|      |  |            |           |           |
|      |  |            |           | $\dagger$ |
|      |  |            |           |           |
|      |  |            |           | $\dagger$ |
|      |  |            |           | $\dagger$ |
|      |  |            |           |           |
|      |  |            |           |           |
|      |  | 1          |           |           |

Rev. 03:Page No. 7,GUARD EQUIPMENT LB TYPE MSLZ deleted. Rev. 04:Page No. 14 and 15 added.

Prepared by, date: PR, 100507 Approved by, date: AL,100517




Lab/Office: PAW

SAFETY INTERFACE A/L/S TABLE OF CONTENTS


Status: Approved Document no. Plant: = Location: + Sublocation:+


3HEA802301-001


Rev. Ind Page 3
Next 4
Total 15





CONNECTED WITH AWG 18 BU, IF NO OTHER NOTATION























PRE RESET **PUSH BUTTON 2** 

Latest revision: Prepared by, date: PR, 100507 Approved by, date: AL,100517 ABB

Lab/Office: PAW

SAFETY INTERFACE A/L/S JUMPERS CONNECTIONS / CUSTOMER CONNECTIONS

Status: Approved Document no. Plant: = Location: + Sublocation:+

Rev. Ind Page 13
Next 14
Total 15

