

Product manual, spare parts IRBT 2005

Trace back information:
Workspace R15-2 version a15
Checked in 2015-10-08
Skribenta version 4.6.081

Product manual, spare parts IRBT 2005

IRC5

Document ID: 3HAC051132-001

Revision: -

The information in this manual is subject to change without notice and should not be construed as a commitment by ABB. ABB assumes no responsibility for any errors that may appear in this manual.

Except as may be expressly stated anywhere in this manual, nothing herein shall be construed as any kind of guarantee or warranty by ABB for losses, damages to persons or property, fitness for a specific purpose or the like.

In no event shall ABB be liable for incidental or consequential damages arising from use of this manual and products described herein.

This manual and parts thereof must not be reproduced or copied without ABB's written permission.

Additional copies of this manual may be obtained from ABB.

The original language for this publication is English. Any other languages that are supplied have been translated from English.

© Copyright 2014-2015 ABB. All rights reserved.

ABB Engineering (Shanghai) Ltd.

No.4528, KangXin Highway, PuDong New District,

SHANGHAI 201319

CHINA

Table of contents

dex		33
7.2	Floor cables	30
		29
	7.1.5 Arc welding package cables and hoses	28
	7.1.4 STD customer cables and hoses	27
	7.1.3 Transfer track cables	26
		24
	7.1.1 Overview	23
7.1		23
Cabl	ing	23
Auto	matic lubrication system	21
Cabl	e tray	19
4.1 4.2	Internal cable chain	17 18
Cabl	e chain	17
Stan	d unit	15
Carr	iage bracket	13
Drive	e unit	11
	uct documentation, IRC5	7 8
	Prod Drive Carr Stan Cabl 4.1 4.2 Cabl Auto 7.1	Product documentation, IRC5 Drive unit Carriage bracket Stand unit Cable chain 4.1 Internal cable chain 4.2 External cable chain Cable tray Automatic lubrication system Cabling 7.1 Flexible cables 7.1.1 Overview 7.1.2 Robot track cables 7.1.3 Transfer track cables 7.1.4 STD customer cables and hoses 7.1.5 Arc welding package cables and hoses 7.1.6 Arc welding cables and hoses 7.1.7 Floor cables



Overview of this manual

About this manual

This manual contains spare parts for:

• IRBT 2005

Usage

This manual shall be used as a complement to the Product manual during:

- · maintenance work
- repair work.

Who should read this manual?

This manual is intended for:

- · maintenance personnel
- repair personnel.

Prerequisites

A maintenance/repair/installation craftsman working with an ABB Robot must:

• be trained by ABB and have the required knowledge of mechanical and electrical installation/repair/maintenance work.

References

Reference	Document ID
Product manual - IRBT 2005	3HAC051130-001
Product manual - IRB 1520	3HAC043435-001
Product manual - IRB 1600 type A	3HAC026660-001
Circuit diagram - IRB 2600	3HAC029570-007
Product manual - IRB 4600	3HAC033453-001

Revisions

Revision	Description
-	First edition.

Product documentation, IRC5

Categories for user documentation from ABB Robotics

The user documentation from ABB Robotics is divided into a number of categories. This listing is based on the type of information in the documents, regardless of whether the products are standard or optional.

All documents listed can be ordered from ABB on a DVD. The documents listed are valid for IRC5 robot systems.

Product manuals

Manipulators, controllers, DressPack/SpotPack, and most other hardware is delivered with a **Product manual** that generally contains:

- · Safety information.
- Installation and commissioning (descriptions of mechanical installation or electrical connections).
- Maintenance (descriptions of all required preventive maintenance procedures including intervals and expected life time of parts).
- Repair (descriptions of all recommended repair procedures including spare parts).
- · Calibration.
- Decommissioning.
- Reference information (safety standards, unit conversions, screw joints, lists of tools).
- Spare parts list with exploded views (or references to separate spare parts lists).
- Circuit diagrams (or references to circuit diagrams).

Technical reference manuals

The technical reference manuals describe reference information for robotics products.

- Technical reference manual Lubrication in gearboxes: Description of types and volumes of lubrication for the manipulator gearboxes.
- *Technical reference manual RAPID overview*: An overview of the RAPID programming language.
- Technical reference manual RAPID Instructions, Functions and Data types:
 Description and syntax for all RAPID instructions, functions, and data types.
- Technical reference manual RAPID kernel: A formal description of the RAPID programming language.
- Technical reference manual System parameters: Description of system parameters and configuration workflows.

Continues on next page

Application manuals

Specific applications (for example software or hardware options) are described in **Application manuals**. An application manual can describe one or several applications.

An application manual generally contains information about:

- The purpose of the application (what it does and when it is useful).
- What is included (for example cables, I/O boards, RAPID instructions, system parameters, DVD with PC software).
- · How to install included or required hardware.
- How to use the application.
- Examples of how to use the application.

Operating manuals

The operating manuals describe hands-on handling of the products. The manuals are aimed at those having first-hand operational contact with the product, that is production cell operators, programmers, and trouble shooters.


The group of manuals includes (among others):

- Operating manual Emergency safety information
- · Operating manual General safety information
- Operating manual Getting started, IRC5 and RobotStudio
- Operating manual Introduction to RAPID
- · Operating manual IRC5 with FlexPendant
- · Operating manual RobotStudio
- Operating manual Trouble shooting IRC5, for the controller and manipulator.



1 Drive unit

Illustration




xx1400000591

Item	Quantity	Part number	Description	Dimension/Note
1	1	3HAC051538-002	Brake release unit	
1.1	1	3HAC053121-003	Drive train, MTM	The part number is for either the independent drive train or the complete drive train including motors and gears.
2	1	3HAC047334-002	Gearbox	Including 330 ml lubricating oil XP320 (11712016-604).
3	1	3HAC051522-003	Motor and pinion	
4	1	3HAC051523-003	Motor unit	Including connection box
5	1	3HAC047375-001	Pinion on rack	



2 Carriage bracket

Illustration




xx1400000594

Item	Quantity	Part number	Description	Dimension/Note
Α	1	3HAC051509-001	Linear guide unit	3 pcs, for carriage base with 4 holders.
	1			5 pcs, for carriage base with 6 holders.
В	1	3HAC051510-003	Drive train linear guide unit	The part number for the complete drive drain and linear guide unit.
С	1	3HAC042192-001	Runner block size 45	
D	1	3HAC052540-001	Calibration set	



3 Stand unit

Illustration




Item	Quantity	Part number	Description	Dimension/Note
Α	1	3HAC047660-001	Top cover	
В	1	3HAC047661-001	Rack cover	
С	1	3HAC052880-003	M-stop, left unit	
D	1	3HAC045755-002	Rail_45, 500 mm	
E	1	3HAC045755-001	Rail_45, 1000 mm	
F	1	3HAC045735-001	Rack 500 mm	
G	1	3HAC045754-001	Rack 1000 mm	
Н	1	3HAC052881-003	M-stop, right unit	
I	1	3HAC047829-001	End cover	



4 Cable chain

4.1 Internal cable chain

Illustration




xx1400000479

Item	Quantity	Part number	Description	Dimension/Note
Α	1	3HAC051561-001	Cable chain end unit	For internal cable chain
В	1	3HAC047832-001	Cable chain pitch, with divider	For internal cable chain
С	1	3HAC047833-001	Cable chain pitch, no divider	For internal cable chain
D	1	3HAC051565-001	Cable chain, 10 links	For internal cable chain

4.2 External cable chain

4.2 External cable chain

Illustration




xx1500000757

Item	Quantity	Part number	Description	Dimension/Note
Α	1	3HAC045110-001	Bracket plastic 246mm moving part	For external cable chain
В	1	3HAC045102-001	Cable chain plastic 246mm 10 links	For external cable chain
С	1	3HAC051431-001	Ext chain pitch, with divider	For external cable chain
D	1	3HAC051432-001	Ext chain pitch, no di- vider	For external cable chain
E	1	3HAC045816-001	Chain bracket	For external cable chain

5 Cable tray

Illustration




xx1400000522

Item	Quantity	Part number	Description	Dimension/Note
Α	1	3HAC047746-001	Cable tray, 1 m	For internal cable tray
В	1	3HAC051309-001	External chain raiser	For external cable tray
С	1	3HAC051917-001	External tray 1.45 m unit	For external cable tray
D	1	3HAC051914-001	External tray bracket unit	For external cable tray




6 Automatic lubrication system

Illustration



xx1500000470



xx1500000471

Spare part list

Item	Item Quantity Part numl		Description
Α	1	3HAC047758-001	Lubrication pump EPS 240
В	1	3HAWC116981	Polyamide tube 4x6
С	1	3HAC048538-001	Straight adaptor F1/4-Ø8
D	1	3HAWC116982	Polyamide tube 6x8
E	1	3HAWC110551	Male stud elbow (white brass) D8 G1/4
F	1	3HAWC115765	Male stud elbow (white brass) D6 G1/8
G	1	3HAWC116550	Male stud straight (white brass) D6 G1/8
Н	1	3HAWC102542	Y fitting Ø6-Ø6

Continues on next page

Continued

Item	Quantity	Part number	Description
I	1	3HAC048545-001	Inline fitting Ø6
J	1	3HAC052317-001	Felt gear set
K	1	3HAC048539-001	Grease package 240 CC
L	1	3HAWC107872	Flange

7.1.1 Overview

7 Cabling

7.1 Flexible cables

7.1.1 Overview

General

Flexible cables are mounted in the cable chain of the track. The tables in following sections show the cable lengths required for different connections with different travel lengths. The cables are divided as follows:

- · IRB power cables: handles power supply to the motors of the robot.
- IRBT 2005 power cables: handles power supply to the motor of the track.
- IRB/IRBT 2005 signal cables: handles feedback from the serial measurement board.
- Position switch cables: handles supply to and feedback from position switches, if any.
- Customer cables: handles communication with equipment fitted on robot.
- Arc welding cables: handles communication/power with the power source on carriage.

7.1.2 Robot track cables

7.1.2 Robot track cables

IRB power cables

Travel length (m) with no specified robot pedestal	Travel length (m) with spe- cified ro- bot pedes- tal	Cable length (m)	IRB 1520 3HAC046920-	IRB 1600 3HAC046921-	IRB 2600/4600 3HAC046924-
1-5	1-3	6	006	006	006
6-9	4-7	8	001	001	001
10-13	8-11	10	007	007	007
14-17	12-15	12	002	002	002
18-20	16-20	15	003	003	003

IRBT 2005 power cables

Travel length (m)	Cable length (m)	J1.XP7-M7, 3HAC046925-
1-5	6	001
6-10	8.5	006
11-15	11	002
16-20	14	005

IRB signal cables

Travel length (m) with no specified robot pedestal	Travel length (m) with specified robot pedestal	Cable length (m)	IRB 1520/1600/2600/4600 3HAC029834-
1-5	1-3	6	001
6-9	4-7	8	003
10-13	8-11	10	005
14-17	12-15	12	007
18-20	16-20	15	010

IRBT 2005 signal cables

From	Cable length (m)	R1.FB7-FB	FB Cable Box-Motor (FB7-M7)
IRB 1520 FB7	3	3HAC046926-001	-
IRB 1600/2600/4600 FB7	3	-	3HAC039602-001

Grounding cables

Travel length (m)	Cable length (m)	Cable grounding 3HAC046927-
1-5	6	001

Continues on next page

7.1.2 Robot track cables Continued

Travel length (m)	Cable length (m)	Cable grounding 3HAC046927-
6-10	8.5	005
11-15	11	002
16-20	14	003

7.1.3 Transfer track cables

7.1.3 Transfer track cables

IRBT 2005 power cables

Travel length (m)	Cable length (m)	Box-Motor 3HAC039603-
1-5	6	015
6-10	8.5	016
11-15	11	013
16-20	14	014

IRBT 2005 signal cables

Travel length (m)	Cable length (m)	FB Cable Box-Motor (FB7-M7) 3HAC039602-
1-5	6	013
6-10	8.5	014
11-15	11	011
16-20	14	012

Grounding cables

Travel length (m)	Cable length (m)	3HAC046927-
1-5	6	001
6-10	8.5	005
11-15	11	002
16-20	14	003

7.1.4 STD customer cables and hoses

Customer cables, IRB 1600

Travel length (m) with no specified robot pedestal	Travel length (m) with specified robot pedestal	Cable length (m)	CP/CS 3HAC046922-
1-5	1-3	6	006
6-9	4-7	8	001
10-13	8-11	10	007
14-17	12-15	12	002
18-20	16-20	15	003

Customer cables, IRB 2600/4600

Travel length (m) with no specified robot pedestal	cified robot	Cable length (m)	CP/CS/Parallel 3HEA801277-	CP/CS/Devi- ceNet/Can 3HEA801279-	CP/CS/ProfiB- us 3HEA801280-	ProfiNet cable flex 3HAC032951-
1-5	1-3	6	002	002	002	001
6-9	4-7	8	004	004	004	003
10-13	8-11	10	006	006	006	005
14-17	12-15	12	009	009	008	007
18-20	16-20	15	012	012	011	010

Customer hoses, IRB 1600/2600/4600

Travel length (m)	Cable length (m)	CP/CS-AIR 3HAC046923-
1-5	6	001
6-10	8.5	005
11-15	11	002
16-20	14	003

Customer hose floor, IRB 1600/2600/4600

Cable length (m)	CP/CS-AIR floor 3HAC046933-	
3	001	

7.1.5 Arc welding package cables and hoses

7.1.5 Arc welding package cables and hoses

Arc welding package cables

Travel length (m)	Cable length (m)	DeviceNet cable 3HAC046928-	Welding current cable 3HAC050223-	Welder power cable 3HAC046929-	TSC cable 3HAC046932-
1-5	6	001	001	001	001
6-10	8.5	006	004	005	006
11-15	11	002	002	002	002
16-20	14	003	003	003	003

Arc welding package hoses

Travel length (m)	Cable length (m)	Gas hose 3HAC046930-	Air hose 3HAC046931-
1-5	6	001	001
6-10	8.5	005	005
11-15	11	002	002
16-20	14	003	003

7.1.6 Arc welding cables and hoses

7.1.6 Arc welding cables and hoses

Arc welding package cables

Cable length (m)	DeviceNet cable_ RPC 3HAC046939-	Welding current cable 3HAC046940-	TSC cable 3HAC046941-
3	001	001	-
5	-	-	001

Arc welding package hoses

Cable length (m)	Air and gas hose_RPC 3HAC051850-	Air hose 3HAC046937-	Gas hose 3HAC046936-	TSC hose 3HAC046942-
3	001	005	005	-
5	-	-	-	001

7.2 Floor cables

7.2 Floor cables

Overview

Fixed cables are connected between the control equipment and the track motion. The tables specify cables for the track motion. As for the manipulator cables, same cables are used as when connecting the manipulator directly to the control equipment. Further information about the manipulator cables are found in the Product Manual for the manipulator.

Robot track power cables

Cable length (m)	IRBT XP7-J1.XS7 3HEA802402-
7	001
15	002
22	003

Transfer track cables IRC5 to SMB (floor)

length	3-SMB box XP7-XS50 3HAC054112-	cable 66/7600	Control cable sig- nal 3HAC2493-	Control cable signal 3HAC2530-	Control cable sig- nal 3HAC2540-	box 3axis	6 Axis SMB box 3HAC049479-
7	001	001	1	-	-	-	-
15	002	002	-	1	-	-	-
22	003	003	-	-	1	-	-
3AX- IS	-	-			-	001	-
6AX- IS	-	-			-	-	001

Transfer track cables SMB to track (floor)

Cable length (m)	Extension Power Cable Box-Motor 3HAC052872-	Extension FB Cable Box-Motor 3HAC052873-
5	001	001
10	002	002
15	003	003

STD customer cables and hoses

Cable length (m)	CP/CS-AIR (floor) 3HAC046933-
7	002
15	003
22	004

Continues on next page

7.2 Floor cables Continued

Arc welding package cables and hoses

	DeviceNet cable (floor) 3HAC046934-		power cable (floor)	3HAC046938-		Air hose (floor) 3HAC046937-
7	001	001	001	001	001	001
15	002	002	002	002	002	002
22	003	003	003	003	003	003



Index

Α

automatic lubrication system, 22

C

cable chain external cable chain, 18 internal cable chain, 17 cable tray, 19 cabling fixed cable, 30 flexible cable, 23 carriage bracket, 13

D

drive unit, 11

S

stand unit, 15

Contact us

ABB AB

Discrete Automation and Motion Robotics S-721 68 VÄSTERÅS, Sweden Telephone +46 (0) 21 344 400

ABB AS, Robotics Discrete Automation and Motion Nordlysvegen 7, N-4340 BRYNE, Norway Box 265, N-4349 BRYNE, Norway Telephone: +47 51489000

ABB Engineering (Shanghai) Ltd. No. 4528 Kangxin Hingway PuDong District SHANGHAI 201319, China Telephone: +86 21 6105 6666

www.abb.com/robotics