STUDENT NAMES:

HLTAID007 - PROVIDE ADVANCED RESUSCITATION								
CPR ASSESSMENT								
DANGER	HAZARDS TO SELF VICTIM AND OTHERS							
	STANDARD PRECAUTIONS (GLOVES, MASKS)							
RESPONSE	RESPONSE TO VERBAL AND TOUCH							
SEND FOR HELP	ASK BYSTANDER TO CALL AMBULANCE / MEDICAL ASSISTANCE							
CPR ON INFANT (SCENARIO TO BE	CONTEXTUALISED TO CANDIDATES WORKPLACE/COMMUNITY SETTING)							
	PERFORM AT LEAST 2 MINUTES OF UNINTERUPTED CPR ON INFANT MANIKIN ON A HARD SURFACE							
AIRWAY & BREATHING	OPEN AIRWAY (HEAD IN NEUTRAL POSITION)							
	CHECK FOR NORMAL BREATHING (LOOK, LISTEN, FEEL)							
	RECOVERY POSTION IF BREATHING							
COMPRESSIONS AND BREATHS	LOCATE COMPRESSION POINT							
	30 COMPRESSIONS (2 FINGERS) FOLLOWED BY 2 BREATHS (PUFFED FROM CHEEK)							
	RATE 100PM							
	DEPTH 1/3 CHEST							
2 OPERATOR CPR	DEMONSTRATING ROTATION OF OPERATORS WITH MINIMAL INTERUPTION TO COMPRESSIONS							
VARIATIONS AND COMPLICATIONS	VOMITING AND REGURGITATION							
	FOREIGN BODY OBSTRUCTIONS							
	FOREIGN BODY OBSTRUCTIONS							

Page 2/3	Student intials												
CPR ON ADULT (SCENARIO TO BE CONTEXTUALISED TO CANDIDATES WORKPLACE/COMMUNITY SETTING)													
	PERFORM AT LEAST 2 MINUTES OF UNINTERUPTED CPR ON ADULT MANIKIN PLACED ON THE FLOOR												
AIRWAY & BREATHING	OPEN AIRWAY (HEAD TILT AND CHIN LIFT)												
	CHECK FOR NORMAL BREATHING (LOOK, LISTEN, FEEL)												
	RECOVERY POSTION IF BREATHING												
COMPRESSIONS AND BREATHS	LOCATE COMPRESSION POINT												
	30 COMPRESSIONS FOLLOWED BY 2 BREATHS												
	USE RESUSCITATION MASK FOR DELIVERY OF BREATHS												
	RATE 100PM												
	DEPTH 1/3 CHEST												
2 OPERATOR CPR	DEMONSTRATING ROTATION OF OPERATORS WITH MINIMAL INTERUPTION TO COMPRESSIONS												
VARIATIONS AND COMPLICATIONS	VOMITING AND REGURGITATION												
	FOREIGN BODY OBSTRUCTIONS												
	DISCUSS VARIATIONS FOR PREGNANT WOMEN												ı
DEFIBRILLATION	ATTACH AED TO VICTIM												
	DELIVER SHOCK AS ADVISED BY AED UNIT												
CESSATION OF CPR	DISCUSS WHEN YOU WOULD CEASE CPR												
REPORTING REQUIREMENTS / DEBRIEF	INCIDENT REPORT FORMS IN THE WORKPLACE												
	NOTE TAKING DURING INCIDENT												
	DEBRIEFING AND COUNSELLING - VERBAL OR WRITTEN REPORT ON INCIDENT												

Page 3/3	STUDENT INITIALS						
USE OF 02 UNIT							
D2 UNIT USE	CPR TO CONTINUE WHILE O2 UNIT ASSEMBLED						
	CHECK FOR O2 RELATED HAZARDS (EG. NAKED FLAMES, POOR VENTILATION etc)						
	USE SUCTION TO CLEAR AIRWAY						
	SELECT THE APPROPRIATE SIZE OP AIRWAY AND INSERT CORRECTLY						
	DELIVER OXYGEN USING THE APPROPRIATE DELIVERY DEVICE (CANNULAE, DEMAND VALVE, NON REBREATHER MASK, BVM OR EMTR)						
	ADMINISTER OXYGEN AT A CORRECT FLOW RATE						
	USE OXIMETER TO MONITOR OXYGEN SATURATIONS						
	DISCUSS USE OF BVM - INCLUDING PROS/CONS AND WHEN ITS USE IS APPROPRIATE & INAPPROPRIATE						
REPORTING REQUIREMENTS	INCIDENT REPORT FORMS IN THE WORKPLACE						
	NOTE TAKING DURING INCIDENT						
PRE-USE CHECKS	PRE-USE CHECK OF O2 AND AED UNITS TO ENSURE THEY ARE FUNCTIONAL						
	PRE-USE CHECK OF 02 UNIT TO ENSURE CYLINDER FILLED AND SUPPLY IS SUFFICIENT						
	PRE-USE CHECK OF O2 & AED UNITS TO ENSURE ALL COMPONENTS ARE PRESESNT						
	CHECK TO ENSURE AED BATTERIES ARE CHARGED						
AFTER USE CHECKS	DISCARD DISPOSABLE ITEMS AND RESTOCK						
	CLEAN & DISINFECT RE-USABLE PARTS						
	CYLINDER IS REFILLED AND STORED SAFELY						
	REPORTS SUBMITTED, WHERE APPROPRIATE						
SCENARIOS	STUDENT TO RESPOND TO AT LEAST THREE SIMULATED RESUSCITATION SCENARIOS CONTEXTUALISED TO THEIR WORKPLACE OR COMMUNITY SETTING						
	Student to initial						
	Instructor to initial						
	"Istacio to inital						

Date	