		Student Names											
HLTAID006 - PROVIDE ADVANCED FIRST AID													
CPR ASSESSMENT				'									
DANGER	HAZARDS TO SELF VICTIM AND OTHERS												
	STANDARD PRECAUTIONS (GLOVES, MASKS)												
RESPONSE	RESPONSE TO VERBAL AND TOUCH												
SEND FOR HELP	ASK BYSTANDER TO CALL AMBULANCE / MEDICAL ASSISTANCE												
CPR ON INFANT (SCENARIO TO BE CONTEXTUALISED TO CANDIDATES WORKPLACE/COMMUNITY SETTING)													
	PERFORM AT LEAST 2 MINUTES OF UNINTERUPTED CPR ON INFANT MANIKIN ON A HARD SURFACE												
AIRWAY & BREATHING	OPEN AIRWAY (HEAD IN NEUTRAL POSITION)												
	CHECK FOR NORMAL BREATHING (LOOK, LISTEN, FEEL)												
	RECOVERY POSTION IF BREATHING												
COMPRESSIONS AND BREATHS	LOCATE COMPRESSION POINT												
	30 COMPRESSIONS (2 FINGERS) FOLLOWED BY 2 BREATHS (PUFFED FROM CHEEK)												
	RATE 100PM												
	DEPTH 1/3 CHEST												
2 OPERATOR CPR	DEMONSTRATING ROTATION OF OPERATORS WITH MINIMAL INTERUPTION TO COMPRESSIONS												
VARIATIONS AND COMPLICATIONS	VOMITING AND REGURGITATION												
	FOREIGN BODY OBSTRUCTIONS												
	FOREIGN BODY OBSTRUCTIONS												
CPR ON ADULT (SCENARIO TO BE CONTEX	TUALISED TO CANDIDATES WORKPLACE/COMMUNITY SETTING)												
	PERFORM AT LEAST 2 MINUTES OF UNINTERUPTED CPR ON ADULT MANIKIN PLACED ON THE FLOOR												
AIRWAY & BREATHING	OPEN AIRWAY (HEAD TILT AND CHIN LIFT)												
	CHECK FOR NORMAL BREATHING (LOOK, LISTEN, FEEL)												
	RECOVERY POSTION IF BREATHING												
COMPRESSIONS AND BREATHS	LOCATE COMPRESSION POINT												
	30 COMPRESSIONS FOLLOWED BY 2 BREATHS												
	RATE 100PM												
	DEPTH 1/3 CHEST												
2 OPERATOR CPR	DEMONSTRATING ROTATION OF OPERATORS WITH MINIMAL INTERUPTION TO COMPRESSIONS												

	Student intials								
BAG VALVE RESUSCITATOR	PERFORM AT LEAST 2 MINUTES OF UNINTERUPTED CPR USING A BAG VALVE RESUSCITATOR ON ADULT MANIKIN PLACED ON THE FLOOR								
	USE OF AN OXIMETER								
VARIATIONS AND COMPLICATIONS	VOMITING AND REGURGITATION								
	FOREIGN BODY OBSTRUCTIONS								
	DISCUSS VARIATIONS FOR PREGNANT WOMEN								
DEFIBRILLATION	DEFIBRILLATION - DEMONSTRATE ON TRAINER								
CESSATION OF CPR	DISCUSS WHEN YOU WOULD CEASE CPR								
REPORTING REQUIREMENTS / DEBRIEF	INCIDENT REPORT FORMS IN THE WORKPLACE								
REPORTING REQUIREMENTS / DEBRIEF	NOTE TAKING DURING INCIDENT								
	DEBRIEFING AND COUNSELLING - VERBAL OR WRITTEN REPORT ON INCIDENT								
UNRESPONSIVE BREATHING VICTIM SCE	NARIO Assessment (SCENARIO TO BE CONTEXTUALISED TO CANDIDATES WOR	RKPLACE	/COMMUI	NITY SET	TING)				
PRIMARY SURVEY	STANDARD PRECAUTIONS								
	CHECK FOR DANGERS TO SELF, OTHERS & VICTIM								
	CHECK FOR RESPONSE								
	SEND FOR HELP								
	OPEN AIRWAY								
	CHECK FOR NORMAL BREATHING								
	POSITION VICTIM CORRECTLY (RECOVERY POSITION)								
	QUICK CHECK FOR, AND CONTROL OF, LIFE-THREATENING BLEEDING								
VITAL SIGNS SURVEY	PULSE (RATE, RHYTHM AND STRENGTH)								
	TEMPERATURE								
	RESPIRATION (RATE, DEPTH, RHYTHM, SOUND)								
	RECORD INFORMATION FOR AMBULANCE/MEDICAL PERSONNEL							 	 _
SECONDARY SURVEY	HEAD-TO-TOE BODY CHECK								
TRIAGE	PERFORM BASIC TRIAGE FOR MULTIPLE CASUALTIES								
HISTORY GATHERING	ASKING BYSTANDERS WHAT HAPPENED								
REPORTING REQUIREMENTS	INCIDENT REPORT FORMS IN THE WORKPLACE								

	Student intials												
RESPONSIVE VICTIM SCENARIO Assessn WORKPLACE/COMMUNITY SETTING)	nent (SCENARIO TO BE CONTEXTUALISED TO CANDIDATES	Respirato Injuries, I	ory Condi Poisoning	tions, Ast g, Fracture	thma, Cor es, Sprain	vulsions, s & Strair	Angina, ns and Bl	Heart Atta eeding	ack, Shocl	k, Anaphy	laxis & A	llergies, F	lead
APPROACH	STANDARD PRECAUTIONS												
	CHECK FOR DANGERS TO SELF, OTHERS & VICTIM												
	CHECK FOR RESPONSE												
	PROVIDE REASSURANCE TO VICTIM												
	REQUEST PERMISSION TO ASSIST												
	SEND FOR HELP												
	POSITION VICTIM APPROPRIATELY												
VITAL SIGNS SURVEY	PULSE (RATE, RHYTHM AND STRENGTH)												
	RESPIRATION (RATE, DEPTH, RHYTHM, SOUND)												
	LEVEL OF CONSCIOUSNESS (WHO, WHERE, WHEN)												
	RECORD INFORMATION FOR AMBULANCE/MEDICAL PERSONNEL												
SECONDARY SURVEY	D.O.L.O.R.												
	HEAD-TO-TOE CHECK												
PROVIDE APPROPRIATE FIRST AID	PROVIDE APPROPRIATE FIRST AID WITHIN FIRST AIDERS LEVEL OF TRAINING												
	DIRECT AND COORDINATE OTHER FIRST AIDERS												
	USE APPROPRIATE EQUIPMENT IN THE ADMINISTRATION OF FIRST AID												
	USE OF EMERGENCY RESCUE BLANKET												
	USE OF IMMOBILISATION PRINCIPLES FOR HEAD AND SPINAL INJURIES												
	USE OF SLINGS AND BANDAGES FOR MANAGEMENT OF INJURIES												
	USE OF PRESSURE IMMOBILISATION FOR ENVENOMATIONS												
	MEDICATION USING AN ADRENALINE AUTO INJECTOR												
	MEDICATION USING A BRONCHODILATOR AND SPACER												
REPORTING REQUIREMENTS	PROVIDE AN ACCURATE VERBAL REPORT												
	COMPLETE AN INCIDENT, INJURY, TRAUMA AND ILLNESS RECORD												
POST INCIDENT EVALUATION	PARTICIPATE IN DEBREIFING/EVALUATION AS APPROPRIATE												
WORKPLACE POLICIES AND PROCEDURES	LOCATE AND INTERPRET WORKPLACE POLICIES AND PROCEDURES												
	Student to initial												
	Instructor to initial												
	Date												