STUDENT NAMES:

HLTFA412A - APPLY ADVANCED FIRST AID							
DANGER	HAZARDS TO SELF/OTHERS OR VICTIM						
	HAZARDS SPECIFIC TO ENVIRONMENT (CONFINED SPACES ETC)						
	HAZARDS SPECIFIC TO PROVISION OF OXYGEN						
	STANDARD PRECAUTIONS (GLOVES, MASKS)						
RESPONSE	RESPONSE TO VERBAL						
	RESPONSE TO TOUCH						
SEND FOR HELP	ASK BYSTANDER TO CALL AMBULANCE / MEDICAL ASSISTANCE						
AIRWAY & BREATHING	OPEN AIRWAY (HEAD TILT AND CHIN LIFT)						
	CHECK FOR NORMAL BREATHING (LOOK, LISTEN, FEEL)						
	RECOVERY POSTION IF BREATHING						
COMPRESSIONS AND BREATHS	LOCATE COMPRESSION POINT						
	30 COMPRESSIONS FOLLOWED BY 2 BREATHS						
	RATE 100PM						
	DEPTH 1/3 CHEST						
2 OPERATOR CPR	AS PRIMARY RESCUER (BREATHS)						
	AS SECONDARY RESCUER (COMPRESSIONS)						

Page 2/4	STUDENT INITIALS						
PROVIDE OXYGEN	PROVIDE SUCTION						
	INSERT OP AIRWAY						
	ADMINISTER O2 USING MTR						
	ADMINISTER O2 USING A BAG RESUSCITATOR						
DEFIBRILLATION	DEFIBRILLATION - DEMONSTRATE ON TRAINER						
VARIATIONS AND COMPLICATIONS	VOMITING AND REGURGITATION						
	FOREIGN BODY OBSTRUCTIONS						
	DISCUSS VARIATIONS FOR INFANTS						
	DISCUSS VARIATIONS FOR PREGNANT WOMEN						
REPORTING REQUIREMENTS	INCIDENT REPORT FORMS IN THE WORKPLACE						
	NOTE TAKING DURING INCIDENT						
UNRESPONSIVE BREATHING VICTIM SCEN	JARIO Assessment						
PRIMARY SURVEY	STANDARD PRECAUTIONS						
	CHECK FOR DANGERS TO SELF, OTHERS & VICTIM						
	CHECK FOR RESPONSE						
	SEND FOR HELP						
	OPEN AIRWAY						
	CHECK FOR NORMAL BREATHING						
	POSITION VICTIM CORRECTLY (RECOVERY POSITION)		_				
	PROVIDE OXYGEN						
	QUICK CHECK FOR LIFE-THREATENING BLEEDING						

Page 3/4	STUDENT INITIALS											
VITAL SIGNS SURVEY	PULSE (RATE, RHYTHM AND STRENGTH)											
	RESPIRATION (RATE, DEPTH, RHYTHM, SOUNDS)											
	RECORD INFORMATION FOR AMBULANCE/MEDICAL PERSONNEL											
SECONDARY SURVEY	HEAD-TO-TOE BODY CHECK											
HISTORY GATHERING	ASKING BYSTANDERS WHAT HAPPENED											
REPORTING REQUIREMENTS	INCIDENT REPORT FORMS IN THE WORKPLACE											
RESPONSIVE VICTIM SCENARIO Assessment	ent	Respira	tory Con	ditions, A	sthma, A	ngina, H	eart Atta	ck, Shoc	k, Anaph	ylaxis an	d bleedin	g
APPROACH	STANDARD PRECAUTIONS											
	CHECK FOR DANGERS TO SELF, OTHERS & VICTIM											
	CHECK FOR RESPONSE											
	PROVIDE REASSURANCE TO VICTIM											
	REQUEST PERMISSION TO ASSIST											
	SEND FOR HELP											
	POSITION VICTIM APPROPRIATELY											
	PROVIDE OXYGEN (WHERE APPROPRIATE)											
VITAL SIGNS SURVEY	PULSE (RATE, RHYTHM AND STRENGTH)											
	RESPIRATION (RATE, DEPTH, RHYTHM, SOUND)											
	LEVEL OF CONSCIOUSNESS (WHO, WHERE, WHEN)											
	RECORD INFORMATION FOR AMBULANCE/MEDICAL PERSONNEL											
SECONDARY SURVEY	D.O.L.O.R.											
	HEAD-TO-TOE CHECK											

age 4/4	STUDENT INITIALS						
ROVIDE APPROPRIATE FIRST AID	PROVIDE APPROPRIATE FIRST AID WITHIN FIRST AIDERS LEVEL OF TRAINING						
	USE APPROPRIATE EQUIPMENT IN THE ADMINISTRATION OF FIRST AID						
	ASSIST WITH SELF MEDICATION WHERE APPROPRIATE (eg. ASTHMA MEDICATIONS, ANALGESICS, EPIPEN)						
	PROVIDE MEDICATIONS APPROPRIATE TO TRAINING						
EPORTING REQUIREMENTS	INCIDENT REPORT FORMS IN THE WORKPLACE						
OST INCIDENT EVALUATION	SEEK FEEDBACK FROM APPROPRIATE CLINICAL EXPERTS AND IDENTIFY IMPROVEMENTS WHERE REQUIRED						
	RECOGNISE POSSIBLE PSYCHOLOGICAL IMPACT ON RESCUERS						
	PARTICIPATE IN DEBREIFING/EVALUATION AS APPROPRIATE						
	Student to initial						
	Instructor to initial						
	Date						