

Nature of Polyexistentials:

Basis for Abolishment of
the Western Intellectual Property Rights Regime
And Introduction of
the Libre-Halaal ByStar Digital Ecosystem

Mohsen BANAN

PLPC-120033.p4cel

First US Edition

Available on-line at:

<https://github.com/bxplpc/120033>



2.3 Monoexistentials

Monoexistentials are bound by their location. At any given time they exist in one and only one specific location. Material monoexistentials can be moved (transported) at physical speed.

2.3.1 Categories of Monoexistentials

In the context of monoexistence versus polyexistence, all that is material is monoexistential. Some non-materials are also monoexistential.

We categorize monoexistentials in the following 4 categories.

- Nature's Material Monoexistentials
- Man Made Material Monoexistentials
- Nature's Non-Material Monoexistentials
- Man Made Non-Material Monoexistentials

In the following sections we describe each of these.

2.3.1.1 Nature's Material Monoexistentials

Anything material is monoexistential.

Matter is the stuff around us. Atoms and molecules are all composed of matter. Matter is anything that has mass and takes up space.

A substance is matter which has a specific composition and specific properties. Every pure element is a substance. Every pure compound is a substance. For example, iron is an element and hence is also a substance. All substances are monoexistentials.

Chemistry allows us to categorize material monoexistentials into: chemical elements, chemical compounds and organic and inorganic.

2.3.1.1.1 Chemical Elements

Each stable chemical element is a monoexistential. This is illustrated in Figure 2.1.³

Our understanding of the periodic table itself is a polyexistential.

Our understanding of the periodic table allowed us to predict the existence of elements in nature prior to having discovered them.

Mendeleev used the patterns in his table to predict the properties of the elements he thought must exist but had yet to be discovered. He left blank spaces in his chart as placeholders to represent those unknown elements. The four predicted elements lighter than the rare-earth elements, eka-boron (Eb, under boron, B, 5), eka-aluminium (Ea or El,[2] under Al, 13), eka-manganese (Em, under Mn, 25), and eka-silicon (Es, under Si, 14), proved to be good predictors of the properties of scandium (Sc, 21), gallium (Ga, 31), technetium (Tc, 43), and germanium (Ge, 32) respectively, each of which fill the spot in the periodic table assigned by Mendeleev.

Monoexistence of those undiscovered elements was independent of us. Our discovery created new polyexistentials. The monoexistential existed before being discovered.

2.3.1.1.2 Chemical Compounds

A compound is a substance formed when two or more chemical elements are chemically bonded together.

Chemical compounds form much of the matter that is around us.

(Mendeleev's) Periodic Table of Chemical Elements

Legend:

- Alkali Metal
- Alkaline Earth Metal
- Metal
- Metalloid
- Non-metal
- Halogen
- Noble Gas
- Lanthanide/Actinide

Table Structure:

- Groups (Columns):** 1 IA, 2 IIA, 3 IIIA, 4 IVB, 5 VB, 6 VIB, 7 VIIB, 8 VIIIB, 9 VIIIB, 10 VIIIB, 11 IB, 12 IIB, 13 IIIA, 14 IVA, 15 VA, 16 VIA, 17 VIIA, 18 VIIIA.
- Periods (Rows):** 1 to 7.
- Lanthanide Series (f-block):** 57 La to 71 Lu.
- Actinide Series (f-block):** 89 Ac to 103 Lr.

Figure 2.1: Periodic Table of Chemical Elements

Beyond basic physical chemistry and inorganic chemistry, when it comes to organic chemistry and biochemistry, at this time we are not adequately equipped to open those analysis. When it comes to DNA in particular, there are some polyexistence similar characteristics which again we are not prepared to address at this time.

2.3.1.2 Man-Made Material Monoexistentials

A whole lot of the stuff around us is man-made.

Man made monoexistentials involve a manufacturing process. The manufacturing process is a polyexistential but what gets produced can have a dominant monoexistential characteristic. When mass produced, each is monoexistential.

If the manufacturing process is relatively simple (say cutting of a tree), then we would consider the result of the manufacturing process monoexistential because the polyexistential component of the end result is insignificant.

If the manufacturing process is complex (say building a gun) then we would consider the result of the manufacturing process a mixed-existential. See Section 2.5 – *Mixed-Existentials* –, for details.

Strictly speaking one could take the position that all man-made material results are mixed-existentials. There are no pure man-made material monoexistentials.

2.3.1.3 Nature's Non-Material Monoexistentials

Beyond matter there are other experienceable things in nature. It is easy to recognize that matter is monoexistential. But it is a mistake to equate matter with monoexistentials. Some monoexistentials are not matter.

There have been many attempts in putting all of our experienceable understandings of the universe into one equation. Figure 2.2 is one such attempt.⁴ This equation is annotated by attribution of aspects of knowledge to primary contributors.

All such forces and all such phenomena is monoexistential. They are bound by time and place and exist in singular.

$$\Psi = \int e^{\frac{i}{\hbar} \int \left(\frac{R}{16\pi G} - \frac{1}{4} F^2 + \bar{\psi} i D \psi - \lambda \phi \bar{\psi} \psi + |D\phi|^2 - V(\phi) \right) dV}$$

Figure 2.2: Unified Physics Equation With Inventors Labels

$$W = \int_{k < \Lambda} [Dg][DA][D\psi][D\Phi] \exp \left\{ i \int d^4x \sqrt{-g} \left[\frac{m_p^2}{2} R - \frac{1}{4} F_{\mu\nu}^a F^{a\mu\nu} + i \bar{\psi}^i \gamma^\mu D_\mu \psi^i + \left(\bar{\psi}_L^i V_{ij} \Phi \psi_R^j + \text{h.c.} \right) - |D_\mu \Phi|^2 - V(\Phi) \right] \right\}$$

Figure 2.3: Unified Physics Equation With Subject Matter Labels

Forces such as gravity and electromagnetic forces are bounded by location. So, things such as radio broadcasting and spectrum are monoexistentials.

Figure 2.3 is another such attempt.⁵ This equation is annotated by subject matter labels.

The knowledge of such equations are polyexistentials.

2.3.1.4 Man-Made Non-Material Monoexistentials

Man-made non-material monoexistentials fall into two categories. Man-made physical non-material monoexistentials and man-made social monoexistentials.

Examples of man-made physical non-material monoexistentials are over the air television and radio broadcasts. These all involve energy electricity and magnetism and waves and they are all bound by time and place.

Social monoexistentials involve creation of uniqueness and scarcities. Social structures and interactions often require uniqueness. As such, humans create non-material monoexistentials. Some examples of man-made non-material monoexistentials are: domain names and national identification numbers such as American social security numbers.

While many copies of an instance of a digital (polyexistential) exist, it is possible to create an association between a specific instance of that digital as its genesis (which we label as original) and its creator (which we label as originator or original assignee). Such associations can then be recorded in public ledgers. This allows for the tracking of all further assignments, so that at any given time it is possible to know the association between the original and the current assignee. This is the concept behind digital assets. An example of digital assets is Non-Fungible Tokens (NFTs). NFTs are typically used to represent digital art, collectibles and gaming items. They are stored on a blockchain and can be bought, sold, and traded on digital marketplaces.

2.3.2 Scarcity of Monoexistentials

Monoexistentials can be scarce or plentiful. Scarcity and plentifulness are relative concepts and depend on the environment and time. It is scarcity of monoexistentials that make them rivalry or non-rivalry.

2.3.2.1 Monoexistentials Rivalry Goods

“Rivalry Goods” is an economic concept.

In economics, a “good” is said to be rivalrous or rival if its consumption by one consumer prevents simultaneous consumption by other consumers.

In general terms, almost all private goods are rivalrous.

A good can be placed along a continuum ranging from rivalrous to non-rivalrous.

2.3.2.2 Monoexistentials Non-Rivalry Goods

“Non-Rivalry Goods” is an economic concept.

Non-rival goods may be consumed by one consumer without preventing simultaneous consumption by others. A good can be placed along a continuum ranging from rivalrous to non-rivalrous.

Many examples of non-rival goods are intangible.

Some broad examples of Non-Rivalry Goods are: air, fish in the ocean, view, roads, national parks, television broadcasts, wind and sunshine.

Non-Rivalry goods are often confused with polyexistentials (e.g., Wikipedia and Jewish IPR analysis make that mistake). Introduction of the concept of polyexistentials fully eliminates this common confusion.

The concept of polyexistentials is a philosophical concept. The concept of Non-Rivalry Goods is an economic term. Basing economics as the primary basis for structuring human laws is wrong. Inclusion of IPR in the US constitution by businessmen (founding fathers of America) is another example of the confusion which amounts to an attempt in creating rivalry goods from polyexistentials – based on artificial scarcity.

Goods that are both non-rival and non-excludable are called “public goods.” It is generally accepted by mainstream economists that the market mechanism will under-provide public goods, so these goods have to be produced by other means, including government provision. Polyexistentials are inherently public goods.

The Western IPR regime is the opposite of “Public Goods”. In the US constitution we have government provisions creating artificial scarcity against the public good.

2.4 Polyexistentials

We present the concept of “Expressed Formula” as the general form of “primary polyexistential”. Each formula forms a class of polyexistentials. Each possession of a formula forms an instance of a polyexistential. The digital format presents a “pure polyexistential” form. Unless expressed a formula is not a polyexistential.

The full emergence of digital technology in the middle of the 20th century has moved humanity into an arena where the dominance of monoexistentials ended. We now live in a world where polyexistentials impact nearly every aspect of life. Restrictions on polyexistentials has been harming nearly every aspect of life.

Pure polyexistentials are kept in some form of memory. Polyexistentials are “remembered”, “retrieved” with memory. Memory relates to object permanence. While memory is usually material, polyexistentials are always non-material. Memory can be a human’s brain or handwritten ink on a piece of paper, machine produced ink on paper (traditional books), digitized information on hard disk. Memory functions as a minimal substrate and is the container of polyexistentials.

An animal can be the producer of the polyexistential and an animal’s memory can be the memory for a polyexistential. But polyexistentials are for the most part the result of human activity. Polyexistentials are often expected to be useful. The value of the polyexistentials comes from the impact that they can have on human condition.

expressed our understanding of transmission of digital entities.

We then built on this physical layer understanding and added say six more layers to create the Internet. And we now have a global network on which digitals can be transmitted, often without knowing borders.

3.2.4 Cryptography, Encryption and Information Confidentiality

Storage and transfer of digital entities can be in the clear or can be made confidential.

Cryptography, the use of codes and ciphers to protect secrets, began thousands of years ago. Methods of encryption that use pen and paper were used to achieve some secrecy.

By 1949, we had Shannon's theory of perfect secrecy, as a mathematical model for secure communication. It states that if a message is encrypted using a key that is as long as the message itself, then the message is theoretically unbreakable. This is because the key is as long as the message, so it is impossible to determine the key without knowing the message. This means that the only way to decrypt the message is to have the key, which is only known by the sender and receiver.

In parallel with our entry into the digital era, roughly in the 1970s secure cryptography which until then was largely the preserve of governments became a generally available tool. Two events have since brought it squarely into the public domain: the creation of public encryption standards like DES, and the invention of public-key cryptography systems (PKCS). By the 1980s, internationally proposed standards such as X.509 included all necessary knowledge to secure digital information.


Nature believes in encryption. It is natural to encrypt.

It is easier to encrypt information than it is to decrypt it.

And we have the necessary knowledge to make digital entities private and to make our human communications and human interactions autonomous and private. So, our privacy can be preserved.

3.3 Programming Languages and Manner-of-Existence of Software

One perspective on software and programs is that they are human made set of instructions that computers execute. Another perspective, expressed by Donald Knuth, is: “Programs are meant to be read by humans and only incidentally for computers to execute.” Figure 3.1 shows a timeline for the history of high-level programming languages evolution from 1954 to 2002. Prior to Fortran, most programs were written in Assembly Language. An assembly language is a type of low-level programming language that is intended to communicate directly with a computer’s hardware. Unlike machine language, which consists of binary code, assembly languages are designed to be readable by humans. Each computer has its own assembly language and a program written for one computer would not execute on another.⁷



to raise the interest rate. Sure, that may have been effective in a monoexistential dominated environment, but it is no longer effective in a polyexistential dominated environment.

Economists need to focus more on discovery of fundamentals and less on policy. The fundamentals include the distinctions between economics of monoexistentials, economics of mixed-existentials and economics of polyexistentials. These are governed by different laws of nature and thus demand separate economic theories.

American economists are also yet to discover another fundamental. Economics must be subservient to nature, humanity, law and justice. In America all of that is completely backwards. American economists believe that economics is the main axis around which everything else should be structured.

Governance of polyexistentials should not be based on economics. This is what the Western IPR economic regime does.

Halaal manner-of-existence of polyexistentials should govern economics of polyexistentials.

13.5 Proprietary vs. Non-Proprietary; For-Profit vs. Non-Profit

A business or other construct may be characterized as either proprietary or non-proprietary. And it may be characterized as either for-profit or non-profit. And generally speaking, these characterizations are orthogonal. Thus, there are four quadrants in which a construct may reside. This is illustrated in Figure 13.1

Typically, the for-profit label represents self-interest orientation and the non-profit label represents public goods orientation. The Western IPR regime has created the proprietary model in the for-profit context. In Polyexistential Capitalism, there is no proprietary model anymore. Both for-profit and non-profit activities produce public goods.

We first briefly describe each quadrant and then focus on the non-proprietary and for-profit quadrant.

13.5.1 The Proprietary and For-Profit Quadrant

The business models for the *proprietary, for-profit* quadrant are well established. The Venture Capitalist business model resides exclusively within this quadrant.

Conventions and regulations for this quadrant are well established. Copyright and Patents are the norm in this quadrant. Venture Capitalists understand it well.

Historically, proprietary and for-profit have been very closely allied, so that the *proprietary, for-profit* model dominates conventions.

13.5.2 The Non-Proprietary and Non-Profit Quadrant

With regard to public research, there are well established, clear and mature procedures for supporting research in the *non-proprietary, non-profit* quadrant. The recipient organizations are typically .edu or .org entities, and the resulting public-funded research comes back to society in the form of unrestricted, non-proprietary results and assets.

13.5.3 The Proprietary and Non-Profit Quadrant

In theory this quadrant should be empty.

With regard to research, supporting public research in the *proprietary, non-profit* quadrant makes no sense at all. Here the results of the research are shut off from the public in terms of both ownership and business: the results are privately held and make no contribution either to society or to commerce.

In practice, it is where most academics exist.



Figure 13.1: Operation in the For-Profit and Non-Proprietary Quadrant

13.5.4 Operation in the For-Profit and Non-Proprietary Quadrant

The business models for the *non-proprietary, for-profit* quadrant are not well established. The Venture Capitalist constituency does not understand this quadrant, nor does it believe in it, nor does it have any experience in it.

Business operation within the *non-proprietary, for-profit* quadrant is still very unusual at this time, and mature business models for this quadrant do not yet exist. Therefore, our own Open Business Plan may be considered the most complete business analysis of the non-proprietary model in existence today.

The notion of a non-proprietary construct, residing and operating within the for-profit sector, is new and different. Historically, the for-profit sector has been closely associated with proprietary ownership of assets. Hence the Internet Services industry and the likes of Blackberry as we see them today. Also historically, management of non-proprietary or public assets has been primarily associated with the non-profit sector. Hence the current orientation of the FOSS Movement, operating largely within the non-profit sector.

We propose a radical shift of the Internet Services industry from the for-profit, proprietary quadrant, to the for-profit, non-proprietary quadrant. In this space the entire software for an Internet service remains a communal public resource in the trust of the engineering profession, while service deployment is driven forward by the full force of for-profit commercial motivations.

This radical shift to the *non-proprietary, for-profit quadrant* causes a major industry reconfiguration, with significant winners and losers. The losers are the existing vested proprietary interests, whose economic hegemony vanishes. But the winners are the many more companies who can now enter the Libre-Halaal Software and Libre-Halaal Internet Services market —and the end-users. The impact is immense both in economic terms and in societal terms.

13.6 Libre-Halaal Polyexistential Capitalism

Thus far, we have emphasized the following key points:

- Western IPR regime is the wrong model for governance of polyexistentials

- Libre-Halaal is the proper model for governance of polyexistentials
- Recent recognitions of negative effects of American Capitalism reflect the symptoms of the IPR mistake

Earlier, we introduced Libre-Halaal as a replacement model for Western IPR. But we have not introduced an economic model to replace American IPR Capitalism.

So, now we want to draw the contours of what should replace American IPR Capitalism. Its short name is “Libre-Halaal Capitalism”. Its full name is: “Libre-Halaal Oriented Polyexistential Capitalism”.

The full scope of Libre-Halaal Capitalism is all polyexistentials. The economics of currently patented medications are within scope of Libre-Halaal Capitalism. The economics of Monsanto patents for genetically modified soybeans are within scope of Libre-Halaal Capitalism.

But initially we focus on Libre-Halaal Capitalism in the digital domain. By that, we mean:

- Software — Based on Libre-Halaal Software
- Internet Application Services — Based on Libre-Services
- Digital Content — Based on Libre-Halaal Content

13.6.1 Transformation of Software into Services

In Section 13.5 we introduced two dimensions of Proprietary vs. Non-Proprietary and For-Profit vs. Non-Profit. To those two dimensions now add another dimension. That of Software Vs Internet Application Services (Internet Services).

Part of the debate about FOSS is now over, while part continues. The part that is over is any question about the viability of FOSS as a development model for creating large-scale, complex, relevant software systems. GNU/Linux is a fully viable free software alternative to the proprietary Microsoft Windows operating system, against which it continues to make steady inroads.

And apart from such well-known and high-profile projects, behind the scenes the FOSS movement has become a flourishing creative environment, generating a constant stream of new and better software packages, duplicating and surpassing the capabilities of an ever-increasing portion of proprietary software territory.

And the fundamental FOSS creative dynamic has now also become very well understood: the FOSS development model allows *unrestricted creative reuse of existing assets at essentially zero cost*. It is from this dynamic that the FOSS model derives its tremendous generative power. FOSS is thus fully established as a generative engine and an industry reality and is here to stay.

But the part of the debate that continues is whether or not this has any meaningful commercial dimension. Within the proprietary software domain, a powerful revenue-generating engine exists in the form of the traditional software licensing model. But this revenue source is absent under the FOSS model. In its place there are a number of possible business and revenue models, but in all cases, these lack the large-scale repeatability that makes things really interesting from a business perspective.

There thus remains a conceptual gap, a puzzle, about how the powerful generative forces of FOSS can be turned into a large-scale, repeatable, revenue stream. But this puzzle is now solved.

Business Dynamics Of Internet Services

Within the Internet Services industry the business and revenue models are quite clear and obvious. The largest and most obvious are the subscription fee model of generalized service providers, and the advertising model of numerous specialized no-cost service providers, demonstrated most spectacularly by Google. Both the subscription fee and advertising models are unlimitedly scalable, thus resulting in the gigantic commercial Internet of today.

But the Internet Services industry of today is a fundamentally proprietary construct. While proprietary service providers can and do make frequent use of FOSS components within their services, they do not espouse the FOSS development model itself, and their technical development process remains competitive and proprietary. Though they may incorporate FOSS components, Facebook and Google are certainly not FOSS values oriented.



Figure 13.2: Business Ramifications of Software to Service Transformation

Thus, as we look at the software and Internet industries of today, we see two largely disjoint cultures. As illustrated in Figure 13.2 we see the FOSS domain, with its powerful generative and propagative development model, but lacking any clear large-scale monetization model. And separate from this we see the proprietary Internet Services domain, with enormous revenue and business consequences, but handicapped in scope and scale by its competitive development model.

But now we are witnessing a further transformational event in the evolution of the Internet: a shift of traditional software applications towards a service-based implementation, or what is sometimes called the “transformation of software into services.” And this is the critical event that now solves the FOSS revenue puzzle. This development unites the generative power of the free software domain with the proven revenue models of the services domain. The transformation of software into services *allows the powerful generative model of FOSS to be invested directly into the powerful revenue model of the Internet Services industry.*

The dashed horizontal line in Figure 13.2 represents two different models and two two different ideologies. The upper part of the dashed horizontal line represents the proprietary American digital model and the convenient convergence of the open-source and corporate cultures. We described some of these dynamics in Section 12.1.6 — [Corporatization of FOSS](#).

The lower part of the dashed horizontal line represents the Libre Services model and the consistent Libre-Halaal Software and Free Software ideologies. In Figure 13.2, note that open-source software feeds into both Proprietary Internet Services and Libre Services. Some software engineers who choose the Libre-Halaal public licensing model choose not to be agnostic and recognize that the moral and ethical ramifications of not cultivating the proprietary internet services are very important. At this point (in 2023), the Libre Services industry is insignificant compared to the proprietary internet services. This is not because of the inherent economics of the two models. It is because of lack of understanding of the economics of Libre Services, business comfort with the traditional proprietary model and American and Western societal values.

13.6.2 Libre-Halaal Internet Services Capitalism

With the above understandings of:

1. For-Profit/Non-Profit and Proprietary/Non-Proprietary Quadrants
2. Transformation Of Software Into Services

We now add another dimension to the square and turn it into a cube.



Figure 13.3: The For-Profit Non-Proprietary Quadrant For Internet Services

So, we now have a cube as shown in Figure 13.3. The Libre-Halaal services are positioned in the For-Profit Non-Proprietary Quadrant for Internet Services. Note that in the non-proprietary layer, re-use and collaboration is far richer than the proprietary layer. For example, in the Software slice, Debian and Ubuntu cross progress. In the Services slice the same can happen. Where for example ByStar and FreedomBox can cross progress.

The Libre-Halaal Services deployment model breaks both these traditions. It represents a radical shift of the Internet Services industry from the for-profit, proprietary quadrant, to the for-profit, non-proprietary quadrant. In this space the entire software for an Internet service remains a communal public resource in the trust of the engineering profession, while service deployment is driven forward by the full force of for-profit commercial motivations.

13.7 Attribution Based Economics (ABE) — Instead of Ownership

Ownership and attribution are two separate things.

Through ownership, the IPR model includes attribution. In the IPR model, the one (or the ones) who creates the original copyrighted polyexistential becomes the owner and the polyexistential is attributed to the owner.

In the Libre-Halaal model, the one (or the ones) who creates the original polyexistential becomes the origin of that polyexistential. And the polyexistential is attributed to that origin. In the Libre-Halaal model, by rejecting ownership we are not rejecting attribution. Attribution is an integral part of the Libre-Halaal model.

Capitalism operates on supply and demand as the basis of value. There, open and unlimited availability translates into zero market value. In that model non-rivalry goods are worthless. So, in that traditional economic model, polyexistentials are not economically sound.

In the context of Libre-Halaal software (FOSS) and internet application services the common revenue generation model has been that of providing value added services rather than from the original development of the core open software. Since, as the core Libre-Halaal software is unrestricted polyexistentials, from a market value standpoint, that developed software is worthless.

Yet, Libre-Halaalness of polyexistentials leads to limitless availability of useful works. This is a profoundly good thing from the perspective of maximizing value, and thus suppressing it is deeply misguided.

Attribution-based economics is a new model that aims to remedy this state of affairs by changing the basis

of value from supply and demand to collective recognition. This is facilitated by a process of “inheritance attribution” where we collectively agree on the extent of inherence of ideas and works in other (e.g., derivative) ideas and works, by means of transparent and evolving standards. This model is capable of recognizing a much larger set of valuable contributions, including forms of value that cannot be coerced into a supply-and-demand equation. That is, in this model, there is no need to artificially restrict availability in order for something to be considered valuable. By virtue of the curious property that innovations on the process are themselves subject to the process of recognition in a self-reflective way, we gain accuracy, and by the property that agreed-upon standards apply equally to all, we gain fairness —guarantees that are at best tenuously present in today’s economic systems.³⁴

13.7.1 Attribution Based Economics (by: Sid Kasivajhula)

This book is a collection of thoughts and beliefs. The role of the author is to organize and direct these thoughts and these beliefs. When we use the word “we”, this is what we mean.

The concept of Attribution Based Economics is relatively new and the best way to present it is to use the words of one of its origins and attribute it to him.

At the emacsConf-2022, a virtual Emacs conference, Sid Kasivajhula presented some thoughts related to the concept of Attribution Based Economics (ABE). We reproduce parts of that presentation below:

When we think about the problems of the world we see global warming, war, appropriation, poverty, and among numerous other problems, also the inability to make a living as an open source developer.

Now this last problem may seem a lot less consequential compared to the other ones, but what if I told you that the solution to this problem and the solutions to the others are one and the same?

And it’s because there’s a common underlying problem at the heart of all of these problems. I’m going to tell you what that problem is in one sentence. You ready for it? It is ... the deviation of market value from true value. Let’s think about this in the context of existing economic systems such as capitalism and communism.

And of these, I want to focus on capitalism because it is the only nontrivial economic system, really. Communism is more sort of a political means to achieve economic ends. And the other economic systems exist sort of on a spectrum between these two. So let’s focus on capitalism. Capitalism has as its basis of value supply and demand. And consequently, there is a great emphasis on this idea of ownership. Now ownership is an idea that made some kind of sense when you have goods and services that are constrained in some way, that are essentially finite in supply. But when you have things like works of software, art, and music, which are essentially infinite in supply, the idea of ownership and supply and demand don’t make sense anymore. And yet we employ the institution of property to constrain supply and introduce the idea of supply just so that we can induce a market value in terms of supply and demand in a capitalist economic system. And it’s wrongheaded.

How many of us have written copyright declarations like these on our work. It’s a lot of work! Especially when we have version control. Now in this example, almost every line is written by a different person, so who owns the code in this case? Who owns the copyright here? Is it some of them, is it all of them, do they share it in some way? It doesn’t really make sense, especially when the reason we’re employing copyright and ownership in this case is to approximate the idea of attribution, which is what we really care about here. And that brings us to the nature of the solution, which is to move away from an economic system based on ownership and supply and demand, to an economic system based on attribution, instead. That is, moving away from who owns what to who did what and how important was it. And we can do this by the process of Dialectical Inheritance Attribution, which just means that we do it in a collective way using common collectively agreed upon standards that are applied transparently to all. And when we have an economic system that is based on attribution as the source of value in this way, we call it attribution based economics. Now, once we have that, it gives us fairness, effective empowerment of expertise, freedom through incentives rather than through coercion. And privacy as well.

Others kind of see the problem but consider it inevitable. More recently, discussions of loss of privacy in the context of Internet services has become a daily occurrence in mainstream Western press. None of these discussions has any depth and no meaningful cure is even searched for. Many articles and books have been written about “End of Privacy.” Shallow, subdued nagging — that is the position and role of American press on the problem.

15.3.3 Contours of the Cure

In order to cure this disease, we need to conceptualize it in its totality — that of a “Digital Ecosystem”.

The Proprietary American Digital Ecosystem cannot be fixed. Its dynamics are taking it to a particular eventuality — destruction of civilization and humanity.

Instead, we need to erect an alternative digital ecosystem to stand against it.

The model of this healthy alternative digital ecosystem must be based on:

- Sanctity of autonomy and privacy — based on just morality and principle.
- Ideology of guardianship of the Internet by the engineering profession.
- Full rejection of Western IPR regime.
- Correct/Healthy manner-of-existence of software and services.
- Tangible assertion of autonomy.
- End-to-End Inter-Autonomous Confidentiality.
- Audit Trail Protection and Traffic Flow Confidentiality.
- Recognition of independence of societies and cultures.
- Full consideration of business and economics.

Consistent with these, we put forward the notion of “Libre-Halaal Digital Ecosystems” in general and the “Libre-Halaal ByStar Digital Ecosystem” in particular.

15.4 Overview of Digital Ecosystems

Our use of the term “Digital Ecosystem” is very broad and includes inter-related software, systems, services, content and societal frameworks including: philosophical, moral, societal, social, economic, business and legal practices — that shape it and are shaped by it.

Here we describe digital ecosystems in four parts.

Ideology — Societal Frameworks:

Digital Ecosystems exist within societal frameworks. Digital Ecosystems are shaped by societal norms and Digital Ecosystems shape people and society.

Very important aspects of societal frameworks which have immediate impact on shape of digital ecosystems are laws and models governing polyexistentials. Societal Agreements governing all that is digital (and more broadly polyexistentials) in the West is based on the Intellectual Property (IP) regime. This has shaped the entirety of Western Digital Ecosystems.

Software and Usage Environments:

Software is the digital form that controls other digital forms. As such, it is the foundation of digital ecosystems.

Internet Services:

Internet Services consist of *software execution accessed through a network*. As such, software may no longer be in the immediate possession of the user. Internet Services are therefore a distinct part of digital ecosystems — separate from Software.




Figure 15.1: The Proprietary American Digital Ecosystem (Layered Model)

Information and Content:

A primary purpose of digital ecosystems is to facilitate production and communication of information and content. In addition to the content itself, facilities and rules governing production, publication and access to content are a distinct part of digital ecosystems.

15.5 The Proprietary American Digital Ecosystem

The broad label that we use for Internet services and software as it exists and is practiced today, is: “The Proprietary American Digital Ecosystem”. We include the term American in this label not just because it is dominated by America, but because it is rooted in American values and American rules. The American purely economic model and widespread practices which are based on Western IPR regime has led to dominance of Internet by large American corporation and governance of the Internet through Corpocracy. These corrupt values and models are now being exported and forced on the rest of the world in the name of Internet.

The manner by which the Proprietary American Digital Ecosystem is shaped by American societal norms is multi-faceted. To better understand this, in Figure 15.1 we provide a layered model.

The very same eight layers that are presented in Figure 15.1 are the basis of the layered model that we present as a moral alternative in Section 16.2. Note that without recognizing and tackling the underlying root causes of the problems that the proprietary American digital ecosystem present, it is not possible to cure these problems. When the underlying nature of any public digital ecosystem is proprietary, it poses a danger to health of society.

In the following sections, we focus on specific aspects of the above layered model.

15.5.1 Competing Proprietary Digital Enclaves

The Proprietary American Digital Ecosystem comprises of a number of competing Proprietary Digital Enclaves. The proprietary Microsoft digital enclave is one such example. The Microsoft enclave has had its roots in the proprietary software business and is now trying to bring in proprietary services. The proprietary Google digital enclave is another example. The Google enclave has had its roots in the proprietary search business and is now trying to integrate with more software and services. Apple, Facebook and Amazon are examples of other American Digital Enclaves. What they all have in common is that they are all competing in a locked environment driven by Patent and Copyright laws. None of these enclaves were designed ab-initio to be digital environments for humanity. All of these enclaves exist primarily to generate profit for their owners.

This model of being governed by competing proprietary enclaves is normal and even desired by most Americans. The American medical system is similarly structured and so is the American food system. From the

16.2.3.4 Confidentiality, Anonymity and Privacy

By confidentiality we mean: ensuring that information is accessible only to those authorized to have access.

By anonymity we mean: the characteristic of any interaction where an individual protects his or her identity from being shared with another person or with a third party in the context of particular communications.

By privacy we mean: the ability of an individual or group to seclude themselves or information about themselves and thereby reveal themselves selectively.

ByStar Autonomous Services are designed to provide tangible confidentiality, anonymity and privacy on a large scale. All of Libre-Halaal ByStar Digital Ecosystem has this inherent design.

The basic assumption in the ByStar Digital Ecosystem is that all communications and traffic is subject to eavesdropping and traffic analysis.

Fortunately, the nature of digital information is such that it is easier to encrypt than it is to decrypt.

With nature on our side, ByStar Digital Ecosystem provides large scale countermeasures which include end-to-end data confidentiality and traffic flow confidentiality.

ByStar federated services are governed by transparency and well understood logging expectations and audit trail protections which are oriented towards preservation of privacy.

All of this is in stark contrast to how confidentiality, anonymity and privacy are in the American Proprietary Digital Ecosystem. There, they have become a currency.

16.2.4 ByStar Central

The basic design of ByStar is very distributed. Services are generally autonomous and interactions are usually end-to-end.

This means that ByStar is centrally light. But there are some fundamental and infrastructural and foundational organizations and services that are required at the center of ByStar.

The following infrastructure and foundational organizations have been put in place towards administration, guardianship, direction setting and facilitation of collaboration and growth of ByStar.

16.2.4.1 Libre-Halaal Foundation - non-profit, non-proprietary

Libre-Halaal Foundation is the non-profit legal entity that facilitates collaborative development, maintenance and administration of ByStar.

16.2.4.2 Neda Communications, Inc. – for-profit, non-proprietary

Neda Communications, Inc. is the for-profit legal entity that has developed Libre-Halaal ByStar Services. The core of ByStar software is subject to the Affero v3 General Public License and also the Neda Commercial License (dual licensed). Neda plans to profit from widespread usage of The Libre-Halaal ByStar Digital Ecosystem in a variety of ways.

16.2.4.3 LibreCenter.net

LibreCenter.net is Neda's data center. It is distinct and different from other data centers in that it is built purely on Libre-Halaal Software. At this time most ByStar Services are hosted at Libre Center.

16.2.4.4 BySource.org

BySource.org is the Software Distribution Center for ByStar software in source form.

16.2.4.5 ByBinary.org

ByBinary.org is the Software Distribution Center for ByStar software in binary form.

16.2.4.6 ByStar Name and Number Assignment Authority

ByStar Name and Number Assignment Authority, is responsible for central assignment of names and numbers for ByStar services.

Design of ByStar as an ab initio independent separate digital ecosystem permits ByStar to expand beyond the Proprietary American Digital Ecosystem. This is desired and possible for two main reasons. First ByStar ideology may demand certain separations. Second, end-to-end purity of ByStar software-service continuum enables ByStar to do things that are not possible in the Proprietary American Digital Ecosystem.

ByStar's Public Key Infrastructure (PKI) and the possibility of a ByStar Alternative DNS Root, and ByStar Digital Currency are some examples.

16.2.5 Current ByStar Services and Capabilities

ByStar Services are vast in scope. They are designed to be ever growing. Basic structures of ByStar are in place and many services are built or are partially built. The Libre-Halaal Services collaborative framework allows for ByStar to grow dynamically.

Thus far our focus has been in making sure that the overall architecture of the ByStar Digital Ecosystem is sound. We have been designing big and implementing gradually. A complete stable system is in place. It is now a matter of expanding and improving it.

In ByStar, today for email, we don't use gmail, yahoo, msn, outlook.com, aol or other proprietary centrally controlled mail services. We use BystarMail. Similarly, for web presence, content publication, photo and video galleries ByStar has existing capabilities.

Here we provide a summary of where ByStar services stand today.

A snapshot of the organizations, services and software that form the ByStar Digital Ecosystem today are shown in Figure 16.2.

Libre-Halaal Foundation central resources are shown in violet in Figure 16.2. Neda resources are shown in yellow. Current ByStarEntity generators are shown under the "ByStar Autonomous" label and ByStar federated services are shown next to them. ByStar software consists of three major layers, these are shown in blue.

The current status and growth of ByStar falls into four broad categories:

1. Current Capabilities of ByStarEntity (ByStarServiceObject) – what any autonomous services is capable of offering.
2. Current Span of ByStarEntity Generators – What type of autonomous services (ByName, ByArtist, BySmb, etc) can be readily generated and supported?
3. Current Scope of ByStar Federated Services.
4. Scale of User Base – how many people are using ByStar?

16.2.5.1 Current Capabilities of ByStarEntity

Every ByStar autonomous service is anchored in a ByStarEntity. Every ByStarEntity can be provisioned to provide any of the current capabilities enumerated below.

- ByStarEntityIds and credentials – single password. [Unix account based]
- PKCS – ByStar Public Key Infrastructure (PKI) – Credentials.
- Autonomous VPN services and ByStar overlay networks. [openvpn based]
- Large amounts of autonomous disk space. [secure ftp based]
- Autonomous synchronization and version control facilities. [git – and also svn and cvs based]
- A Content Management System based website – with both public and private access. [Plone based]

Anonymous By* Services	ByAnonymous	ByLeak			
Inter-Autonomous Interaction Facilitaion	Byinteraction	ByHookup			
Federated By* Services	ByTopic ByEvent	ByContent ByBinary	BySource	BySearch	ByLookup
Controulled By* Services	ByFamily	ByWhere	ByMemory	ByEntity	
Autonomous By* services	BySMB ByAuthor	ByName ByArtist	ByAlias ByNumber		
Bystar Central	By-Star Neda	BySource LibreCenter	ByBinary Free Protocols	Liber Services	Halaal Software

Figure 16.1: ByStar Domains Table

- A conventional public web-site. [Apache based]
- Mobile web-sites. [jQuery Mobile based]
- Content publication services. [Plone based]
- A photo gallery. [galleria based]
- Genealogy web services. [geneweb based]
- Mail Transfer Service (MTA). [qmail based]
- Mail Access Service. [Secure Courier IMAP based]
- WebMail Service. [SquirrelMail based]
- Mailing List Services. [Ezmlm based]
- Mailing Distributions. [Gnus based]
- LibreTexting. [qmail and emsd based]
- Matched User Environment Profile. [Blee based]

Various other capabilities are in the works. With the ByStarEntity model in place, addition of features is quite simple.

16.2.5.2 Current ByStar Services Sites

Current ByStar services sites are depicted in Figure 16.1.

ByStar services sites are organized by “types” in Figure 16.1. The *Autonomous ByStar Services* are PALS (Possession Assertable Libre Services). An example of *Autonomous ByStar Services* is ByName.net. The *ByStar Central* sites support the infrastructure of ByStar.

16.2.5.3 Current Status and Span of ByStarEntity Generators

A number of ByStarEntity Generators—the machinery required for fully automated creation of new service instantiations—are in place for a number of ByStarEntityTypes. Current ByStarEntity Generators are shown in Figure 16.2 under the “ByStar Autonomous” label. We thus have the ability to create unlimited numbers of new accounts in batch mode, or at any time we can “enable” the services, to permit self-service account creation by individual and business users.

16.2.5.4 Current Status and Scope of ByStar Federated Services

A number of sites are in place for facilitating inter-autonomous relations. Current Federated Services are shown in Figure 16.2 under the “ByStar Federated” label.

Our initial focus amongst federated service is those used for information aggregation. These include ByTopic, ByContent and BySearch.

16.2.5.5 Growth of user base: timing

An important consideration is the point at which we will begin to accept the burden of significant numbers of users.

In the case of a conventional service deployment there is typically a major emphasis placed on early and rapid growth of user base, to demonstrate demand and marketplace viability of the service, and lay claim to a particular portion of functional territory. This was *modus operandi* during the dot con era, where claims of user base numbers were an integral part of spin-and-flip and pump-and-dump model. Some of those attitudes still persist.

However, we are not following this standard early proof-of-service approach. This may be appropriate for a conventional new service, where service functionality is the central and most critical issue. But for ByStar, a different timing strategy is required.

First, as a superset of numerous existing services, proof of service for By* in functional terms is already demonstrated by the Internet Services industry as it exists today. It is far more important to prove the model itself rather than its functional manifestations, and hasty creation of user base does little to accomplish this.

Instead, we have provided a coherent and complete description of the model in this and our other documents. The theoretical basis for the model is solid, and this will be clear to anyone willing to invest the time to understand it. In addition a number of working By* implementations are already in place; examples are provided. Though the scale of usage remains small, these are sufficient to demonstrate the viability of the Libre-Halaal model and the ByStar design, and the value of the resulting services to paying clients.

But a far more important consideration is that installed base is very costly in terms of maintenance and support, and premature exposure to these costs can jeopardize the more critical work of building the underlying model machinery. Therefore, we will not take on the burden of user base until the time and/or context is right for this. This means either that we are fully ready to accept the associated costs of ownership, or that the user base is being taken on in an appropriate context, such as a suitable business partnership.

Under either scenario our strategy is the same: at the right time we will populate the services at large scale by mass creation of By* service accounts for large existing user bases.

16.2.6 Relationship With Existing Realities

The Libre Services and By* models are revolutionary, and can be expected to have a revolutionary effect on Internet usage. But these models are about service development and functionality, not about technological infrastructure. We are not reinventing the Internet protocols, or any other technical aspect of Internet operation.

What is being presented here is not a tear-down and rebuild operation.

Libre Services and By* imply no discontinuity, in terms of either technology or service deployment. The implementation model for Libre Services and By* is wholly evolutionary—there exists a continuous migration path from the proprietary model of today to the Libre model of tomorrow.



Figure 16.2: Libre Services Supporting Organizations

16.2.6.1 Relationship With the Proprietary American Digital Ecosystem

Based on ideology, the Libre-Halaal ByStar Digital Ecosystem fully avoids proprietary software and proprietary services. We simply avoid The Proprietary American Digital Ecosystem.

But, any and all of our services can be used in the Proprietary American model.

The core of ByStar software is subject to the Affero v3 General Public License and also the Neda Commercial License (dual licensed).

In a document titled:

**A Strategy For Rapidly Becoming An Internet Application Service Provider
Joining, Adopting and/or Licensing ByStar
A Public Unsolicited Proposal**
<http://www.by-star.net/PLPC/180040> — [22]

We describe various options for those interested in joining, adopting and/or licensing ByStar.

16.2.6.2 Relationship With FOSS / FLOSS Movements

Free and open-source software (F/OSS, FOSS) or free/libre/open-source software (FLOSS) is software that is both free and open source. It is liberally licensed to grant users the right to use, copy, study, change, and improve its design through the availability of its source code. In the context of free and open-source software, free refers to the freedom to copy and re-use the software, rather than to the price of the software.

Libre-Halaal ByStar Ideology and FOSS Ideology have a great deal in common and we closely collaborate with our FOSS brothers and sisters, but the ByStar Libre-Halaal Ideology is distinct.

We invite our “Free Software” and “Open-Source” brothers and sisters to recognize that the “Libre-Halaal Software” model is a more complete model and that the “Libre-Halaal Software” label is a better label.

16.2.6.3 Active Private Parallel Digital Ecosystems – Example: NSA

What we want to do on a very large scale and in the open has been done in medium-scale in private.

For instance, the United State's National Security Agency (NSA) has created a separate parallel private digital ecosystem for its own use. NSA operates the private .nsa TLD; many NSA internal email addresses are of the form username@r21.r.nsa, mirroring the NSA organizational group structure. NSA has a particular ideology for its digital ecosystem which includes a large element of security, confidentiality and secrecy. NSA through use of its own particular software and services has created a completely different environment in parallel to the internet.

Precedence of such private parallel digital ecosystems combined with the proven power of Libre-Halaal software demonstrates that widespread realization of ByStar digital ecosystem is very viable.

16.2.6.4 Relationship With Piecemeal Privacy Oriented Software and Services

Some engineers kind of get it and have been trying to build various piecemeal privacy and autonomy software and services. Such efforts have always stayed limited in scope and scale. That is primarily for two reasons. First, because the engineers have failed to connect with society. And second, because piecemeal solutions don't work.

We build on these piecemeal privacy and autonomy software and services and bring them into ByStar as integrated and complete large scale services.

An example of a piecemeal privacy effort is PGP - Pretty Good Privacy. A bunch of engineers and technologists use it amongst themselves, but PGP never penetrated society at large. ByStar comes with Public Key Infrastructure (PKI) as an integral part of the service and equivalent of PGP is an inherent part of ByStar.

Another example of a piecemeal privacy effort is:

Tor <https://www.torproject.org>.

Tor attempts to accomplish traffic flow confidentiality just through redirection. Traffic flow confidentiality is an inherent part of ByStar which includes redirection plus layer 3 and layer 7 padding as well.

16.2.7 ByStar Economics

Having introduced the Libre-Halaal Bystar Digital Ecosystem in philosophical, moral, societal and engineering terms, we now turn our attention to the economic and business dimensions.

We are devout monoexistential capitalists.

The existing capitalist model for monoexistentials is generally correct, in both philosophical and economic terms. But the extension of the monoexistential capitalist model into the domain of polyexistentials, based on the Western IPR regime, is a grave mistake. Philosophically it is wrong. Societally it is harmful to humanity. And economically it is unstable and vulnerable, since it can be displaced by disruptive business models like ours. The ByStar Open Business Plan explains how this will come about, and how we will profit from this.

We expand on this in Chapter 13 — [Global Polyexistential Capitalism](#).

16.2.7.1 Revenue model for Libre-Halaal Software

The Libre-Haraam software model, operating under Western copyright restrictions, includes a highly effective recurring revenue generation model: the proprietary software licensing model.

But the Halaal manner of existence of software eliminates all restrictions on the distribution and use of software. Thus, the Proprietary-Haraam recurring revenue model is also largely eliminated. Recurring revenues under the Libre-Halaal software model are much less than under the Haraam software model.

16.2.7.2 Revenue model for Libre-Halaal Internet Services

The Halaal manner of existence of software creates a powerful generative development model for Libre-Halaal Internet Services. This generative model is absent from Proprietary-Haraam Internet Services. Thus Libre-Halaal Internet Services have a major advantage and can compete directly with Proprietary-Haraam Internet Services in terms of development.

The basic recurring revenue models for Libre-Halaal Internet Service providers are essentially the same as for Proprietary-Haraam Internet Service providers. Thus in terms of revenue generation, Libre-Halaal and Proprietary-Haraam services are on an equal footing.



Figure 16.3: ByStar Value Chain

16.2.7.3 ByStar Value Chain Analysis

ByStar value chain is a chain of activities that we perform in order to deliver a valuable internet services to the market. It is a high-level model of how we take raw externally developed Libre-Halaal software as input, add value to these software packages through various processes, and sell finished services to our customers.

In Figure 16.3, we illustrate the ByStar value chain on the left column and its inter-mixing with proprietary value chains on the right column.

Focusing on the right column of Figure 16.3, notice that “Neda Operated By* Services” establish a direct relationship with Subscribers and Users at the very top. Note that the scope of these Internet services is everything – the * in By* – and that the intended scale of these services is planet-wide. By definition, no Internet services opportunity can be bigger than that.

The arrows between Neda Services and User/Subscriber in Figure 16.3 include an element of “Trust, Loyalty, and Respect” which is the result of “ByStar Ideology” that we presented earlier. The element of trust and respect is fully absent in the left column. In business terms, Trust and Respect, translate into “stickiness” – where the user is more committed to the service. So, you see, all our investments in ideology are actually also business wise.

All of the ByStar value chain software is Libre-Halaal (Free and Open Source) software. ByStar software in Figure 16.3 is shown in two different colors.

The software in bright blue represents Debian and/or Ubuntu GNU/Linux and the specific software packages that we have chosen. These are externally developed open-source software packages which are typically subject to the free software GPL license (or similar) which permits their inclusion in proprietary services. This is often referred to as ASP loophole.

The software in bright green is the software that Neda has developed. It is subject to the “Affero General Public License Version 3” (AGPL3) and Neda Commercial License (Dual Licensed). AGPL3 closes the ASP loophole. Any ASP which uses ByStar software must subject its changes and improvements to AGPL3 and make its changes and improvements publicly available. Those ASPs not wishing to do so, can use ByStar software through the Neda Commercial License.

In the left column of Figure 16.3, we illustrate a typical proprietary ASP who is incorporating ByStar as part of its services based on the Neda Commercial License.

In this environment the model for implementation of By* service functionality is not one of original software development. Rather it is a matter of selection and integration of already available software packages. Virtually all existing By* service functionality has been created this way—in building By* we have written almost no new software components at all.

Thus we are not so much in the business of software development, as we are in the business of software integration. But the integration of software components to produce a coherent service is far from trivial. We have created a sophisticated technical integration environment for this purpose, called the **BISOS: ByStar Internet Services Operating System** [26].

Design of BISOS and the **ByStarEntity Software Platform** recognize the evolution of underlying external software (bright blue) in the ByStar value chain. This is the extraordinary magic of Libre-Halaal software and services: the ability to take things and reuse them at extremely low cost. This is the fundamental growth dynamic of Libre Services, and the powerful generative force that is lacking in the proprietary model. This is the key dynamic that causes the By* Libre Services eventually to surpass the proprietary model entirely in terms of features and functionality.

16.2.7.4 ByStar Open Business Plan

The halaal manner-of-existence of software creates a powerful generative development model for Halaal Internet Services. This generative model is absent from Proprietary/Haraam Internet Services. Thus Libre-Halaal Internet Services have a major advantage and can compete directly with Proprietary/Haraam Internet Services in terms of development.

The basic recurring revenue models for Libre-Halaal Internet Service providers are essentially the same as for Proprietary/Haraam Internet Service providers. Thus, in terms of revenue generation, Halaal and Haraam services are on an equal footing.

As part of our responsibility to create a viable implementation construct, we have fully analyzed the business dimension, and we have formulated the business model in the form of an Open Business Plan, titled:

The Libre-Halaal ByStar Open Business Plan
An Inversion to the Proprietary Internet Services Model
Neda Communication Inc.'s Open Business Plan
<http://www.by-star.net/PLPC/180014> — [25]
<http://www.neda.com/strategicVision/businessPlan>

ByStar open business plan is available in 3 forms; the Condensed Summary (about 12 pages), the Executive Summary (about 15 additional pages) and the full plan (about 85 pages).

Our business plan is viable because we understand the critical dynamics of polyexistentials. The current direction of the internet services industry does indeed present a grave hazard to humanity, and we will indeed safeguard humanity against this. These extraordinary claims provide a unique and powerful marketing message. And they also happen to be true.

16.2.8 Understanding the Full ByStar Picture

We have given you a brief summary of ByStar above.

This summary is over simplified and captures the gist of a series of articles that we have developed to analyze and describe various aspects of ByStar.

In ByStar Publications List – <http://www.by-star.net/bxPublications> – we provide pointers to ByStar related articles. These documents evolve as ByStar evolves, and the publications list will be kept up to date. The ByStar publications list is structured primarily for reference. Below we provide a description of how these documents collectively draw a comprehensive picture.

The big ByStar picture is shown in Figure 16.4. Each of the layers in this figure represents either a conceptual definition (shown in blue), or an actual software/service implementation (shown in orange). Each layer builds on the layers beneath.

The layers in Figure 16.4 are color coded. Each of the layers are either:

A Conceptual Layer. Representing concepts. Layers 1,2,3,4,7 and 8 are in Green, Blue and Yellow.

A Tangible Layer. Representing software/service implementations. Layers 5 and 6 are in Orange and Brown.

The tangible layers are bound by the conceptual layers underneath them and receive legitimacy from those concepts.

The conceptual layers are validated by the tangible layers.

The green layers (1 and 2) at the bottom are philosophical, moral and societal. Their scope is wider than the moral digital ecosystem that we are after. Generally speaking, these are not the domain of engineers. They are the domain of ethicists, philosophers and sociologists.

The blue layers (3, 4 and 8) are philosophical, moral, societal, social and engineering aspects of digital ecosystems that require direct involvement of engineers and the engineering profession. The yellow layer (7) addresses economics and business dimensions of ByStar.

The orange/brown layers (5 and 6) are engineering constructs. They are in-use software and in-use Internet application services.

In ByStar Roadmap: <http://www.by-star.net/bxRoadmap> we provide a reading roadmap to ByStar related articles.

Figure 16.4 shows how the moral, legal, societal, engineering, economic and business dimensions of the ByStar Halaal Digital Ecosystem are layered as described above.

Note the differing characterizations of this layering on the left and right. Both characterizations are valid, but they reflect entirely different viewpoints. The left side characterization is called “The Human Model,” and reflects the philosophical, moral and societal elements of the model. It also identifies the role of the engineering profession in maintaining these elements. The right-side characterization is called “The Venture Capitalist Model,” and is very different from the “The Human Model.” The same elements are present, but now represent their significance as part of an investment strategy. Thus, the moral and societal concerns within the human model are now viewed as a sales and marketing opportunity. This makes clear that when dealing with Venture Capitalists, issues of morality and societal welfare are not the topic of discussion. In this regard Venture Capitalists need only understand that human beings are in fact concerned with vital moral considerations such as “privacy” and “autonomy,” and that these considerations have powerful sales and marketing consequences. And that our unconventional strategy of overturning their sacred-cow – Copyright and Patent model – gives us a huge competitive advantage.

The gigantic picture we have drawn in Figure 16.4 is a blueprint. It represents a complete framework for collaborative work towards an alternative to the current proprietary digital ecosystem. By aligning ourselves with the natural forces and dynamics of polyexistentials, and by means of large-scale unrestricted collaboration, we can achieve this.

16.3 ByStarEntity Realization Models — By Way of Some Examples

Let’s explore ByStar in the context of a few examples. All these examples are completely fictional.

Let’s consider Bob Smith, a 46-year-old university researcher and his 15-year-old daughter, Alice Smith. Alice is a freshman (9th grader) at Garfield High School (GHS).

Bob wishes to have the following in ByStar.

1. An Autonomous ByName BxEntity for his private and public use –
5.bob.smith.byname.net (he is the 5th bob.smith requesting byname services).
2. An Autonomous ByFamily BxEntity for his family – 8.smith.byfamily.net.
3. A Controlled ByFamily BxEntity for his daughter Alice –
alice.8.smith.byfamily.net (Alice is a minor and Bob wishes to have the option of overseeing her communications).
4. A Controlled ByWhere BxEntity for their condo in Kirkland, WA – 1-98034-3681-74.bywhere.net (say for reliable driving directions).



Figure 16.4: The Libre-Halaal ByStar Digital Ecosystem Conceptual Layering

Extending and improving the concept of LAMP can lead to the notion of “A Universal Internet Services OS”. Such an extension involves two dimensions:

1. An Internet Services OS should cover all internet services — not just web services
2. An Internet Services OS should fully cover all sides — clients, servers, things in the middle and software-service-continuums.

By “Universal” we are referring to this notion of “covering all sides” from phones and pads to mainframes and sever-clusters. This idea of “Universal Services OS” builds on Debian’s concept of “The Universal Software Operating System”.

17.1.2 Operating System, Internet Application Service and Digital Ecosystem

Email is a widely used application service by almost everyone. To make things more explicit, we will use email as an example of an application service.

In Figure 17.1, let’s consider email in the context of operating systems, internet application service and digital ecosystems.

First, let’s take a look at what is happening in the proprietary universe. The five major American proprietary tech companies (Google, Microsoft, Apple, Facebook, and Amazon) have created five distinct digital ecosystems as competing enclaves. In Figure 17.1, [ByStar and Proprietary American Digital Ecosystems](#) we are focusing on the first 3 and each of their office and email environments. These ecosystems are mostly separate and isolated from one another, and the economic model of these proprietary digital ecosystems is “Surveillance Capitalism”. As such, when users sign up for a free email account, they are voluntarily forgoing much of their privacy. Sadly, the rest of the world is becoming Americanized through the American Internet. Each of these enclaves also have Mail User Agents that are fully integrated into their digital ecosystems, providing users with address books, calendars, time management and planning tools, multi-lingual authoring tools, and more.

Now, let’s focus on the right side of this picture. On the non-proprietary side, based on the FOSS model, we have ended up with lots of components. We have Debian as a platform, we have Emacs as an editor-centered office environment and lots of great applications. But on the non-proprietary side we don’t have anything that can reasonably be considered a digital ecosystem.

We need non-proprietary digital ecosystems. And that is what ByStar is.

In proprietary digital ecosystems, the scope of the operating system (Chrome, Android, Windows, MacOS) is limited to the usage-side. The service-side OS is unknown due to the proprietary services being opaque. The concept of an Internet Services OS is well established inside of each of the proprietary services providers. Each has their own and parts of their Internet Services OS are exposed to their “Cloud” users.

On the FOSS side, the scope of the LAMP style operating systems is limited to the service-side, with the usage-side being considered agnostic. ByStar and BISOS provide a powerful and universal solution, covering both the service-side and the usage-side.

17.2 Overview of BISOS and ByStar Digital Ecosystem

BISOS (ByStar Internet Services OS) is a reification of the abstraction of “A Universal Internet Services OS”. ByStar is a concrete form of the abstraction of “A Unified Autonomous Digital Ecosystem”.

BISOS has the following key characteristics.

1. BISOS is both purposeful and general purpose. BISOS is ideology driven. The general purpose of BISOS is to facilitate the creation of digital ecosystems that prioritize autonomy and privacy. The specific purpose of BISOS is to facilitate creation of the Libre-Halaal ByStar Digital Ecosystem.
2. BISOS is layered on top of the Universal Debian software.



Figure 17.1: ByStar and Proprietary American Digital Ecosystems

- BISOS facilitates secure and private possession and portability of the user's information through the abstraction of ByStar Portable Objects (BPO).
- BISOS enables the two-way transfer of Libre Services from the user's own possession to Libre Service providers and between Libre Service providers through the Possession Assertable Libre Services (PALS) abstraction.
- BISOS creates software-service continuums through universality on both server-side and usage-side.
- BISOS services integration and usage integration structures are self-confined to select languages: Python, Bash, Elisp and C/C++. Each language environment is augmented with BISOS native frameworks. The primary integration framework of BISOS is Python-Command-Services (PyCS).
- The primary usage interface for BISOS is Blee (ByStar Libre-Halaal Emacs Environment), which is comprehensive and extends to development environments.
- BISOS server-side PALS features are based on specific profiles from Debian packages collection. The profiles primary focus on autonomous email and autonomous content publication.
- BISOS usage-side capabilities are based on specific profiles from Debian packages collection. The profiles primary focus on email handling and content production.
- BISOS platforms are automated to be recreatable from BPO contained information as physical and virtual images. Linux KVM is the only supported virtualization model.
- BISOS's basic unit is a site. A BISOS-Site includes a private git server and a registrar.

BISOS facilities are used to create the infrastructure of ByStar and various types of ByStar services.

Figure 17.2 depicts layerings of BISOS and of ByStar services. The Universal Debian Gnu/Linux is our foundation on top of which BISOS resides.

The box labeled "Services SW" refers to instances of BISOS service-side debian packages. The box labeled "Facilities SW" refers to instances of BISOS usage-side debian packages. Configuration information for packages reside in BPOs (By* Portable Objects).

The combination of "Services SW" and its relevant configuration within a BPO, forms a "Portable Services Capability". The combination of "Facilities SW" and its relevant configuration within a BPO, forms a "Portable Facilities Capability".




Figure 17.2: ByStar Portable Object Capabilities

Possession Assertable Libre Service (PALS) is a type of Portable Services Capability. Multi-Account Resident Mail Exchange Environment (MARMEE) is a type of Portable Facility Capability.

Possession Assertable Autonomous Identities (PAAI) are types of BPOs which include the identifiers (e.g., domain names) that enable PALS to become Realized Services.

The stack on the right side of Figure 17.2 depicts BISOS's usage environment which we describe in Section 17.10.

The stack on the left side of Figure 17.2 depicts evolution of platforms in BISOS. A BISOS-Platform is a Debian computer loaded with BISOS software. A BPO-Container is a BISOS-Platform which has received (contains) some BPOs. A PAAI-Container is a BPO-Container which contains one or more PAAI-BPO.

17.3 BISOS Engineering Philosophy and Ideology

BISOS is purposeful and ideology driven. Parts of BISOS ideology are rooted in health of society. BISOS also reflects a particular engineering philosophy. Figure 17.3 depicts our choices in adoption of philosophical characteristics from various software development groups, with some adjustments.

Unix's Genericity and Conviviality

BISOS is based on the "Unix" model. Not the "Linux" model. We draw a distinct differentiation between "Unix Philosophy" vs "Linux Philosophy" vs "Business Philosophy". Unix Philosophy is a set of cultural norms and philosophical approaches to convivial software development and usage. Unix Philosophy has been well articulated by Ken Thompson, Doug McIlroy, Kernighan, Pike and others.

Linux Philosophy is a laissez faire adaptation of Unix Philosophy that results in software bloat.

BISOS is firmly rooted in a Unix Philosophy and discounts the Business Philosophy and the Linux philosophy.

Debian's Universality

Debian insists on running on everything. By everything we mean a large number of CPU architectures. This is accomplished on methodic and durable reliance on primary source code. By everything we also mean the range of very constrained environments to super computers.



Figure 17.3: ByStar Engineering Philosophy

This is important for ByStar because BISOS inherits Debian’s Universality.

Emacs’s Deep Integration

Blee, BISOS’s usage environment, is based on Emacs. Some Emacs builds include a kitchen-sink icon. It is the one feature not yet implemented in Emacs.

Emacs is an integral part of BISOS. It is a framework for consistent integration of internal and external applications. This in turn results in a very convivial usage environment which spans software development, content creation, interpersonal communication and integrated internet application services access.

17.4 BISOS: an Over Debian Pure Blend

Debian defines Pure Blend as: “a subset of Debian that is configured to support a particular target group out-of-the-box. One way to understand this is a list of packages that gets installed to provide a focus of use.”

The lower layers of BISOS can be considered a Debian Pure Blend. BISOS-service-side has one deb-pkgs-profile and BISOS-usage-side has another deb-pkgs-profile.

But BISOS goes beyond that. BISOS and Debian are not peers. BISOS is a layer on top of Debian. BISOS provides services-oriented facilities that go beyond the scope of Debian. BISOS has its own policies and practices that are a super set of Debian policies and practices. While the basic unit of Debian is a computer, the basic unit of BISOS is a BISOS-Site.

17.5 BISOS’s Basic Unit: BISOS-Site

Typically, the basic unit of an Operating System is one computer — depending on the context the computer is called: a host, a system, a platform, a box, etc.

With BISOS the basic unit is more than one computer. We call BISOS’s basic unit: BISOS-Site. Fundamental BISOS abstractions are based on BISOS Portable Objects (BPO) which are implemented as git accounts. Some BPOs must be private. So, a BISOS-Site must include a private git server — which is implemented as a Gitlab instance. BISOS’s use of BPO is purely through a Python API interface. Gitlab GUI is hardly ever used. BISOS

also relies on the uniqueness of names and numbers. BISOS therefore needs an automated registrar for some private names and numbers. For BISOS to fully operate, at a minimum it needs those services.

A BISOS-Site also provides facilities for creation and management of Virtual Machines (VMs) and a simple BISOS-CMDB (configuration management database) — a central repository for storing BISOS-Site related resource. For creation and recreation of VMs (image management), BISOS uses Vagrant.

17.6 BISOS Portable Objects (BPO)

A fundamental abstraction of BISOS is the concept of BISOS Portable Objects (BPO). BPOs are packages of information. There are some similarities between BPOs as packages of information and software packages such as deb-packages or rpm-packages.

Like software packages, BPOs are named uniquely and can depend on each other and can be collectively installed and de-installed. BPOs are used for many things similar to how the files system is used for many things. BPOs can be used to hold the complete configuration information of a system. BPOs can be used to hold configuration information for software packages. BPOs can be used to hold private user data. BPOs can be used to hold collections of content and source code.

For its own operation, BISOS uses various BPO types. Other types of BPOs can be created or generic BPO types (for example the Project type) can be used.

Each BPO consists of a number of Git Repositories (hereafter called “repos”). Each of the BPO’s repos can be synchronized using generic Git tools, but we use Blee/Emacs’s MaGit exclusively.

BPOs are implemented as Gitlab accounts. Gitlab accounts are Unix non-login shell accounts. BISOS’s interactions with Gitlab is exclusively through an API (Remote Operations). Each Gitlab account then can contain repos subject to common access control mechanisms. Gitlab accounts map to BPO-Identifiers (BPO-Id). Each BPO-id then maps to Unix non-login shell accounts. The Unix account then becomes the base for cloning of the repos in the corresponding Gitlab account.

Combinations of profiled deb-packages for internet application services and their configurations in the form of BPOs can then create Libre Services that are possession assertable, portable and transferable.

17.7 BISOS Possession Assertable Libre Services (PALS)

Based on capabilities of BPOs and the capabilities of service-side profiled Debian packages, we can now create Libre Services.

A BISOS Libre Services can be thought of four parts:

1. Libre-Halaal software of the services (usually a Debian Package)
2. Configuration information for the software for the service (often as a repo of a PALS-BPO)
3. Names and numbers for binding of services (as a repo of a PAAI-BPO)
4. Service owner data (in the form of one or more BPOs)

This model provides for portability and transferability of Libre Services between network abodes. For example, a Libre Service at a provider can be transferred to its owner to be self-hosted.

There are some similarities between PALS-BPO and container virtualization (Docker and Kubernetes). PALS-BPOs include comprehensive information for construction of services and these can be mapped to container virtualization. However, at this time BISOS does not use container virtualization — as it is redundant. BISOS uses BPOs to create and recreate Kernel-based Virtual Machines (KVM) inside of which PALS-BPOs are deployed.

Self-hosting is the practice of running and maintaining a Libre Service under one’s own full control at one’s own premise. BISOS Possession Assertable Libre Services (PALS) can be initially self-hosted and then transferred to a Libre Service provider. PALS can also be initially externally hosted and then become self-hosted on demand. The concept of “transferability” between network abodes is well supported in BISOS.




Figure 17.4: Network Abodes: A Circular Model For Network Area Labeling

17.7.1 Network Abodes and Transferability

In the proprietary American digital ecosystem, the concept of network abodes is mostly vague. Names such as cloud and edge are used without much precision. And the concept of transferability simply does not exist. You cannot self-host your Gmail service.

Within ByStar and BISOS, we have precise definitions for where Libre Services can be realized and where they can be transferred to. This is depicted in Figure 17.4

Let's define "edge" as point of demarcation between the public digital world and the physical world (and its associated private digital environment). In Figure 17.4 this is depicted as a dotted red circle. When by physical world, we mean "things", then in the American Internet, we have the culture and lingo of IoT (Internet of Things) Edge Computing. But what if by the physical world, we mean people — individuals?

The three concentric circles on the outer side of the edge are called "Rims". These are:

1. Exposed Rim.

Systems in the Exposed Rim are on your premise, but they are externally visible. Wifi hotspots, routers and VPNs are usually in the Exposed Rim. Self-Hosting occurs in the Exposed Rim. Systems in the Exposed Rim should be well secured as they are vulnerable to direct attacks.

2. Inner Rim.

Systems in the Inner Rim are on your premise behind a firewall. private desktops, file servers, private Gitlab and private registrars are usually in the Inner Rim. Systems in the Inner Rim are usually physically stationary.

3. Outer Rim.

Systems in the Outer Rim are usually portable devices and at this time they are on your premise behind a firewall. Laptops, Pads, Mobile-Phones (with wifi access) are usually in the Outer Rim. Systems in the Outer Rim are usually portable devices.

The four concentric circles on the outer side of the edge are called "Rings". These are:

1. Collocation Ring.

Systems in the Collocation Ring are on somebody else's premise (usually a data center) but they belong to you (or are rented by you). A collocation data center is a physical facility that offers space with the

proper power, cooling, network connectivity and security to host other people's computing hardware and servers. There is a certain aspect of self-possession in the Collocation Ring.

2. Private Cloud Ring.

Systems in the Private Cloud Ring are usually virtualized and are under your exclusive access.

3. Public Cloud Ring.

Systems in the Public Cloud Ring are usually virtualized and are under your access.

4. Public Internet Application Services.

Examples of Public Internet Application Services in the proprietary American digital ecosystem are Gmail, Facebook and Instagram. You pay for public proprietary internet application services by becoming the product and through your privacy.

In the model of the proprietary American digital ecosystem, a given internet application services typically permanently resides in the ring abodes and is not transferable to other service providers. The service belongs to the service provider and it is locked.

In the ByStar model, the service belongs to its user and it is the user who decides where she wants to realize it. This transferability is accomplished through the abstractions of BPOs (BISOS Portable Objects), PALS (Possession Assertable Libre Services) and PAAI (Possession Assertable Autonomous Identities). In Figure 17.4 the segment labeled "PAAI & PALS" spans the Exposed Rim, the Collocation Ring, the Private Cloud Ring, the Public Cloud Ring and the Application Services Ring. This means that a BISOS based Libre Services can be transferred between any of those network abodes.

BISOS can also be used to provide access to proprietary internet application services. This is shown in the segment labeled "AAS" of Figure 17.4. Abstracted Application Services (AAS) are facilities that allow for abstraction of some proprietary internet application services to be used by BISOS. One such internet service is Gmail. Gmail can be used through Blee-Gnus and BISOS-MARMEE.

17.7.2 Ramifications of Libre-Halaal Edge-Oriented Strategies

To illustrate the privacy and autonomy-oriented benefits of the PALS model, let's compare and contrast The American Internet with ByStar in the context of a very simple but very important human application: "email". And to be more concrete and specific, in the context of the American Internet, let's use the fictional example of an American politician called "Hillary Clinton". And in the context of ByStar, let's use the fictional example of an Iranian engineer called "Mohsen Banan".

So, in the American Internet environment, the individual typically has at least two email addresses. One is through her work, say at the State Department, as: "hillary.clinton@state.gov". The other is for personal use, as:

"hillary.clinton@gmail.com". Paying attention to her email addresses, we note that "hillary.clinton" is always on the left side of the "@". This means that "gmail.com" has risen in the middle and controls "hillary.clinton@" — and millions of others. This means that Google has full possession and full control over Hillary's personal emails. Her "hillary.clinton@gmail.com" emails are neither autonomous nor private. Now, since Hillary Clinton is an intelligent and powerful American politician, she has recognized that her privacy and autonomy are important and that her email communications should be under her full control. She is rich, so, she goes ahead and sets up her own email server in her own basement. We don't know if that email server was based on proprietary software or not, but we do know that as an individualistic American, she was only focused on addressing her own email autonomy and privacy concerns. Email autonomy and privacy of society at large was not her concern.

In the ByStar environment, the individual similarly also has two sets of email addresses. Mohsen's work email may well be under the control of his employer, but his private email service and email addresses are under his own control. For personal use, Mohsen has registered and obtained `mohsen.banan.byname.net` for himself.

Notice that while `byname.net` is part of ByStar,

`mohsen.banan.byname.net` belongs to Mohsen. Based on that, he can now create a series of email addresses for himself.

For example, he can use "bystarPlan@mohsen.banan.byname.net" for matters related to distribution of this document.

He can use "card@mohsen.banan.byname.net" on his visit cards.

Now, let's compare and contrast the email addresses "hillary.clinton@gmail.com" and "myDesk@mohsen.banan.byname.net". The right-part of the '@' signifies ownership and control. The right part of '@' controls the left-part of '@'. So, gmail.com controls "hillary.clinton". While mohsen.banan.byname.net controls "myDesk" and Mohsen, own mohsen.banan.byname.net. Notice that gmail.com controls millions of people through their left-part. In ByStar, millions of people can obtain their own right-parts and then control their own left-parts — and own their own portable full email addresses.

Notice that while gmail.com has positioned itself in the middle of the network, mohsen.banan.byname.net has positioned itself in the edge of the network. Longer domain names which fully take advantage of DNS's hierarchical design are manifestations of edge-oriented strategies.

Next, let's compare and contrast the software of the gmail.com service against the software of mohsen.banan.byname.net. The software of gmail.com service is proprietary. It belongs to Google. We don't know what it does. When you hit the delete button for a particular email, you can no longer see that message. But perhaps Google is keeping all of your deleted messages somewhere, forever. Because it is all proprietary software, you just don't know what is actually happening with the emails that you may think are yours. The software of mohsen.banan.byname.net services is part of the public ByStar software. It is part of BISOS. It is a public resource. That entire software is internally transparent. On your behalf, the engineering profession knows what it does and what it does not. When you delete one of your own email messages, it can be known that it was truly deleted — forever. This is what having a Libre-Halaal Service means.

With ByStar in place, all Hillary Clintons of this world can have their own email communications under their own full control. We invite Hillary Clinton to join ByStar. As an American politician perhaps, she can start thinking about solving her society's email problems — not just her own. We welcome her assistance in promoting ByStar.

Consider the privacy and autonomy of such edge-to-edge email communications between "myDesk@mohsen.banan.byname.net" and "myDesk@hillary.clinton.byname.net".

The mail protocol traffic is of course end-to-end encrypted between mohsen.banan.byname.net and hillary.clinton.byname.net. The message itself can additionally be encrypted. At no point, no third party is in possession of the clear-text message. Logs of the message transfer are only in the possession of the two edges. And all of this can be realized on an internet-scale.

All ByStar individual services are intended to be end-to-end and edge-oriented. However, they don't need to reside on the "Rims" side of the network edge. Since ByStar individual services are possession-assertable and portable, they can also be provisioned in the "Rings". See Figure 17.4 for the references to Edge, Rims and Rings. This provides for options of self-hosting or external-hosting of individual services. So, byname.net can be made to be as convenient as gmail.com but yet preserve the guarantees of autonomy and privacy through being possession-assertable, portable, Libre-Halaal and edge-oriented.

While here we focused on the email service as an end-to-end edge-oriented strategy, similar approaches can be applied to other internet applications and intra-edge applications. In the edge-oriented ByStar model, when you control the thermostat in your own house, that can all happen as a ByStar intra-edge application without loss of privacy and autonomy.

17.8 BISOS Model of Platform Universality and Software-Service Continuums

Earlier we made several points about the universality of BISOS. We pointed out that BISOS inherits Debian's universality, and we pointed out that our design philosophy includes relying on a singular Unix with full cohesion.

We have Service-Side BISOS for creation of internet services and we have Usage-Side BISOS for usage of internet services. These two create the BISOS software-service continuum. This is very powerful because the two sides are very consistent. This is depicted in Figure 17.5.

Note in Figure 17.5 that although the lowest layer (hardware) of the two stacks is very different, most of the rest of the stack is very common. Also note that on the top parts capabilities are complimentary based on the common lower layers.



Figure 17.5: ByStar Platform Layerings and Software-Service Continuums

The degree of consistency and cohesion that this universality creates is far superior to what exists today in the proprietary American digital ecosystem.

17.9 PyCS: BISOS's Integration Framework

BISOS is largely focused on configuration and integration of related software packages towards creation of consistent services. This is typically done with “scripts” that augment the software packages in a consistent way. By scripts, we mean programs that are executed at command line. At times we also need to build Remote Operations (RO) to accommodate remote invocation of central services.

There are three fundamental important choices to be made.

1. What programming language should we use for integration?
2. What command-line framework should we use?
3. What Remote Operations (Web Services, REST, Micro Services) framework should we use?

BISOS primarily uses Python and some Bash for scripting.

There are various Python frameworks for command-line and web services. These include click, FastAPI, Flask, Django, RPyC and various others. None of these provide a comprehensive enough framework for BISOS. BPyF (BISOS Python Framework) is a comprehensive integration framework of BISOS that combines existing capabilities from various Python frameworks.

As depicted in Figure 17.6, BPyF consists of five major parts.

- Common facilities — logging, io, error handling, etc.
- File Parameters (FP) and Schema of File Parameters — BISOS's data representation and configuration model
- PyCS: Python Command Services
- BISOS Abstractions



Figure 17.6: BPyF (BISOS Python Platform) and PyCS

- CS-Units and CS-MultiUnits

In Figure 17.6, boxes under the dashed line represent various libraries. General purpose libraries (on the right side is light green) provide common facilities such as IO, logging, error handling and configuration management which are used throughout BISOS. Various libraries that represent BISOS abstractions in Python such as BPOs, PALS and PAAL. These are shown on the left side in darker green.

For data representation, BISOS uses its own model called File Parameters. The equivalent functionality of File Parameters is often provided by Yaml and Json in typical open-source software packages.

PyCS is rooted in the model of Expectation Complete Operations (ECO), which allows for local invocation of an ECO to map to command-line invocation and remote invocation of an ECO to map to the microservices model and Remote Operations. This universality of ECOs allows for command-line facilities to become microservices.

Facilities for command line invocation are depicted above the dashed line, on the left side of “internet”. Facilities in support of service (Remote Operation) performers are depicted above the dashed line, on the right side of “internet”.

Expectation complete operations are specified and implemented in CS-Units. A CS-Multi-Unit represents a collection of CS-Units. Notice that CS-Unit and CS-Multi-Unit boxes are replicated on both sides of “internet”. This indicates that both commands and remote operations map to expectation complete operations.

Each ECO is capable of describing everything expected from the operation in full detail which includes all typing information. The information in Expectation Complete Operation includes:

- Name of the operation
- All input parameters
 - List of optional and mandatory parameters
 - List of positional arguments
 - Stdin expectations
- All outcome parameters
 - All result parameters
 - All error parameters



Figure 17.7: A Blee Centric Perspective Of By* Digital Ecosystem

The information of expectation complete operation then maps to command-line verbs, parameters and arguments. And similarly for remote operations. The list of available verbs is specified by the CS-Multi-Unit. Since CS-Multi-Units are capable of describing all of the expectations of all of their operations, very powerful automated user interfaces for invocation of operations can be built. The “CS Player” box in Figure 17.6 illustrates that.

Remote operations are implemented using RPyC. RPyC or Remote Python Call, is a transparent library for symmetrical remote procedure calls, clustering, and distributed-computing. Use of RPyC is depicted with the line going through the vertical box labeled “internet”. Names used by invokers and performers are shown in the boxes labeled “RO-Sap” (Remote Operation Service Access Point).

PyCS framework provides a solid foundation for transformation of software into services and integration of software and services in BISOS.

17.10 ByStar Libre-Halaal Emacs user Environment (Blee)

Blee, ByStar Libre-Halaal Emacs Environment, is ByStar’s primary usage environment. It is fully integrated with BISOS and Blee is aware of all ByStar conceptual constructs.

Conventional OS wisdom calls for separation of OS functionality from user-interface/usage-environment. But BISOS is not a traditional OS and Emacs is not a traditional usage-environment.

The concepts of universal platform and software-service-continuum that we presented have ramifications on usage and user experience. ByStar services can thus be greatly enhanced by providing the user with a “matched” environment—a user environment that is closely integrated with the service. This provides the user with features and capabilities that go far beyond what is possible using the traditional generic browser access.

By fully integrating BISOS and Blee we accomplish a degree of cohesion and conviviality within the ByStar Digital Ecosystem that is absent in the American internet environments. Blee is significantly more broad and more sophisticated than other usage environments.

In Figure 17.7 we depict that Blee is part of BISOS and that Blee includes Emacs. Think of Figure 17.7 as a containment hierarchy. The Libre-Halaal ByStar Digital Ecosystems contains both Usage-Side BISOS platforms and Service-Side BISOS platforms. The Usage-Side BISOS platform contains Blee. And Blee contains



Figure 17.8: Overview of Blee Features

Emacs.

Emacs is a 40-plus years old editor centered usage environment, with a Lisp engine at its core and an extremely powerful display and editing engine in its nucleus. Emacs is one of the oldest Free Software in continuous use. Over the past 40 plus years, sophisticated engineers have added support for anything and everything to Emacs. Emacs's well designed fundamental abstractions make it the most convivial usage environment. Emacs is a multi-lingual editor that supports most human languages. But out of the box, Emacs is clunky and difficult to use.

Blee serves two purposes:

1. Blee integrates with BISOS and ByStar services and ByStar concepts.
2. Blee makes Emacs less clunky and easier to use without losing any of Emacs's conviviality.

Figure 17.7 depicts that Emacs contains a very powerful display engine, a very powerful Lisp engine, a very powerful input methods engine and a very powerful applications development framework. Emacs is primarily known as a textual environment. But it is more than that. Emacs is now capable of handling multimedia (images/audio/video) as well. Emacs's display engine supports bidirectional (bidi) text and is fully multilingualized. Emacs supports input methods for many human languages. Emacs's Lisp engine and its applications development framework allows for convenient development and customization of applications.

Blee then builds on Emacs.

Figure 17.8 shows some of the salient features of Blee. For each of the programming languages of BISOS (Python, Bash, Elisp, LaTeX, Web environment and C/C++) Blee provides Interactive Development Environments (IDEs) that go beyond the language and include the frameworks and libraries of BISOS.

All coding and all writing in BISOS is based on a model called: COMEEGA (Collaborative Org Mode Enhanced Emacs Generalized Authorship).

COMEEGA is the inverse of Literate Programming, where code is written in native programming mode and then augmented with comments and doc-strings in org-mode. COMEEGA provides the necessary tools to switch between native-mode and org-mode conveniently and is used in BISOS and Blee to ensure a high degree of consistency.

The usage of BISOS's Integration Framework (PyCS) described in Section 17.9 is facilitated in Blee through Blee Command Services Players. Each Command Service, whether it is a command-line or a remote-operation (microservice), is expectations complete and can be run more conveniently through Blee.

Of course, all of BISOS and Blee is self-documented. The documentation takes the form of Blee-Org-Panels which take the form of related org-files. Unlike typical documentation, Blee Org Panels are active. You can modify, configure and customize BISOS and Blee from within Blee-Org-Panels. Additionally, Blee-Org-Panels can be used by users to organize their own information and applications.

All of the key abstractions of BISOS (BPO, PALS, PAAI, AAS), can be managed through Blee.

The combination of Blee and BISOS fully wraps development, management and usage of ByStar services. Such universality facilitates continuous growth of ByStar.

17.11 BISOS Software-Service Continuum Apps

Thus far, we have provided an overview of the BISOS infrastructure. Based on these, there are various capabilities that the owner-user can profit from. In BISOS, we call these capabilities “Software-Service Continuum Applications” (SSCA).

As described in Section 17.8 — [BISOS Model of Platform Universality](#) and shown in Figure 17.5, part of the capability is realized in software on the user side and part of the capability may realized on the services side. And since both the user-side and the service-side are based on the universal BISOS platform the resulting combined capability is consistent and flexible.

There are many BISOS software-service continuum applications and the model is open ended. There is an SSCA for genealogy, there is an SSCA for photo galleries and many others.

In BISOS, Software-Service Continuum Applications have a common structure. They typically consist of a three layered stack.

1. BISOS-Svc-Layer: BISOS Services Layer run as a service-provider and interact with the BISOS-Sw-Layer.
2. BISOS-Sw-Layer: BISOS Software Layer that facilitates work of Blee-SSCA-Agent and interacts with BISOS-Svc-Layer.
3. Blee-SSCA-Agent: Emacs-Lisp Code of Blee which the user interacts with.

The general model of interactions between BISOS-Sw-Layer and BISOS-Svc-Layer is typically that of Remote Operations where BISOS-Sw-Layer assumes the invoker role and BISOS-Svc-Layer assumes the performer role.

There are two BISOS software-service continuum applications that are foundational. These are email processing and content generation and self-publication.

17.11.1 BISOS Email Software-Service Continuum App

Email is a foundational application. BISOS Email SSCA, is structured as follows: The Blee-SSCA-Agent for email is called Blee-Gnus. The BISOS-Sw-Layer is called MARMEE ((Multi-Account Resident Message Exchange Environment). BISOS-Svc-Layer is called BISOS-Mail-Service.

Figure 17.9 depicts Blee-Gnus and MARMEE in the context of split-MUA (Mail User Agent) Blee-Gnus is the usage environment and MARMEE addresses mail protocols processing. Gnus is a very flexible mail processing environment which is integrated into Emacs.

BISOS uses a modified version of qmail called BISOS-qmail as the MTA (Mail Transfer Agent). When used it as a traditional MTA, we refer to it as PALS-qmail. And when used on the usage side we call it MARMEE-qmail. For incoming mail within MARMEE, BISOS uses offlineimap.

It is possible to use MARMEE and Blee-Gnus to access other email services. This is done through configuration of an AAS (Abstracted Accessible Service). For example, in addition to ByStar email, an owner-user can also access her gmail account with Blee-Gnus.



Figure 17.9: Blee-Gnus and MARMEE as a Split-MUA

17.11.2 BISOS Content Generation and Self-Publication

BISOS software-service continuum application for content generation and self-publication is called LCNT (Libre Content).

The content generation capabilities of LCNT are akin to Microsoft-Word and PowerPoint. But the model of content generation in BISOS is very different from Microsoft-Word and Microsoft-PowerPoint. We use LaTeX for document processing and we use COMEEGA-Blee for authorship.

A pictorial overview of multi-media content generation is provided in Figure 17.10. A single LaTeX source file is used to embed text, images, audio and video. This single source file is then processed in a variety of ways with a variety of tools including XeLaTeX and HeVeA to produce a variety of outputs including pdf and html. Multimedia frames/slides are then disposed using reveal.js.

BISOS-LCNT also includes facilities for self-publication where the above mentioned generated content can be pushed to owner-user's web sites and also be syndicated.

17.12 Privacy, Security and Regulatory Ramifications of BISOS

Technological design of BISOS is very different from the technological design of proprietary American internet application services.

BISOS capabilities revolve around the abstraction of the individual and its belongings and delivery of possession and control of those abstractions to the individual. In BISOS, you own and you possess your own data and you can own and you can possess your own services.

BISOS's philosophy is privacy by design.

Privacy by design is the antithesis of the proprietary American internet application services model, which is based on surveillance by design. Surveillance by design leads to centralized architectures and control, while privacy by design architecture leads to distributed architectures and autonomous control.

BISOS's fundamental design has immense security ramifications. Combinations of BPOs, PALS and service recreations capabilities of BISOS render many traditional security models inapplicable. In conjunction with being transferable, autonomous Libre Services are very easily recreatable. In many instances, upon detection




Figure 17.10: ByStar Multimedia Document Authorship And Generation

of intrusion (or even periodically), after capturing the context of an exploit, fresh new service replaces the contamination. All of this can be automated.

Since proprietary American internet application services are fundamentally designed for surveillance, the needed societal regulations are complex and ineffective. Since ByStar and BISOS are fundamentally designed for privacy, societal regulations are very simple and effective. ByStar is designed to be self-regulating. ByStar promotes proactive regulations as opposed to the current model of reactive regulations. The engineers have done the work. The politicians just need to understand. The bulk of the needed regulations can amount to exclusive use of PALS Libre Services as defined in Section 15.2.3.1 – [Definition of Possession-Assertable Libre Services](#).

17.13 ByStar and Uses of BISOS

The specific purpose of BISOS is to facilitate creation of Libre-Halaal ByStar Digital Ecosystem.

Let's see how ByStar uses BISOS to realize the underlying model and capabilities of the Libre-Halaal ByStar digital ecosystem.

- ByStar is about redecentralization of the internet. Control and ownership is transferred from central corporations to distributed individuals (as autonomous entities). Rise-of-the-middle model is rejected in favor of the autonomous edges model.

BISOS was designed for all of that.

- ByStar software and internet services are un-owned/publicly-owned and internally transparent. BISOS 'is Libre-Halaal software subjected to AGPL. The entirety of ByStar Individual Services can be reproduced based on their available sources.
- Broadly speaking, ByStar services fall into these 3 categories:
 1. ByStar Individual (Possession-Assertable/Autonomous) Services.
 2. ByStar Content Syndication Services.
 3. ByStar Facilitated Direct and Assisted Inter-Autonomous Interaction Services.

BISOS PALS address (1) and (3). BISOS's Libre Content (LCNT) addresses (2).



Mohsen BANAN is an Iranian software and internet engineer.

The software and internet services that he publicly offers all conform to the definition of Libre-Halaal Software and Libre-Halaal Internet Services. All of his public writings are web published and unrestricted.

He has never applied for a patent. As an expert witness he has assisted in legal efforts involving invalidation of a number of patents.

He is the primary architect and developer of BISOS (ByStar Internet Services OS).

He has written this book in the context of his responsibilities to his profession.

Knowledge, know-how, uses of know-how, ideas and information are inherently non-scarce. They are **polyexistentials**. Unlike monoexistentials which exist in singular, polyexistentials naturally exist in multiples and are inherently not scarce.

What is abundant in nature is being made artificially scarce through man-made ownership rules called copyright and patents. These ownership rules then permit a certain group which usually take the form of corporations to economically profit from these unnatural and economically motivated artificial scarcities.

In this book we analyze the topic of Intellectual Property Rights (IPR) from a new perspective. The topic of restriction of polyexistentials and Western IPR are one and the same. Yet, the concept of polyexistentials has not appeared in prior discussions of this topic. This is the very first time that the concept and the word “polyexistentials” are being introduced.

The model of polyexistence makes it easy to demonstrate that the concept of Intellectual Property is invalid. This proof is based on logic that is rooted in nature of existence and nature of possession and the requirement for ownership to be in harmony with nature of possession and existence.

Having rejected the Western IPR regime as an erroneous model for governance of polyexistentials, we introduce the **Libre-Halaal model of governance of polyexistentials** towards facilitating conviviality of tools.

We then focus on the digital world and introduce the **The Libre-Halaal By* (ByStar) Digital Ecosystem**, as a moral alternative to the existing proprietary American digital ecosystem. Equipped with a multidisciplinary blueprint, we offer our initial implementation of the ByStar digital ecosystem as a starting point towards concrete solutions.

It is only through full rejection of Western IPR regime and its deep roots in Americanism that humanity can be rescued.

Distinct And Different

What we are trying to do in this book is distinct and different from the many other books and articles that have been written about Intellectual Property. First, most books on this topic are written by Western lawyers, politicians, economists, journalist, sociologists and academics. We are engineers and we are not Western. Second, this is the very first time that the philosophical concept and terminology of polyexistentials is being used to analyze this topic and this domain. Third, our threatment of this subject is genuinely independent. We are not doing it for money or hype. Fourth, unlike most other writings on this topic which amount to naggings of impotents, we are putting a multidisciplinary blueprint for a cure on the table. As engineers, we are offering explicit multidisciplinary solutions.

ISBN 978-1-960957-03-0

