Cryptography Lattice Project Pramod Aravind Byakod – 113436879

```
Program:
def first 100 primes():
  prime list = []
 first = 2
  for i in range(100):
    prime list.append(first)
    first=first.next_prime()
  return prime list
prime_list= first_100_primes()
n=100
id num=113436879*2
init_S=10^94*id_num
sum subset=[]
init M=matrix.identity(101)*2
for i in range(n):
  init M[i,n]=floor(10^100*(prime list[i].n(prec=600).nth root(3)))
1 \text{ row} = [1]*(n+1)
init M[n]=l row
init M[n,n]=init S
M=copy(init_M)
err S=99/100
expr = 0
while expr!=94:
  base=id_num*(10^expr) #id0
  exp=101-len(str(base))
  M fac=10^exp
  S fac=10^(exp+2)
  S dec = 0
  while S_dec!=199:
    for i in range(n):
      M[i,n]=init_M[i,n]//M_fac*M_fac
    S=S fac*(base-err S+S dec/100)
    M[n,n]=S
    #LLL algo=M.LLL()
    BKZ_algo=M.BKZ()
    temp=1
    for i in range(99,100,1):
      if BKZ algo[i,n]!=0:
        continue
      else:
```

```
j=0
                         while j!=n:
                               if BKZ_algo[i,j]!=1 and BKZ_algo[i,j]!=-1:
                                      temp=0
                                       break
                               j=j+1
                         if temp!=0:
                               sub sum=0
                               vector=[]
                               j=0
                               while j!=n:
                                      if BKZ algo[i,j]==-1:
                                            vector.append(1)
                                             sub sum=sub sum+init M[j,n]
                                       else:
                                             vector.append(0);
                                      j=j+1
                               if sub sum>=init S:
                                      sum subset.append(sub sum);
                                       print 'Binary List:\n'+str(vector)
                         else:
                               temp=1
                               continue;
             S dec = S dec+1
      if not sum subset:
             print str(expr)+' Result not found'
      else:
             print 'Exponent: '+str(expr)
             print 'Sum of the subset:\n'+str(min(sum subset))
            sum subset=[]
      expr = expr + 1
print 'Finished'
Output:
Binary List:
0, 1, 0, 0, 0, 1, 1, 0, 1, 0, 1, 0, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1
Exponent: 0
Sum of the subset:
226873758035133891636966690148699022126761397435999379454513102868747582203274
```

8270843492839074637277071

Binary List:

[1, 1, 0, 1, 0, 0, 0, 0, 1, 1, 1, 0, 0, 0, 0, 1, 0, 1, 1, 0, 1, 0, 1, 0, 1, 0, 1, 1, 1, 0, 1, 1, 1, 0, 1, 0, 0, 0, 0, 0, 1, 0, 1, 1, 0,

Exponent: 1

Sum of the subset:

2268737580119321747317133738579288052915430533838902828334461606322834183582653498569850502603071580568

Binary List:

[0, 1, 0, 1, 1, 0, 1, 0, 1, 0, 1, 1, 0, 0, 1, 0, 0, 1, 0, 0, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 0, 0, 0, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 0,

Exponent: 2

Sum of the subset:

226873758001058008315545578670400400664455168749697972300471008447324411017359 8517909834738353932264691

Binary List:

Exponent: 3

Sum of the subset:

2268737580001471838158786556568666384932581097834915237223174067378038364857564288199076990809120613263

Binary List:

[0, 0, 0, 1, 1, 0, 0, 1, 1, 1, 0, 0, 0, 0, 0, 1, 0, 1, 1, 0, 1, 1, 1, 1, 1, 1, 0, 1, 1, 1, 1, 0, 0, 0, 0, 0, 1, 1, 0, 1, 0, 1, 1, 0, 1, 0, 1, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 1, 0, 1,

Exponent: 4

Sum of the subset:

226873758000009829665570991938002590642418448615849293296740249509604317929523 4573930940754763096264514

- 5 Result not found
- 6 Result not found
- 7 Result not found
- 8 Result not found
- 9 Result not found
- 10 Result not found
- 11 Result not found
- 12 Result not found
- 13 Result not found
- 14 Result not found
- 15 Result not found
- 16 Result not found
- 17 Result not found
- 18 Result not found

- 19 Result not found
- 20 Result not found
- 21 Result not found
- 22 Result not found
- 23 Result not found
- 24 Result not found
- 25 Result not found
- 26 Result not found
- 27 Result not found
- 28 Result not found
- 29 Result not found
- 30 Result not found
- 31 Result not found
- 32 Result not found
- 33 Result not found
- 34 Result not found
- 35 Result not found
- 36 Result not found
- 37 Result not found
- 38 Result not found
- 39 Result not found
- 40 Result not found
- 41 Result not found
- 42 Result not found
- 43 Result not found
- 44 Result not found
- 45 Result not found
- 46 Result not found
- 47 Result not found
- 48 Result not found
- 49 Result not found
- 50 Result not found
- 51 Result not found
- 52 Result not found
- 53 Result not found
- 54 Result not found
- 55 Result not found
- 56 Result not found
- 57 Result not found
- 58 Result not found
- 59 Result not found
- 60 Result not found
- 61 Result not found
- 62 Result not found
- 63 Result not found
- 64 Result not found

```
65 Result not found
```

- 66 Result not found
- 67 Result not found
- 68 Result not found
- 69 Result not found
- 70 Result not found
- 71 Result not found
- 72 Result not found
- 73 Result not found
- 74 Result not found
- 75 Result not found
- 76 Result not found
- 77 Result not found
- 78 Result not found
- 79 Result not found
- 80 Result not found
- 80 Result flot found
- 81 Result not found
- 82 Result not found
- 83 Result not found
- 84 Result not found
- 85 Result not found
- 86 Result not found
- 87 Result not found
- 88 Result not found
- 89 Result not found
- 90 Result not found
- 91 Result not found
- 92 Result not found
- 93 Result not found

Out of all the iterations, there are vectors produced for 5 iterations. Among all, the least number found in M that is greater than S is

 $226873758000009829665570991938002590642418448615849293296740249509604317929523\\4573930940754763096264514$

And its binary vector list representation is

Discussion of strategy:

This problem can be approached using BKZ and LLL algorithms. Here I have considered BKZ over LLL. Reason being, BKZ is faster and produces better results in my case.

My ID is 113436879 and number of M is stored in a variable" init_M". We already know from the question that, entry of the set is 101 digits and target variable S has 103 digits. We add some modification to value of S to make first 9 digits ID. Apply the BKZ algorithm on it to find the subset sum that is in the range [2*113436879-0.99,2*13436879+0.99](*10^94). Where 0.99

is the error rate. It's been added to achieve the max error free subset. Also, the reason behind using 0.99 is that after modification of init_m, the subset sum of m is sometimes equal to or less than the subset sum of init_m. The worst case is that the subset has the full set of M, which is 100 and the 2 digits after the first 9 digits are 9 and 9, then although the subset sum is in the range [2*113436879-0.99,0]*(10^94), the corresponding subset sum of init_m can still reach 2*113436879*(10^94).

To find the solution, after applying the BKZ algorithm we check if the matrix contains the vector having first 99 entries either 1 or -1 and last entry is 0, and the result is greater than what we set. So that results the result greater than our initially set value, meaning 2*113436879*(10^94) can be the benchmark on our way to find the more accurate solution. Then the job is to print the minimum solution found in this range.

Next, I set the digits after the first 10 digits of init_m to be 0, and the range of target S be: [2*113436879-0.99,2*113436879+0.99]*(10^94), and repeat the steps of above.

This is the basic idea behind this approach.