



Jurusan Teknologi Informasi Politeknik Negeri Malang
Jobsheet-7: Laravel Starter Code
Mata Kuliah Pemrograman Web Lanjut
April 2024

5

Nama	:	Byan Nur Cahyo
Nim	:	2241720134
Kelas	:	TI – 2H




Tulislah Jawaban Pada Kolom Yang tersedia di bawah ini :

LEMBAR JAWABAN JOBSITE-7

Soal No	Jawaban
1.	



Jurusan Teknologi Informasi Politeknik Negeri Malang
Jobsheet-7: Laravel Starter Code
Mata Kuliah Pemrograman Web Lanjut
April 2024

	
	 <pre>Line wrap □ 1 <!DOCTYPE html> 2 <html lang="en"> 3 <head> 4 <meta charset="utf-8"> 5 <meta name="viewport" content="width=device-width, initial-scale=1"> 6 <title>AdminLTE 3 Blank Page</title> 7 8 <!-- Google Font: Source Sans Pro --> 9 <link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Source+Sans+Pro:300,400,400i,700&display=fallback"> 10 <!-- Font Awesome --> 11 <link rel="stylesheet" href="../../plugins/fontawesome-free/css/all.min.css"> 12 <!-- Theme style --> 13 <link rel="stylesheet" href="../../dist/css/adminlte.min.css"> 14 </head> 15 <body class="hold-transition sidebar-mini"> 16 <!-- Site wrapper --> 17 <div class="wrapper"> 18 <!-- Navbar --> 19 <nav class="main-header navbar navbar-expand navbar-white navbar-light"> 20 <!-- Left navbar links --> 21 <ul class="navbar-nav"> 22 <li class="nav-item"> 23 <i class="fas fa-bars"></i> 24 25 <li class="nav-item d-none d-sm-inline-block"> 26 Home 27 28 <li class="nav-item d-none d-sm-inline-block"> 29 Contact 30 31 32 33 <!-- Right navbar links --> 34 <ul class="navbar-nav ml-auto"> 35 <!-- Navbar Search --> 36 <li class="nav-item"> 37 38 <i class="fas fa-search"></i> 39 40 <div class="navbar-search-block"> 41 <form class="form-inline"> 42 <div class="input-group input-group-sm"> 43 <input class="form-control form-control-navbar" type="search" placeholder="Search" aria-label="Search"> 44 <div class="input-group-append"> 45 <button class="btn btn-navbar" type="submit"> 46 <i class="fas fa-search"></i> 47 </button> 48 </div> 49 </div> 50 </form> 51 </div> 52 53 54 </nav> 55 56 <!-- Main content --> 57 <div class="content-wrapper"> 58 <div class="content-header"> 59 <h1>Blank Page</h1> 60 <small>Start creating your amazing application!</small> 61 </div> 62 <div class="content-body"> 63 <p>This is a template page for AdminLTE 3. It includes a sidebar, header, and footer. You can customize it to fit your needs.</p> 64 </div> 65 </div> 66 67 <!-- Footer --> 68 <div class="main-footer"> 69 <small>Copyright © 2014-2021 AdminLTE.io. All rights reserved.</small> 70 </div> 71 72 </div> 73 </body> 74 75 <!-- JavaScript --> 76 <script src="../../dist/js/adminlte.js"></script> 77 78 <!-- Page specific script --> 79 <script> 80 \$(function () { 81 // ... 82 }) 83 </script> 84 85</html></pre>



Jurusan Teknologi Informasi Politeknik Negeri Malang
Jobsheet-7: Laravel Starter Code
Mata Kuliah Pemrograman Web Lanjut
April 2024

	<pre>PWL_POS ├── resources │ └── views │ └── layouts │ ├── app.blade.php │ └── template.blade.php └── routes ├── api.php ├── channels.php ├── console.php ├── web.php └── storage └── tests └── vendor └── .editorconfig └── .env └── .env.example └── .gitattributes └── .gitignore └── artisan └── composer.json └── composer.lock └── package-lock.json └── package.json └── phpunit.xml └── OUTLINE └── TIMELINE</pre>			
	<pre>1 <!DOCTYPE html> 2 <html lang="en"> 3 <head> 4 <meta charset="utf-8"> 5 <meta name="viewport" content="width=device-width, initial-scale=1"> 6 <title>{{ config('app.name', 'PWL Laravel Starter Code') }}</title> 7 8 <!-- Google Font: Source Sans Pro --> 9 <link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Source+Sans+Pro:300, 10 <!-- Font Awesome --> 11 <link rel="stylesheet" href="{{ asset('adminlte/plugins/fontawesome-free/css/all.min.css') }}" 12 <!-- Theme style --> 13 <link rel="stylesheet" href="{{ asset('adminlte/dist/css/adminlte.min.css') }}"></pre>			



Jurusan Teknologi Informasi Politeknik Negeri Malang
Jobsheet-7: Laravel Starter Code
Mata Kuliah Pemrograman Web Lanjut
April 2024

```
1  <!-- Navbar -->
2  <nav class="main-header navbar navbar-expand navbar-white navbar-light">
3      <!-- Left navbar links -->
4      <ul class="navbar-nav">
5          <li class="nav-item">
6              <a class="nav-link" data-widget="pushmenu" href="#" role="button"><i class="fas fa-
7                  </li>
8                  <li class="nav-item d-none d-sm-inline-block">
9                      <a href="../../index3.html" class="nav-link">Home</a>
10                 </li>
11                 <li class="nav-item d-none d-sm-inline-block">
12                     <a href="#" class="nav-link">Contact</a>
13                 </li>
14             </ul>
15
16     <!-- Right navbar links -->
17     <ul class="navbar-nav ml-auto">
18         <!-- Navbar Search -->
19         <li class="nav-item">
20             <a class="nav-link" data-widget="navbar-search" href="#" role="button">
21                 <i class="fas fa-search"></i>
22             </a>
23             <div class="navbar-search-block">
24                 <form class="form-inline">
25                     <div class="input-group input-group-sm">
26                         <input class="form-control form-control-navbar" type="search" placeholder="Se
27                         <div class="input-group-append">
28                             <button class="btn btn-navbar" type="submit">
29                                 <i class="fas fa-search"></i>
30                             </button>
31                             <button class="btn btn-navbar" type="button" data-widget="navbar-search">
32                                 <i class="fas fa-times"></i>
33                             </button>
34                         </div>
35                     </form>
36                 </div>
37             </li>
38         </ul>
39     </div>
```




Jurusan Teknologi Informasi Politeknik Negeri Malang
Jobsheet-7: Laravel Starter Code
Mata Kuliah Pemrograman Web Lanjut
April 2024

1 <!DOCTYPE html> 2 <html lang="en"> 3 <head> 4 <meta charset="utf-8"> 5 <meta name="viewport" content="width=device-width, initial-scale=1"> 6 <title>{{ config('app.name', 'PWL Laravel Starter Code') }}</title> 7 8 <-- Google Font: Source Sans Pro --> 9 <link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Source+Sans+Pro:300,400,700,900&display=block"> 10 <!-- Font Awesome --> 11 <link rel="stylesheet" href="{{ asset('adminlte/plugins/fontawesome-free/css/all.min.css') }}> 12 <!-- Theme style --> 13 <link rel="stylesheet" href="{{ asset('adminlte/dist/css/adminlte.min.css') }}> 14 </head> 15 <body class="hold-transition sidebar-mini"> 16 <!-- Site wrapper --> 17 <div class="wrapper"> 18 <!-- /.navbar --> 19 @include('layouts.header') 20 <!-- /.navbar --> 21 22 <!-- Main Sidebar Container --> 23 <aside class="main-sidebar sidebar-dark-primary elevation-4"> 24 <!-- Brand Logo --> 25 26 27 AdminLTE 3 28 29 30 <!-- Sidebar --> 31 <div class="sidebar"> 32 <!-- Sidebar user (optional) --> 33 <div class="user-panel mt-3 pb-3 mb-3 d-flex"> 34 <div class="image"> 35 36 </div> 37 <div class="info"> 38 Alexander Pierce 39 </div>	22 <!-- Main Sidebar Container --> 23 <aside class="main-sidebar sidebar-dark-primary elevation-4"> 24 <!-- Brand Logo --> 25 26 27 PWL - Starter Code 28
---	---




Jurusan Teknologi Informasi Politeknik Negeri Malang
Jobsheet-7: Laravel Starter Code
Mata Kuliah Pemrograman Web Lanjut
April 2024

		
	<!-- Sidebar --> @include('layouts.sidebar') <!-- /.sidebar -->	
		
	82 </section> 83 <!-- /.content --> 84 </div> 85 <!-- /.content-wrapper --> 86 87 @include('layouts.footer') 88 </div>	




Jurusan Teknologi Informasi Politeknik Negeri Malang
Jobsheet-7: Laravel Starter Code
Mata Kuliah Pemrograman Web Lanjut
April 2024

	<pre>91 <!-- jQuery --> 92 <script src="{{ asset('adminlte/plugins/jquery/jquery.min.js') }}"></script> 93 <!-- Bootstrap 4 --> 94 <script src="{{ asset('adminlte/plugins/bootstrap/js/bootstrap.bundle.min.js') }}"></script> 95 <!-- AdminLTE App --> 96 <script src="{{ asset('adminlte/dist/js/adminlte.min.js') }}"></script> 97 </body> 98 </html></pre>	
	 <pre>PWL_POS resources > views > layouts > breadcrumb.blade.php > section.content-header resources views layouts breadcrumb.blade.php footer.blade.php header.blade.php sidebar.blade.php template.blade.php m_user home.blade.php kategori.blade.php level.blade.php user_tambah.blade.php</pre> <pre>1 <section class="content-header"> 2 <div class="container-fluid"> 3 <div class="row mb-2"> 4 <div class="col-sm-6"> 5 <h1>Blank Page</h1> 6 </div> 7 <div class="col-sm-6"> 8 <ol class="breadcrumb float-sm-right"> 9 <li class="breadcrumb-item">Home 10 <li class="breadcrumb-item active">Blank Page 11 12 </div> 13 </div> 14 </div><!-- /.container-fluid --> 15 </section></pre>	
	<pre>35 <!-- Content Wrapper. Contains page content --> 36 <div class="content-wrapper"> 37 <!-- Content Header (Page header) --> 38 @include('layouts.breadcrumb') 39 40 <!-- Main content --></pre>	
	<pre>19 @include('layouts.header') <!-- Layouts Header --> 20 <!-- /.navbar --> 21 22 <!-- Main Sidebar Container --> 23 <aside class="main-sidebar sidebar-dark-primary elevation-4"> 24 <!-- Brand Logo --> 25 26 27 PWL - Starter Code 28 29 30 <!-- Sidebar --> 31 @include('layouts.sidebar') <!-- Layouts Sidebar --> 32 <!-- /.sidebar --> 33 </aside> 34 35 <!-- Content Wrapper. Contains page content --> 36 <div class="content-wrapper"> 37 <!-- Content Header (Page header) --> 38 @include('layouts.breadcrumb') <!-- Layouts Breadcrumb --> 39 40 <!-- Main content --> 41 <section class="content"> 42 @yield('content') <!-- Layouts Content --> 43 </section> 44 <!-- /.content --> 45 </div> 46 <!-- /.content-wrapper --> 47 48 @include('layouts.footer') <!-- Layouts Footer --></pre>	



Jurusan Teknologi Informasi Politeknik Negeri Malang
Jobsheet-7: Laravel Starter Code
Mata Kuliah Pemrograman Web Lanjut
April 2024

	 <p>The screenshot shows a GitHub repository page for 'PWL_POS' owned by 'byannurcahyo'. The repository has 25 commits. The commit history includes entries for 'Laporan Praktikum', 'app', 'bootstrap', 'config', 'database', 'lang/vendor/adminlalte', 'public', 'resources', 'routes', 'storage', 'tests', '.editorconfig', and '.env.example'. The repository has 0 forks, 0 stars, and 1 watching. It also has no releases or packages published.</p>	
2.	Penerapan Layouting <pre>PS C:\laragon\www\PWL_POS> php artisan make:controller WelcomeController [INFO] Controller [C:\laragon\www\PWL_POS\app\Http\Controllers>WelcomeController.php] created successfully. PS C:\laragon\www\PWL_POS></pre>	
	<pre>7 class WelcomeController extends Controller 8 { 9 public function index() 10 { 11 \$breadcrumb = [12 'title' => 'Selamat Datang', 13 'list' => ['Home', 'Welcome'] 14]; 15 16 \$activeMenu = 'dashboard'; 17 18 return view('welcome', ['breadcrumb' => \$breadcrumb, 'activeMenu' => \$activeMenu]); 19 } 20 }</pre>	



Jurusan Teknologi Informasi Politeknik Negeri Malang
Jobsheet-7: Laravel Starter Code
Mata Kuliah Pemrograman Web Lanjut
April 2024

<pre>resources > views > 📄 welcome.blade.php > ... 1 @extends('layout.template') 2 3 @section('content') 4 5 <div class="card"> 6 <div class="card-header"> 7 <h3 class="card-title">Halo, apakahbar!!!</h3> 8 <div class="card-tools"></div> 9 </div> 10 <div class="card-body"> 11 Selamat datang semua, ini adalah halaman utama dari aplikasi ini. 12 </div> 13 </div> 14 @endsection</pre>	
<pre>resources > views > layouts > 📄 breadcrumb.blade.php > ⚒ section.content-header 1 <section class="content-header"> 2 <div class="container-fluid"> 3 <div class="row mb-2"> 4 <div class="col-sm-6"><h1>{{ \$breadcrumb->title }}</h1></div> 5 <div class="col-sm-6"> 6 <ol class="breadcrumb float-sm-right"> 7 @foreach (\$breadcrumb->list as \$key => \$value) 8 @if (\$key == count(\$breadcrumb->list) - 1) 9 <li class="breadcrumb-item active">{{ \$value }} 10 @else 11 <li class="breadcrumb-item">{{ \$value }} 12 @endif 13 @endforeach 14 15 </div> 16 </div> 17 </div> 18 </section></pre>	



Jurusan Teknologi Informasi Politeknik Negeri Malang
Jobsheet-7: Laravel Starter Code
Mata Kuliah Pemrograman Web Lanjut
April 2024

resources > views > layouts > sidebar.blade.php	<pre>1 <div class="sidebar"> 2 <!-- SidebarSearch Form --> 3 <div class="form-inline mt-2"> 4 <div class="input-group" data-widget="sidebar-search"> 5 <input class="form-control form-control-sidebar" type="search" placeholder="Search..." aria-label="Search" aria-describedby="basic-addon2"> 6 <div class="input-group-append"> 7 <button class="btn btn-sidebar"> 8 <i class="fas fa-search fa-fw"></i> 9 </button> 10 </div> 11 </div> 12 </div> 13 <!-- Sidebar Menu --> 14 <nav class="mt-2"> 15 <ul class="nav nav-pills nav-sidebar flex-column" data-widget="treeview" role="menu" data-accordion="false"> 16 <li class="nav-item"> 17 18 <i class="nav-icon fas fa-tachometer-alt"></i> 19 <p> 20 Dashboard 21 </p> 22 23 24 <li class="nav-header">Data Pengguna 25 <li class="nav-item"> 26 27 <i class="nav-icon fas fa-layer-group"></i> 28 <p> 29 Level User 30 </p> 31 32 33 <li class="nav-item"> 34 35 <i class="nav-icon fas fa-user"></i> 36 <p> 37 Data User 38 </p> 39 </pre>
	<pre>Route::get('/', [WelcomeController::class, 'index']);</pre>



Jurusan Teknologi Informasi Politeknik Negeri Malang
Jobsheet-7: Laravel Starter Code
Mata Kuliah Pemrograman Web Lanjut
April 2024



Jurusan Teknologi Informasi Politeknik Negeri Malang
Jobsheet-7: Laravel Starter Code
Mata Kuliah Pemrograman Web Lanjut
April 2024

3.	Implementasi jQuery Datatable di AdminLTE
	<pre>PS C:\laragon\www\PWL_POS> composer require yajra/laravel-datables:^10.0 The "10.0" constraint for "yajra/laravel-datables" appears too strict and will likely not match what you want. See https://getcomposer.org/constraints ./composer.json has been updated Running composer update yajra/laravel-datables Loading composer repositories with package information Updating dependencies Nothing to modify in lock file Installing dependencies from lock file (including require-dev) Nothing to install, update or remove Generating optimized autoload files > Illuminate\Foundation\ComposerScripts::postAutoloadDump > @php artisan package:discover --ansi INFO Discovering packages. jeroennoten/laravel-adminlte DONE laravel/sail DONE laravel/sanctum DONE laravel/tinker DONE laravel/ui DONE nesbot/carbon DONE nunomaduro/collision DONE nunomaduro/termwind DONE spatie/laravel-ignition DONE yajra/laravel-datables-buttons DONE yajra/laravel-datables-editor DONE yajra/laravel-datables-fractal DONE yajra/laravel-datables-html DONE yajra/laravel-datables-oracle DONE 89 packages you are using are looking for funding. Use the `composer fund` command to find out more! > @php artisan vendor:publish --tag=laravel-assets --ansi --force INFO No publishable resources for tag [laravel-assets]. No security vulnerability advisories found. PS C:\laragon\www\PWL_POS></pre>
	<pre>Route::group(['prefix' => 'user'], function () { Route::get('/', [UserController::class, 'index']); // menampilkan halaman awal Route::post('/list', [UserController::class, 'list']); // menampilkan data user da Route::get('/create', [UserController::class, 'create']); // menampilkan halaman form Route::post('/', [UserController::class, 'store']); // menyimpan data user baru Route::get('{id}', [UserController::class, 'show']); // menampilkan detail user Route::get('{id}/edit', [UserController::class, 'edit']); // menampilkan halaman form Route::put('{id}', [UserController::class, 'update']); // menyimpan perubahan data Route::delete('{id}', [UserController::class, 'destroy']); // menghapus data user });</pre>



Jurusan Teknologi Informasi Politeknik Negeri Malang
Jobsheet-7: Laravel Starter Code
Mata Kuliah Pemrograman Web Lanjut
April 2024

```
public function index()
{
    $breadcrumb = (object) [
        'title' => 'Daftar User',
        'list' => ['Home', 'User']
    ];

    $page = (object) [
        'title' => 'Daftar user yang terdaftar dalam sistem'
    ];

    $activeMenu = 'user';

    return view('user.index', ['breadcrumb' => $breadcrumb, 'page' => $page, 'activeMenu' => $activeMenu]);
}
```

```
resources > views > user > 📄 index.blade.php > ⚙️ script > ⚡ <function>
1   @extends('layouts.template')
2
3   @section('content')
4     <div class="card card-outline card-primary">
5       <div class="card-header">
6         <h3 class="card-title">{{ $page->title }}</h3>
7         <div class="card-tools">
8           <a class="btn btn-sm btn-primary mt-1" href="{{ url('user/create') }}">Tambah</a>
9         </div>
10    </div>
11    <div class="card-body">
12      @if (session('success'))
13        <div class="alert alert-success">{{ session('success') }}</div>
14      @endif
15      @if (session('error'))
16        <div class="alert alert-danger">{{ session('error') }}</div>
17      @endif
18      <table class="table table-bordered table-striped table-hover table-sm" id="table_user">
19        <thead>
20          <tr>
21            <th>ID</th>
22            <th>Username</th>
23            <th>Nama</th>
24            <th>Level Pengguna</th>
25            <th>Aksi</th>
26          </tr>
27        </thead>
28        <tbody>
29        </tbody>
30      </table>
31    </div>
32  @endsection
33
34  @push
35    ('css')
36  @endpush
37  @push('js')
38    $(document).ready(function() {
39      var dataUser = $('#table_user').DataTable({

```



Jurusan Teknologi Informasi Politeknik Negeri Malang
Jobsheet-7: Laravel Starter Code
Mata Kuliah Pemrograman Web Lanjut
April 2024

	<pre><meta name="csrf-token" content="{{ csrf_token() }}"><!-- untuk mengirimkan token laravel--> <!-- Google Font: Source Sans Pro --> <link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Source+Sans+Pro:300,400,700,900&display=swap"> <!-- Font Awesome --> <link rel="stylesheet" href="{{ asset('adminlte/plugins/fontawesome-free/css/all.min.css') }}"> <!-- DataTables --> <link rel="stylesheet" href="{{ asset('adminlte/plugins/datatables-bs4/css/dataTables.bootstrap4.min.css') }}"> <link rel="stylesheet" href="{{ asset('adminlte/plugins/datatables-responsive/css/dataTables.responsive.bootstrap4.min.css') }}"> <link rel="stylesheet" href="{{ asset('adminlte/plugins/datatables-buttons/css/buttons.bootstrap4.min.css') }}"> <!-- Theme style --> <link rel="stylesheet" href="{{ asset('adminlte/dist/css/adminlte.min.css') }}> @stack('css') <!-- Digunakan memanggil custom css dari perintah push ('css') pada masing-masing component --></pre>
	<pre><!-- DataTables & Plugins --> <script src="{{ asset('adminlte/plugins/datatables/jquery.dataTables.min.js') }}"></script> <script src="{{ asset('adminlte/plugins/datatables-bs4/js/dataTables.bootstrap4.min.js') }}"></script> <script src="{{ asset('adminlte/plugins/datatables-responsive/js/dataTables.responsive.min.js') }}"></script> <script src="{{ asset('adminlte/plugins/datatables-responsive/js/responsive.bootstrap4.min.js') }}"></script> <script src="{{ asset('adminlte/plugins/datatables-buttons/js/dataTables.buttons.min.js') }}"></script> <script src="{{ asset('adminlte/plugins/datatables-buttons/js/buttons.bootstrap4.min.js') }}"></script> <script src="{{ asset('adminlte/plugins/jszip/jszip.min.js') }}"></script> <script src="{{ asset('adminlte/plugins/pdfmake/pdfmake.min.js') }}"></script> <script src="{{ asset('adminlte/plugins/pdfmake/vfs_fonts.js') }}"></script> <script src="{{ asset('adminlte/plugins/datatables-buttons/js/buttons.html5.min.js') }}"></script> <script src="{{ asset('adminlte/plugins/datatables-buttons/js/buttons.print.min.js') }}"></script> <script src="{{ asset('adminlte/plugins/datatables-buttons/js/buttons.colVis.min.js') }}"></script></pre>
	<pre><!-- AdminLTE App --> <script src="{{ asset('adminlte/dist/js/adminlte.min.js') }}"></script> <script> // Untuk mengirimkan token Laravel CSRF pada setiap request ajax \$.ajaxSetup({headers: {'X-CSRF-TOKEN': \$('meta[name="csrf-token"]').attr('content')}}); </script> @stack('js') <!-- Digunakan memanggil custom js dari perintah push ('js') pada masing-masing component --></pre>
	<pre>public function list(Request \$request) { \$users = UserModel::select('user_id', 'username', 'nama', 'level_id') ->with('level'); return DataTables::of(\$users) ->addIndexColumn() // menambahkan kolom index / no urut (default nama kolom: DT_RowIndex) ->addColumn('aksi', function (\$user) { // menambahkan kolom aksi \$btn = 'user_id) . '" class="btn btn-info btn-sm">Detail '; \$btn .= 'user_id . '/edit') . '" class="btn btn-warning btn-sm">Edit '; \$btn .= '<form class="d-inline-block" method="POST" action="' . url('/user/' . \$user->user_id . '/delete') . '">' . '<button type="submit" class="btn btn-danger btn-sm">Delete</button>' . '</form>'; return \$btn; }) ->rawColumns(['aksi']) // memberitahu bahwa kolom aksi adalah html ->make(true); }</pre>



Jurusan Teknologi Informasi Politeknik Negeri Malang
Jobsheet-7: Laravel Starter Code
Mata Kuliah Pemrograman Web Lanjut
April 2024

PWL - Starter Code		Daftar User				
		Daftar user yang terdaftar dalam sistem				
		Show: 10 entries				
ID	Username	Nama	Level Pengguna	Aksi		
1	admin	Administrator	Admin			
2	manager	Manager	Manager			
3	staff	Staff/Kasir	Staff/Kasir			
4	customer-1	Pelanggan Pertama	Pelanggan			
5	manager_dua	Manager 2	Manager			
6	manager33	Manager Tiga Tiga	Manager			
7	manager56	Manager 55	Manager			
8	manager55	Manager 55	Manager			
9	manager12	Manager 11	Manager			
Showing 1 to 9 of 9 entries					Previous	1
					Next	
Copyright © 2014-2021 AdminLTE.io. All rights reserved.						Version 3.2.0

```
public function create() {
    $breadcrumb = (object) [
        'title' => 'Tambah User',
        'list' => ['Home', 'User', 'Tambah']
    ];

    $page = (object) [
        'title' => 'Tambah user baru'
    ];

    $level = LevelModel::all();
    $activeMenu = 'user';

    return view('user.create', ['breadcrumb' => $breadcrumb, 'page' => $page, 'level' => $level])
}
```




Jurusan Teknologi Informasi Politeknik Negeri Malang
Jobsheet-7: Laravel Starter Code
Mata Kuliah Pemrograman Web Lanjut
April 2024

```
resources > views > user > create.blade.php > @extends('layouts.template')  
      @section('content')  
        <div class="card card-outline card-primary">  
          <div class="card-header">  
            <h3 class="card-title">{{ $page->title }}</h3>  
            <div class="card-tools"></div>  
          </div>  
          <div class="card-body">  
            <form method="POST" action="{{ url('user') }}" class="form-horizontal" @csrf  
              <div class="form-group row">  
                <label class="col-1 control-label col-form-label">Level</label>  
                <div class="col-11">  
                  <select class="form-control" id="level_id" name="level_id" required>  
                    <option value="">- Pilih Level -</option>  
                    @foreach($level as $item)  
                      <option value="{{ $item->level_id }}>{{ $item->level_nama }}</option>  
                    @endforeach  
                  </select> @error('level_id')  
                  <small class="form-text text-danger">{{ $message }}</small> @enderror  
                </div>  
              </div>  
              <div class="form-group row">  
                <label class="col-1 control-label col-form-label">Username</label>  
                <div class="col-11">  
                  <input type="text" class="form-control" id="username" name="username" @error('username')  
                  <small class="form-text text-danger">{{ $message }}</small> @enderror  
                </div>  
              </div>  
              <div class="form-group row">  
                <label class="col-1 control-label col-form-label">Nama</label>  
                <div class="col-11">  
                  <input type="text" class="form-control" id="nama" name="nama" value="{{ old('nama') }} @error('nama')  
                  <small class="form-text text-danger">{{ $message }}</small> @enderror  
                </div>  
              </div>  
              <div class="form-group row">  
                <label class="col-1 control-label col-form-label">Password</label>  
              </div>
```

```
public function store(Request $request)  
{  
    $request->validate([  
        'username' => 'required|string|min:3|unique:m_user,username',  
        'nama' => 'required|string|max:100',  
        'password' => 'required|min:5',  
        'level_id' => 'required|integer',  
    ]);  
  
    UserModel::create([  
        'username' => $request->username,  
        'nama' => $request->nama,  
        'password' => bcrypt($request->password),  
        'level_id' => $request->level_id  
    ]);  
  
    return redirect('/user')->with('success', 'Data user berhasil disimpan');  
}
```



Jurusan Teknologi Informasi Politeknik Negeri Malang
Jobsheet-7: Laravel Starter Code
Mata Kuliah Pemrograman Web Lanjut
April 2024

		
	<pre>public function show(string \$id) { \$user = UserModel::with('level')->find(\$id); \$breadcrumb = (object) ['title' => 'Detail User', 'list' => ['Home', 'User', 'Detail']]; \$page = (object) ['title' => 'Detail User']; \$activeMenu = 'user'; return view('user.show', ['breadcrumb' => \$breadcrumb, 'page' => \$page, 'user' => \$use }</pre>	



Jurusan Teknologi Informasi Politeknik Negeri Malang
Jobsheet-7: Laravel Starter Code
Mata Kuliah Pemrograman Web Lanjut
April 2024

```
resources > views > user > 🏷 show.blade.php > ...
1   @extends('layouts.template')
2
3   @section('content')
4     <div class="card card-outline card-primary">
5       <div class="card-header">
6         <h3 class="card-title">{{ $page->title }}</h3>
7         <div class="card-tools"></div>
8     </div>
9     <div class="card-body"> @empty($user)
10       <div class="alert alert-danger alert-dismissible">
11         <h5><i class="icon fas fa-ban"></i> Kesalahan!</h5> Data yang Anda cari tidak d
12       </div> @else
13       <table class="table table-bordered table-striped table-hover table-sm">
14         <tr>
15           <th>ID</th>
16           <td>{{ $user->user_id }}</td>
17         </tr>
18         <tr>
19           <th>Level</th>
20           <td>{{ $user->level->level_nama }}</td>
21         </tr>
22         <tr>
23           <th>Username</th>
24           <td>{{ $user->username }}</td>
25         </tr>
26         <tr>
27           <th>Nama</th>
28           <td>{{ $user->nama }}</td>
29         </tr>
30         <tr>
31           <th>Password</th>
32           <td>*****</td>
33         </tr>
34       </table> @endempty
35       <a href="{{ url('user') }}" class="btn btn-sm btn-default mt- 2">Kembali</a>
36     </div>
37   </div> @endsection
38
39   @push('css')
```

PWL - Starter Code

Home Contact

Search

Detail User

Home / User / Detail

ID	1
Level	Admin
Username	admin
Nama	Administrator
Password	*****


Kembali

Copyright © 2014-2021 AdminLTE.io. All rights reserved.

Version 3.2.0



Jurusan Teknologi Informasi Politeknik Negeri Malang
Jobsheet-7: Laravel Starter Code
Mata Kuliah Pemrograman Web Lanjut
April 2024

	<pre>public function edit(string \$id) { \$user = UserModel::find(\$id); \$level = LevelModel::all(); \$breadcrumb = (object) ['title' => 'Edit User', 'list' => ['Home', 'User', 'Edit']]; \$page = (object) ['title' => 'Edit user']; \$activeMenu = 'user'; return view('user.edit', ['breadcrumb' => \$breadcrumb, 'page' => \$page, 'user' => \$user]) }</pre>	
	<pre>public function update(Request \$request, string \$id) { \$request->validate(['username' => 'required string min:3 unique:m_user,username,' . \$id . ',user_id', 'nama' => 'required string max:100', 'password' => 'nullable min:5', 'level_id' => 'required integer']); UserModel::find(\$id)->update(['username' => \$request->username, 'nama' => \$request->nama, 'password' => \$request->password ? bcrypt(\$request->password) : UserModel::find(\$id)->password, 'level_id' => \$request->level_id]); return redirect('/user')->with('success', 'Data user berhasil diubah'); }</pre>	
		Version 3.2.0





Jurusan Teknologi Informasi Politeknik Negeri Malang
Jobsheet-7: Laravel Starter Code
Mata Kuliah Pemrograman Web Lanjut
April 2024

	<pre>public function destroy(string \$id) { \$check = UserModel::find(\$id); if (!\$check) { return redirect('/user')->with('error', 'Data user tidak ditemukan'); } try { UserModel::destroy(\$id); return redirect('/user')->with('success', 'Data user berhasil dihapus'); } catch (\Illuminate\Database\QueryException \$e) { return redirect('/user')->with('error' . 'Data user gagal dihapus karena masih ter'); } }</pre>	
	<pre>@if(session('success')) <div class="alert alert-success">{!! session('success') !!}</div> @endif @if(session('error')) <div class="alert alert-danger">{!! session('error') !!}</div> @endif</pre>	




Jurusan Teknologi Informasi Politeknik Negeri Malang
Jobsheet-7: Laravel Starter Code
Mata Kuliah Pemrograman Web Lanjut
April 2024

	<p>Apakah Anda yakin menghapus data ini?</p> <p>OK Cancel</p>
	<p>Data user berhasil dihapus</p>





Jurusan Teknologi Informasi Politeknik Negeri Malang
Jobsheet-7: Laravel Starter Code
Mata Kuliah Pemrograman Web Lanjut
April 2024

	
4.	Implementasi Filtering Datatables
	<pre>\$level = LevelModel::all(); return view('user.index', ['breadcrumb' => \$breadcrumb, 'page' => \$page, 'level' => \$level,</pre> <pre><div class="row"> <div class="col-md-12"> <div class="form-group row"> <label class="col-1 control-label col-form-label">Filter:</label> <div class="col-3"> <select class="form-control" id="level_id" name="level_id" required> <option value="">- Semua -</option> @foreach (\$level as \$item) <option value="{{ \$item->level_id}}>{{ \$item->level_nama}}</option> @endforeach </select> <small class="form-text text muted">Level Pengguna</small> </div> </div> </div> </div></pre>




Jurusan Teknologi Informasi Politeknik Negeri Malang
Jobsheet-7: Laravel Starter Code
Mata Kuliah Pemrograman Web Lanjut
April 2024

	<pre>ajax: { "url": "{{ url('user/list') }}", "dataType": "json", "type": "POST", "data": function (d) { d.level_id = \$('#level_id').val(); } },</pre>	
	<pre>\$('#level_id').change(function(){ dataUser.ajax.reload(); });</pre>	
	 <p>The screenshot shows a user management interface. On the left is a sidebar with icons for Dashboard, Level User, and Data User (which is selected). The main area has a header 'Daftar User' and a sub-header 'Daftar user yang terdaftar dalam sistem'. It includes a filter dropdown set to '- Semua -', a search bar, and a table with columns: ID, Username, Nama, Level Pengguna, and Aksi (Actions). The table contains 8 entries. At the bottom, it says 'Showing 1 to 8 of 8 entries' and 'Version 3.2.0'.</p>	
	 <p>This screenshot is similar to the previous one but with a different filter. The 'Filter' dropdown is now set to 'Manager'. The table shows 5 entries for the Manager level. The bottom of the page also indicates 'Showing 1 to 5 of 5 entries' and 'Version 3.2.0'.</p>	



Jurusan Teknologi Informasi Politeknik Negeri Malang
Jobsheet-7: Laravel Starter Code
Mata Kuliah Pemrograman Web Lanjut
April 2024

	
A.	Pertanyaan
1.	Apa perbedaan frontend template dengan backend template?
	Frontend template menangani tampilan dan interaksi pengguna di browser menggunakan HTML, CSS, dan JavaScript yang mencakup desain halaman, interaktivitas, dan animasi. Sedangkan, Backend template mengurus logika bisnis dan pemrosesan data di sisi server menggunakan bahasa pemrograman server-side seperti PHP, Python, atau Java. Ini mencakup manajemen permintaan klien, interaksi dengan database, dan keamanan aplikasi.
2.	Apakah layouting itu penting dalam membangun sebuah website?
	Layouting merupakan elemen kunci dalam pembangunan sebuah website. Dengan menyusun tata letak yang baik, user dapat dengan mudah membaca dan menavigasi halaman web, meningkatkan User Experience antara user dengan konten, dan menciptakan pengalaman yang memuaskan. Selain itu, layout yang responsif memastikan bahwa tampilan website optimal di berbagai perangkat, sementara konsistensi dalam desain membantu memberi identitas pada situs. Struktur layout yang teratur juga berperan dalam optimasi mesin pencari, meningkatkan peringkat situs web dalam hasil pencarian.



Jurusan Teknologi Informasi Politeknik Negeri Malang

Jobsheet-7: Laravel Starter Code




Mata Kuliah Pemrograman Web Lanjut

April 2024

3.	Jelaskan fungsi dari komponen laravel blade berikut : @include(), @extend(), @section(), @push(), @yield(), dan @stack()
	<ul style="list-style-type: none">• @include(): Menyisipkan konten dari file blade lain ke dalam file blade yang aktif.• @extend(): Mewarisi layout utama ke dalam layout anak untuk membuat template yang dapat diwariskan.• @section(): Menentukan bagian dari layout yang dapat ditimpa oleh konten halaman.• @push(): Menambahkan konten ke dalam sebuah stack dari beberapa bagian halaman.• @yield(): Menampilkan konten dari bagian yang ditentukan oleh @section() dalam layout.• @stack(): Menampilkan konten yang telah ditambahkan ke dalam sebuah stack.
4.	Apa fungsi dan tujuan dari variable \$activeMenu ?
	Variabel \$activeMenu digunakan untuk menentukan menu yang sedang aktif dalam aplikasi web, yang bertujuan agar developer dapat mengatur tampilan dan alur sesuai dengan menu yang dipilih oleh user.



Jurusan Teknologi Informasi Politeknik Negeri Malang
Jobsheet-7: Laravel Starter Code
Mata Kuliah Pemrograman Web Lanjut
April 2024

A.	Tugas
1.	<p>1. Level User</p> <ul style="list-style-type: none">• Home• Create• Read



Jurusan Teknologi Informasi Politeknik Negeri Malang
Jobsheet-7: Laravel Starter Code
Mata Kuliah Pemrograman Web Lanjut
April 2024

- Update

Copyright © 2014-2021 AdminLTE.io. All rights reserved.

Version 3.2.0

- Delete

pwl pos.test says

Apakah Anda yakin menghapus data ini?

OK Cancel

ID	Kode Level	Nama Level	Aksi
1	ADM	Admin	[Detail] [Edit] [Hapus]
2	MNG	Manager	[Detail] [Edit] [Hapus]
3	STF	Staff/Kasir	[Detail] [Edit] [Hapus]
4	CUS	Pelanggan	[Detail] [Edit] [Hapus]
5	JS7	Tugas	[Detail] [Edit] [Hapus]

Showing 1 to 5 of 5 entries

Version 3.2.0

2. Kategori Barang

- Home

Daftar Kategori

ID	Kode Kategori	Nama Kategori	Aksi
1	AT	Alat Tulis	[Detail] [Edit] [Hapus]
2	SBK	Sembako	[Detail] [Edit] [Hapus]
3	MKN	Makanan	[Detail] [Edit] [Hapus]
4	MNM	Minuman	[Detail] [Edit] [Hapus]
5	OBT	Obat-obatan	[Detail] [Edit] [Hapus]
6	SPT	Sepatu	[Detail] [Edit] [Hapus]

Showing 1 to 6 of 6 entries

Version 3.2.0



Jurusan Teknologi Informasi Politeknik Negeri Malang
Jobsheet-7: Laravel Starter Code
Mata Kuliah Pemrograman Web Lanjut
April 2024

- Create

Tambah Kategori

Kode Kategori: JS7

Nama Kategori: Tugas

Simpan Kembali

- Read

Detail Kategori

ID: 1

Kode Kategori: AT

Nama Kategori: Alat Tulis

Kembali

- Update

Edit Kategori

Kode Kategori: AT

Nama Kategori: Alat Tulis

Simpan Kembali

- Delete



Jurusan Teknologi Informasi Politeknik Negeri Malang
Jobsheet-7: Laravel Starter Code
Mata Kuliah Pemrograman Web Lanjut
April 2024

ID	Kode Kategori	Nama Kategori	Aksi
1	AT	Alat Tulis	[Detail] [Edit] [Hapus]
2	SBK	Sembako	[Detail] [Edit] [Hapus]
3	MKN	Makanan	[Detail] [Edit] [Hapus]
4	MNM	Minuman	[Detail] [Edit] [Hapus]
5	OBT	Obat-obatan	[Detail] [Edit] [Hapus]
6	SPT	Sepatu	[Detail] [Edit] [Hapus]
7	JST	Tugas	[Detail] [Edit] [Hapus]

3. Data Barang

- Home

ID	Kode Barang	Nama Barang	Nama Kategori	Harga Beli	Harga Jual	Aksi
1	PNS	Pensil	Alat Tulis	3000	5000	[Detail] [Edit] [Hapus]
2	PLP	Pulpen	Alat Tulis	5000	7000	[Detail] [Edit] [Hapus]
3	GL	Gula	Sembako	8000	10000	[Detail] [Edit] [Hapus]
4	BRS	Beras	Sembako	10000	15000	[Detail] [Edit] [Hapus]
5	RT	Roti	Makanan	5000	8000	[Detail] [Edit] [Hapus]
6	BSK	Biskuit	Makanan	2000	4000	[Detail] [Edit] [Hapus]
7	TH	Teh	Minuman	2000	5000	[Detail] [Edit] [Hapus]
8	AM	Air Mineral	Minuman	3000	5000	[Detail] [Edit] [Hapus]
9	PRCM	Paracetamol	Obat-obatan	5000	8000	[Detail] [Edit] [Hapus]
10	TML	Tramadol	Sepatu	5000	6000	[Detail] [Edit] [Hapus]



Jurusan Teknologi Informasi Politeknik Negeri Malang
Jobsheet-7: Laravel Starter Code
Mata Kuliah Pemrograman Web Lanjut
April 2024

- Create

Tambah Barang

Kode Barang: JS7
Nama Barang: Tugas
ID Kategori: Tugas
Harga Beli: 7000
Harga Jual: 7700

Simpan Kembali

- Read

Detail Barang

ID: 1
Nama Barang: PNS
Harga Jual: 5000

Kembali

- Update

Edit Barang

Kode Barang: PNS
Nama Barang: Pensil
Nama Kategori: Tugas
Harga Beli: 3000
Harga Jual: 5000

Simpan Kembali



Jurusan Teknologi Informasi Politeknik Negeri Malang
Jobsheet-7: Laravel Starter Code
Mata Kuliah Pemrograman Web Lanjut
April 2024

- Delete

ID	Kode Barang	Nama Barang	Nama Kategori	Harga Beli	Harga Jual	Aksi
1	PNS	Pensil	Alat Tulis	3000	5000	[Detail] [Edit] [Hapus]
2	PLP	Pulpen	Alat Tulis	5000	7000	[Detail] [Edit] [Hapus]
3	GL	Gula	Sembako	8000	10000	[Detail] [Edit] [Hapus]
4	BRS	Beras	Sembako	10000	15000	[Detail] [Edit] [Hapus]
5	RT	Roti	Makanan	5000	8000	[Detail] [Edit] [Hapus]
6	BSK	Biskuit	Makanan	2000	4000	[Detail] [Edit] [Hapus]
7	TH	Teh	Minuman	2000	5000	[Detail] [Edit] [Hapus]
8	AM	Air Mineral	Minuman	3000	5000	[Detail] [Edit] [Hapus]

4. Stok Barang

- Home

ID	Nama Barang	User	Stok Tanggal	Stok Jumlah	Aksi
1	Pensil	admin	2024-03-12 13:53:57	100	[Detail] [Edit] [Hapus]
2	Pulpen	manager	2024-03-12 13:53:57	100	[Detail] [Edit] [Hapus]
3	Gula	staff	2024-03-12 13:53:57	80	[Detail] [Edit] [Hapus]
4	Beras	staff	2024-03-12 13:53:57	80	[Detail] [Edit] [Hapus]
5	Roti	manager	2024-03-12 13:53:57	30	[Detail] [Edit] [Hapus]
6	Biskuit	admin	2024-03-12 13:53:57	50	[Detail] [Edit] [Hapus]
7	Teh	manager	2024-03-12 13:53:57	50	[Detail] [Edit] [Hapus]
8	Air Mineral	staff	2024-03-12 13:53:57	80	[Detail] [Edit] [Hapus]
9	Paracetamol	admin	2024-03-12 13:53:57	110	[Detail] [Edit] [Hapus]
10	Tramadol	manager	2024-03-12 13:53:57	100	[Detail] [Edit] [Hapus]



Jurusan Teknologi Informasi Politeknik Negeri Malang
Jobsheet-7: Laravel Starter Code
Mata Kuliah Pemrograman Web Lanjut
April 2024

- Create

Tambah Stok

Nama Barang: Tugas

User: admin

Stok Tanggal: 17/04/2024 07:40

Stok Jumlah: 77

Simpan Kembali

- Read

Detail Stok

ID	1
Nama Barang	Pensil
PIC	admin
Stok Tanggal	2024-03-12 13:53:57
Stok Jumlah	100

Kembali

- Update

Edit Stok

Nama Barang: Pensil

User: admin

Stok Tanggal: 12/03/2024 13:53:57

Stok Jumlah: 100

Simpan Kembali



Jurusan Teknologi Informasi Politeknik Negeri Malang
Jobsheet-7: Laravel Starter Code
Mata Kuliah Pemrograman Web Lanjut
April 2024

- Delete

The screenshot shows a modal dialog box asking "Apakah Anda yakin menghapus data ini?" (Are you sure you want to delete this data?). Below the modal is a table listing stock items with columns: ID, Nama Barang, User, Stok Tanggal, Stok Jumlah, and Aksi (Actions). The table contains 10 entries. At the bottom of the page, there is a footer with copyright information and a version number.

ID	Nama Barang	User	Stok Tanggal	Stok Jumlah	Aksi
1	Pensil	admin	2024-03-12 13:53:57	100	[Detail] [Edit] [Hapus]
2	Pulpen	manager	2024-03-12 13:53:57	100	[Detail] [Edit] [Hapus]
3	Gula	staff	2024-03-12 13:53:57	80	[Detail] [Edit] [Hapus]
4	Beras	staff	2024-03-12 13:53:57	80	[Detail] [Edit] [Hapus]
5	Roti	manager	2024-03-12 13:53:57	30	[Detail] [Edit] [Hapus]
6	Biskuit	admin	2024-03-12 13:53:57	50	[Detail] [Edit] [Hapus]
7	Teh	manager	2024-03-12 13:53:57	50	[Detail] [Edit] [Hapus]
8	Air Mineral	staff	2024-03-12 13:53:57	80	[Detail] [Edit] [Hapus]
9	Paracetamol	admin	2024-03-12 13:53:57	110	[Detail] [Edit] [Hapus]
10	Tramadol	manager	2024-03-12 13:53:57	100	[Detail] [Edit] [Hapus]

5. Transaksi Penjualan

- Home

The screenshot shows a table listing sales transactions with columns: ID, User, Pembeli, Kode Penjualan, Tanggal Penjualan, and Aksi (Actions). The table contains 10 entries. At the bottom of the page, there is a footer with copyright information and a version number.

ID	User	Pembeli	Kode Penjualan	Tanggal Penjualan	Aksi
1	admin	Customer 1	P1	2024-03-12 13:54:07	[Detail] [Edit] [Hapus]
2	manager	Customer 2	P2	2024-03-12 13:54:07	[Detail] [Edit] [Hapus]
3	staff	Customer 3	P3	2024-03-12 13:54:07	[Detail] [Edit] [Hapus]
4	admin	Customer 4	P4	2024-03-12 13:54:07	[Detail] [Edit] [Hapus]
5	manager	Customer 5	P5	2024-03-12 13:54:07	[Detail] [Edit] [Hapus]
6	staff	Customer 6	P6	2024-03-12 13:54:07	[Detail] [Edit] [Hapus]
7	admin	Customer 7	P7	2024-03-12 13:54:07	[Detail] [Edit] [Hapus]
8	manager	Customer 8	P8	2024-03-12 13:54:07	[Detail] [Edit] [Hapus]
9	staff	Customer 9	P9	2024-03-12 13:54:07	[Detail] [Edit] [Hapus]
10	admin	Customer 10	P10	2024-03-12 13:54:07	[Detail] [Edit] [Hapus]



Jurusan Teknologi Informasi Politeknik Negeri Malang
Jobsheet-7: Laravel Starter Code
Mata Kuliah Pemrograman Web Lanjut
April 2024

- Create

Tambah Transaksi

PIC: - Pilih PIC -

Pembeli:

Tambah Detail Penjualan

Tambah Barang

Simpan Kembali

Copyright © 2014-2021 AdminLTE.io. All rights reserved.

Version 3.2.0

- Read

Detail Transaksi

ID	1
Kode transaksi	P1
PIC	admin
Pembeli	Customer 1
Tanggal	2024-03-12 13:54:07

Detail Penjualan

No	Kode Barang	Nama Barang	Harga Jual	Jumlah	Subtotal
1	PNS	Pensil	5000	2	Rp. 10000
2	PLP	Pulpen	7000	1	Rp. 7000
3	GL	Gula	8000	3	Rp. 24000

Kembali

Copyright © 2014-2021 AdminLTE.io. All rights reserved.

Version 3.2.0



Jurusan Teknologi Informasi Politeknik Negeri Malang
Jobsheet-7: Laravel Starter Code
Mata Kuliah Pemrograman Web Lanjut
April 2024

- Update

Copyright © 2014-2021 AdminLTE.io. All rights reserved.

Version 3.2.0

- Delete

ID	User	Pembeli	Kode Penjualan	Tanggal Penjualan	Aksi
1	admin	Customer 1	P1	2024-03-12 13:54:07	[Detail] [Edit] [Hapus]
2	manager	Customer 2	P2	2024-03-12 13:54:07	[Detail] [Edit] [Hapus]
3	staff	Customer 3	P3	2024-03-12 13:54:07	[Detail] [Edit] [Hapus]
4	admin	Customer 4	P4	2024-03-12 13:54:07	[Detail] [Edit] [Hapus]
5	manager	Customer 5	P5	2024-03-12 13:54:07	[Detail] [Edit] [Hapus]
6	staff	Customer 6	P6	2024-03-12 13:54:07	[Detail] [Edit] [Hapus]
7	admin	Customer 7	P7	2024-03-12 13:54:07	[Detail] [Edit] [Hapus]
8	manager	Customer 8	P8	2024-03-12 13:54:07	[Detail] [Edit] [Hapus]
9	staff	Customer 9	P9	2024-03-12 13:54:07	[Detail] [Edit] [Hapus]
10	admin	Customer 10	P10	2024-03-12 13:54:07	[Detail] [Edit] [Hapus]



Jurusan Teknologi Informasi Politeknik Negeri Malang
Jobsheet-7: Laravel Starter Code
Mata Kuliah Pemrograman Web Lanjut
April 2024

The screenshot shows a GitHub repository page for 'PWL_POS'. The repository is public and was created by 'byannurcahyo'. It contains 29 commits. The repository structure includes 'Laporan Praktikum', 'app', 'bootstrap', 'config', 'database', 'lang/vendor/adminlte', 'public', 'resources', 'routes', 'storage', 'tests', '.editorconfig', and '.env.example'. The last commit was made 2 weeks ago. The repository has 0 forks and 0 stars. There are no releases or packages published. The languages used in the codebase are JavaScript (62.7%), CSS (22.8%), HTML (12.7%), SCSS (1.1%), PHP (0.4%), and Blade (0.3%).

File	Commit Message	Time Ago
Laporan Praktikum	LaporanPraktikumJobsheet6	2 weeks ago
app	TugasPraktikum	now
bootstrap	first commit	last month
config	TemplateForm	2 weeks ago
database	LayouttingAdminLTE	2 weeks ago
lang/vendor/adminlte	IntegrasiAdminLte3	last month
public	LayouttingAdminLTE	2 weeks ago
resources	TugasPraktikum	now
routes	TugasPraktikum	now
storage	first commit	last month
tests	first commit	last month
.editorconfig	first commit	last month
.env.example	first commit	last month