PROGRAMMING HANDHELD SYSTEMS

ADAM PORTER

PERMISSIONS

TODAY'S TOPICS

ANDROID PERMISSIONS

DEFINING & USING APPLICATION PERMISSIONS

COMPONENT PERMISSIONS & PERMISSIONS-RELATED APIS

PERMISSIONS

ANDROID PROTECTS RESOURCES & DATA WITH PERMISSIONS

USED TO LIMIT ACCESS TO:

USER INFORMATION - E.G., CONTACTS

COST-SENSITIVE API'S - E.G., SMS/MMS

System resources - E.G., Camera

PERMISSIONS

PERMISSIONS ARE REPRESENTED AS STRINGS

IN ANDROIDMANIFEST.XML, APPS DECLARE THE PERMISSIONS

THEY USE THEMSELVES

THEY REQUIRE OF OTHER COMPONENTS

Using Permissions

APPLICATIONS SPECIFY PERMISSIONS THEY USE THROUGH A (USES-PERMISSION) TAG

USERS MUST ACCEPT THESE PERMISSIONS
BEFORE AN APPLICATION CAN BE INSTALLED

Using Permissions


```
<manifest ... >
<uses-permission android:name=</pre>
             "android.permission.CAMERA"/>
<uses-permission android:name=</pre>
             "android.permission.INTERNET"/>
<uses-permission android:name=</pre>
             "android.permission.ACCESS_FINE_LOCATION"/>
</manifest >
See: http://developer.android.com/reference/
             android/Manifest.permission.html
```

MAPLOCATIONFROMCONTACTS

SELECT A CONTACT FROM CONTACTS
DATABASE

DISPLAY A MAP CENTERED ON SELECTED CONTACT'S ADDRESS





DEFINING PERMISSIONS

APPS CAN ALSO DEFINE AND ENFORCE THEIR OWN PERMISSIONS

DEFINING PERMISSIONS

SUPPOSE YOUR APPLICATION PERFORMS A PRIVILEGED/DANGEROUS OPERATION

YOU MIGHT NOT WANT TO ALLOW JUST ANY APPLICATION TO INVOKE YOURS

SO YOU CAN DEFINE & ENFORCE YOUR OWN PERMISSION

PERMISSIONEXAMPLEBOOM


SIMPLE APPLICATION THAT PERFORMS A (JUST PRETEND) DANGEROUS ACTION



DEFINE & ENFORCING PERMISSIONS


IF YOU DON'T WANT JUST ANYONE TO RUN PERMISSIONEXAMPLEBOOM

DEFINE & ENFORCE AN APPLICATION—SPECIFIC PERMISSION



Using the New Permission


APPS THAT WANT TO USE
PERMISSIONEXAMPLEBOOM MUST NOW
ACQUIRE THE CORRECT PERMISSION





USES-PERMISSION

AN APPLICATION CAN DECLARE/ACCEPT THE PERMISSIONS OF THE APPLICATIONS IT USES





COMPONENT PERMISSIONS

INDIVIDUAL COMPONENTS CAN SET THEIR OWN PERMISSIONS, RESTRICTING WHICH OTHER COMPONENTS CAN ACCESS THEM

COMPONENT PERMISSIONS TAKE PRECEDENCE OVER APPLICATION—LEVEL PERMISSIONS

ACTIVITY PERMISSIONS

RESTRICTS WHICH COMPONENTS CAN START THE ASSOCIATED ACTIVITY

CHECKED WITHIN EXECUTION OF

startActivity()

startActivityForResult()

THROWS SECURITY EXCEPTION ON PERMISSIONS FAILURE

SERVICE PERMISSIONS

RESTRICTS WHICH COMPONENTS CAN START OR BIND TO THE ASSOCIATED SERVICE

CHECKED WITHIN EXECUTION OF

Context.startService()

Context.stopService()

Context.bindService()

THROWS SECURITY EXCEPTION ON PERMISSIONS FAILURE

BROADCASTRECEIVER PERMISSIONS

RESTRICTS WHICH COMPONENTS CAN SEND & RECEIVE BROADCASTS

PERMISSIONS CHECKED IN MULTIPLE PLACES

More on this when we discuss BroadcastReceivers

CONTENTPROVIDER PERMISSIONS

RESTRICT WHICH COMPONENTS CAN READ & WRITE THE DATA IN A CONTENT PROVIDER

MORE ON THIS WHEN WE DISCUSS CONTENTPROVIDERS

NEXT TIME

THE FRAGMENT CLASS