



Avid Media Composer | Distributed Processing Administration Guide

Version 2024.10

Legal Notices

Product specifications are subject to change without notice and do not represent a commitment on the part of Avid Technology, Inc.

This product is subject to the terms and conditions of a software license agreement provided with the software. The product may only be used in accordance with the license agreement.

This product might be protected by one or more U.S. and non-U.S. patents. Details are available at <https://www.avid.com/legal/patent-marking>.

This guide is protected by copyright. This guide is for your personal use and may not be reproduced or distributed, in whole or in part, without permission of Avid. Reasonable care has been taken in preparing this guide; however, it may contain omissions, technical inaccuracies, or typographical errors. Avid Technology, Inc. disclaims liability for all losses incurred through the use of this document. Product specifications are subject to change without notice.

Copyright © 2026 Avid Technology, Inc. and its licensors. All rights reserved.

The following disclaimer is required by Apple Computer, Inc.:

APPLE COMPUTER, INC. MAKES NO WARRANTIES WHATSOEVER, EITHER EXPRESS OR IMPLIED, REGARDING THIS PRODUCT, INCLUDING WARRANTIES WITH RESPECT TO ITS MERCHANTABILITY OR ITS FITNESS FOR ANY PARTICULAR PURPOSE. THE EXCLUSION OF IMPLIED WARRANTIES IS NOT PERMITTED BY SOME STATES. THE ABOVE EXCLUSION MAY NOT APPLY TO YOU. THIS WARRANTY PROVIDES YOU WITH SPECIFIC LEGAL RIGHTS. THERE MAY BE OTHER RIGHTS THAT YOU MAY HAVE WHICH VARY FROM STATE TO STATE.

The following disclaimer is required by Sam Leffler and Silicon Graphics, Inc. for the use of their TIFF library:

Copyright © 1988–1997 Sam Leffler

Copyright © 1991–1997 Silicon Graphics, Inc.

Permission to use, copy, modify, distribute, and sell this software [i.e., the TIFF library] and its documentation for any purpose is hereby granted without fee, provided that (i) the above copyright notices and this permission notice appear in all copies of the software and related documentation, and (ii) the names of Sam Leffler and Silicon Graphics may not be used in any advertising or publicity relating to the software without the specific, prior written permission of Sam Leffler and Silicon Graphics.

THE SOFTWARE IS PROVIDED "AS-IS" AND WITHOUT WARRANTY OF ANY KIND, EXPRESS, IMPLIED OR OTHERWISE, INCLUDING WITHOUT LIMITATION, ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

IN NO EVENT SHALL SAM LEFFLER OR SILICON GRAPHICS BE LIABLE FOR ANY SPECIAL, INCIDENTAL, INDIRECT OR CONSEQUENTIAL DAMAGES OF ANY KIND, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER OR NOT ADVISED OF THE POSSIBILITY OF DAMAGE, AND ON ANY THEORY OF LIABILITY, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

The following disclaimer is required by the Independent JPEG Group:

This software is based in part on the work of the Independent JPEG Group.

This Software may contain components licensed under the following conditions:

Copyright (c) 1989 The Regents of the University of California. All rights reserved.

Redistribution and use in source and binary forms are permitted provided that the above copyright notice and this paragraph are duplicated in all such forms and that any documentation, advertising materials, and other materials related to such distribution and use acknowledge that the software was developed by the University of California, Berkeley. The name of the University may not be used to endorse or promote products derived from this software without specific prior written permission. THIS SOFTWARE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

Copyright (C) 1989, 1991 by Jef Poskanzer.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation. This software is provided "as is" without express or implied warranty.

Copyright 1995, Trinity College Computing Center. Written by David Chappell.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation. This software is provided "as is" without express or implied warranty.

Copyright 1996 Daniel Dardailler.

Permission to use, copy, modify, distribute, and sell this software for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Daniel Dardailler not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission. Daniel Dardailler makes no representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

Modifications Copyright 1999 Matt Koss, under the same license as above.

Copyright (c) 1991 by AT&T.

Permission to use, copy, modify, and distribute this software for any purpose without fee is hereby granted, provided that this entire notice is included in all copies of any software which is or includes a copy or modification of this software and in all copies of the supporting documentation for such software.

THIS SOFTWARE IS BEING PROVIDED "AS IS", WITHOUT ANY EXPRESS OR IMPLIED WARRANTY. IN PARTICULAR, NEITHER THE AUTHOR NOR AT&T MAKES ANY REPRESENTATION OR WARRANTY OF ANY KIND CONCERNING THE MERCHANTABILITY OF THIS SOFTWARE OR ITS FITNESS FOR ANY PARTICULAR PURPOSE.

This product includes software developed by the University of California, Berkeley and its contributors.

The following disclaimer is required by Paradigm Matrix:

Portions of this software licensed from Paradigm Matrix.

The following disclaimer is required by Ray Sauers Associates, Inc.:

"Install-It" is licensed from Ray Sauers Associates, Inc. End-User is prohibited from taking any action to derive a source code equivalent of "Install-It," including by reverse assembly or reverse compilation, Ray Sauers Associates, Inc. shall in no event be liable for any damages resulting from reseller's failure to perform reseller's obligation; or any damages arising from use or operation of reseller's products or the software; or any other damages, including but not limited to, incidental, direct, indirect, special or consequential Damages including lost profits, or damages resulting from loss of use or inability to use reseller's products or the software for any reason including copyright or patent infringement, or lost data, even if Ray Sauers Associates has been advised, knew or should have known of the possibility of such damages.

The following disclaimer is required by Videomedia, Inc.:

"Videomedia, Inc. makes no warranties whatsoever, either express or implied, regarding this product, including warranties with respect to its merchantability or its fitness for any particular purpose."

"This software contains V-LAN ver. 3.0 Command Protocols which communicate with V-LAN ver. 3.0 products developed by Videomedia, Inc. and V-LAN ver. 3.0 compatible products developed by third parties under license from Videomedia, Inc. Use of this software will allow "frame accurate" editing control of applicable videotape recorder decks, videodisc recorders/players and the like."

The following disclaimer is required by Altura Software, Inc. for the use of its Mac2Win software and Sample Source Code:

©1993–1998 Altura Software, Inc.

The following disclaimer is required by 3Prong.com Inc.:

Certain waveform and vector monitoring capabilities are provided under a license from 3Prong.com Inc.

The following disclaimer is required by Interplay Entertainment Corp.:

The "Interplay" name is used with the permission of Interplay Entertainment Corp., which bears no responsibility for Avid products.

This product includes portions of the Alloy Look & Feel software from Incors GmbH.

This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>).

© DevelopMentor

This product may include the Jcifs library, for which the following notice applies:

Jcifs © Copyright 2004, The JCIFS Project, is licensed under LGPL (<http://jcifs.samba.org/>). See the LGPL.txt file in the Third Party Software directory on the installation CD.

Avid Interplay contains components licensed from LavanTech. These components may only be used as part of and in connection with Avid Interplay.

Portions © Copyright 2003-2007 of MOG Solutions.

Attn. Government User(s). Restricted Rights Legend

U.S. GOVERNMENT RESTRICTED RIGHTS. This Software and its documentation are "commercial computer software" or "commercial computer software documentation." In the event that such Software or documentation is acquired by or on behalf of a unit or agency of the U.S. Government, all rights with respect to this Software and documentation are subject to the terms of the License Agreement, pursuant to FAR §12.212(a) and/or DFARS §227.7202-1(a), as applicable.

Trademarks

Avid, the Avid Logo, Avid Everywhere, Avid DNXHD, Avid DNXHR, Avid Nexis, AirSpeed, Eleven, EUCON, Interplay, iNEWS, ISIS, Mbox, MediaCentral, Media Composer, NewsCutter, Pro Tools, ProSet and RealSet, Maestro, PlayMaker, Sibelius, Symphony, and all related product names and logos, are registered or unregistered trademarks of Avid Technology, Inc. in the United States and/or other countries. The Interplay name is used with the permission of the Interplay Entertainment Corp. which bears no responsibility for Avid products. All other trademarks are the property of their respective owners. For a full list of Avid trademarks, see: <https://www.avid.com/legal/trademarks-and-other-notices>.

Footage

WCAU Fire Story — Courtesy of NBC-10, Philadelphia, PA.

News material provided by WFTV Television Inc.

Ice Festival, London Zoo, Feng Shui - Courtesy of Reuters.

Avid Media Composer Distributed Processing • Created Wednesday, May 13, 2026 • This document is distributed by Avid in online (electronic) form only, and is not available for purchase in printed form.

Contents

Contents	4
Using This Guide	6
Symbols and Conventions	7
If You Need Help	7
Avid Training Services	7
1 Distributed Processing Overview	8
Distributed Processing Services	8
Server-Based Services	8
Client-Based Services	9
Integrated Systems	10
2 Distributed Processing Server Installation	11
MediaCentral Cloud UX Server Installation	12
Distributed Processing Licensing	13
MediaCentral Cloud UX User Entitlements	14
Working with the Kubernetes Dashboard	14
3 Installing a Service Workstation	15
Hardware Specifications	15
Workstation Installation Prerequisites	17
Installing the Distributed Processing Software	19
Installing Distributed Processing for Windows	19
Installing Distributed Processing for macOS	20
Using the Distributed Processing Worker Settings App	22
Quitting the Settings App	24
Distributed Processing Logs	25
Upgrading the Distributed Processing Software	25
Uninstalling the Distributed Processing Software	26
Uninstalling Distributed Processing for Windows	26
Uninstalling Distributed Processing for macOS	26
4 Distributed Processing Workflow	28

Media Composer Prerequisites	28
Configuring Media Composer	29
Connecting to the Distributed Processing Server	29
Adjusting the Media Creation Settings	29
Configuring the Media Composer Email Settings	31
Rendering Effects with Distributed Processing	32
Consolidating or Transcoding Assets	33
Performing a Mixdown	34
Exporting Assets	35
5 The Distributed Processing Status App	38
Accessing the Distributed Processing Status App	39
Using the Job Status View	40
Pausing, Resuming, and Canceling Jobs	42
Changing the Job Priority	42
Clearing the Job Status Monitor	43
Reviewing the Worker Details	44
Using the Coordinator Tools	45
Working with Job Queues	46
Managing Worker Groups	48
Managing Workers	49
Configuring the Distributed Processing Email Settings	51

Using This Guide

This document provides instructions for installing, configuring, and using Avid Media Composer | Distributed Processing. Avid recommends that you read all of the information in this document before installing, or using the corresponding software release.

See the following Avid Knowledge Base page for the most up-to-date Media Composer | Distributed Processing and Media Composer | Enterprise documentation (all releases):

https://kb.avid.com/articles/en_US/user_guide/Media-Composer-Documentation-Links

You can install the Distributed Processing server components as a feature pack on MediaCentral | Cloud UX. For additional information, see the following:

- Avid Media Composer
https://kb.avid.com/articles/en_US/User_Guide/Media-Composer-Documentation-Links
- Avid MediaCentral | Cloud UX
https://kb.avid.com/articles/en_US/user_guide/MediaCentral-CloudUX-Documentation
 - *Avid MediaCentral | Cloud UX Installation Guide* — Provides additional information on installation processes and basic concepts.
 - *Avid MediaCentral | Cloud UX Hardware Guide* — Includes information on minimum hardware specifications as well as scaling and configuration options.
 - *Avid Networking Port Usage Guide* — A reference document for configuring network ports for firewalls and other security purposes.

Revision History

Date Revised	Changes Made
May 20, 2026	Added clarifications to memory and GPU usage in " Hardware Specifications " on page 15 and " Workstation Installation Prerequisites " on page 17.
November 14, 2024	Initial Release

Symbols and Conventions

Avid documentation uses the following symbols and conventions:

Symbol or Convention	Meaning or Action
	A note provides important related information, reminders, recommendations, and strong suggestions.
	A caution means that a specific action you take could cause harm to your computer or cause you to lose data.
	This symbol indicates a single-step procedure. Multiple arrows in a list indicate that you perform one of the actions listed.
(Windows), (Windows only), (macOS), or (macOS only)	This text indicates that the information applies only to the specified operating system, either Windows or macOS.
Bold font	Bold font is primarily used in task instructions to identify user interface items and keyboard sequences.
<i>Italic font</i>	Italic font is used to emphasize certain words and to indicate variables. Variables are often enclosed in angled brackets: < >.
Courier Bold font	Courier Bold font identifies text that you type.
Ctrl+key or mouse action	Press and hold the first key while you press the last key or perform the mouse action. For example, Command+Option+C or Ctrl+drag.

If You Need Help

If you are having trouble using your Avid product:

1. Retry the action, carefully following the instructions given for that task in this guide. It is especially important to check each step of your workflow.
2. Check the latest information that might have become available after the documentation was published. You should always check online for the most up-to-date release notes or ReadMe because the online version is updated whenever new information becomes available.
3. Check the documentation that came with your Avid application or your hardware for maintenance or hardware-related issues.
4. Visit the online [Avid Knowledge Base](https://www.avid.com/learn-and-support). Online services are available 24 hours per day, 7 days per week. Search this online Knowledge Base to find answers, to view error messages, to access troubleshooting tips, to download updates, and to read or join online message-board discussions.

Avid Training Services

Avid makes lifelong learning, career advancement, and personal development easy and convenient. Avid understands that the knowledge you need to differentiate yourself is always changing, and Avid continually updates course content and offers new training delivery methods that accommodate your pressured and competitive work environment.

For information on courses/schedules, training centers, certifications, courseware, and books, please visit <https://www.avid.com/learn-and-support> and follow the Training links, or call Avid Sales at 800-949-AVID (800-949-2843).

1 Distributed Processing Overview

Media Composer Distributed Processing allows Media Composer users to offload resource intensive and potentially time consuming foreground tasks to one or more *service workstations* on the local area network. As these tasks are processed outside of Media Composer, users are “unblocked” and have more time to focus on the creative editing process. In this release, you can submit the following jobs to the Distributed Processing system:

- Effect Rendering (including non-Avid effects)
- Transcoding
- Consolidating
- Mixdowns (multiple types)
- Exporting

Users can access the Distributed Processing Status app through the MediaCentral Panel for Media Composer, or Avid MediaCentral Cloud UX using the Google Chrome browser. You can monitor the job status, re-prioritize or cancel jobs, or perform other actions related to the remote processing tasks.

The Status app’s Coordinator Tools allows users with the Distributed Processing Coordinator entitlement to customize the workflow by directing specific job and task types to one or more groups of workers. For more information, see ["Using the Coordinator Tools" on page 45](#).

Distributed Processing Services

Distributed Processing leverages a number of services that work together to create the workflow. Some of these services are deployed on a central server, while others are installed on one or more service workstations in your network. The following sections provide more information on each of these services.

Server-Based Services

The following services are installed on the MediaCentral Cloud UX server.

Distributed Processing Coordinator

This service assists in the creation of Job Queues and Worker Groups.

Distributed Processing Event Notifier

This service watches job and task status, and is responsible for sending job and coordinator event emails.

Distributed Processing Job Driver Service

This service is responsible for job and task management, including mapping tasks to workers.

Distributed Processing Scheduler Service

This service acts as the gateway for the Media Composer client. When an editor submits a job, the scheduler brokers the associated tasks to the available workers. The service tracks the status of the job throughout its life cycle.

Distributed Processing Workflow Service

This service acts as an orchestration layer for the purpose of combining several Distributed Processing operations into one procedure for Production Management workflows.

Foyer Service

Discovers available media processing operations within all available workers.

Avid Ada Worker and AvidMP Worker Services

The Avid Ada Worker Service reads and re-encodes Avid audio media into a format that is consumable by the Avid Media Processor (AvidMP) Worker. This service is installed when you deploy the Avid Ada Feature Pack.

The Avid Media Processor (AvidMP) Worker Service uses the re-encoded media to create a text transcription that can be used with the Avid Ada Transcribe workflow found in Avid MediaCentral Cloud UX v2024.10 and later.

Unlike other Distributed Processing workers, you cannot deploy these services on a Windows or macOS workstation. Avid Ada and AvidMP run on the MediaCentral Cloud UX server(s). If you have installed Distributed Processing for use with Avid Ada Transcribe only, you are not required to deploy any additional workers on Windows or macOS service workstations. The Avid Ada Worker and AvidMP Worker do not participate in any other Distributed Processing tasks, such as transcoding, exporting, or mixing down Avid media.

Also note that neither the Avid Ada Worker service nor the AvidMP Worker appear in the Distributed Processing Status app.

For more information on installing and configuring these workers, see v2024.10 or later of the *Avid MediaCentral | Cloud UX Installation Guide*. For more information about the Transcribe workflow that is enabled by the Avid Ada Worker, see "Using the Transcript Tab" in the *Avid MediaCentral | Cloud UX User's Guide*.

Client-Based Services

Distributed Processing client services are installed on one or more service workstations. For more information, see ["Installing a Service Workstation" on page 15](#).

Avid Metadata Worker Service

This service is responsible for analyzing jobs and breaking them down into one or more sub-tasks. The ability to subdivide a job into multiple tasks depends on the job type, and its complexity.

Avid Media Worker Service

This service is the "heavy lifter". It performs the actual rendering, consolidating, or processing of the tasks that are included in the job.

A single worker might not provide an advantage in processing speed, but you still gain an operational advantage as the Media Composer client is free to complete other tasks while the remote job is being processed. Two workers running on the systems with similar resources as the system with Media Composer may provide faster speed than Media Composer running the same operations in the foreground.

If you have multiple workers, the speed at which you can process media jobs is significantly increased over a single Media Composer client. The job can include multiple tasks, and all available workers process all tasks within one job before switching to the next one. The more workers assigned to a particular job, the faster it can be completed. The execution speed can be seen as increasing linearly with the number of workers, but this can only be applied if the workers work on similar workstations.

You can have one or more workstations running the worker services. While it is possible to run more than 10 instances of the Media Worker service in a single environment, Avid has qualified support for a maximum of 10 instances in this release of Media Composer Distributed Processing.



When determining the number of Media Worker services that you want to deploy in your environment, ensure that you do not exceed the licensing, or bandwidth limits of your Avid NEXIS system

Integrated Systems

Media Composer Distributed Processing workflows require integration with multiple systems. Before you begin, you must verify that you have the required systems and minimum software versions available:

- Avid MediaCentral Cloud UX with the Distributed Processing Feature Pack enabled
- One or more Distributed Processing Service Workstations

Media Composer clients might fulfill this requirement as Avid supports installing the Distributed Processing services on the same workstation as the editor.

- Avid NEXIS
- One or more Avid Media Composer clients

For detailed version information see the Media Composer Distributed Processing Support Matrix on the Avid Knowledge Base at:

https://kb.avid.com/articles/en_US/compatibility/Avid-Video-Compatibility-Charts

2 Distributed Processing Server Installation

This chapter describes the process for installing the Distributed Processing server components on a MediaCentral Cloud UX system. Before you begin the installation process, review the following information.

Clustered Distributed Processing Deployments

Distributed Processing is installed on the server as a set of single instance services. If you install the DP feature pack on a clustered MediaCentral Cloud UX system, the Distributed Processing services run on a single control plane node. If this node is taken offline, the DP services are moved to a different node automatically. The Distributed Processing system will be offline for a minimal amount of time while Kubernetes creates replacement pods on the new node.

System Security

Endpoint detection and response solutions are qualified for use with your MediaCentral Cloud UX system. While Avid does not support any specific solution, you can find general guidelines and information related to CrowdStrike Falcon on the following Avid Knowledge Base page: https://kb.avid.com/articles/en_US/troubleshooting/en239659

For additional information related to security for MediaCentral Cloud UX, see “Security Guidelines” in the *Avid MediaCentral Cloud UX ReadMe*.

Minimum MediaCentral Cloud UX Server Specifications

In some cases your organization might already own a MediaCentral Cloud UX server that connects to MediaCentral Production Management, Newsroom Management, or other MediaCentral modules. In these cases you must follow the minimum specifications outlined in the *Avid MediaCentral | Cloud UX Hardware Guide*.

In other cases you might be integrating MediaCentral Cloud UX into your environment to enable Media Composer Distributed Processing only. When deploying MediaCentral Cloud UX for this single purpose, review the following minimum requirements:

- Memory: 32 GB of RAM
- Processors: One or more CPUs with a total of 8 cores or better
- Storage: MediaCentral Cloud UX requires separate OS and Data volumes for all deployment types. The OS volume is used for the operating system and Avid applications. The Data volume hosts the MongoDB database which stores information about user login (avid-iam), license data, and more.
 - 256 GB or better for the OS volume (operating system and applications)
 - 500 GB or better for the Data volume

If you have already purchased or plan to purchase Media Composer | Enterprise, Avid supports co-installing this product on the same MediaCentral Cloud UX server with no increase to the minimum requirements specified above. For more information, see the *Avid Media Composer | Enterprise Administration Guide*.

Server Virtualization

Avid supports installing the Distributed Processing feature pack on a virtualized MediaCentral Cloud UX server, but virtualized service workstations are not supported. For more information, see the *Avid MediaCentral | Cloud UX Best Practices for VMware®* guide.

MediaCentral Cloud UX Server Installation

To install MediaCentral Cloud UX for this release of Media Composer Distributed Processing, you must have the following:

- Avid MediaCentral Cloud UX Platform Bin file
This installer package includes the core Avid installation components.
- Avid MediaCentral Cloud UX Feature Pack ISO
This package includes additional software to install MediaCentral Cloud UX applications (such as the Distributed Processing Status app) on the Platform.



The following process does not include steps to configure a MediaCentral Cloud UX cluster. If you plan to deploy a MediaCentral Cloud UX cluster, you must complete additional installation and configuration steps as detailed in the *Avid MediaCentral | Cloud UX Installation Guide*.



If you plan to deploy a MediaCentral Cloud UX server or cluster with the intention of integrating with any of the MediaCentral modules (MediaCentral Production Management, MediaCentral Asset Management, or others), ignore this abbreviated process and refer to the *Avid MediaCentral | Cloud UX Installation Guide* for complete instructions.

Complete the following sections of the *Avid MediaCentral | Cloud UX Installation Guide* to deploy your MediaCentral Cloud UX server:

- Installation Prerequisites (recommended)
This chapter describes concepts related to Linux and MediaCentral Cloud UX. It also outlines some of the prerequisite requirements for the installation, such as identifying the host name and IP address of your MediaCentral Cloud UX server.
- Software Installation and Configuration
This chapter includes the processes to deploy the operating system and the MediaCentral Platform. It also includes procedures on how to log into the OS for the first time, and how to access the MediaCentral Cloud UX user interface. Complete the following sections of this chapter:
 - Configuring Your System Hardware
 - Verifying Disk Partitioning
 - Installing and Configuring Ubuntu
 - Logging in to the OS for the First Time
 - Additional Network Configuration
 - Installing Ubuntu Software Updates
 - Installing and Configuring Additional Features
 - Installing the Platform Software
 - Running the Post-Install Setup Scripts
 - Installing Ansible and SSHpass
 - Running the Cloud UX Setup Script
 - (if applicable) Configuring Avid Ada Nodes (required for Avid Ada Transcribe)
 - Creating a Site Key
 - Creating Certificate Files

- Deploying the TLS or SSL Certificates
- Configuring an Authentication Provider
- (if applicable) Configuring the Avid XFER and XFORM Services (required for Avid Ada Transcribe)
- (if applicable) Configuring the Change Event Agent (required for Avid Ada Transcribe)
- Enabling System Monitoring
- (if applicable) Configuring Audit Logging (optional for Avid Ada Transcribe)
- Running the Feature Pack Deployment Script

When deploying the feature packs, you must answer **Yes** to the Distributed Processing and final “Feature packs” (additional feature packs common to all installations) prompts and answer **No** for all other feature packs.



*In the event that you are deploying both Media Composer Distributed Processing and Media Composer Enterprise, you must also answer **Yes** at the Media Composer Enterprise prompt.*

- Deploying System Monitoring
 - Using the License App
 - Using the User Management App

Distributed Processing Licensing

Before you can use Media Composer Distributed Processing, you must license the server for the feature. The following illustration shows the two licenses associated with Distributed Processing.

Media Composer Distributed Processing Worker	quota	2	permanent
Media Composer Distributed Processing Engine	module	1	permanent

Media Composer | Distributed Processing Worker

This license governs the number of workers that can process media at the same time. Although the worker checks for a license when the service is launched, you can install more instances of the Worker Service than are allowed by your Worker license. The license count restricts the number of simultaneously running tasks, but not the workers themselves. If more workers are running than the license count allows, any worker which meets the filtering criteria for a specific task can accept the task.

For more information, see ["Installing a Service Workstation" on page 15](#).



While this license determines the maximum number of workers, organizations must also consider the available bandwidth of their Avid NEXIS system when making a purchase. If you add workers without considering your storage network bandwidth, you could negatively affect the performance of client systems — such as Avid Media Composer.

For more details on applying licenses, see the *Avid MediaCentral | Cloud UX Installation Guide*.

Media Composer | Distributed Processing Engine

This license enables the Media Composer Distributed Processing feature on the server.

Configuring Licenses Exclusively for Distributed Processing

If you deploy a MediaCentral Cloud UX system for a Distributed Processing-only workflow, you must ensure that your server is configured for the following licenses to enable integration between the systems:

- MediaCentral | Platform
- MediaCentral | Cloud UX Browse or Edit
- MediaCentral | Panel for Media Composer
- Media Composer | Distributed Processing Engine
- Media Composer | Distributed Processing Worker

MediaCentral Cloud UX User Entitlements

The MediaCentral Cloud UX User Management app allows administrators to import users and configure the *entitlements* that are associated with each user group.

This section describes two entitlements that are associated with the Distributed Processing workflow. For more information, see “Using the User Management App” in the *Avid MediaCentral | Cloud UX Installation Guide*.

Master of Jobs

When signed into MediaCentral Cloud UX as a standard user, the MediaCentral Distributed Processing Status app displays only those jobs that you have personally submitted. Users with the Master of Jobs entitlement can see the list of jobs submitted by all users.

Distributed Processing Coordinator

This entitlement enables the user to access the Status app’s Distributed Processing Coordinator Tools and the Email Settings panels. If this entitlement is not enabled, these panels do not appear in the MediaCentral Cloud UX user interface for this user.

Working with the Kubernetes Dashboard

The Linux OS on your Distributed Processing server is built in a Kubernetes[®] managed container structure. Administrators can use the Kubernetes Dashboard to monitor the health of the system, gather logs, and restart pods. While the server creates a large number of pods for general system operations, the following pods are specific to the Distributed Processing workflow:

- `avid-ui-distributed-processing-status-uidpl`

In MediaCentral Cloud UX 2024.10.x patch releases this pod has been renamed to `avid-dp-status-uidpl`.

- `avid-mediaengine-coordinator`
- `avid-mediaengine-dpeventnotifier-dp`
- `avid-mediaengine-jobdriver`
- `avid-mediaengine-scheduler`
- `avid-mediaengine-workflow-dp`

If you need to troubleshoot the system, you might need to delete one or all of the above pods. If you delete a pod, you must refresh the MediaCentral Cloud UX user interface after Kubernetes reports that the pod has been successfully recreated.

If you do not see the Distributed Processing Status app in the user interface after installing and licensing the application, you can attempt to delete the **`avid-plugins-list-core-app`** pod.

For more information, see the *Avid MediaCentral | Cloud UX Installation Guide*.

3 Installing a Service Workstation

When you enable a Distributed Processing workflow, you must install the client services on one or more Microsoft Windows or macOS systems. These services might be installed on server-class hardware or on client workstations that meet the minimum specifications outlined in this chapter. Throughout this document, the term *service workstation* is used to refer to any server or workstation that hosts the client-based Media Composer Distributed Processing services.

In some cases you might want to provision hardware to create one or more dedicated workstations, whose only purpose is to run the Distributed Processing services. In other cases you might want to co-install the client services on the same workstation as the Avid Media Composer editor. The latter allows you to harness the processing power of any Media Composer system in your network that might otherwise be idle. Additional Distributed Processing configuration options allow you to define how the services behave when the Media Composer software is either open or closed.

For a list of supported operating systems, see the Media Composer Distributed Processing Support Matrix on the Avid Knowledge Base at:

https://kb.avid.com/articles/en_US/compatibility/Avid-Video-Compatibility-Charts

Hardware Specifications

Depending on your organization's workflow and budget, you might need to determine which has greater value: faster processing speed using a single high-powered workstation, or the ability to process more simultaneous tasks using multiple low-to-mid-range workstations. This section includes hardware specifications for both options. Avid recommends that you meet or exceed the following guidelines when deploying a Distributed Processing service workstation.

Distributed Processing workers leverage the same Media Engine as Media Composer, thus Avid recommends that you provision a GPU for each workstation to process video effects, color adapters, and LUTs. In the absence of a GPU, all effects are handled with slower performance on the CPU.

If you are deploying Media Composer Distributed Processing for use with Avid MediaCentral | Shared Library only, the requirements for that configuration are reduced. For more information, see v2019.9 or later of the *Avid MediaCentral | Shared Library Installation Guide*.

Minimum Specifications

If you intend to install one or more Media Composer Distributed Processing services on a single service workstation, you must meet the following minimum specifications.

Component	Description
Platform	Windows or macOS workstation, or Windows-based server
Processor	Dual 8-core (Windows) or Dual 12-core (Mac)
Memory	32 GB RAM This assumes that you are configuring only one worker in the Distributed Processing Worker Settings App. For additional information on memory requirements, see "Workstation Installation Prerequisites" on page 17.
System Drive	256 GB or larger
Network	Dual 1GbE NIC (Dual 10GbE NIC recommended for higher bit rates and UHD)
GPU	(Graphics Processing Unit) See "GPU Requirements" on the next page.

High-End Specifications

If Media Composer Distributed Processing is under heavy load in your environment, you might consider purchasing a workstation or server with more robust system resources. The following table outlines the specifications for a higher-end service workstation. Avid recommends that you meet or exceed these guidelines.

Component	Description
Platform	Server: Dell PowerEdge R640 or better Workstation: DELL 7920, HP Z8, or better
Processor	Server: Dual Intel Xeon Silver 4110 2.1G, 8C/16T, 9.6GT/s, 11M Cache, Turbo, HT (85W) DDR4-2400 or better Workstation: Dual Intel Xeon 6154 3.0 2666MHz 18C CPU or better
Memory	96 GB RAM For additional information on memory requirements, see "Workstation Installation Prerequisites" on the next page.
System Drive	480 GB SSD SATA
Network	Dual 10GbE NIC
GPU	(Graphics Processing Unit) See "GPU Requirements" below.

GPU Requirements

You must requisition a GPU that is equivalent or better as those used with Avid Media Composer. When making a purchasing decision, you must verify that the GPU is compatible with both the workstation hardware and the Avid Media Composer software. For more details on specific GPUs, see the *Avid Media Composer ReadMe*.

If you enable the GPU option in the Distributed Processing Worker Settings App, the GPU is initialized for all workers deployed on that Service Workstation. However it is up to the operating system to share the resources between them. Thus the performance of each worker utilizing GPU might drop in comparison to the performance of one worker per system with enabled GPU.

The following list details the Distributed Processing services and GPU requirements:

- Render, Export, Mixdown require a GPU.
- Some Transcode operations might leverage a GPU.
Specifically, Transcode requires a GPU if a Color Adapter is applied to the media file.
- Consolidate services do not require a GPU.

Workstation Installation Prerequisites

When installing a Distributed Processing service workstation, note the following:

- RAM to Number of Workers

The number of workers that you configure in the Distributed Processing Worker Settings App has a direct relation on the amount of memory required for that Service Workstation. You should plan to provision at least 32GB of RAM per worker. For example, if you want to configure 8 workers on a single Service Workstation, you need 256GB of RAM (at minimum) on this workstation.

- Processors

The number of workers that you configure in the Distributed Processing Worker Settings App also has a direct relation on the amount of processors / cores required for that Service Workstation.

Each instance of the worker service needs a minimum of 8 cores for processing HD media, or 12 cores for UHD media. For example, if you want to configure 8 workers on a single Service Workstation, you need a minimum of 64 cores for an HD workflow.

- Networking

- Define a host name for each of the service workstations.

Hostnames must comply with “RFC 952” and “RFC-1123” standards. Avid recommends keeping host names under 15 characters to maintain backwards compatibility with older systems. The only “special character” allowed in a hostname is a dash “-”. Underscores are not allowed.

For more information on RFC specifications, see <https://ietf.org/rfc.html>. For additional information on host name restrictions in Microsoft Windows domains, see <https://learn.microsoft.com/en-us/troubleshoot/windows-server/identity/naming-conventions-for-computer-domain-site-ou>.

- Service workstations require a 1Gb or better network connection. 10Gb or higher is recommended for higher bandwidth customers.
- Avid supports running a service workstation with either a static IP address or DHCP.

- System Security

- This version of Media Composer Distributed Processing is qualified with Microsoft Defender Firewall and Microsoft Defender Antivirus enabled on *dedicated* service workstations. These same qualifications might or might not apply to Distributed Processing services that are co-installed on a Media Composer client. Refer to the Media Composer documentation for Media Composer-specific and version-specific guidelines.
- Distributed Processing allows you to install an endpoint detection and response solution on your Distributed Processing service workstations. While Avid does not support any specific solution, you can find general guidelines and information related to CrowdStrike Falcon on the following Avid Knowledge Base page:

https://kb.avid.com/articles/en_US/troubleshooting/en239659

- When installed on macOS, AppNap is intentionally disabled for the Distributed Processing services. You can determine which services have AppNap enabled or disabled through the macOS Activity Monitor.
- If you need to process 3rd party effects, you must install a copy of the effects software on any service workstation that will be used to process the effects. However, this does not mean that you have to install the effects on all service workstations. If the Distributed Processing system receives a request that includes 3rd party effects, the render tasks are routed automatically to a workstation that includes the effect software.



Ability to process a job or task assumes that the worker is included in a queue or group that has the specific job or task type enabled. For more information on queues and groups, see "Using the Coordinator Tools" on page 45.

Although plug-ins are available from a number of vendors, Avid has specifically qualified the following plug-in for use with Distributed Processing:

- FilmLight Baselight
- Boris Continuum
- Boris Sapphire
- Avid NEXIS Client Manager
 - You must install the Avid NEXIS Client on every service workstation.
 - The General Preferences › Client Type setting should be set to Ultra High Resolution for a 10Gb client.
 - You must mount all workspaces that you need to read from or write to. This includes:
 - The workspace(s) that contain your source media.
 - The workspace used to save your bin information.
 - The target workspace for the output files.
 - You can mount Avid NEXIS workspaces on Windows-based Distributed Processing Workstations using either UNC paths or drive letters . This update applies to all workflows.

Installing the Distributed Processing Software

This section includes the following two processes:

- ["Installing Distributed Processing for Windows" below](#)
- ["Installing Distributed Processing for macOS" on the next page](#)


Complete the process that applies to your service workstation installation.

Installing Distributed Processing for Windows

Complete the following process to install the Media Composer Distributed Processing software on one or more service workstations running Microsoft Windows.

To install the Distributed Processing software:

1. Copy the Distributed Processing installer (Media_Composer_Distributed_Processing_<build>.zip) to a temporary location (such as the Desktop) on your service workstation.
2. Uncompress the installation package to a new folder.
3. Open the new folder and double click AvidDistributedProcessing.exe to launch the installer.
If prompted, click the Yes button to allow this app to make changes to your device.
4. (if applicable) The installer checks your service workstation for any required prerequisites. If the application identifies any missing prerequisites, the system prompts you to install them.




Click the Install button to install the missing prerequisites.

5. Click the Next button in the Welcome to the InstallShield Wizard for Media Composer Distributed Processing screen.
6. Read the Avid software license agreement, click the "I accept the terms in the license agreement" button, and then click the Next button to continue.
7. Click the Install button to proceed with the installation.

If you are not prepared to install the Media Composer Distributed Processing software at this time, you can click the Cancel button to exit the installation.

A successful installation concludes with the Completed screen as illustrated below.



8. Click the Finish button to exit the InstallShield Wizard.

If you are prompted to reboot your workstation, do so now to complete the installation.

9. Proceed to ["Using the Distributed Processing Worker Settings App" on page 22](#) to enter some required the configuration settings.


Installing Distributed Processing for macOS

Complete the following process to install the Media Composer Distributed Processing software on one or more service workstations running macOS.

To install the Distributed Processing software:

1. Sign in to your macOS system as a user that has Administrator privileges.
These elevated rights are required to install the software.
2. Copy the Distributed Processing software package (Media_Composer_Distributed_Processing_<build>.zip) to a temporary location (such as the Desktop) on your service workstation.
3. Uncompress the file and double-click on AvidDistributedProcessing.pkg to launch the installer.
4. In the Media Composer Distributed Processing Install Introduction screen, click the Continue button to begin the software installation process.
5. In the Software License Agreement, read the Avid software license agreement and click the Continue button.
After you click Continue, the system asks you to confirm that you have read the license agreement. Click the Agree button to continue with the installation.
6. In the Select a Destination screen, verify your installation destination and click Continue.
7. In the Installation Type screen, do the following:

- a. In the Custom Install screen, select the default settings (all check boxes enabled) and click Continue.




- b. Click the Install button to begin the software installation.

The service workstation prompts you for your user password.

8. Enter your password and click the Install Software button to continue.

If you are not prepared to install the Media Composer Distributed Processing software at this time, you can click the Cancel button to exit the installation.


A successful installation concludes with the Completed screen as illustrated below.



9. Click the Close button to exit the installer.

Using the Distributed Processing Worker Settings App

After you complete the Distributed Processing installation process, you must use the Distributed Processing Worker Settings app to complete the configuration of the services. The following illustration shows the Settings app with the services Running.



Distributed Processing Worker Settings app for Windows shown.

You can obtain version information about the app by right-clicking it in the Windows System Tray or the macOS Menu Bar and select About.

To configure or reconfigure the services:



1. Right-click the Distributed Processing Worker Settings icon in the Windows System Tray or the macOS Menu Bar and select Open.

If the app is not already running, you can manually launch the application by doing either the following:

- ▶ On Windows: Navigate to C:\Program Files\Avid\Distributed Processing, right click DistributedProcessingSettings.exe and select Run as Administrator from the context menu.
- ▶ On macOS: Navigate to /Applications/Avid/Distributed Processing and double click DistributedProcessingSettings.

2. Configure the following settings as necessary:

- a. Avid MediaCentral | Cloud UX

Enter the IP address, or fully qualified domain name of your Avid MediaCentral Cloud UX server or cluster.

- b. Number of Workers

You can configure up to four instances of the Media Worker Service on the service workstation. When increasing the worker count, keep the following in mind:

- Performance: The amount of system resources (RAM, CPU) used by the Distributed Processing services might vary depending on your project format, media, effects, and other factors. If you install multiple workers and discover a noticeable decrease in

system performance, you might need to alter your configuration to decrease the number of instances on the Media Worker Service.

- Licenses: If you increase the number of workers, you must remember that the Worker license count determines the maximum number of simultaneous tasks that can be processed by the system. See ["Distributed Processing Licensing" on page 13](#) for a review of your license options.

c. Initialize GPU for Media Processing

As most Distributed Processing tasks require the GPU, you should enable this check box in most circumstances. However Avid provides the ability to disable this option in case you have a specific workflow in which the GPU is not required — for example a worker that is dedicated to processing Consolidate tasks only.

d. MediaCentral Production Management

This option dictates how the worker finds media assets. If you enable this check box, the worker knows to poll the Production Management Media Indexer for file paths. If you are integrating with MediaCentral Production Management, select this check box. Otherwise, leave this option unchecked.

e. Allow Worker to Run

If you are performing a co-installation on a Media Composer client, note the following:

- If enabled, the Distributed Processing services remain active when you launch Media Composer. This setting works in conjunction with the Tasks to Process setting.
- If disabled, the app automatically stops the Distributed Processing services when you launch Media Composer. After you exit the editor, the services are restarted automatically and your workstation is returned to the pool of Distributed Processing workers.

If Media Composer is not running (launched), the Worker Service ignores this setting.

f. Tasks to Process

This menu allows you to select one of two options:

- Any: The service workstation will accept tasks from any source.
- From Local Media Composer Only: If you co-installed the Distributed Processing services on a workstation that is also running Media Composer, the workstation will only accept tasks that originate from your local Media Composer client. Jobs submitted by other users on other client systems are not accepted.

If you select the “From Local” option, you can still prevent your local workstation from processing tasks created by the co-installed instance of Media Composer by altering the Media Composer Media Creation Settings. For more information, see ["Adjusting the Media Creation Settings" on page 29](#).

If Media Composer is not running (launched), the Worker Service ignores this setting.

3. Click the Start button to start the Distributed Processing services on your workstation.

If the app cannot start the services for any reason, you can review the DistributedProcessingSettings.log file for details. For more information on system log files, see ["Distributed Processing Logs" on page 25](#).

4. Click the X in the upper-right corner of the app to exit the user interface.

You can reopen the settings at any time by double-clicking the app icon in the Windows System Tray or the macOS Menu Bar.

After starting the services, the app displays a “Running” status. However, the services might take a few moments beyond this status update to fully come up to speed. If the service workstation fails to connect to the Distributed Processing server, it retries up to 10 times. If the connection fails, the settings app stops the local services.


Following the initial configuration of these settings, you can return to the app to stop or start the services, or reconfigure the service workstation’s settings. While the app locks most settings after you start the services, you can alter the Task to Process setting at any time. If you need to make any other changes, you must first stop the services through the Settings app.

Quitting the Settings App

The Distributed Processing Worker Settings app allows you to either close or quit the application. If you close it, the application remains active — represented by the icon in the Windows System Tray or macOS Menu Bar. If you select the quit option, the application shuts down completely.

To quit the Settings app and stop the services:

- ▶ Right-click the Distributed Processes Settings icon in the Windows System Tray or the macOS Menu Bar and select Quit from the context menu.
 - If the services are running, the application displays a message asking if you want to stop the services.



Click **Yes** to quit the app and shut down the Distributed Processing services.

Click **No** to quit the app and leave the services active.


- If the services are already stopped, the application quits with no additional prompts.

Distributed Processing Logs

Each of the Media Composer Distributed Processing services creates log files that can be referenced for troubleshooting purposes.

Log Files in Microsoft Windows

On a service workstation running Windows 10, you can find the logs in the following directory: C:\ProgramData\Avid\Distributed Processing. As illustrated below, the Distributed Processing directory might have one or more logs files.



The system creates a DistributedProcessingSettings log file for any event related to the Distributed Processing Worker Settings app, and a WorkerServices folder that includes logs for the services.

The Metadata Worker service logs events under the AvidMetadataWorker_log and the Media Worker service logs events in the AvidMediaWorker_log. Whenever the service restarts, the system creates a new date-stamped folder and associated log files.

Log files will cycle themselves out automatically and do not require manual cleanup.

Log Files in macOS

When installing a service workstation on macOS, log files can be found at: /Users/Shared/AvidDistributedProcessing. Instead of using the Finder to navigate to the log file directory, administrators commonly use the macOS Console utility to access the log directory and files.

Upgrading the Distributed Processing Software

Complete the following steps to upgrade the Distributed Processing software on a service workstation.

To upgrade the services:

1. Open the Distributed Processing Worker Settings app and stop the services.
2. Quit the Distributed Processing Worker Settings app.
3. Launch the installer and following the on-screen prompts to complete the upgrade.
You are not required to manually uninstall the existing installation prior to the upgrade.

Uninstalling the Distributed Processing Software

This section includes the following two processes:

- "Uninstalling Distributed Processing for Windows" below
- "Uninstalling Distributed Processing for macOS" below

Complete the process that applies to your service workstation installation.

Uninstalling Distributed Processing for Windows

If you need to uninstall the Media Composer Distributed Process software from a service workstation running Microsoft Windows, you can use the following procedure to complete this task.



Some portions of this procedure might vary based on your version of Microsoft Windows.

To uninstall Distributed Processing:

1. Open the Distributed Processing Worker Settings app and stop the services.
2. Quit the Distributed Processing Worker Settings app.
3. Right-click on the Windows icon in the lower left-hand corner of the machine and select Apps and Features.
4. Navigate to the Media Composer Distributed Processing in the list of Apps and Features.
5. Select Media Composer Distributed Processing.
6. Click Uninstall.
7. You are prompted with a warning that this app and its related info will be removed.
8. Click the Uninstall button again to confirm the software removal.
9. Reboot the machine.


Uninstalling Distributed Processing for macOS

If you need to uninstall the Media Composer Distributed Process software from a service workstation running macOS, you can use the following procedure to complete this task.

To uninstall Distributed Processing:

1. Sign in to your macOS system as a user that has Administrator privileges.
2. Open the Distributed Processing Worker Settings app and stop the services.
3. Quit the Distributed Processing Worker Settings app.
4. Navigate to the Application > Avid_Uninstallers directory and double-click on the Distributed Processing Uninstaller.

As shown in the following illustration, the uninstaller analyzes your system and displays a list of applications that can be removed from your system.



5. Click the Uninstall button to remove the Distributed Processing components from your system.
6. When prompted, enter your password and click the Install Helper button to continue.
7. Click the Quit button to exit the application.

4 Distributed Processing Workflow

This chapter describes the integration of Distributed Processing with Avid Media Composer.

Media Composer Prerequisites

Review the following information that relates to Media Composer Distributed Processing workflows.

Media Composer Licensing

In order to use Distributed Processing your Media Composer must be licensed for one of the following license types:

- Media Composer | Ultimate
- Media Composer | Enterprise

If you do not have one of these license types, the Distributed Processing options do not appear in the Media Composer user interface.



Avid does not support Media Composer Distributed Processing with Media Composer | First or with Media Composer | Subscription licenses. Media Composer | Ultimate and Media Composer | Enterprise subscriptions are supported.

Avid Project and Media File Information

When working with Distributed Processing, your Media Composer projects can be stored locally, or on shared storage. However, all media (both Avid MXF and AMA) must reside on Avid NEXIS shared storage. This requirement enables both the Media Composer client and the service workstations to access the source assets.

You cannot submit Distributed Processing jobs for assets that are stored on your local Media Composer client.

Linked Assets

You can Consolidate or Transcode media located on non-Avid NEXIS, network attached storage to an Avid NEXIS system. However this workflow is supported on Windows only.

If you want to use this feature, you must be running Media Composer on Windows and the job can be processed only on a Windows-based Distributed Processing worker. macOS is not supported in this workflow.

User Accounts

You must sign into the Media Composer Project window using your MediaCentral Cloud UX user credentials. Your server must be integrated with Windows Active Directory and all Media Composer users must be included in User Groups that have a valid Client License (Browse, Edit) assigned to them. For more information about these processes, see the *Avid MediaCentral | Cloud UX Installation Guide*.


Configuring Media Composer

Before you can begin to use Distributed Processing, you must complete the following tasks on the Avid Media Composer client:

- "Connecting to the Distributed Processing Server" below
- "Adjusting the Media Creation Settings" below
- "Configuring the Media Composer Email Settings" on page 31

Connecting to the Distributed Processing Server

Media Composer users must connect to the MediaCentral Platform to enable the Distributed Processing workflow. This is accomplished by signing into the MediaCentral Cloud UX system in the Media Composer Select Project window. The following illustration shows the Project window with the Login section highlighted.



To sign in to the Distributed Processing host server:

1. In the Hostname field enter the host name of the MediaCentral Cloud UX server. If this is a MediaCentral Cloud UX cluster, enter the cluster's virtual host name.
2. Enter your MediaCentral Cloud UX user account in the User Name field.
3. (if applicable) Enter the associated password for this account in the Password field.
4. Click the Login button to connect to your MediaCentral Cloud UX system, and then click OK to access your project.

Adjusting the Media Creation Settings

After you have signed in to Media Composer, you can configure additional settings related to the Distributed Processing workflow. These settings can be accessed in the Settings tab of the Media Composer Project window.


Prior versions of Media Composer included a "Metadata UNC Path" option in the Media Creation settings, which defined the name of a workspace that was used to host temporary files required for Distributed processing job. This setting is removed in Media Composer v2021.12 and later. By default, temporary files are created in the DistributedProcessing folder in the root-level of the target workspace selected for the job. The system monitors these temporary files and automatically deletes them after three days.



The Media Creation setting is a project-based setting. When you create a new project, all settings of type Project are configured with Avid default values. If you want to configure the same Distributed Processing settings for all new projects, you can promote the Media Creation settings to a Site setting. For more details on Site Settings consult the Avid Media Composer Editing Guide.

To adjust the Media Creation settings:

1. Click on the Settings button in the Media Composer Project window.
2. Open the Media Creation setting.
3. Click on the Distributed Processing tab.



4. Configure the following settings:

► Open Status when Processing Starts

Enable this option if you want to open the Distributed Processing Status app window automatically after you submit a job.

► Create New Sequence for Distributed Render

If you select this option, Distributed Processing creates a new bin under Avid NEXIS Bins in the Bin Container Sidebar shortly after you submit the job. The name of the bin is based on the name of the sequence followed by an underscore.

This bin contains a new copy of the sequence that includes links to the associated rendered effects.

If you leave this option deselected, the current sequence in current bin is updated with the rendered effects and no new sequence is created.

► Use This Machine as a Worker

If you co-installed the Distributed Processing services on your Media Composer client and if you configured the option in the Distributed Processing Worker Settings app to allow your local client to process tasks, this setting allows you to override that setting. If you disable this check box, your local instance of Distributed Processing will not be used. You can still submit jobs to the Distributed Processing system, but your local client will be excluded from the pool of workers available to process tasks.

When deciding whether or not to enable this setting, you must consider your workflow. If you disable it, you might save local CPU and GPU cycles — providing Media Composer with the maximum amount of system resources. However, if you submit a job to the Distributed Processing system and all other service workstations are busy processing other tasks, your job might have to wait in queue. If you enable this setting, you could bypass that queue and process your job immediately.



The ability to process jobs depends on the configuration of your local settings, and the group to which your local client is allocated in the Coordinator Tools. For more information, see ["Using the Distributed Processing Worker Settings App"](#) on page 22 and ["Using the Coordinator Tools"](#) on page 45.

► **Automatically Check in Sequence Sent for Render**

If you are working in an environment that includes MediaCentral Production Management, you can select this option to automatically check your sequence into the Production Management database following a successful render job.

5. Click the OK button to apply the changes.

Configuring the Media Composer Email Settings

If you want to receive emails regarding any completed or failed jobs that you submit to the system, you must configure the Media Composer Email settings. As this is a User setting, the information that you enter in this window is custom to your user profile.

Although you can configure additional options in the Email Settings area of the Distributed Processing Status app, the Media Composer email settings are independent of the server settings. For more information, see ["Configuring the Distributed Processing Email Settings"](#) on page 51.

For more information on the Media Composer email settings, see the "Email Settings" section of the *Avid Media Composer Editing Guide*.

To configure the email settings:


1. Click on the Settings button in the Media Composer Project window.
2. Click the User tab and open the Email settings.
3. Configure the following in the Distributed Processing Server Settings:
 - SMTP Server: Enter your SMTP server hostname or IP address.
Example: webmail.wavd.com
 - Port: Enter the network port that will be used to connect to the SMTP server. Typically, port 25 is used to make this connection.
4. Enable one or more check boxes under the Send Email Events section to define the types of jobs for which you wish to receive messages.
5. Configure the Email Settings section according to the Media Composer documentation.
6. Select the check box to "Enable Sending of Email for Distributed Processing" under the Master Email Control section.
If you deselect this check box, you disable the Distributed Processing email notifications — even if you enable all other settings described above.
7. (optional) Click the Send Test Email button to verify that workstation can contact the SMTP server. If successful, you should receive an email at the address specified in the settings.
8. Click the OK button to confirm your changes.

Rendering Effects with Distributed Processing

Users can submit Render jobs to Media Composer Distributed Processing using the following process.

To render effects using Media Composer Distributed Processing:


1. Create or load a sequence that includes one or more unrendered effects.
2. (optional) Use the position indicator in the Media Composer timeline to add Mark IN and Mark OUT points around the section of the sequence that contains unrendered effects.



3. Complete one of the following to open the Render Effects dialog window.
 - ▶ If you added Mark IN and Mark OUT points to your sequence, right-click on the sequence timeline and select either Render > Render In/Out or ExpertRender In/Out.
 - ▶ If you want to render a single effect, right-click on the timeline above the effect and select either Render > Render at Position or ExpertRender at Position.



A Render Effects dialog box similar to the one shown in following illustration appears.



This window might vary based on your selected options and version of Media Composer.

4. Use the Drive menu to specify the Avid NEXIS workspace that will host assets and temporary files for this job.

5. Select the Distributed Processing option.

If the window includes a Create Proxy option, that feature is not applicable to this version of Distributed Processing.

6. (if necessary) Select a different queue from the Job Queue menu.

This menu defines the group of workers that will process your job's tasks. If for example your administrator created a "Rendering Only" queue, you might need to select that option for your render job.

7. Click OK to submit the job.

The Distributed Processing options that you select in the Media Creation settings determine the name and location of the processed sequence.

Consolidating or Transcoding Assets


Users can submit Consolidate or Transcode jobs to Media Composer Distributed Processing using the following process.

For more details on other options in the Consolidate/Transcode menu refer to the *Avid Media Composer Editing Guide*.

To consolidate or transcode assets using Media Composer Distributed Processing:

1. Select the desired asset(s) in the Media Composer bin.

The following illustration shows a bin with one sequence and multiple AMA assets.



2. Right-click on the assets in the Bin and select Consolidate/Transcode.


The Consolidate/Transcode window appears.

3. Click on either the Consolidate or Transcode buttons in the upper-left corner of the window to determine the type of job that you want to submit.

Consolidate jobs do not change the format of your media assets, whereas Transcode jobs create new assets based on the codec that you select.

Avid does not recommend enabling the Create New Sequence or Create New Clip options in this window. The Distributed Processing workflow always creates a new sequence or clip, so enabling this option creates a redundant copy of the asset metadata.

4. Select an Avid NEXIS workspace from the Target Drive Section.
5. If you selected the Transcode option, you must also select a codec from the Target Video Resolution drop down menu.
6. Select Distributed Processing under the Processing Options section in the lower-left corner of the window as illustrated below:



7. (if necessary) Select a different queue from the Job Queue menu.

This menu defines the group of workers that will process your job's tasks. If for example your administrator created a "Transcoding Only" queue, you might need to select that option for your transcode job.

If Media Composer has access to only a single queue, the Job Queue menu is not displayed.

8. Press the Consolidate or Transcode button based on the option that you selected in Step 3.

Distributed Processing creates a new sequence, clip, or clips based on your selection.

If the bin containing the asset is still open when the job completes, the resulting assets are added to the original bin. If it is closed, you can use Dynamic Relink or the Media Tool to relink to the newly created file.

Performing a Mixdown


Media Composer's Mixdown feature allows you to combine multiple video tracks or multiple audio tracks into a single track. Depending on the number of tracks and the track complexity, you might want to send this task to Distributed Processing so that you can continue editing other areas of the sequence.

For more information, see any of the following topics in the *Avid Media Composer Editing Guide*: "Performing a Video Mixdown", "Performing an OP1a MXF Mixdown", "Mixing Down Audio Tracks", or "Mixing Down Multiple Audio Tracks".

To send an audio or video mixdown job to Distributed Processing:

1. After you have accessed the mixdown window from within Media Composer, click the Distributed Processing button in the Processing Options area.

All mixdown types include the same processing options.



2. Use the Drive menu to specify the Avid NEXIS workspace that will host assets and temporary files for this job.
3. (if necessary) Select a different queue from the Job Queue menu.

This menu defines the group of workers that will process your job's tasks. If for example your administrator created a "Mixdowns Only" queue, you might need to select that option for your mixdown job.

If Media Composer has access to only a single queue, the Job Queue menu is not displayed.

4. Click OK to submit the job.


The mixdown master clip appears in the same bin as your sequence, however the associated media is only available after the Distributed Processing job is complete. You can check the status of your job in the Distributed Processing Status window. For more information, see ["The Distributed Processing Status App" on page 38](#).

Exporting Assets

Distributed Processing allows you to export assets and sequences through Media Composer using controls similar to those found in standard export processes. As with other Distributed Processing features, exporting through Distributed Processing allows you to continue editing while background services do the work that formally might have tied-up your editor.

If you export a sequence that includes unrendered effects, the Pre-Processing options can further expedite the export process — potentially providing a much faster export experience than available through Media Composer alone.

The following illustration and table provide additional information on the new file export settings. This window is divided into three primary areas.



1 Export Settings

This area allows you to configure the settings that govern the export process. In this release, you can export using the AMA options only (AS-11, DPX, MXF OP1a).

2 Pre-Processing Options

If you enable the Use Expert Render check box, the export process analyzes any effects that might be included in the sequence and uses Distributed Processing services to render those effects. If the sequence includes multiple effects that require processing, the effects are distributed to all available workers.

The ability to render effects through Distributed Processing potentially expedites the export process — dramatically in some cases. However, this performance increase cannot be guaranteed as sequence structure, applied effects, the number of workers and their capacity, and other factors can all affect the job.

3 Export Destination

This panel allows you to define the file name and path where the exported asset will be saved.

To export an asset using Distributed Processing:

1. Highlight an individual master clip or a sequence in your bin.
2. Do one of the following:
 - ▶ Right-click on the asset and select Output > Export via Distributed Processing
 - ▶ Select File > Output > Export via Distributed Processing
 - ▶ If you load a sequence into the player, you can right-click the sequence timeline and select Export via Distributed Processing from the context menu.


The AMA File Export via Distributed Processing window appears.

3. Review the options in the export settings area of the window.

When exporting through Distributed Processing, the Export As menu includes a reduced list of options as compared to the standard Media Composer export window. For more information on configuring the settings found in this area of the window, see “Exporting Frames, Clips, or Sequences” in the *Avid Media Composer Editing Guide*.

4. Review the export window’s Pre-Processing Options.

This section displays your project format, shown as 1080i/59.94 YCbCr 709 in the following illustration.



- ▶ If you are exporting a sequence that includes unrendered effects, you can enable the Use Expert Render check box to automatically render the required effects through the Distributed Processing services as part of the export process.

After you enable this feature, the Target Resolution and Target Shared Drive fields become available.

- ▶ Target Resolution

This menu includes only those formats that are compatible with your current project. You must select matching formats in both the Target Resolution menu and the Video Compression menu in the export settings area.



The Video Compression menu includes many more video formats than are available in the Pre-Processing settings. You must verify that both settings match so that the formats for both the export and the rendered media are compatible.

- ▶ Target Shared Drive

This value defines where the rendered media will be created.

- ▶ (if necessary) Select a different queue from the Job Queue menu.

This menu defines the group of workers that will process your job's tasks. If for example your administrator created an "Export Only" queue, you might need to select that option for your export job.

If Media Composer has access to only a single queue, the Job Queue menu is not displayed.

5. Click the Save Settings As button at the bottom of the window to save the settings with a custom name.

The settings are saved as a template for future use. The Export Distributed Processing settings are listed below the Export settings in the Media Composer Settings window.

6. Configure the following in the Export Destination panel.
 - a. Use the directory tree to select a save location for your exported asset.
 - b. Enter a custom file name in the File Name field at the bottom of the window.
7. Click Save and Export to save the current settings and begin the export process.

The Distributed Processing Status window appears and displays the export job. If you enabled the Pre-Processing option and your sequence includes any unrendered effects, the system renders all the required effects before the export task is initiated.

For more information, see ["The Distributed Processing Status App" on page 38](#).



If you make changes to your export settings, the changes are saved to the template when you click the Save and Export button.

5 The Distributed Processing Status App

The Distributed Processing Status app allows you to monitor the state and progress of all jobs that are submitted to the system. You can cancel, pause, resume, or even change the priority of individual jobs to alter the order in which they are processed. If your MediaCentral Cloud UX user group includes the Distributed Processing Coordinator entitlement, you can configure Job Queues and Worker Groups to manage the types of jobs that can be processed, and define the workers that will be responsible for those tasks. The following illustration displays the Job Status View of the Status app.

Priority	Queue	Job Type	Progress	Status	Description	User
50	Render - Export Job	render	23%	running	Sequence: Untitled Sequence.05, Render In-Out from 01:00:00:00 to 01:00:22:24	Admin
		task.render.video	0%	created		Admin
		task.render.video	0%	created		Admin
		task.render.video	0%	created		Admin
		task.render.video	22%	running		Admin
		task.render.video	100%	completed		Admin
		task.render.video	91%	running		Admin
		task.render.video	0%	created		Admin
50	default	render	100%	completed	Sequence: Untitled Sequence.05, Render In-Out from 01:00:00:00 to 01:00:22:24	Admin
		task.render.video	100%	completed		Admin
		task.render.video	100%	completed		Admin
		task.render.video	100%	completed		Admin

The Status app is divided into four areas:



- Job Status

For more information, see ["Using the Job Status View" on page 40](#).



- Worker Status

For more information, see ["Reviewing the Worker Details" on page 44](#).



- Coordinator Tools

For more information, see ["Using the Coordinator Tools" on page 45](#).




- Email Settings

For more information, see ["Configuring the Distributed Processing Email Settings" on page 51](#).

Switching Between Views

The icons at the top-right corner of the user interface allow you to switch between the different views. If you hover your cursor over any of the buttons, a tool-tip appears that describes the view.




After you select a view, the associated icon turns blue as a visual confirmation of your selection.

Understanding Jobs and Tasks

When thinking about the Distributed Processing workflow, you should note the difference between *jobs* and *tasks*. As a user, you can submit render, export, or other jobs to the Distributed Processing system. You can then track the progress of your job through the Distributed Processing Status app.

Distributed Processing associates every job with at least one task. Depending on the job type and complexity, the system might subdivide the job into multiple tasks that can be distributed across two or more workers for faster processing. As shown in the following illustration, the Status app allows you to expand the job so that you can monitor the progress of each individual task.



	Priority	Queue	Job Type	Progress	Status	Description	User
Job	50	default	render	100%	completed	Untitled Sequence, Render In-Out from 01:00:00:00 to 01:01:01:08	Admin
Tasks			task.render.video	100%	completed		Admin
			task.render.video	100%	completed		Admin
			task.render.video	100%	completed		Admin
			task.render.video	100%	completed		Admin
			task.render.video	17%	running		Admin

When you submit a render job for a sequence with multiple unrendered effects, the system treats each effect as an individual task. If an effect is long enough and it supports partial render, Distributed Processing might split the render task into additional sub-tasks for faster processing.

Using transcode as another example workflow, Distributed Processing would create a single task for any job that consists of only one *master clip*. This task would be processed by a single worker. Alternatively, the transcoding of a sequence consisting of two or more assets would be subdivided into multiple tasks (one for each master clip) and the tasks would be distributed across the available workers.

Accessing the Distributed Processing Status App

You can access the Status app through the Media Composer user interface, or through MediaCentral Cloud UX using a web browser. This section describes the two methods for accessing the Status app.


To access the Status app through Media Composer:

1. Launch and sign in to Media Composer as described in ["Connecting to the Distributed Processing Server" on page 29](#).
2. Click on the Tools menu select the Distributed Processing option.
3. After the panel appears, click on the Status app in the Fast Bar.

The Status app appears with the Job Status View in focus.

To access the Status app through a web browser:

1. Log in to Avid MediaCentral Cloud UX through a web browser.
For more information, see "Signing In to MediaCentral Cloud UX" in the *Avid MediaCentral | Cloud UX User's Guide*.
2. Click on the Status app in the Fast Bar as illustrated below.



The Status app appears with the Job Status View in focus.

 The list of available apps might differ from this example illustration and might vary based on your version of Media Composer or MediaCentral Cloud UX.

Using the Job Status View

Each job appears in the Results area of the Status view in a grid format in which each row represents a job and each column displays information about the job.

	Priority	Queue	Job Type	Progress	Status	Description	User	Service Message	Created At
> 	50	default	procedure	3% 	failed	Untitled Sequence.02, Profile: XDCAM HD 50	Admin	Procedure completed with errors	Thu, 04/29/21
> 	50	default	procedure	3% 	failed	Nikon_D7000_1080p_23.976_1.MOV, Profile:	Admin	Procedure completed with errors	Thu, 04/29/21
> 	50	default	render	100% 	completed	Sequence: Untitled Sequence.01, Render In-O	Admin	Job completed	Thu, 04/29/21
> 	50	default	consolidate	100% 	completed	Clip: Nikon_D7000_1080p_23.976_1.MOV, C	Admin	Job completed	Thu, 04/29/21
> 	50	default	consolidate	100% 	completed	Clip: Nikon_D7000_1080p_23.976_1.MOV, C	Admin	Job completed	Thu, 04/29/21
> 	50	default	render	100% 	completed	Sequence: Untitled Sequence.01, Render In-O	Admin	Job completed	Thu, 04/29/21
> 	50	default	transcode	4%  00:00	running	Autotest: Transcode OP-Atom Linked Sequen	Admin	Processing subtasks	Thu, 04/29/21
> 			task.transcode	17% 	running		Admin	Processing...	Thu, 04/29/21
> 			task.metadata	0% 	created		Admin	Processing subTask_Job created	Thu, 04/29/21
> 	50	default	transcode	100% 	completed	Autotest: Transcode OP-Atom Linked Sequen	Admin	Job completed	Thu, 04/29/21

 Every Distributed Processing job, regardless of its complexity, is associated with at least one sub-task. You can click the chevron to the left of the job to display any sub-tasks that are associated with the job. The Progress column displays the percentage of the job completion, a progress bar, and the time remaining until the job completion (for those jobs that are still in progress).

Each job/task is associated with a color-coded status icon. This state is controlled by Media Composer. The following status indicators are possible:

-  Gray (Plus): Created
The job has been submitted to Distributed Processing, but no workers have been assigned to it yet.
-  Green: Completed



- Blue: In Progress, Paused, or Pending

When you submit a new job, the job appears in the Status view with the blue “play” icon. The job remains in that state until it is either complete, or it has failed. The same status appears if you pause an active job.

In some cases you might see a job that remains in the In Progress state in perpetuity. This could be due to either of the following reasons:

- An administrator has applied a filter to the queue or worker group, which restricts certain operations.
- The job includes a third party plug-in which is not installed on any worker.
- Media Composer is running on the same system as the worker and your settings are configured in a way that intentionally blocks the task.

In this case the system continues to process other jobs as they become available, and this job remains in a Pending state until you either manually cancel it, or reconfigure your system to allow the job to be processed. For more information on configuring queues and groups, see ["Using the Coordinator Tools" on page 45](#).



- Yellow: Partially Completed

This icon indicates that some tasks within a job completed, while others failed to complete successfully. You can click the chevron to the left of the job to display more information about the failed tasks.

The partially completed state is applicable to transcode, consolidate, and render operations. Mixdown and export jobs are associated with failed or completed states only.



- Red: Canceled or Failed

If a job fails to complete, the Service Message column displays additional information about the reason for the failure. If you need additional information, you can review the Distributed Processing logs on the service workstation. For more information, see ["Distributed Processing Logs" on page 25](#). After you have resolved the issue, you must resubmit the job from your source application — such as Avid Media Composer.

The Status app provides information about the most recent jobs that have been submitted to the system. If you need to see information on additional jobs, you can click the **Load More** button in the bottom-right corner of the job list.



The Load More button appears in the user interface regardless of the number of available jobs. If the total number of jobs fits inside the Status app, the Load More button does not reveal additional jobs.

This section includes the following additional topics:

- ["Pausing, Resuming, and Canceling Jobs" on the next page](#)
- ["Changing the Job Priority" on the next page](#)
- ["Clearing the Job Status Monitor" on page 43](#)

Pausing, Resuming, and Canceling Jobs

After you submit a job, you have the option to pause it or cancel it. If you pause the job, you can click the Resume button to continue processing the job from the point at which it left off.

If you cancel a job, only pending tasks are canceled. The media for any sub-tasks that have completed successfully is retained and remains linked to the new sequence. After you cancel a job, you cannot resume or restart it. The job must be resubmitted to the Distributed Processing system.

To pause a job:

1. Find the job that you want to pause in the list of jobs in the Distributed Processing Status app.
2. Click the Pause button to the right of the status indicator icon.




If the job is composed of multiple sub-tasks, the system finishes processing the current task before the job is paused. If your job is composed of a single task, you essentially cannot pause the job because the system must always complete the current task.

Once paused, the Progress bar displays the amount of the job that has already been processed and the Status column reports that the job is currently suspended. The job remains in a paused state until you either resume or cancel the job. If your Distributed Processing server goes down for any reason (e.g power loss), then the job is lost and must be resubmitted.

To resume a paused job:

- Once paused, click the Resume button to continue processing the job.



To permanently cancel job:

1. Find the job that you want to cancel in the list of jobs in the Distributed Processing Status app.
2. Click the Cancel button.



The Status column changes to a Canceled state.

Changing the Job Priority

When you submit a job to the Distributed Processing system the job is generally processed in the order that it was received. If there are more tasks than there are workers to process them, the jobs and associated tasks queue until a worker becomes available. However, there might be a situation in which you might need to process a job or group of jobs faster than the others in the queue. To this end, the Status app's Priority column allows you to alter the job processing order.

As shown in the following illustration, the default priority for all jobs is 50. You can adjust this value to either increase or decrease the job priority. Jobs with the highest priority (lowest numerical value) are processed first.



As a standard user, you are allowed to alter the priority of only the jobs that you submit to the system. You neither see, nor can you adjust jobs submitted by another user. If your user account includes the Master of Jobs entitlement, you are able to see all jobs for all users and you can change the priority for any job.

If you submit a job as priority 1, your job is moved to the top of the queue. You should know that this action effects all Distributed Processing jobs, and not only those jobs that you have personally submitted. You should also be aware that the job might still be queued behind other jobs with the same priority. In this case all priority 1 jobs are processed in the order in which they were submitted (chronologically). If your job must absolutely be processed now, contact a user with the Master of Jobs entitlement to pause or cancel other higher priority jobs.

If all workers are busy processing other tasks, the worker completes the current task before moving to a new task with a higher priority. If you are in a very time-sensitive situation, you can re-prioritize the jobs “on the fly” to ensure that the most important jobs are processed first.

Do one of the following to change the priority of a job:

- ▶ Click inside the field, enter a new numerical value, and press Enter (or Return) to confirm the change.
- ▶ Click the Up or Down arrows to the right of the text field to adjust the priority

The field allows for values between 1 and 99, where 1 is the highest priority.

Clearing the Job Status Monitor

The Status app does not automatically clear the list of jobs. After a period of time, you might not need to see information about older completed or failed jobs. To reduce the number of items displayed in the list, the Status app allows you to clear the job list. This action removes all jobs from the list, regardless of their status (completed, failed, or in-progress).

Clearing the list does not delete jobs. If you have in-progress or pending jobs, these jobs are still processed by the service workstations running the Distributed Processing Worker services. You should also note that in-progress jobs will automatically repopulate themselves in the job list.

If you clear the monitor, the list of jobs is only cleared for your current session. If for example you have a separate connection to MediaCentral Cloud UX open in a web browser, the act of clearing the monitor in Media Composer does clear the list in MediaCentral Cloud UX.

To clear list of Distributed Processing jobs:


- ▶ Click the Clear button in the upper-right corner of the Status app (outlined in red below).



Reviewing the Worker Details

The Worker Status view provides users with a method for obtaining additional information about the service workstations that are running the worker service in your current workgroup.

The following illustration shows the view with four workers.



Worker Service Host	PID	Status	Task	Task Owner	Status Updated At
burl-DP-wrk1	2908	Ready			Thu, 04/25/19, 15:55:42 GMT+2
burl-DP-wrk2	1180	Working	Consolidate		Thu, 04/25/19, 15:55:42 GMT+2
burl-DP-wrk3	6924	Working	Consolidate		Thu, 04/25/19, 15:55:42 GMT+2
burl-DP-wrk3	4082	Ready			Thu, 04/25/19, 15:55:42 GMT+2

Notice that in this illustration the system is configured with three workers, but the system administrator installed two instances of the Worker Service on “burl-DP-wrk3”.

The following information is provided:

- **Worker Service Host:** The fully qualified name of the service workstation host running the service.
- **PID:** A PID is a Process Identifier. This column displays the PID for the worker service on the service workstation.
- **Status:** Displays the current status of the service.
- **Task:** Description of what the worker is currently doing.
- **Task Owner:** The name of the user that initiated the current operation.
- **Status Updated At:** This value displays the last time that the worker last reported to the Platform.

In some cases you might notice that the a Worker is Busy processing an “Awaiting MI Configuration String” task. This means that the services are ready to receive information from the Production Management Media Indexer. This status is normal if you enabled the “MediaCentral Production Management” option in the worker’s Distributed Processing Worker Settings app and you have not submitted any jobs to the system. After you submit your first job, the worker reports a Ready status.

To obtain more information about the Workers:



- ▶ Click on the Worker Service Status toggle button on the right side of the app header.

The user interface displays information about the workers in your workgroup.

To refresh the display:




- ▶ Click on the Refresh button to the right of the Worker Service Status toggle button to update the status window.

Using the Coordinator Tools

This area of the app allows you to create groups of workers and define the types of jobs and tasks that will be processed by those workers. With this level of control, you can customize your Distributed Processing system to better accommodate to your site's workflows and available resources. For example, you might consider creating "high priority" group that includes only the service workstations with the most powerful system resources within your organization. Alternatively, you could create multiple groups that are dedicated to certain tasks, such as exporting only, or effect rendering only.

As illustrated below, the Coordinator Tools are organized into three virtual columns of data: Job Queues, Worker Groups, and Workers. Each block or *card* represents an individual queue, group, or worker.



- **Job Queues:** Allows you to separate the workers for different workflows.
For more information, see ["Working with Job Queues" on the next page](#).
- **Worker Groups:** Allows you to combine workers and apply restrictions within a queue.
For more information, see ["Managing Worker Groups" on page 48](#).
- **Workers:** Perform media processing tasks for the jobs submitted to the selected queue.
For more information, see ["Managing Workers" on page 49](#).

Distributed Processing creates one Default Job Queue and one Default Worker Group by default for all installations. Whenever you add a worker to the system, the worker is added to this initial queue and group automatically. While you can edit the name of the default queue and group, you cannot delete them.

Queues, Groups, and Workers are color-coded to allow you to easily identify which block is connected to another. If a particular queue or group is not associated with a worker, the item is outlined in white to indicate that it is not active. Every workflow must include one queue and at least one group and worker.

Notice that in this example, the app shows three worker cards. However, two of these worker cards have the same host name "DPW3". This indicates that the Distributed Processing system includes two services workstations (DPW1 and DPW3), one of which (DPW3) is running two instances of the Worker Service.

You can combine any number of workers in a group. Workers from different service workstations are not required to run the same operating system, be equipped with the same hardware resources, or run the same 3rd party effects software (if applicable). The process is completely flexible and can accommodate any configuration that you choose to create. The only requirement is that you must have at least one queue, one group, and one worker before you send jobs to the system.

Refreshing the Display




If you make a change in the Coordinator Tools and you do not yet see the change displayed, you can click the Refresh button on the right side of the app header to update the display.

Working with Job Queues

Queues provide you with global control over the types of jobs that can be processed by the associated groups and workers. If for example you want to disable the ability to process render jobs for all groups and workers that are associated with the queue, you can disable the option in the queue. Even if the render option is enabled in an associated group, the workers would not process any render tasks.

When you create a queue, all workflows are enabled by default. If you leave them enabled, you can use Groups to manage the types of tasks that can be processed by the workers. Consider the following illustration.



In this example, the Job Queue allows for Transcode, Consolidate, and Render job types. Even though the Export task type is enabled on "Composer Group 1", export jobs will not be processed because the upper-level queue does not allow it. If the system receives a transcode or consolidate request, the task is distributed to worker "DPW3". If the system receives a render job, DPW2 processes the required tasks.

This section includes the following topics:

- ["Creating a Job Queue" below](#)
- ["Configuring Job Queues" on the next page](#)
- ["Deleting Queues" on the next page](#)

Creating a Job Queue

You are required to create additional queues only if you want to customize your workflow beyond the default queue. If a single queue is appropriate for your workflow, you can review the process for ["Configuring Job Queues" on the next page](#) to customize the default queue.

If you create a queue, but you do not associate it with any workers, the queue does not appear in the Media Composer menus.

To create a new queue:

- Click the Add Queue button in the Job Queues area.

A new queue appears with a system generated name at the bottom of the Job Queues column. If you do not see your new queue, you can use the scroll bar on the right side of the user interface to navigate to it.

Configuring Job Queues**To edit or configure the job queue parameters:**

1. Click the Edit button in the upper right corner of the queue.

The app displays the queue parameters.

2. Configure or edit the following values:

- Name: Click inside the text field to enter a new name for the queue.

Avid suggests that you keep the name brief so that the user interface of other applications, such as Media Composer, do not truncate the name.

- Description: You can enter text in this field to explain the purpose of the queue. The information appears in the queue card in the app's Coordinator Tools view.

- Job Types: Toggle the check boxes to enable or disable workflows for this queue. Only the enabled (checked) job types will be processed by the workers connected to this queue.

If you disable all job types, you essentially disable all workers that are connected to this queue.

- Hide Queue: If you enable this option, the queue is not displayed in the Media Composer Job Queue menu.

3. Do one of the following:

- Click the Save button to confirm your changes.
- Click the X in the upper-right corner of the queue to exit without saving.

Deleting Queues

You can use the following process to delete a custom queue. The Distributed Processing Status app does not allow you to delete the default job queue.

To delete a queue:

1. Click the Edit button in the upper right corner of the queue.
2. Click the Delete button to remove the queue from the app.

Managing Worker Groups

Distributed Processing allows you to create as many groups as your workflow requires. However, each group must be associated with one queue and at least one worker before it becomes active. You cannot associate a single group with more than one queue.

This section includes the following topics:

- ["Creating a Worker Group" below](#)
- ["Configuring a Worker Group" below](#)
- ["Unassigning a Worker Group" on the next page](#)
- ["Deleting a Worker Group" on the next page](#)

Creating a Worker Group

Complete the following process to create a new group and associate it with a queue.

To create a new group:



1. Click the Add Group button in the Worker Groups area.

A new group appears with a system generated name at the bottom of the Worker Groups column. If you do not see your new queue, you can use the scroll bar on the right side of the user interface to navigate to it.

2. Drag and drop the group card to an existing queue to establish an association between the two.

If you need to associate a group with a different queue at a later date, you can drag and drop the group to a different queue. All associated workers move with the group. If the workers are actively processing tasks, the current task is completed before the worker processes any changes in the workflows allowed by the group.

Configuring a Worker Group

Complete the following process to edit the parameters of an existing group.

To edit or configure the group's parameters:

1. Click the Edit button in the upper right corner of the group.

The app displays the group's parameters.

Name:

Description:

Allowed task types:

- ☒ Transcode
- ☒ Consolidate
- ☒ Mixdown
- ☒ Render Audio
- ☒ Render Video
- ☒ Export

2. Configure or edit the following values:
 - Name: Click inside the text field to enter a new name for the group.
 - Description: You can enter text in this field to explain the purpose of the group. The information appears in the group's card in the app's Coordinator Tools view.

- Task Types: Toggle the check boxes to enable or disable workflows for this group. Only the enabled (checked) task types will be processed by the workers connected to this group — and only if those same task types are enabled for the associated queue.

If you disable all task types, you essentially disable all workers that are connected to this group.

3. Do one of the following:

- ▶ Click the green check mark to save your changes.
- ▶ Click the X in the upper-right corner of the group to exit without saving.

Unassigning a Worker Group

In some cases you might create a worker group that you want to retain, but temporarily remove it from the active workflow. In this event the app allows you to remove the group from a queue.

If your group is linked to any workers, the workers are also removed from the Distributed Processing workflow when you unassign the group. You can add the workers back into the workflow by either adding them to a different active group, or linking the group back to a queue.

To unassign a group from a queue:

1. Click the Edit button in the upper right corner of the group.

The app displays the group's parameters.

2. Click the Unassign Group button

The group is removed from the queue, and is relocated to the bottom of the Worker Groups column.

Deleting a Worker Group

Complete the following process to delete a group from the system. The Distributed Processing Status app does not allow you to delete the default worker group.

When you delete a group, any workers that were formally associated with that group are automatically reassigned to the default worker group.


To delete a group:

1. Click the Edit button in the upper right corner of the worker group.
2. Click the Delete button to remove the group from the app.



Managing Workers

You can obtain more information about the service workstation's hardware properties and installed plug-ins by clicking the Show More button in the upper-left corner of the card. If your workflow includes multiple groups, you can use this information to help you make more informed decisions about how to organize your workers.



#	Description
1	Service Workstation Hostname
2	Show More Button
3	This section displays the version of the Distributed Processing software and Avid NEXIS Client that is installed on the service workstation. “Tasks to Process” reflects the value of the same setting that you configured in the Distributed Processing Worker Settings app.
4	Displays additional information about the service workstation, including the version of the operating system, installed memory, and more.
5	This section lists the AMA plug-ins that are installed on this service workstation.
6	This section lists the AVX2 plug-ins that are installed on this service workstation.
7	This section lists the Export plug-ins that are installed on this service workstation.
8	This section displays the Avid NEXIS workspaces that are mounted on the service workstation, along with the drive letter mount points.

As you know, some service workstations might run one or more instances of the Avid Worker Service. The cards that are displayed in the Coordinator Tools are a visual representation of each instance of the Worker Service service.


Assigning Workers to Groups

If you created multiple groups, you can move the workers to different groups as needed. You can move a worker at any time. However if the worker is actively processing a task, the worker finishes the current task before it can begin to process tasks from the new group.

Since all workers have the ability to process all task types, you can move workers without worrying their local system resources. The one exception to this rule is a service workstation's ability to render 3rd party effects. If you require a worker to process a particular effect, the effect software must be installed and licensed on that worker. When you submit a job that includes a 3rd party effect, Distributed Processing automatically directs the render task to the worker that includes the effect software. Therefore, you are not required to install the 3rd party software on all workers.

To assign a worker to a group:

- Drag and drop the card to the desired group.



If you have a service workstation that is running multiple copies of the Worker service, and you move one worker to a different group, all workers from the same workstation are moved to the new group. In other words, you cannot separate workers from the same workstation into different groups.

Removing Workers from the Workflow

There might be instances where you want to remove a service workstation from the Distributed Processing workflow. You can do any of the following to temporarily disable the worker:

- Create an “offline” worker group, add the worker to this group, and then unassign the group from its associated queue. As long as the group is not associated with a queue, the associated workers are essentially offline.

For more information, see ["Unassigning a Worker Group" on page 49](#).

- Disable the Worker Service on the service workstation. If the service is stopped, the worker does not appear in the Coordinator Tools.
- Uninstall the Distributed Processing services from the worker.

For more information, see ["Uninstalling the Distributed Processing Software" on page 26](#).

Configuring the Distributed Processing Email Settings

As an administrator, you might want to receive proactive notifications about Distributed Processing status events — such as when a worker disconnects or reconnects to the system. The Email Settings allow you to configure SMTP settings so that you can receive email notifications about these events. You can also configure default messages for multiple event types.

Coordinator Event Messages

SMTP server _____

Sender email address _____

Sender name _____

Email addresses of recipients (comma-delimited) _____

Send message on worker disconnection ☒

Worker disconnection email body The following worker is not currently found by Distributed Processing.

Send message on worker connection ☒

Worker connection email body The following worker has now been found by Distributed Processing.

Job Status Messages

Job completion email body Distributed Processing has completed this job.

Job failure email body Distributed Processing has failed to complete this job.

Save

To configuring the messaging details:

1. Sign into the Distributed Processing system as a MediaCentral Cloud UX user that is associated with the Distributed Processing Coordinator entitlement.



2. Click the Email Settings button in the upper-right corner of the status app.
3. Configure the SMTP settings (all values are required):
 - SMTP Server: Enter your SMTP server hostname or IP address.
Example: webmail.wavd.com
 - Sender Email Address: Enter a username in the form of an email address.
Example: admin@wavd.com
 - Sender Name: Enter a friendly name for this account.
Example: WAVD Administrator
 - Recipient email address(es): Enter the email address for one or more recipients. If you enter more than one address, you must separate the values with a comma.
4. (optional) Customize the Coordinator Event messages.
If you disable the check box for either the Send Message on Worker connect or disconnect, emails are not generated for these events.
5. (optional) Customize the Job Status Messages
As you might have read earlier in this guide, Media Composer users can configure email settings that are largely independent from the server settings. The Job Status Message fields represent an exception to this rule. You can use these two fields to add information to the user-facing emails that are generated upon a completed or failed job. For example, you might want to add administrator contact details in the event of a failure.
6. Click the Save button to confirm your changes.