


Globo Comunicação e Participações S.A.


Restart PAM A - B - C - D Media Centrals Cloud UX (C e D)

Procedimento



1. Histórico de versões

Versão	Data	Autores	Principais Alterações
1.0	20/09/2019	Cesar Sanchez	Versão Inicial
1.1	14/11/2019	Ygor Ribeiro	Adicionado ponto de atenção dos PODs na página 6
2.0	21/11/2020	Ygor Ribeiro	Procedimento atualizado para versão 2019.9.11
3.0	15/06/2022	Cristiano Freire Ygor Ribeiro	Procedimento atualizado para versão 2020.9 ambiente EG
4.0	08/08/2022	Cesar Sanchez	Feitas algumas correções de syntaxis na Pag 3, 4 e 6
7.0	26/02/2025	Rui Nunes Luis Guedes Marcelo Moreno	Procedimento dedicado, por enquanto, somente aos sistemas C e D: Desligamento do sync, logar com usuário administrator, comandos precedidos de sudo, observação do error de Kernel, modo de acesso aos kubernetes (obtenção do token) e religamento do sync



2. Objetivo

Estar com o sistema dentro das boas práticas recomendadas pelo fabricante.

3. Testes preliminares

3.1. Testes operacionais no Media Central

Antes de iniciar o restart é importante realizar testes operacionais e pegar alguns clips para usar como referência para confirmar o status (online/offline) antes e depois do restart. Na tabela abaixo encontra-se o link para o acesso de cada Media Central.

SISTEMA	URL
EG-PAM-A	https://eg-mediacentral-a.servicos.corp.tvglobo.com.br
EG-PAM-B	https://eg-mediacentral-b.servicos.corp.tvglobo.com.br
EG-PAM-C	https://eg-mediacentral-c.servicos.corp.tvglobo.com.br
EG-PAM-D	https://eg-mediacentral-d.servicos.corp.tvglobo.com.br
EG-PAM-E	https://eg-mediacentral-e.servicos.corp.tvglobo.com.br
EG-PAM-F	https://eg-mediacentral-f.servicos.corp.tvglobo.com.br

Após acessar a página do Media Central, deve-se fazer testes de playback, criação de markers, subclips e sequência.

3.2. Testes de status dos Kubernetes

Acessar a página dos Kubernetes, conforme a lista abaixo:

SISTEMA	URL
EG-PAM-A	https://eg-mediacentral-a.servicos.corp.tvglobo.com.br:30143
EG-PAM-B	https://eg-mediacentral-b.servicos.corp.tvglobo.com.br:30143
EG-PAM-C	https://eg-mediacentral-c.servicos.corp.tvglobo.com.br:30143
EG-PAM-D	https://eg-mediacentral-d.servicos.corp.tvglobo.com.br:30143
EG-PAM-E	https://eg-mediacentral-e.servicos.corp.tvglobo.com.br:30143
EG-PAM-F	https://eg-mediacentral-f.servicos.corp.tvglobo.com.br:30143



SISTEMA	NODE-1	NODE-2	NODE-3	OBS
---------	--------	--------	--------	-----

EG-PAM-A	10.16.2.109	10.16.2.110	10.16.2.111	Cluster
EG-PAM-B	10.228.248.45	10.228.248.46	10.228.248.47	Cluster
EG-PAM-C	10.16.2.150	10.16.2.151	10.16.2.152	Cluster
EG-PAM-D	10.230.2.75	10.230.2.76	10.230.2.77	Cluster
EG-PAM-E	10.16.2.181	10.16.2.182	10.16.2.183	Cluster
EG-PAM-F	10.230.2.203	10.230.2.204	10.230.2.205	Cluster

```
sudo apt-get install -y sudo
```

```
sudo apt-get install python3-pip python3-dev python3-venv
```

```
administrator@srvvegpapamcmx01:~$ sudo avidctl extra dashboard create-  
token --admin --duration 30m
```

[illegible]

Kubernetes Dashboard

Token


Every Service Account has a Secret with valid Bearer Token that can be used to log in to Dashboard. To find out more about how to configure and use Bearer Tokens, please refer to the [Authentication](#) section.

Kubeconfig


Please select the kubeconfig file that you have created to configure access to the cluster. To find out more about how to configure and use kubeconfig file, please refer to the [Configure Access to Multiple Clusters](#) section.

Enter token *

Sign In



Verificar o status dos Pods




4. Procedimento de restart

4.1. Desabilitar tasks do sync


Acessar a página do Media Central, conforme a lista abaixo:

SISTEMA	URL
EG-PAM-A	https://eg-mediacentral-a.servicos.corp.tvglobo.com.br
EG-PAM-B	https://eg-mediacentral-b.servicos.corp.tvglobo.com.br
EG-PAM-C	https://eg-mediacentral-c.servicos.corp.tvglobo.com.br
EG-PAM-D	https://eg-mediacentral-d.servicos.corp.tvglobo.com.br
EG-PAM-E	https://eg-mediacentral-e.servicos.corp.tvglobo.com.br
EG-PAM-F	https://eg-mediacentral-f.servicos.corp.tvglobo.com.br





4.1.1. Logar na página do Media Central como administrador

Após acessar a página do Media Central, deve-se clicar no símbolo da Avid (destacado na figura abaixo), confirmar que a página mudou para o modo administrador e logar com seu usuário normal.




4.1.2. Clicar no ícone MediaCentral | Sync






- 4.1.3. Na coluna da esquerda do painel, selecionar “Sync Tasks – Configuration”, clicar em cada task, desabilitar o sync, e clicar no botão Save, conforme destacado na figura abaixo:



5. Acesso ao sistema Linux dos servidores do cluster

Através do Portal Administrativo (curral) jbpainfsr073 – 10.19.135.86 ou jbpainfsr092 - 10.19.135.113, abrir o **MobaXterm** ou o **Putty**, onde deverá ser aberta uma sessão SSH para cada node do sistema. Abaixo estão as informações dos sistemas Media Central CloudUX do EG

SISTEMA	NODE-1	NODE-2	NODE-3	OBS
EG-PAM-A	10.16.2.109	10.16.2.110	10.16.2.111	Cluster
EG-PAM-B	10.228.248.45	10.228.248.46	10.228.248.47	Cluster
EG-PAM-C	10.16.2.150	10.16.2.151	10.16.2.152	Cluster
EG-PAM-D	10.230.2.75	10.230.2.76	10.230.2.77	Cluster
EG-PAM-E	10.16.2.181	10.16.2.182	10.16.2.183	Cluster
EG-PAM-F	10.230.2.203	10.230.2.204	10.230.2.205	Cluster



5.1. Comandos iniciais

Acessar o Node 1, com o usuário administrator, senha longa, e executar os comandos a seguir:

5.1.1. Check do status dos nodes

```
sudo kubectl get nodes
```

Será exibido o status dos servidores do cluster.

```
[root@srvvmpapamdmx01 ~]# kubectl get nodes
```

NAME	STATUS	ROLES	AGE	VERSION
srvvmpapamdmx01	Ready	<none>	2y252d	v1.16.13
srvvmpapamdmx02	Ready	<none>	2y252d	v1.16.13
srvvmpapamdmx03	Ready	<none>	2y252d	v1.16.13

5.1.2. Stop dos serviços AVID

```
sudo avidctl node drain --all
```

Após a execução do comando acima, aguardar até a console ficar disponível para poder adicionar a próxima linha de comando.

5.1.3. Check do status dos nodes

```
sudo kubectl get nodes
```

Deverá ser exibido o status **Ready, SchedulingDisabled** para os três nodes

```
[root@srvvmpapamdmx01 ~]# kubectl get nodes
```

NAME	STATUS	ROLES	AGE	VERSION
srvvmpapamdmx01	Ready, SchedulingDisabled	<none>	224d	v1.9.9
srvvmpapamdmx02	Ready, SchedulingDisabled	<none>	224d	v1.9.9
srvvmpapamdmx03	Ready, SchedulingDisabled	<none>	224d	v1.9.9


5.1.4. Deleção dos pods

```
sudo kubectl delete pods --all
```

```
sudo kubectl delete pods --all --grace-period=0 --force
```

```
sudo kubectl delete pod --namespace kube-system --all
```

OBS: Aguardar até estar disponível a linha de comando para inserir uma nova linha



```
pod "avid-publish-facebook-mpd-5c9846b989-n56t8" deleted
pod "avid-publish-ftp-mpd-5f7b585766-c4k47" deleted
pod "avid-publish-ftp-mpd-5f7b585766-m5w5x" deleted
pod "avid-publish-twitter-mpd-577d54f454-w7whb" deleted
pod "avid-publish-twitter-mpd-577d54f454-wh79s" deleted
pod "avid-publish-wordpress-mpd-7649b7c7fb-88zgc" deleted
pod "avid-publish-wordpress-mpd-7649b7c7fb-krp9m" deleted
pod "avid-publish-youtube-mpd-64974db944-rjdpz" deleted
pod "avid-publish-youtube-mpd-64974db944-xncwh" deleted
pod "avid-render-rb7gx" deleted
pod "avid-render-scrdk" deleted
pod "avid-render-tlwd" deleted
pod "avid-resource-configsvr0-0" deleted
pod "avid-resource-core-655fb4c644-ncpn4" deleted
pod "avid-resource-core-655fb4c644-tnrz4" deleted
pod "avid-resource-mongos0-bb5c474dc-p7mtl" deleted
pod "avid-resource-mongos0-bb5c474dc-vtzn4" deleted
pod "avid-resource-shardsvr0-0" deleted
pod "avid-search-search-7dc646c57c-pd9cl" deleted
pod "avid-search-shardsvr0-0" deleted
pod "avid-sysconf-core-68db8b8574-28dqz" deleted
pod "avid-sysconf-core-68db8b8574-8khw1" deleted
pod "avid-transcode-azuremediaservices-mpd-59b8c445b6-wbdct" deleted
pod "avid-transcode-azuremediaservices-mpd-59b8c445b6-wdcsp" deleted
pod "avid-transcode-mam-mpd-667b55c579-7wxm" deleted
pod "avid-transcode-mam-mpd-667b55c579-rztl" deleted
pod "avid-transcode-root6-mpd-66cccd54b75-lthhf" deleted
pod "avid-transcode-root6-mpd-66cccd54b75-vkm12" deleted
pod "avid-transcode-stp-mpd-5659f85b48-mxmd" deleted
pod "avid-transcode-stp-mpd-5659f85b48-q2rdl" deleted
pod "avid-transcode-vantage-mpd-6b775f4c9-j5wfc" deleted
pod "avid-transcode-vantage-mpd-6b775f4c9-lxmbv" deleted
pod "avid-ui-core-app-7985b76bfd-bvgr7" deleted
pod "avid-ui-core-app-7985b76bfd-tr6bk" deleted
pod "avid-ui-graphics-tab-uidpl-77994c8747-kknmn" deleted
pod "avid-ui-graphics-tab-uidpl-77994c8747-m9n9l" deleted
pod "avid-ui-mpd-uidpl-877b7b4f4-7h52" deleted
pod "avid-ui-mpd-uidpl-877b7b4f4-sdnzt" deleted
pod "avid-ui-pam-uidpl-59d9b4d8cd-cq2ws" deleted
pod "avid-ui-pam-uidpl-59d9b4d8cd-tkszh" deleted
pod "avid-upstream-core-8bd599dc8-k8l4b" deleted
pod "avid-upstream-core-8bd599dc8-z9xnr" deleted
pod "avid-user-license-core-85b75dcd58-6t6hs" deleted
pod "avid-user-license-core-85b75dcd58-sr465" deleted
pod "avid-volume-provisioner-6b48dd5647-4rxqk" deleted
pod "avid-volume-provisioner-6b48dd5647-5wbsv" deleted
pod "nginx-ingress-controller-v2-kdshn" deleted
pod "nginx-ingress-controller-v2-r9fgw" deleted
pod "nginx-ingress-controller-v2-xkqrc" deleted
pod "nginx-service-proxy-2h6km" deleted
pod "nginx-service-proxy-h44zj" deleted
pod "nginx-service-proxy-vv9f" deleted
pod "rabbitmq-default-0" deleted
pod "redis-core-7dd9b89dc6-6xxxd" deleted
pod "redis-core-7dd9b89dc6-wvqss" deleted
pod "thumbnails-reloader-uidpl-fc69b74bd-88d42" deleted
[root@srvvmpapamd01 ~]#
```

5.2. Restart

Executar o comando “**sudo reboot**” em todos os servidores do sistema.

5.3. Verificar integridade do servidor após o reboot

Executar o comando abaixo em cada servidor, para verificar se existe algum erro de kernel.

sudo dmesg -l err,crit


Se tivermos erro de Kernel = Failed to Load Kernel Modules, executar o comando de “**reboot**” novamente somente no node que apresentar o erro.

Atenção: se ocorrerem erros conforme a foto abaixo, deve-se ignorá-los e seguir os próximos passos do procedimento. Não confundir com Kernel = Failed to Load Kernel Modules, que neste caso necessita de restart do node que apresenta o erro.

```
amdrts@srvvmpapamd02:~$ sudo dmesg -l err,crit
[ 12.387335] system[1]: Failed to start Apply Kernel Variables.
[ 12.508861] ACPI Error: No handler for Region [SYSI] (00000000395a9dd9) [IPMI] (20210730/evregion-130)
[ 12.509256] ACPI Error: Region IPMI (ID=7) has no handler (20210730/exfldio-261)
[ 12.509546] ACPI Error: Aborting method \_SB.PMI0.GHL due to previous error (AE_NOT_EXIST) (20210730/psparse-529)
[ 12.509811] ACPI Error: Aborting method \_SB.PMI0.PMC due to previous error (AE_NOT_EXIST) (20210730/psparse-529)
```

5.4. Aguardar Uptime de 10 minutos

Executar o comando “**sudo watch uptime**” em cada servidor e aguardar que cada um complete no mínimo 10 minutos de uptime.



5.5. Restabelecimento do sistema

5.5.1. Check do status dos nodes

`sudo kubectl get nodes`

Será exibido o status **Ready, SchedulingDisabled** para cada node

```
[root@srvvmpapamdmx01 ~]# kubectl get nodes
NAME                                STATUS                                ROLES    AGE     VERSION
srvvmpapamdmx01                    Ready,SchedulingDisabled             <none>    224d    v1.9.9
srvvmpapamdmx02                    Ready,SchedulingDisabled             <none>    224d    v1.9.9
srvvmpapamdmx03                    Ready,SchedulingDisabled             <none>    224d    v1.9.9
```

5.5.2. Habilitar os nodes e start dos pods

`sudo kubectl uncordon -l role!=ignore`

```
[root@srvvmpapamdmx01 ~]# kubectl uncordon -l role!=ignore
node "srvvmpapamdmx01" uncordoned
node "srvvmpapamdmx02" uncordoned
node "srvvmpapamdmx03" uncordoned
[root@srvvmpapamdmx01 ~]#
```


5.5.3. Verificar se os pods estão inicializando

`sudo kubectl get pods -o wide |grep -v Running`

```
Every 2.0s: kubectl get pods -o wide |grep -v Running
NAME                                READY    STATUS    RESTARTS   AGE    IP              NODE
avid-acs-attr-shardsvr0-0           0/2     Pending   0           9s     <none>          srvvmpapamdmx01
avid-acs-shardsvr0-0                0/2     Pending   0           9s     <none>          srvvmpapamdmx01
avid-draft-sequence-ctc-ee-df045d68-9djhv  0/1     Pending   0           9s     <none>          srvvmpapamdmx01
avid-driver-wire-mpd-6d446dd66-tlzmf  0/1     Pending   0           9s     <none>          srvvmpapamdmx01
avid-elasticsearch-search-0         0/1     Init:0/1  0           9s     <none>          srvvmpapamdmx01
avid-iam-configsvr0-0               0/2     Init:0/2  0           9s     <none>          srvvmpapamdmx01
avid-iam-mongos0-5c9506775-6dlrl     0/2     Init:0/2  0           9s     <none>          srvvmpapamdmx01
avid-iam-shardsvr0-0                0/2     Pending   0           9s     <none>          srvvmpapamdmx01
avid-job-monitor-shardsvr0-0        0/2     Init:0/2  0           9s     <none>          srvvmpapamdmx01
avid-lms-configsvr0-0               0/2     Init:1/2  0           9s     172.19.2.78    srvvmpapamdmx01
avid-lms-shardsvr0-0                0/2     Pending   0           9s     <none>          srvvmpapamdmx01
avid-media-download-805446c68f-xfah5  0/1     ContainerCreating 0           9s     <none>          srvvmpapamdmx01
avid-mpd-ingest-downloader-mpd-6d75d9df7-g7p9h  0/1     Pending   0           9s     <none>          srvvmpapamdmx01
avid-mpd-ingest-search-mpd-7f8bb676c-pvrvq  0/1     ContainerCreating 0           9s     <none>          srvvmpapamdmx01
avid-mpd-publish-process-mpd-754974b866-8n89j  0/1     ContainerCreating 0           9s     <none>          srvvmpapamdmx01
avid-mpd-settings-mpd-775d57794-22kbb  0/1     ContainerCreating 0           9s     <none>          srvvmpapamdmx01
avid-mpd-shardsvr0-0                0/2     Init:0/2  0           9s     <none>          srvvmpapamdmx01
avid-mpd-workflow-distribution-core-mpd-86f05d6659-sfhwm  0/1     Pending   0           9s     <none>          srvvmpapamdmx01
avid-mpd-workflow-distribution-genericcms-mpd-5f54b457d7-jd6w9  0/1     ContainerCreating 0           9s     <none>          srvvmpapamdmx01
avid-notification-shardsvr0-0        0/2     Pending   0           9s     <none>          srvvmpapamdmx01
avid-openldap-0                     0/1     Pending   0           9s     <none>          srvvmpapamdmx01
avid-pam-search-connector-production-pam-c9dd8dbb-bk928  0/1     Pending   0           9s     <none>          srvvmpapamdmx01
avid-pam-sequence-pam-0790bd66d4-n7agx  0/1     Pending   0           9s     <none>          srvvmpapamdmx01
avid-pam-services-pam-06d47fcb9-q12cn  0/1     ContainerCreating 0           9s     <none>          srvvmpapamdmx01
avid-publish-brightcove-mpd-7489f458cf-2t7jp  0/1     Pending   0           9s     <none>          srvvmpapamdmx01
avid-publish-facebook-mpd-5c9846b989-5bcmc  0/1     ContainerCreating 0           9s     <none>          srvvmpapamdmx01
avid-publish-twitter-mpd-577d56f454-j9s54  0/1     ContainerCreating 0           9s     <none>          srvvmpapamdmx01
avid-publish-youtube-mpd-64974db944-1knq4  0/1     ContainerCreating 0           9s     <none>          srvvmpapamdmx01
avid-resource-configsvr0-0           0/2     Init:0/2  0           9s     <none>          srvvmpapamdmx01
avid-resource-shardsvr0-0            0/2     Init:0/2  0           9s     <none>          srvvmpapamdmx01
avid-search-shardsvr0-0              0/2     Init:0/2  0           9s     <none>          srvvmpapamdmx01
avid-transcode-azuremediaservices-mpd-59b8c445b6-x8fzj  0/1     ContainerCreating 0           9s     <none>          srvvmpapamdmx01
avid-transcode-man-mpd-667b55c579-srbxs  0/1     ContainerCreating 0           9s     <none>          srvvmpapamdmx01
avid-transcode-stp-mpd-3659f85b48-sbjmd  0/1     ContainerCreating 0           9s     <none>          srvvmpapamdmx01
avid-transcode-vantage-mpd-6b7775fac9-jnhkc  0/1     ContainerCreating 0           9s     <none>          srvvmpapamdmx01
avid-ui-graphic-tab-uidpl-77994c8747-vf7vw  0/1     Pending   0           9s     <none>          srvvmpapamdmx01
avid-ui-pam-uidpl-5080b4dcd-qfzm2  0/1     Pending   0           9s     <none>          srvvmpapamdmx01
thumbnails-reloader-uidpl-fc90b74bd-rtbkl  0/1     Init:0/2  0           8s     <none>          srvvmpapamdmx01
```

Este comando é para monitorar a lista de PODS. Eles irão sumir da visualização quando estiverem em "running". Uma vez que não tenha nada na lista de visualização, acionar no teclado Ctrl+C para sair do "WATCH"

Obs.: quando este processo acaba é necessário aguardar em torno de 5 minutos e verificar se existe algum POD



pendente, executando novamente o comando: `watch "sudo kubectl get pods -o wide | grep -v Running"`

- Após todos os serviços subirem, deletar os pods de gateway:

`sudo kubectl delete pod -l app=avid-acg-gateway`

ATENÇÃO: Se por acaso algum POD não subir ou apresentar erro, inicie o procedimento a partir do item 4.1.2 desse documento

5.6. Validação

5.6.1. Kubernetes



Acessar a página dos Kubernetes, conforme a lista abaixo:

SISTEMA	URL
EG-PAM-A	https://eg-mediacentral-a.servicos.corp.tvglobo.com.br:30143
EG-PAM-B	https://eg-mediacentral-b.servicos.corp.tvglobo.com.br:30143
EG-PAM-C	https://eg-mediacentral-c.servicos.corp.tvglobo.com.br:30143
EG-PAM-D	https://eg-mediacentral-d.servicos.corp.tvglobo.com.br:30143
EG-PAM-E	https://eg-mediacentral-e.servicos.corp.tvglobo.com.br:30143
EG-PAM-F	https://eg-mediacentral-f.servicos.corp.tvglobo.com.br:30143


Acessar o servidor-1 do Media Central e executar o seguinte comando para obter o token da página dos kubernetes:


`sudo avidctl extra dashboard create-token --admin --duration 30m`

Copiar o resultado do comando acima e colar no campo “Enter token” da figura abaixo:



Verificar se todos os Pods subiram através da visualização abaixo:





5.6.2. Testes operacionais

Acessar a página do Media Central conforme a lista abaixo:


SISTEMA	URL
EG-PAM-A	https://eg-mediacentral-a.servicos.corp.tvglobo.com.br
EG-PAM-B	https://eg-mediacentral-b.servicos.corp.tvglobo.com.br
EG-PAM-C	https://eg-mediacentral-c.servicos.corp.tvglobo.com.br
EG-PAM-D	https://eg-mediacentral-d.servicos.corp.tvglobo.com.br
EG-PAM-E	https://eg-mediacentral-e.servicos.corp.tvglobo.com.br
EG-PAM-F	https://eg-mediacentral-f.servicos.corp.tvglobo.com.br


Realizar testes de playback, criação de markers, subclips e sequência.

5.7. Reabilitar o sync entre os sistemas


5.7.1. Logar na página do Media Central como administrador

Após acessar a página do Media Central, deve-se clicar o símbolo da Avid (destacado na figura abaixo), confirmar que a página mudou para o modo administrador e logar com seu usuário normal.







5.7.2. Clicar no ícone MenciaCentral | Sync



5.7.3. Na coluna da esquerda do painel, selecionar “Production Management Systems” e confirmar que os sistemas estão online





5.7.4. Na coluna da esquerda do painel, selecionar “Sync Tasks – Configuration”, clicar em cada task, habilitar o sync, e clicar no botão Save, conforme destacado na figura abaixo:

