

Планирование: Multi-Level Feedback Queue

Лекция №5

MLFQ Example




How To Change Priority




Long-running Job Over Time

How To Change Priority




Along Came An Interactive Job

How To Change Priority




AMixed I/O-intensive and CPU-intensiveWorkload

How To Change Priority




Without (Left) and With (Right) Priority Boost

How To Change Priority



Without (Left) and With (Right) Gaming Tolerance

The Priority Boost



Lower Priority, Longer Quanta

Подведем итоги

Operating System	Preemption	Algorithm
Amiga OS	Yes	Prioritized round-robin scheduling
FreeBSD	Yes	Multilevel feedback queue
Linux kernel before 2.6.0	Yes	Multilevel feedback queue
Linux kernel 2.6.0–2.6.23	Yes	O(1) scheduler
Linux kernel after 2.6.23	Yes	Completely Fair Scheduler
classic Mac OS pre-9	None	Cooperative scheduler
Mac OS 9	Some	Preemptive scheduler for MP tasks, and cooperative for processes and threads
macOS	Yes	Multilevel feedback queue
NetBSD	Yes	Multilevel feedback queue
Solaris	Yes	Multilevel feedback queue
Windows 3.1x	None	Cooperative scheduler
Windows 95, 98, Me	Half	Preemptive scheduler for 32-bit processes, and cooperative for 16-bit processes
Windows NT (including 2000, XP, Vista, 7, and Server)	Yes	Multilevel feedback queue