

Rehabiphy — Lead System Documentation

Version: v0.2.0 **Date:** June 24, 2026 **Backend URL:** <http://68.183.95.149>

TABLE OF CONTENTS

1. Overview
 2. Lead Types
 3. Complete Lead Flow (Step by Step)
 4. Wallet System
 5. Deduction Logic with Examples
 6. Refund Logic with Examples
 7. Lead Status Reference
 8. Cron Jobs (Automated Tasks)
 9. Admin Controls
 10. All API Endpoints
 11. Frontend Integration Guide
 12. Things Frontend Team Must Keep in Mind
-

1. OVERVIEW

The Lead System is the core monetization engine for Rehabiphy's offline services (Home Visits and Clinic Visits). Instead of a traditional booking system, Rehabiphy uses a lead marketplace model where:

- Patients submit requests for home or clinic physiotherapy
- Therapists pay to access patient contact details
- Platform earns from lead fees regardless of who wins the booking
- Therapists get partial or full refunds based on engagement

This creates 4 revenue layers:

1. Lead fee revenue (₹600 per home unlock × 5 therapists = ₹3,000 per lead)
 2. Package commission (5-10%)
 3. Online program revenue (35% platform share)
 4. Subscription revenue (₹799/month)
-

2. LEAD TYPES

Home Visit Lead

- Patient requests a physiotherapist to visit their home
- Lead unlock cost: ₹600
- Maximum 5 therapists can unlock one lead
- Maximum platform revenue per lead: ₹3,000

Clinic Visit Lead

- Patient requests a clinic visit physiotherapist nearby
 - Lead unlock cost: ₹250
 - Maximum 5 therapists can unlock one lead
 - Maximum platform revenue per lead: ₹1,250
-

3. COMPLETE LEAD FLOW (STEP BY STEP)

STEP 1 — Patient Creates a Lead

Patient submits a request with:

- Condition (e.g. Back Pain)
- Location (e.g. Sector 15, Gurgaon)
- City
- Age
- Preferred timing
- Notes

System creates a lead with status OPEN and sets expiry to 48 hours from creation.

Example: Patient "Rahul" in Delhi creates a home visit lead for Back Pain. Lead ID is generated, expiry set to 48 hours.

STEP 2 — Therapists See the Lead

Therapists in the same city see the lead in their available leads list. The lead shows:

- Condition
- Area (not exact address)
- Age
- Preferred timing
- Slots left (how many of the 5 spots remain)

Patient contact details are NOT visible at this stage.

STEP 3 — Therapist Unlocks the Lead

Therapist clicks "Unlock Lead". System:

1. Checks therapist's lead wallet has sufficient balance
2. Deducts ₹600 (home) or ₹250 (clinic) immediately
3. Reveals full patient details (name, phone, exact location)
4. Enables chat and calling
5. Sets engagement deadline to 12 hours from unlock
6. Creates a LeadUnlock record

If 5 therapists have already unlocked, the lead status becomes LOCKED and no more unlocks are allowed.

Example: Dr. Priya Sharma has ₹2,000 in her lead wallet. She unlocks Rahul's lead. ₹600 is deducted immediately. Balance becomes ₹1,400. She can now see Rahul's phone number and address.

STEP 4 — Therapist Engages with Patient

Therapist contacts patient via:

- Chat (at least 1 message sent)
- Voice call (connected for more than 30 seconds)
- Video call (connected for more than 30 seconds)

System automatically sets hasChattedOrCalled = true when any of the above occurs.

This is critical for refund eligibility. Therapists cannot manually claim engagement.

STEP 5 — Patient Selects a Therapist

Patient reviews all therapists who contacted them, compares profiles, ratings, and experience, then selects one.

Patient calls POST /leads/select-therapist with the chosen therapist ID.

System:

1. Marks lead as BOOKED
2. Records bookedTherapistId
3. Winning therapist gets no refund (they won the booking)

4. Other therapists who engaged get 50% refund
 5. Other therapists who never engaged get no refund
-

STEP 6 — Lead Outcomes

Four possible outcomes:

A) Therapist wins booking → No refund. They earned the session. B) Therapist engaged but lost → 50% refund credited to wallet. C) Therapist never engaged → No refund. D) Lead expired without booking → Full refund for therapists who engaged.

STEP 7 — Lead Reopen (if no booking)

If no therapist wins and patient marks lead unsuccessful, patient can reopen the lead ONCE.

On reopen:

- All previous therapists are excluded from the new pool
 - Fresh therapists are notified
 - New 48-hour expiry is set
 - Lead status becomes REOPENED
-

4. WALLET SYSTEM

Structure

Each therapist has a separate INR-based Lead Wallet (separate from their RC/PC coin wallet used for session earnings).

Wallet fields:

- balance (current INR balance)
- isFrozen (admin can freeze suspicious wallets)
- Full transaction ledger

Recharging the Wallet

Therapists recharge via Razorpay (pending integration). Once Razorpay is live, payment is verified on backend and POST /leads/wallet/recharge is called with the amount.

For now, admin can manually credit wallets.

Transaction Types

- RECHARGE — money added to wallet
 - LEAD_DEDUCTION — lead unlock fee deducted
 - PARTIAL_REFUND — 50% refund on engagement + lost booking
 - FULL_REFUND — 100% refund when lead expires with engagement
-

5. DEDUCTION LOGIC WITH EXAMPLES

Example 1 — Home Visit Lead Unlock

Dr. Priya Sharma unlocks a home visit lead.

Before unlock: Wallet balance: ₹2,000

After unlock: Wallet balance: ₹1,400 Transaction created: LEAD_DEDUCTION — ₹600

Example 2 — Clinic Visit Lead Unlock

Dr. Rahul Mehta unlocks a clinic visit lead.

Before unlock: Wallet balance: ₹1,500

After unlock: Wallet balance: ₹1,250 Transaction created: LEAD_DEDUCTION — ₹250

Example 3 — 5 Therapists Unlock Same Lead

Lead has 5 slots. All 5 therapists unlock it.

Platform earns: Home lead: $5 \times ₹600 = ₹3,000$ Clinic lead: $5 \times ₹250 = ₹1,250$

After 5th unlock, lead status changes to LOCKED automatically.

6. REFUND LOGIC WITH EXAMPLES

Scenario A — No Engagement, No Refund

Dr. Priya unlocks a home visit lead (₹600 deducted). She never contacts the patient. Patient books another therapist.

Refund: ₹0 Net cost to Dr. Priya: ₹600 Wallet change: No change

Scenario B — Engaged but Lost, 50% Refund

Dr. Priya unlocks a home visit lead (₹600 deducted). She chats with the patient. Patient books Dr. Vikram instead.

Refund: ₹300 (50% of ₹600) Net cost to Dr. Priya: ₹300 Wallet change: +₹300 credited, transaction type PARTIAL_REFUND

Clinic visit example: Dr. Rahul unlocks clinic lead (₹250 deducted). He calls the patient. Patient books someone else. Refund: ₹125 (50% of ₹250) Net cost: ₹125

Scenario C — Won the Booking, No Refund

Dr. Priya unlocks a home visit lead (₹600 deducted). She contacts patient. Patient selects Dr. Priya.

Refund: ₹0 Net cost: ₹600 But she won the session so she earns from the booking itself.

Scenario D — Lead Expired with Engagement, Full Refund

Dr. Priya unlocks a home visit lead (₹600 deducted). She contacts patient. Lead expires after 48 hours without any booking.

Refund: ₹600 (100% of ₹600) Net cost: ₹0 Wallet change: +₹600 credited, transaction type FULL_REFUND

This is handled automatically by the cron job every 30 minutes.

Scenario E — Lead Expired without Engagement, No Refund

Dr. Rahul unlocks a clinic lead (₹250 deducted). He never contacts the patient. Lead expires.

Refund: ₹0 Net cost: ₹250 No wallet credit.

7. LEAD STATUS REFERENCE

Status	Meaning	Who Sets It
--------	---------	-------------

open	Lead created, waiting for therapists	System on creation
locked	5 therapists have unlocked	System automatically
booked	Patient selected a therapist	Patient via API
unsuccessful	No therapist won	Therapist or system
expired	48 hours passed without booking	Cron job (every 30 min)
reopened	Patient reopened once	Patient via API

8. CRON JOBS (AUTOMATED TASKS)

Lead Expiry Cron (every 30 minutes)

Runs every 30 minutes automatically.

Checks all leads with status open, locked, or reopened whose expiresAt is in the past.

For each expired lead:

1. Sets lead status to expired
2. For each unlock on that lead:
 - If therapist engaged (hasChattedOrCalled = true) → Full refund credited
 - If therapist never engaged → No refund, status set to no_refund

This runs silently in the background. No manual intervention needed.

9. ADMIN CONTROLS

View All Leads

GET /leads/admin/all

Filter by status, type, paginate results. Shows full patient and therapist details.

Force Close a Lead

POST /leads/admin/:leadId/close

Sets lead to expired immediately. Used for spam or invalid leads.

Manual Refund

POST /leads/admin/refund

Admin can manually refund any amount to any therapist wallet. Requires unlockId, amount, and reason.

Freeze/Unfreeze Wallet

POST /leads/admin/wallet/freeze

Freeze suspicious therapist wallets to prevent further lead unlocks. Frozen therapists cannot unlock leads.

Configure Lead Costs

PUT /leads/admin/config

All lead costs, refund amounts, expiry hours, and engagement windows are configurable without code changes.

Current default config:

- homeLeadCost: ₹600
- clinicLeadCost: ₹250
- homeLeadRefundPartial: ₹300 (50% of home)
- homeLeadRefundFull: ₹600 (100% of home)
- clinicLeadRefundPartial: ₹125 (50% of clinic)
- clinicLeadRefundFull: ₹250 (100% of clinic)
- maxUnlocksPerLead: 5
- leadExpiryHours: 48
- engagementWindowHours: 12

10. ALL API ENDPOINTS

Base URL: http://68.183.95.149

PATIENT ENDPOINTS

Create Home Visit Lead

Method: POST Path: /leads/home/create Auth: Required (patient token)

Request body:

```
{  
  "condition": "Back Pain",
```



```
"location": "Sector 15, Gurgaon",
"city": "Delhi",
"age": 35,
"preferredTiming": "Morning",
"notes": "Need home physiotherapy for lower back"
}
```

Response:

```
{
  "success": true,
  "message": "Home visit request submitted successfully",
  "data": {
    "leadId": "bf1bd5b2-9652-429d-b1d7-a2b3173be64a",
    "status": "open",
    "expiresAt": "2026-06-26T07:40:27.659Z"
  }
}
```

Create Clinic Visit Lead

Method: POST Path: /leads/clinic/create Auth: Required (patient token)

Request body:

```
{
  "condition": "Knee Pain",
  "location": "Connaught Place, Delhi",
  "city": "Delhi",
  "age": 45,
  "preferredTiming": "Evening",
  "notes": "Looking for clinic near metro"
}
```

Get My Leads

Method: GET Path: /leads/my Auth: Required (patient token)

Returns all leads created by the patient with unlock details and therapist profiles.

Reopen Lead

Method: POST Path: /leads/:leadId/reopen Auth: Required (patient token)

Rules:

- Lead must be unsuccessful or expired
- Can only reopen once
- Previous therapists are excluded

Response:

```
{
  "success": true,
  "message": "Lead reopened successfully. Fresh therapist pool will be notified.",
  "data": {
    "leadId": "bf1bd5b2-9652-429d-b1d7-a2b3173be64a",
    "status": "reopened",
    "expiresAt": "2026-06-26T07:57:54.787Z",
    "excludedTherapistIds": ["a5d60baf-e9de-4f09-a38f-df7f107fa383"]
  }
}
```

Select Therapist (Book)

Method: POST Path: /leads/select-therapist Auth: Required (patient token)

Request body:

```
{
  "leadId": "bf1bd5b2-9652-429d-b1d7-a2b3173be64a",
  "therapistId": "a5d60baf-e9de-4f09-a38f-df7f107fa383"
}
```

This triggers automatic refund processing for all other therapists on the lead.

THERAPIST ENDPOINTS

Get Available Leads

Method: GET Path: /leads/available Auth: Required (therapist token) Query params: type (home/clinic), condition (optional)

Returns leads in therapist's city that have slots remaining and are not yet unlocked by this therapist.

Response:

```
{
```

```
"success": true,
"count": 3,
"data": [
  {
    "id": "bf1bd5b2-9652-429d-b1d7-a2b3173be64a",
    "type": "home",
    "status": "open",
    "condition": "Back Pain",
    "city": "Delhi",
    "age": 35,
    "preferredTiming": "Morning",
    "expiresAt": "2026-06-26T07:40:27.659Z",
    "unlocksCount": 2,
    "slotsLeft": 3
  }
]
```

Note: Patient contact details are NOT shown here. Only shown after unlock.

Unlock Lead

Method: POST Path: /leads/:leadId/unlock Auth: Required (therapist token)

No request body needed.

Response on success:

```
{
  "success": true,
  "message": "Lead unlocked successfully",
  "data": {
    "leadId": "bf1bd5b2-9652-429d-b1d7-a2b3173be64a",
    "patient": {
      "name": "Rahul Sharma",
      "phone": "9876543210",
      "city": "Delhi"
    },
    "condition": "Back Pain",
    "location": "Sector 15, Gurgaon",
    "age": 35,
    "preferredTiming": "Morning",
    "notes": "Need home physiotherapy for lower back"
  }
}
```

Error responses:

```
{ "success": false, "message": "Insufficient wallet balance. Please recharge." }
{ "success": false, "message": "Maximum therapists have already unlocked this lead" }
{ "success": false, "message": "You have already unlocked this lead" }
{ "success": false, "message": "Lead has expired" }
{ "success": false, "message": "Your wallet has been frozen. Contact support." }
```

Get My Unlocked Leads

Method: GET Path: /leads/my-unlocked Auth: Required (therapist token)

Returns all leads the therapist has unlocked with full patient details.

Track Engagement

Method: POST Path: /leads/:leadId/engagement Auth: Required (therapist token)

Called automatically when therapist sends a chat message or completes a call. Sets hasChattedOrCalled = true for refund eligibility.

Mark Lead Unsuccessful

Method: POST Path: /leads/:leadId/unsuccessful Auth: Required (therapist token)

Therapist marks the lead as unsuccessful from their side.

WALLET ENDPOINTS

Get Lead Wallet

Method: GET Path: /leads/wallet Auth: Required (therapist token)

Response:

```
{
  "success": true,
  "data": {
    "id": "46971017-4d7a-4d1c-90bd-cdf53feb01f3",
    "therapistId": "a5d60baf-e9de-4f09-a38f-df7f107fa383",
    "balance": 1700,
    "isFrozen": false,
```

```
"transactions": [  
  {  
    "id": "uuid",  
    "amount": 600,  
    "type": "LEAD_DEDUCTION",  
    "description": "Home visit lead unlock",  
    "createdAt": "2026-06-24T07:45:22.317Z"  
  },  
  {  
    "id": "uuid",  
    "amount": 300,  
    "type": "PARTIAL_REFUND",  
    "description": "50% refund — patient booked another therapist",  
    "createdAt": "2026-06-24T07:46:00.458Z"  
  }  
]  
}
```

Recharge Wallet

Method: POST Path: /leads/wallet/recharge Auth: Required (therapist token)

Request body:

```
{  
  "amount": 1000,  
  "transactionId": "rzp_live_xxxx"  
}
```

Note: transactionId comes from Razorpay after payment is verified.

Get Wallet Transaction History

Method: GET Path: /leads/wallet/history Auth: Required (therapist token) Query params: page, limit, type (RECHARGE/LEAD_DEDUCTION/PARTIAL_REFUND/FULL_REFUND)

ADMIN ENDPOINTS

Get All Leads

Method: GET Path: /leads/admin/all Auth: None (add admin auth before production) Query params: status, type, page, limit

Force Close Lead

Method: POST Path: /leads/admin/:leadId/close Auth: None (add admin auth before production)

Manual Refund

Method: POST Path: /leads/admin/refund Auth: None (add admin auth before production)

Request body:

```
{
  "unlockId": "63387ccf-20d9-4e0f-bcba-5997a1f05ed1",
  "amount": 600,
  "reason": "Technical error during lead expiry"
}
```

Freeze/Unfreeze Wallet

Method: POST Path: /leads/admin/wallet/freeze Auth: None (add admin auth before production)

Request body:

```
{
  "therapistId": "a5d60baf-e9de-4f09-a38f-df7f107fa383",
  "freeze": true
}
```

Get Lead Config

Method: GET Path: /leads/admin/config Auth: None

Response:

```
{
  "success": true,
  "data": {
    "id": 1,

```

```
"homeLeadCost": 600,  
"clinicLeadCost": 250,  
"homeLeadRefundPartial": 300,  
"homeLeadRefundFull": 600,  
"clinicLeadRefundPartial": 125,  
"clinicLeadRefundFull": 250,  
"maxUnlocksPerLead": 5,  
"leadExpiryHours": 48,  
"engagementWindowHours": 12  
}  
}
```

Update Lead Config

Method: PUT Path: /leads/admin/config Auth: None (add admin auth before production)

Request body (send only fields you want to change):

```
{  
  "homeLeadCost": 700,  
  "maxUnlocksPerLead": 4  
}
```

11. FRONTEND INTEGRATION GUIDE

Patient App Flow

Home Visit Request Screen

1. Show a form with fields: condition (dropdown), location, city, age, preferred timing, notes
2. On submit call POST /leads/home/create
3. On success show confirmation: "Your request has been submitted. Therapists in your area will contact you within 48 hours."
4. Save the leadId for tracking

My Requests Screen

1. Call GET /leads/my on screen load
2. Show each lead as a card with:
 - Condition and location
 - Status badge (open/locked/booked/expired)
 - Number of therapists who contacted: lead.unlocks.length
 - Expiry countdown

3. For each therapist who unlocked, show their profile card with:
 - Name, photo, rating, experience
 - Chat and call buttons
4. Show "Select this therapist" button for each
5. Show "Reopen Request" button only when status is unsuccessful or expired AND reopenCount is 0

Select Therapist

1. When patient taps "Select this therapist", call POST /leads/select-therapist
2. On success show: "Booking confirmed with [therapist name]"
3. Update lead status in UI to booked

Reopen Flow

1. Call POST /leads/:leadId/reopen
 2. On success show: "Your request has been reopened. New therapists will be notified."
 3. Update lead status in UI to reopened
-

Therapist App Flow

Available Leads Screen

1. Call GET /leads/available on screen load
2. Show leads as cards with LIMITED info:
 - Condition
 - Area (not exact address)
 - Age
 - Preferred timing
 - Slots left: "3 of 5 spots remaining"
 - Expiry countdown
 - Unlock cost: "Unlock for ₹600"
3. Do NOT show patient name, phone, or exact address before unlock

Unlock Lead Flow

1. When therapist taps "Unlock Lead":
 - Show confirmation dialog: "₹600 will be deducted from your wallet. Current balance: ₹2,000. Confirm?"
 - On confirm call POST /leads/:leadId/unlock
2. On success:
 - Show patient full details (name, phone, exact address)
 - Enable chat and call buttons
 - Show engagement deadline countdown: "Contact patient within 12 hours to be eligible for refund"
3. On error INSUFFICIENT_BALANCE show: "Insufficient balance. Please recharge your wallet."

4. On error LEAD_FULL show: "This lead is no longer available."

My Unlocked Leads Screen

1. Call GET /leads/my-unlocked
2. Show each unlock with:
 - Patient details
 - Lead status
 - Engagement status (contacted / not yet contacted)
 - Refund status (active / refunded / no_refund)
 - Refund amount if applicable

Wallet Screen

1. Call GET /leads/wallet on screen load
2. Show:
 - Current balance in large text: "₹1,700"
 - Recharge button
 - Transaction history list
3. Color code transactions:
 - RECHARGE: green (+₹1,000)
 - LEAD_DEDUCTION: red (-₹600)
 - PARTIAL_REFUND: orange (+₹300)
 - FULL_REFUND: green (+₹600)
4. Call GET /leads/wallet/history for paginated history

Engagement Tracking

Call POST /leads/:leadId/engagement automatically when:

- Therapist sends first chat message to patient from this lead
- Voice/video call completes with duration more than 30 seconds

Do NOT show this to the therapist. It should be a silent background call.

12. THINGS FRONTEND TEAM MUST KEEP IN MIND

Critical Rules

1. NEVER show patient contact details before unlock. The GET /leads/available response intentionally excludes name, phone, and exact address. Only show after successful unlock response.
2. Always show wallet balance before unlock confirmation. Never let therapist unlock without seeing their current balance. Prevents confusion if deduction fails.

3. Engagement tracking must be silent and automatic. Never ask therapist "Did you contact the patient?" The system tracks this automatically via chat and call events.
4. Reopen button must only show when reopenCount === 0 AND status is unsuccessful or expired. Check both conditions before showing the button.
5. Lead expiry countdown is important. Show a live countdown timer on each lead card. When a lead expires it disappears from available leads automatically.
6. Slots remaining must be shown prominently. "3 of 5 spots remaining" creates urgency. Update this in real time.
7. Admin endpoints have no auth currently. Do not expose admin endpoints in the patient or therapist app. These are for the admin panel only. Admin auth will be added before production.
8. All amounts are in INR (₹). Format all wallet amounts with ₹ symbol and Indian number formatting.
9. Handle all error messages from unlock gracefully. The backend returns specific error messages for each failure scenario. Map these to user-friendly UI messages.
10. Wallet recharge requires Razorpay integration (pending). For now show "Recharge coming soon" or allow admin to manually top up. Do not build Razorpay UI until credentials are received.

Error Message Mapping for Unlock Lead

Backend message	User-friendly UI message
Insufficient wallet balance. Please recharge.	Your wallet balance is low. Please recharge to unlock this lead.
Maximum therapists have already unlocked this lead	This lead is no longer available.
You have already unlocked this lead	You have already unlocked this patient's details.
Lead has expired	This lead has expired and is no longer available.
Your wallet has been frozen. Contact support.	Your account has been restricted. Please contact support.
Wallet not found. Please create your lead wallet first.	Please set up your lead wallet to unlock leads.

State Management Notes

- After calling POST /leads/:leadId/unlock refresh GET /leads/available to remove that lead if slots are now full
- After calling POST /leads/select-therapist refresh GET /leads/my to update lead status
- After any wallet transaction refresh GET /leads/wallet to show updated balance
- Store leadId locally after creation so patient can track their request

Data Flow Summary

Patient creates lead



Backend creates Lead record (status: open, expires in 48hrs)



Therapist sees lead in available list (no patient details)



Therapist unlocks (₹600 deducted, patient details revealed)



Therapist contacts patient (system tracks engagement automatically)



Patient selects therapist



Backend processes refunds for all other therapists



Lead marked as booked