

Moody's Analytics Scenario Studio API User Guide

version 1.0.1

Introduction

Scenario Studio API provides easy access to your project information and data from the Scenario Studio web application. We provide several means of manual and automatic access that you can integrate with your workflow, among them, the Scenario Studio API (application program interface). [Here](#) is a link to our Swagger API documentation. The API uses HMAC and OAuth 2.0 authentication and JSON responses, and is agnostic regarding the client's operating system and programming language. The API is throttled (rate-limited) to 300 requests per minute and one gigabyte of data per month. The Swagger documentation examples express the requests in cURL notation, but the [GitHub repository](#) contains examples in Python and R.

Overview

The corresponding text details the Scenario Studio project content that can be accessed using the API.:

DataSeries

- To get the central data for series
 - `/project/{projectId}/scenario/{scenarioId}/data-series/{variableId}/data/central`
- To get the local data for series
 - `/project/{projectId}/scenario/{scenarioId}/data-series/{variableId}/data/local`
- To get multiple series and/or expressions
 - `/project/{projectId}/data-series`

Project

- To get the list of projects the user has access to
 - `/project`
- To get information about a specific project
 - `/project/{projectId}`
- To get the scenarios within a project
 - `/project/{projectId}/scenario`
- To get the list of all series within a project
 - `/project/{projectId}/series`
- To get the list of series checked out by the current user
 - `/project/{projectId}/series/checked-out`

Scenario

- To get information about a specific scenario
 - `/project/{projectId}/scenario/{scenarioId}`

Series

- To get information about a specific series
 - `/project/{projectId}/scenario/{scenarioId}/series/{variableId}`
- To get the equation specification for a series
 - `/project/{projectId}/scenario/{scenarioId}/series/{variableId}/equation`
- To get the equation statistics for a series
 - `/project/{projectId}/scenario/{scenarioId}/series/{variableId}/equation-stats`
- To get the list of series that the current series depends on
 - `/project/{projectId}/scenario/{scenarioId}/series/{variableId}/dependencies`
- To get the list of series that depend on the current series
 - `/project/{projectId}/scenario/{scenarioId}/series/{variableId}/rhs`
- To get the full meta information (Equation Info, Equation Statistics, Dependencies, Rhs, etc)
 - `/project/{projectId}/scenario/{scenarioId}/series/{variableId}/meta`

Authentication

The Scenarion Studio API supports 2 forms of authentication:

1. HMAC Signature
2. OAuth 2.0 Token

Both methods require Scenario Studio API access key and encryption key. Every request to the API must contain either an HMAC signature or OAuth Token.

Getting API Keys

Access to the API is controlled by the combination of an access key and an encryption key. These keys are issued to a single user. To obtain your keys, go to the “My Subscriptions” section of your Economy.com account:

<https://www.economy.com/myeconomy/api-key-info>.

Figure 1. Example access key and encryption key

```
DB73FDF0-043C-4018-A7EB-CFB57356BA22
7C7C2FEA-6D18-49A1-BEC9-193B67EAE87D
```

Using HMAC Authentication

Authenticating each request

HMAC signature is generated from your access key, encryption key, and a time stamp. You must attach a signature to every request using HMAC authorization, and you must re-create the signature with every request; you will receive an HTTP 401 Unauthorized error otherwise.

The access key, time stamp and signature need to be passed in as HTTP headers (not as part of the query string). Do not transmit the encryption key in the request since it is a secret between you and the server. Specifically, the signature is a SHA256 hash of the access key, encryption key and time stamp. The time stamp must be formatted as yyyy-MM-ddTHH:mm:ssZ using UTC. For example, “July 30, 2018 5:03:28pm EST” must be represented as 2018-07-30T21:03:28Z.

Figure 2. Example HTTP request header

```
AccessKeyId: DB73FDF0-043C-4018-A7EB-CFB57356BA22
TimeStamp: 2012-08-02T14:25:20Z
```

Signature: A7808C5A67C422054364F195B16175308317930848232C6A08A77224F1017E83

Figure 3. Example signature creation in C

This C# function creates a signature from an access key, encryption key, and time stamp. See the GitHub repository for samples using Python and R.

```
using System;
using System.Text;
using System.Security.Cryptography;
public static string CreateHMACSignature
(string accKey, string encKey, string timeStamp)
{
    string signature = string.Empty;
    byte[] keyBytes = Encoding.UTF8.GetBytes(encKey);
    using (HMAC hmac = new HMACSHA256(keyBytes))
    {
        byte[] bytesToHash = Encoding.UTF8.GetBytes(accKey + timeStamp);
        byte[] hashedBytes = hmac.ComputeHash(bytesToHash);
        for (int i = 0; i < hashedBytes.Length; i++)
        {
            signature += hashedBytes[i].ToString("X2");
        }
    }
    return signature;
}
```

Using OAuth authentication.

oAuth Token can be generated by calling an API endpoint, using API access key as *client_id* and API encryption key as *client_secret* and it will remain valid for 1 hour. You must include token in header of every request using OAuth authorization.

Obtaining OAuth Token

The *oauth2/token* endpoint is used to generate oAuth Token using your *access key* as *client_id*, *encryption key* as *client_secret* and *grant_type* as *client_credentials*. The following cURL request can be used to obtain an OAuth token.

Figure 4. Request

```
curl -X POST \
  https://api.economy.com/scenario-studio/v1/oauth2/token \
  -H 'Content-Type: application/x-www-form-urlencoded' \
  -d 'client_id=DB73FDF0-043C-4018-A7EB-CFB57356BA22' \
  -d 'client_secret=47C7C2FEA-6D18-49A1-BEC9-193B67EAE87D' \
  -d 'grant_type=client_credentials'
```

The response to the above request will have a new access token.

Figure 5. Response

```
{
  "token_type": "bearer",
  "access_token": "SrZ5UkbzPn432zqMLgV3Ja",
  "expires_in": 3600
}
```

A request to API will have **Authorization: Bearer *token*** as header

Figure 6. Call to API endpoint using oAuth Token

```
curl -X GET \
  'https://api.economy.com/scenario-studio/v1/project' \
  -H 'Authorization: Bearer SrZ5UkbzPn432zqMLgV3Ja'
```

Frequently asked questions

- What programming languages does the API support?
- What response types are supported?
- Can I use the API from Linux?
- What kind of authentication does the API use?
- How often do I need to regenerate the signature?
- How often do I need to regenerate the token?
- Is the API throttled?
- What's the fastest way to retrieve a large number of series?
- Can I use the API to populate a data warehouse?
- What kind of Scenario Studio information can I retrieve?
- Which series can I retrieve?
- Can I create or alter a project or scenario?
- If I alter the name of a project using the Scenario Studio web application, do I need to change my code?
- Whom do I contact for assistance in using the API?
- Do other Moody's Analytics products have APIs?
- I don't understand this jargon—can you translate?

What programming languages does the API support?

The programming language used at your end is immaterial, so long as it (a) creates HTTP requests that the API can process, and (b) can interpret the JSON-formatted responses produced by the API. The examples provided in this document and in the GitHub repository use cURL, Python and R.

What response types are supported?

JSON is the only response type returned by the API.

Can I use the API from Linux?

Yes, because the operating system is immaterial. Java, Python and R are commonly used on Linux machines; to run C#, you will need to install the .NET Core framework. Setting up your run-time environment is beyond the scope of this document.

What kind of authentication does the API use?

Our API uses HMAC and OAuth 2.0 authentication. See the Authentication section above for more info.

How often do I need to regenerate the signature?

You must re-create the signature prior to every request; otherwise you will receive the "HTTP 401 Unauthorized" error. You may find it useful to create a wrapper function that takes the time stamp, access key and encryption key as arguments, and generates a signature immediately before calling the endpoint.

How often do I need to regenerate the token?

Once generated the OAuth token is valid for 1 hour and can be used for multiple requests.

Is the API throttled?

Yes, in two ways. First, you can execute 300 requests per minute per account (but a single request can retrieve one series or a basket containing thousands of series). You will receive “HTTP 429 Too Many Requests” error. Second, you can retrieve only one gigabyte of data per month. This includes all of the metadata and HTTP headers, although these are insignificant relative to the data payload. The number of requests and series are not specifically limited.

Can I use the API to populate a data warehouse?

Yes. You may create a data warehouse for internal use, but the number of users who may have access to it is stipulated by your contract; please contact your Moody’s Analytics sales representative if you have questions.

What kind of Scenario Studio information can I retrieve?

The API can return Scenario Studio project, scenario, and series details and metadata, as well as series data.

Which series can I retrieve?

You can retrieve any data to which you have access via the Scenario Studio web application, including all projects, scenario, and data series.

Can I create or alter a project or scenario?

No. The API is currently read-only; to alter projects, scenarios and data, you must use the Scenario Studio web application.

If I alter the name of a project using the Scenario Studio web application, do I need to change my code?

No. The /project/{projectId} endpoint identifies a project by an immutable alphanumeric GUID that is assigned by our system, not the human-readable title assigned by you.

Whom do I contact for assistance in using the API?

Please go to the Economy.com [Contact Us](#) page for email, chat, and telephone options. If using the email form, set Topic to “Technical Issue.”

Do other Moody’s Analytics products have APIs?

Yes. We also provide APIs for our Data Buffet, AutoCycle, and Précis products.

I don’t understand this jargon—can you translate?

Please see if the glossary in this document helps. It lists terminology pertaining to web APIs and related Moody’s Analytics products.

Appendix 1: API endpoints

All API endpoints below are relative to the root URL <https://api.economy.com/scenario-studio/v1/>.

HTTP	Endpoint	Description
DataSeries		
GET	/project/{projectId}/scenario/{scenarioId}/data-series/{variableId}/data/central	Gets the central data for the series.
GET	/project/{projectId}/scenario/{scenarioId}/data-series/{variableId}/data/local	Gets the local data for the series.
GET	/project/{projectId}/data-series	Gets multiple series and/or expressions.
Project		

HTTP	Endpoint	Description
GET	/project	Gets the list of projects to which the user has access.
GET	/project/{projectId}	Gets information about a specific project.
GET	/project/{projectId}/scenario	Gets the list of scenarios within a project.
GET	/project/{projectId}/series	Gets the list of all series within a project.
GET	/project/{projectId}/series/checked-out	Gets the list of series checked out by the current user.
Scenario		
GET	/project/{projectId}/scenario/{scenarioId}	Gets information about a specific scenario.
Series		
GET	/project/{projectId}/scenario/{scenarioId}/series/{variableId}	Gets information about a specific series.
GET	/project/{projectId}/scenario/{scenarioId}/series/{variableId}/equation	Gets the equation specification for a series.
GET	/project/{projectId}/scenario/{scenarioId}/series/{variableId}/equation-stats	Gets the equation statistics for a series.
GET	/project/{projectId}/scenario/{scenarioId}/series/{variableId}/dependencies	Gets the list of series upon which the specified series depends
GET	/project/{projectId}/scenario/{scenarioId}/series/{variableId}/rhs	Gets the list of series that depend upon the specified series
GET	/project/{projectId}/scenario/{scenarioId}/series/{variableId}/meta	Gets the full series meta information (Equation info, statistics, dependencies, etc.)

Appendix 2: Error messages

The error codes returned by the Scenario Studio API are adaptations of standard HTTP server response codes.

Error code	Diagnosis
401 Unauthorized	The authenticating HMAC signature is outdated or the OAuth token has expired. You must generate a new signature or access token (see Authentication section).
429 Too Many Requests	You have exceeded the 300 request per minute rate limit. Throttling is access key-specific.
500 Internal Server Error	Server error.

Further reading

API documentation and functionality

- [API key management](#)

- [Technical user guide](#)
- [Code samples in C#, Java, Python, R](#)
- How to authenticate (See Authentication section)

Glossary

access key: Part of the credentials used to access the Scenario Studio API. A unique 36-character hexadecimal string, which is combined with the encryption key (qv) to produce the signature (qv).

API: Application programming interface. Generically, a set of function signatures (input and output parameters) to perform documented behavior. See also: web API (qv).

AutoCycle: See: Moody's AutoCycle™ (qv).

Coordinated Universal Time: A civil time standard based on atomic clocks and astronomical measurements, and an associated representation using a 24-hour clock that includes year, month, day, hour, minute and second, and fixed punctuation. The format is yyyy-mm-ddThh:mm:ssZ, for example, 2018-07-30T21:03:28Z. This format is used when making requests to the Scenario Studio API (qv). A.k.a. universal coordinated time, universal time coordinated, UTC.

cURL: Client for URLs. An open-source command-line software application to demonstrate HTTP (qv) requests and responses. Its syntax is often used to concisely document the behavior of web APIs (qv). See: curl.haxx.se

CreditCycle: see: Moody's CreditCycle™ (qv).

CSV: Comma-Separated Value. A file format that consists of plain text, where fields are separated by comma characters, and records are separated by line breaks.

encryption key: Part of the credentials used to access the Scenario Studio API. A unique 36-character hexadecimal string, which is combined with the access key (qv) to produce the signature (qv).

end point: In a web API (qv), a unique, static URL that represents an object or collection of objects; to interact with these resources, you point an HTTP client (qv) at the endpoint.

GUID: Globally Unique Identifier. GUIDs are used in enterprise software development as database keys, component identifiers, and in COM programming; they are generated by individual users with an algorithm that virtually guarantees uniqueness. A GUID is a 128-bit integer, commonly expressed as a 32-character hexadecimal string delimited by hyphens. In the Scenario Studio API, access and encryption keys, and basket and order identifiers, are GUIDs. A.k.a. Universally Unique Identifier, UUID.

HMAC: Hash-based Message Authentication Code. An international software standard (RFC2104 et seq) to verify the integrity of information transmitted over an unreliable medium such as the internet.

HTTP: HyperText Transfer Protocol. An international software standard (RFC2616 et seq) for an application-layer, client-server, stateless protocol for transmitting hypermedia documents and control information. See: <https://www.w3.org/Protocols/>, <https://developer.mozilla.org/en-US/docs/Web/HTTP>

HTTP client: Software that can communicate via HTTP (qv) with a server, for example, a web browser, cURL (qv), or a custom application that queries a web API (qv).

JSON: JavaScript Object Notation: An international software standard (ECMA-404), a lightweight data-interchange format that is easy for software to parse and generate, for humans to read and write, and is programming language-independent. JSON is the format in which the Scenario Studio API (qv) delivers individual time series (qv) and basket output (qv). See: www.json.org.

MIME: Multipurpose Internet Mail Extension. An international software standard (RFC2045 et seq) that identifies how a file transmitted over the internet (as by email or HTTP) should be interpreted by the recipient.

metadata: Structured data that describes other data.

Moody's AutoCycle™: A software solution to forecast car prices, incorporating economic data and scenarios from Moody's Analytics. See: <https://www.economy.com/products/data/autocycle>

Moody's CreditCycle™: A software solution to model consumer credit risk; it combines customer data, economic data from Moody's Analytics, and consumer credit data from Equifax. See: <https://www.economy.com/products/consumer-credit-analytics/moodys-creditcycle>

OAuth: An open software standard (RFC5849 et seq) for services over HTTP to provide "secure delegated access" whereby server owners authorize third-party access without the clients sharing their credentials.

observation: Each numeric measurement in a time series (qv).

rate limiting: With a web API (qv), a policy that controls how many requests from a given user will be processed per unit of time, typically for billing purposes or to promote adequate performance for all users.

SHA256: Secure Hash Algorithm. A cryptographic hash function that produces a 256-bit (32-byte) output.

signature: A cryptographic string generated from the access key (qv), encryption key (qv), and a time stamp and transmitted to a web API (qv) that uses HMAC (qv) authentication. See also: SHA256 (qv).

throttling: See: rate limiting.

time series: Generically, a vector of measurements (observations [qv]) at periodic intervals. In Scenario Studio (qv), a data object that contains numeric values, metadata (qv) fields that explain how to interpret (frequency [qv] , etc.) and identify it (description, source), and one or more identifying mnemonics (qv).

UTC: See: Coordinated Universal Time (qv).

web API: A programmatic, server-side interface consisting of one or more endpoints (qv), typically expressed in JSON (qv) or XML, and exposed to the web, typically by an HTTP server.

Support

Please contact the Scenario Studio API team at Moody's Analytics by email at help@economy.com, with a subject line of "Scenario Studio API technical inquiry"

About Moody's Analytics

Moody's Analytics helps capital markets and credit risk management professionals worldwide respond to an evolving marketplace with confidence. With its team of economists, the company offers unique tools and best practices for measuring and managing risk through expertise and experience in credit analysis, economic research, and financial risk management. By offering leading-edge software and advisory services, as well as the proprietary credit research produced by Moody's Investors Service, Moody's Analytics integrates and customizes its offerings to address specific business challenges.

Concise and timely economic research by Moody's Analytics supports firms and policymakers in strategic planning, product and sales forecasting, credit risk and sensitivity management, and investment research. Our economic research publications provide in-depth analysis of the global economy, including the U.S. and all of its state and metropolitan areas, all European countries and their subnational areas, Asia, and the Americas. We track and forecast economic growth and cover specialized topics such as labor markets, housing, consumer spending and credit, output and income, mortgage activity, demographics, central bank behavior, and prices. We also provide real-time monitoring of macroeconomic indicators and analysis on timely topics such as monetary policy and sovereign risk. Our clients include multinational corporations, governments at all levels, central banks, financial regulators, retailers, mutual funds, financial institutions, utilities, residential and commercial real estate firms, insurance companies, and professional investors.

Moody's Analytics added the economic forecasting firm Economy.com to its portfolio in 2005. This unit is based in West Chester PA, a suburb of Philadelphia, with offices in London, Prague and Sydney. More information is available at www.economy.com.

Moody's Analytics is a subsidiary of Moody's Corporation (NYSE: MCO). Further information is available at www.moodysanalytics.com.

DISCLAIMER: Moody's Analytics, a unit of Moody's Corporation, provides economic analysis, credit risk data and insight, as well as risk management solutions. Research authored by Moody's Analytics does not reflect the opinions of Moody's Investors Service, the credit rating agency. To avoid confusion, please use the full company name "Moody's Analytics", when citing views from Moody's Analytics.

About Moody's Corporation

Moody's is an essential component of the global capital markets, providing credit ratings, research, tools and analysis that contribute to transparent and integrated financial markets. **Moody's Corporation** (NYSE: MCO) is the parent company of Moody's Investors Service, which provides credit ratings and research covering debt instruments and securities, and **Moody's Analytics**, which encompasses the growing array of Moody's nonratings businesses, including risk management software for financial institutions, quantitative credit analysis tools, economic research and data services, data and analytical tools for the structured finance market, and training and other professional services. The corporation, which reported revenue of \$3.6 billion in 2016, employs approximately 11,500 people worldwide and maintains a presence in 41 countries.

© 2019 Moody's Corporation, Moody's Investors Service, Inc., Moody's Analytics, Inc. and/or their licensors and affiliates (collectively, "MOODY'S"). All rights reserved.

CREDIT RATINGS ISSUED BY MOODY'S INVESTORS SERVICE, INC. AND ITS RATINGS AFFILIATES ("MIS") ARE MOODY'S CURRENT OPINIONS OF THE RELATIVE FUTURE CREDIT RISK OF ENTITIES, CREDIT COMMITMENTS, OR DEBT OR DEBT-LIKE SECURITIES, AND MOODY'S PUBLICATIONS MAY INCLUDE MOODY'S CURRENT OPINIONS OF THE RELATIVE FUTURE CREDIT RISK OF ENTITIES, CREDIT COMMITMENTS, OR DEBT OR DEBT-LIKE SECURITIES. MOODY'S DEFINES CREDIT RISK AS THE RISK THAT AN ENTITY MAY NOT MEET ITS CONTRACTUAL, FINANCIAL OBLIGATIONS AS THEY COME DUE AND ANY ESTIMATED FINANCIAL LOSS IN THE EVENT OF DEFAULT. CREDIT RATINGS DO NOT ADDRESS ANY OTHER RISK, INCLUDING BUT NOT LIMITED TO: LIQUIDITY RISK, MARKET VALUE RISK, OR PRICE VOLATILITY. CREDIT RATINGS AND MOODY'S OPINIONS INCLUDED IN MOODY'S PUBLICATIONS ARE NOT STATEMENTS OF CURRENT OR HISTORICAL FACT. MOODY'S PUBLICATIONS MAY ALSO INCLUDE QUANTITATIVE MODEL-BASED ESTIMATES OF CREDIT RISK AND RELATED OPINIONS OR COMMENTARY PUBLISHED BY MOODY'S ANALYTICS, INC. CREDIT RATINGS AND MOODY'S PUBLICATIONS DO NOT CONSTITUTE OR PROVIDE INVESTMENT OR FINANCIAL ADVICE, AND CREDIT RATINGS AND MOODY'S PUBLICATIONS ARE NOT AND DO NOT PROVIDE RECOMMENDATIONS TO PURCHASE, SELL, OR HOLD PARTICULAR SECURITIES. NEITHER CREDIT RATINGS NOR MOODY'S PUBLICATIONS COMMENT ON THE SUITABILITY OF AN INVESTMENT FOR ANY PARTICULAR INVESTOR. MOODY'S ISSUES ITS CREDIT RATINGS AND PUBLISHES MOODY'S PUBLICATIONS WITH THE EXPECTATION AND UNDERSTANDING THAT EACH INVESTOR WILL, WITH DUE CARE, MAKE ITS OWN STUDY AND EVALUATION OF EACH SECURITY THAT IS UNDER CONSIDERATION FOR PURCHASE, HOLDING, OR SALE.

MOODY'S CREDIT RATINGS AND MOODY'S PUBLICATIONS ARE NOT INTENDED FOR USE BY RETAIL INVESTORS AND IT WOULD BE RECKLESS AND INAPPROPRIATE FOR RETAIL INVESTORS TO USE MOODY'S CREDIT RATINGS OR MOODY'S PUBLICATIONS WHEN MAKING AN INVESTMENT DECISION. IF IN DOUBT YOU SHOULD CONTACT YOUR FINANCIAL OR OTHER PROFESSIONAL ADVISER.

ALL INFORMATION CONTAINED HEREIN IS PROTECTED BY LAW, INCLUDING BUT NOT LIMITED TO, COPYRIGHT LAW, AND NONE OF SUCH INFORMATION MAY BE COPIED OR OTHERWISE REPRODUCED, REPACKAGED, FURTHER TRANSMITTED, TRANSFERRED, DISSEMINATED, REDISTRIBUTED OR RESOLD, OR STORED FOR SUBSEQUENT USE FOR ANY SUCH PURPOSE, IN WHOLE OR IN PART, IN ANY FORM OR MANNER OR BY ANY MEANS WHATSOEVER, BY ANY PERSON WITHOUT MOODY'S PRIOR WRITTEN CONSENT.

All information contained herein is obtained by MOODY'S from sources believed by it to be accurate and reliable. Because of the possibility of human or mechanical error as well as other factors, however, all information contained herein is provided "AS IS" without warranty of any kind. MOODY'S adopts all necessary measures so that the information it uses in assigning a credit rating is of sufficient quality and from sources MOODY'S considers to be reliable including, when appropriate, independent third-party sources. However, MOODY'S is not an auditor and cannot in every instance independently verify or validate information received in the rating process or in preparing the Moody's publications.

To the extent permitted by law, MOODY'S and its directors, officers, employees, agents, representatives, licensors and suppliers disclaim liability to any person or entity for any indirect, special, consequential, or incidental losses or damages whatsoever arising from or in connection with the information contained herein or the use of or inability to use any such information, even if MOODY'S or any of its directors, officers, employees, agents, representatives, licensors or suppliers is advised in advance of the possibility of such losses or damages, including but not limited to: (a) any loss of present or prospective profits or (b) any loss or damage arising where the relevant financial instrument is not the subject of a particular credit rating assigned by MOODY'S.

To the extent permitted by law, MOODY'S and its directors, officers, employees, agents, representatives, licensors and suppliers disclaim liability for any direct or compensatory losses or damages caused to any person or entity, including but not limited to by any negligence (but excluding fraud, willful misconduct or any other type of liability that, for the avoidance of doubt, by law cannot be excluded) on the part of, or any contingency within or beyond the control of, MOODY'S or any of its directors, officers, employees, agents, representatives, licensors or suppliers, arising from or in connection with the information contained herein or the use of or inability to use any such information.

NO WARRANTY, EXPRESS OR IMPLIED, AS TO THE ACCURACY, TIMELINESS, COMPLETENESS, MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OF ANY SUCH RATING OR OTHER OPINION OR INFORMATION IS GIVEN OR MADE BY MOODY'S IN ANY FORM OR MANNER WHATSOEVER.

Moody's Investors Service, Inc., a wholly-owned credit rating agency subsidiary of Moody's Corporation ("MCO"), hereby discloses that most issuers of debt securities (including corporate and municipal bonds, debentures, notes and commercial paper) and preferred stock rated by Moody's Investors Service, Inc. have, prior to assignment of any rating, agreed to pay to Moody's Investors Service, Inc. for appraisal and rating services rendered by it fees ranging from \$1,500 to approximately \$2,500,000. MCO and MIS also maintain policies and procedures to address the independence of MIS's ratings and rating processes. Information regarding certain affiliations that may exist between directors of MCO and rated entities, and between entities who hold ratings from MIS and have also publicly reported to the SEC an ownership interest in MCO of more than 5%, is posted annually at www.moodys.com under the heading "Investor Relations — Corporate Governance — Director and Shareholder Affiliation Policy."

Additional terms for Australia only: Any publication into Australia of this document is pursuant to the Australian Financial Services License of MOODY'S affiliate, Moody's Investors Service Pty Limited ABN 61 003 399 657 AFSL 336969 and/or Moody's Analytics Australia Pty Ltd ABN 94 105 136 972 AFSL 383569 (as applicable). This document is intended to be provided only to "wholesale clients" within the meaning of section 761G of the Corporations Act 2001. By continuing to access this document from within Australia, you represent to MOODY'S that you are, or are accessing the document as a representative of, a "wholesale client" and that neither you nor the entity you represent will directly or indirectly disseminate this document or its contents to "retail clients" within the meaning of section 761G of the Corporations Act 2001. MOODY'S credit rating is an opinion as to the creditworthiness of a debt obligation of the issuer, not on the equity securities of the issuer or any form of security that is available to retail investors. It would be reckless and inappropriate for retail investors to use MOODY'S credit ratings or publications when making an investment decision. If in doubt you should contact your financial or other professional adviser.

Additional terms for Japan only: Moody's Japan K.K. ("MJKK") is a wholly-owned credit rating agency subsidiary of Moody's Group Japan G.K., which is wholly-owned by Moody's Overseas Holdings Inc., a wholly-owned subsidiary of MCO. Moody's SF Japan K.K. ("MSFJ") is a wholly-owned credit rating agency subsidiary of MJKK. MSFJ is not a Nationally Recognized Statistical Rating Organization ("NRSRO"). Therefore, credit ratings assigned by MSFJ are Non-NRSRO Credit Ratings. Non-NRSRO Credit Ratings are assigned by an entity that is not a NRSRO and, consequently, the rated obligation will not qualify for certain types of treatment under U.S. laws. MJKK and MSFJ are credit rating agencies registered with the Japan Financial Services Agency and their registration numbers are FSA Commissioner (Ratings) No. 2 and 3 respectively.

MJKK or MSFJ (as applicable) hereby disclose that most issuers of debt securities (including corporate and municipal bonds, debentures, notes and commercial paper) and preferred stock rated by MJKK or MSFJ (as applicable) have, prior to assignment of any rating, agreed to pay to MJKK or MSFJ (as applicable) for appraisal and rating services rendered by it fees ranging from JPY200,000 to approximately JPY350,000,000.

MJKK and MSFJ also maintain policies and procedures to address Japanese regulatory requirements.

