


BIS-SpecAI: End-to-End Workflow & Pipeline Architecture

Detailed Lifecycle of Procurement Requirement Ingestion, Dynamic NLP Extraction, Version Auditing, Hybrid Retrieval, Explainability, and Graph Traversal

EXECUTIVE WORKFLOW & PIPELINE FLOWCHART



1. End-to-End Recommendation Pipeline Workflow

The core intelligence of BIS-SpecAI is executed across an 8-stage synchronous workflow. Every incoming tender specification or user query traverses this lifecycle in sub-50 milliseconds, transforming unstructured technical prose into structured, verified, and explainable Indian Standards recommendations.

Stage	Pipeline Phase	Input / Output	Key Algorithmic Operation
Stage 1	Specification Ingestion	Text prompt or Tender PDF	PyMuPDF C-bindings extract raw text stream; validates minimum length (<8ms)
Stage 2	NLP & Multi-Req Segmenter	Raw text → ExtractedRequirements	Extracts 16 parameters (kW, V, Duty, IP, Safety); segments compound tenders into independent groups
Stage 3	Version & Obsolescence Audit	Citations → VersionAlert[]	Identifies obsolete citations (IS 325, IS 8112) and automatically promotes active replacements
Stage 4	Chunk-Aware Hybrid Retrieval	Query → Candidate Pool	BM25 Okapi lexical scoring + all-MiniLM-L6-v2 dense embeddings with structured chunk max-pooling
Stage 5	Multi-Factor Reranking & Gate	Candidates → Ranked Top-K	Final Score = 0.35(Dense) + 0.25(BM25) + 0.20(Scope) + 0.10(Domain) + 0.10(Ver); rejects score < 0.40
Stage 6	Explainability & Evidence	Scores → Evidence Checklist	Itemizes matched parameters (kW, V, IP55, S1), active edition, and statutory QCO mandate
Stage 7	Graph Traversal	Primary Std → Categorized DAG	Traverses 759 relationship edges across 113 standards into Normative, Testing, Safety & Installation tabs
Stage 8	UI, Graph & Tender Clause	GraphData → React Flow / Clause	Renders React Flow DAG, node inspector drawer, and generates tender compliance clause

2. Deep-Dive: Stage-by-Stage Processing Logic

2.1 Stage 1 & 2: Tender Parsing & Dynamic NLP Understanding

When an NIT PDF is uploaded (e.g. `sample_tender_document.pdf`), `PDFParserService` uses PyMuPDF's zero-copy memory stream to extract text blocks in under 8 ms. `nlp_extractor.py` scans the text using deterministic regex patterns: electrical power `(\d+)\s*(kw|hp|kva)`, voltages `(\d+)\s*(v|kv)`, frequencies `(\d+)\s*hz`, phase counts, ingress protection `(ip\s*\d{2})`, and civil grades `(m-\?\d{2})`, `fe\s*\d{3}`. This guarantees accurate structured extraction without dependency on third-party cloud APIs.

2.2 Stage 3: Version Detection & Supersession Audit Workflow

The `VersionAuditor` operates a two-tier verification mechanism: (1) Exact match against obsolete standard codes in `superseded_map`, and (2) Base number analysis (e.g. checking whether `IS 325` without year has been superseded by `IS 12615:2018`). If an obsolete standard is identified, an alert is injected with the exact modern standard number, the superseding year, and a tailored recommendation for tender officers. Crucially, the engine automatically promotes the modern replacement to the top of the candidate pool.

2.3 Stage 4 & 5: Hybrid Dual-Channel Retrieval & Multi-Factor Scoring

Lexical search alone suffers from synonym blindness (e.g., 'squirrel cage' vs 'line operated'), while vector search alone can blur precise numerical ratings (e.g., 415 V vs 11 kV). BIS-SpecAI solves this via dual-channel fusion:

- **Lexical Channel (BM25):** Matches specific technical keywords, exact IS numbers, and part designations.
- **Dense Semantic Channel:** Sentence-Transformers (all-MiniLM-L6-v2, 384-dim) over 113 standards and 791 structured chunks with chunk max-pooling.
- **Coverage Reranker:** Verifies that extracted numerical parameters (kW, V, IP55) are within the standard's scope.
- **Status Calibrator:** Assigns high confidence (1.0) to active standards while penalizing obsolete ones (0.4) unless explicitly requested.

2.4 Stage 6 & 7: Explainability Generation & Graph Traversal

Instead of generic AI hallucinations, the explainability checklist is grounded in retrieved factual evidence: citing the exact power match, voltage coverage, active edition year, and Quality Control Order (QCO) compliance. `StandardsGraphService` then executes a breadth-first traversal of the 759 relationship edges across 113 authentic standards in `relationships.json`, categorizing nodes into Normative References, Test Methods, Safety Codes, Installation Guidelines, and Superseded Editions.

3. End-to-End Concrete Execution Trace

Execution Step	Induction Motor Scenario	Legacy Tender Audit Scenario
1. Raw Input Query	15 kW three phase induction motor, 415 V, 50 Hz for industrial applications with efficiency and IP55 protection requirements.	Supply of three-phase squirrel cage induction motor as per IS 325:1996 and 43G cement conforming to IS 8112:1989.
2. NLP Extracted Data	Product: Three-Phase AC Induction Motor Ratings: 15 kW, 415 V, 50 Hz, 3-Phase, IP55 Application: Industrial Operation	Product: Electric Motor & Cement Citations Detected: IS 325:1996, IS 8112:1989 Domain: Multi-sector
3. Version Audit Alert	None (Standard specification conforms to current norms)	Alert 1: IS 325:1996 Superseded by IS 12615:2018 Alert 2: IS 8112:1989 Superseded by IS 269:2015
4. Primary Recommendation	IS 12615:2018 (Line Operated AC Motors - Energy Efficient IE Code)	IS 12615:2018 (Promoted Active Replacement) & IS 269:2015
5. AI Relevance Score	82.4% AI relevance score	77.3% AI relevance score (Replacement boost)
6. Explainability Checklist	✓ Power: 15 kW covered ✓ Voltage: 415 V addressed ✓ Frequency: 50 Hz covered ✓ Active 2018 Edition ✓ Mandatory Scheme-I ISI Mark	✓ Promoted modern replacement for IS 325:1996 ✓ Mandatory under Electrical Motors QCO ✓ Eliminates procurement tender audit dispute risk
7. Traversed Graph Nodes	• Normative: IS/IEC 60034-1, 60034-5, 60034-8 • Testing: IS 15999 (Part 2/Sec 1) • Safety: IS 3043 (Earthing) • Installation: IS 900	• Superseded: IS 325:1996 • Active Modern: IS 12615:2018 • Normative Test: IS 15999 • Safety: IS/IEC 60034-5

WORKFLOW DETERMINISM & REPRODUCIBILITY

Every stage of the BIS-SpecAI workflow produces deterministic, inspectable JSON outputs. The entire process requires no probabilistic hallucination, operates entirely offline on local compute, and delivers verifiable compliance with statutory BIS Quality Control Orders.