

Comprehensive gap register: 92 reconciled outcomes

Read-only audit · October 5, 2026 · byronwall/explorEDA

Revision: 362db58082df9c1b57c2305a49823a1dae385081

Fresh application browser tests: 0 completed; navigation blocked by administrator policy.

How to use this register

This report preserves **all 92 IDs from the existing analysis** and reassesses their outcomes against the current source and records. Each entry identifies growth, the supported slice, the remaining boundary, intent strength and a proposed proof scenario. A composite old ID remains composite for compatibility; its sub-outcomes should eventually become separate matrix rows. There is deliberately no overall completion percentage. [BASE](#)

“Implemented slice” means active source or a current repository implementation record supports that bounded claim. It does not mean this audit passed the application in a browser. Where only documentation was reviewed, that evidence is named. “Not established” is bounded to the inspected paths and declared single-source product boundary, not an exhaustive proof that no experimental implementation exists anywhere.

P0 is evidence/reconciliation blocking trustworthy conclusions. P1 is verification of current trust-critical behavior. P2 is a bounded proposed product extension or follow-up. P3 is broader, optional or parked scope. These are this audit's recommendations, not authorized repository tasks or a reversal of the previous waiver. No issue, file, commit or pull request was written.

Corrections to apply before choosing more feature work

Remove stale missing-feature assertions. The old report's grouping/stacking/area/parallel-coordinate, UTC time, Other drill-down and ordinary mark-contributor gaps have been reduced or closed in bounded chart contracts. Direct source additionally closes missing owner navigation, inline table distributions, header drag and source-order reset through Clear sort. Preserve any remaining narrower boundary instead of deleting the whole requirement. [BASE CHART ROLL FILTER TABLE THDR TMENU](#)

Do not revive repaired numeric/formatting bugs from contradictory paragraphs. BASE contains R18/R19 fixed records alongside older open wording and next steps. The numeric helper now explicitly excludes blank, boolean and nonfinite measurements; ActiveFilterStatus uses field formats and exposes exact bounds when rounded. The correct next action is regression proof across new consumers, not an unsupported claim that the old zero/currency-count defect still reproduces. [BASE NUM FILTER](#)

Separate three kinds of unfinished work. A missing product capability, a narrower intentional scope and an unexecuted acceptance test are not interchangeable. The latest chart closure waived cross-view comparisons and browser restores. The latest scatter/DSL merge delivered plans, not application changes. This audit neither converts those waived checks into passes nor silently approves all planned features. [CLOSE PLAN](#)

Recommended decision sequence

Stage	Recommended decision	Evidence needed to leave the stage
P0: trustworthy audit baseline	Publish one current snapshot with explicit source/proof dates, retained artifacts and a development matrix target	Every current claim has a source locator; review links resolve; blocked/waived states are visible
P1: current analytical trust	Run cross-view arithmetic, typed selections, date boundaries, trace access and saved-state roundtrips	Exact IDs, eligible contributors and values agree at a pinned revision; browser artifacts show the real workflow
P1: practical usability	Check table controls, owner navigation, keyboard focus, virtual scrolling and 1024-pixel layouts	Existing controls are reachable, reversible and do not lose state
P2: bounded missing outcomes	Choose one of relative dates, auto-fit, host save/template workflow, source identity or reusable intermediate output	A concrete user question and decisive small fixture, with explicit ownership/scope
P2/P3: broader architecture	Continue independently approved scatter/DSL scope; keep joins, general scenes and rich cells separately prioritized	A implemented consumer and source-to-result proof, not only a feature tree or renderer name

Confirmed documentation and proof defects versus runtime defects

The audit confirms **documentation/evidence mismatches**, including stale absent-feature language, mixed eleven/eighteen chart counts, mixed-age test totals and absent October 2 screenshot files at the linked tmp-root locations. It also confirms that coverage UI logic promotes any reviewed example assignment to feature-level reviewed, and that stored report/date/evidence is not exposed in the matrix detail UI. These are source/artifact findings. [BASE INV COV COVUI REVIEW TMP](#)

This audit confirms **no newly reproduced runtime defect in explorEDA**. Administrator blocking is an environment failure before the app starts. Source risks and unverified contracts below must not be filed as browser-reproduced defects without actually running their scenarios.

Outcome register

Sources and field understanding

DATA-01 · Load an unknown table and begin useful inspection

Intent: Core. **Proposed priority:** P2. **Delta:** Stable partial.

Current support: One in-memory scalar table through host rows, CSV or flattened JSON; data import and full-analysis reopen are wired in the host.

Remaining gap / limit: No import-time schema preflight; flattening does not preserve rich collections as semantic cells.

Evidence: T01 T09 T13 INV HOST **Decisive scenarios:** BT01 BT22. **Fresh browser verification:** not executed.

DATA-02 · Know field types, missingness and distributions before charting

Intent: Core. **Proposed priority:** P1. **Delta:** Expanded.

Current support: Profiles and inspectors are joined by inline header distributions. DataTable defaults distributions on and Rows always shows them.

Remaining gap / limit: Do not keep the old no-inline-distribution claim. Population scope and all-invalid/constant-field behavior need current browser proof.

Evidence: T02 T09 T13 TABLE THDR NUM **Decisive scenarios:** BT01 BT02 BT03. **Fresh browser verification:** not executed.

DATA-03 · Correct inference without losing source values

Intent: Specific. **Proposed priority:** P2. **Delta:** Stable partial.

Current support: The inventory describes type overrides, null tokens, date presets, preview and Apply with raw rows preserved.

Remaining gap / limit: Import-time preview and durable source-schema binding are separate gaps; re-test conversions and dependent filters rather than infer correctness from settings existence.

Evidence: T09 INV BASE **Decisive scenarios:** BT02 BT22. **Fresh browser verification:** not executed.

DATA-04 · Know source identity and the grain of one record

Intent: Core. **Proposed priority:** P2. **Delta:** Still limited.

Current support: Raw/effective rows and positional __ID support inspection within a loaded snapshot.

Remaining gap / limit: No durable source key, row-grain description, source fingerprint/version or recorded flattening lineage is established. Reordering can change identity.

Evidence: T11 T13 T15 INV **Decisive scenarios:** BT23. **Fresh browser verification:** not executed.

DATA-05 · Analyze related tables at their correct grain

Intent: Core / parked. **Proposed priority:** P3. **Delta:** Still outside slice.

Current support: One analytical source table remains the declared workspace boundary. Region Map joins that table to geometry.

Remaining gap / limit: Geometry joins are not a general multi-source catalogue, relational joins, key diagnostics or analysis-grain selection.

Evidence: T11 T13 T15 INV CHART **Decisive scenarios:** BT30. **Fresh browser verification:** not executed.

DATA-06 · Distinguish available, loaded and visible data

Intent: Core / remote scope parked. **Proposed priority:** P2. **Delta:** Stable partial.

Current support: Full loaded, globally filtered and peer-filtered populations are described and counts are exposed.

Remaining gap / limit: No remote available population or stable working-set layer. All source means the loaded in-memory source, not all possible records.

Evidence: T12 T13 INV FILTER **Decisive scenarios:** BT03 BT11. **Fresh browser verification:** not executed.

DATA-07 · Load only needed fields and records while exposing availability

Intent: Candidate / parked. **Proposed priority:** P3. **Delta:** Not found in reviewed scope.

Current support: The host fetches whole examples and accepts complete local data arrays.

Remaining gap / limit: No dependency-driven projection, server aggregation pushdown or incremental loading protocol is established.

Evidence: T13 INV HOST **Decisive scenarios:** BT31. **Fresh browser verification:** not executed.

DATA-08 · Reuse named transformed tables as analytical inputs

Intent: Core / architecture open. **Proposed priority:** P2. **Delta:** Expanded but not generalized.

Current support: Named grouped summaries provide a reusable definition. Many newer chart transforms retain contributor information.

Remaining gap / limit: Traceable internal arrays and shared reducers are not arbitrary named, composable intermediate sources. Pivot/model output reuse remains a distinct extension.

Evidence: T11 T13 T15 T16 T17 INV CHART ROLL **Decisive scenarios:** BT19 BT26. **Fresh browser verification:** not executed.

DATA-09 · Find observations that should exist but are absent

Intent: Specific. **Proposed priority:** P3. **Delta:** Still limited.

Current support: Existing profiles identify missing cells in present records; time views can reveal empty periods visually.

Remaining gap / limit: Expected key sets, sampling plans and missing-observation reconciliation are not established. A blank cell and an absent record have different denominators.

Evidence: T13 INV CHART **Decisive scenarios:** BT32. **Fresh browser verification:** not executed.

Workspace and saved work

DASH-01 · Create useful views with few choices

Intent: Core. **Proposed priority:** P2. **Delta:** Expanded.

Current support: The inventory describes a floating Fields list with F shortcut, quick distributions, field-to-chart actions and menu/drag assignment.

Remaining gap / limit: Default role selection and eligibility explanations remain uneven; no evidence that every two-field action chooses the intended analytical grain.

Evidence: T09 T12 T13 INV **Decisive scenarios:** BT01 BT17. **Fresh browser verification:** not executed.

DASH-02 · Keep several named analyses without losing state

Intent: Specific. **Proposed priority:** P3. **Delta:** Still limited.

Current support: Charts, Rows and Calculations are modes within one workspace, with panel state retained.

Remaining gap / limit: These are not named dashboard tabs, independent analysis sessions, dirty-state indicators or navigation history.

Evidence: T12 INV HOST **Decisive scenarios:** BT22. **Fresh browser verification:** not executed.

DASH-03 · Preserve meaningful applied configuration

Intent: Core. **Proposed priority:** P1. **Delta:** Implemented slice.

Current support: Settings/full-analysis JSON, applied formulas, layout, field settings and Rows settings are described; the host captures emitted state.

Remaining gap / limit: Draft formulas remain local. Source rows belong to the full bundle, not settings-only JSON. New modes and geometry assets need current end-to-end roundtrip proof.

Evidence: T08 T12 INV HOST CHART **Decisive scenarios:** BT22 BT29. **Fresh browser verification:** not executed.

DASH-04 · Save and reopen an analysis

Intent: Core. **Proposed priority:** P1. **Delta:** Implemented slice.

Current support: The host parses and validates full-analysis JSON before replacing data and settings; settings-only restore is the embedding path.

Remaining gap / limit: Manual JSON restore is not durable named storage, autosave or recovery after closing the browser. Keep the host/package ownership distinction.

Evidence: T08 HOST INV **Decisive scenarios:** BT22. **Fresh browser verification:** not executed.

DASH-05 · Share small states by URL and organize larger saved views

Intent: Candidate. **Proposed priority:** P3. **Delta:** Still limited.

Current support: URLs select examples; storage-neutral package state can be owned by a host.

Remaining gap / limit: Live layout/filter state is not shown as a shareable URL contract. Dataset/project ownership and named view catalogues remain outside the reviewed host.

Evidence: T08 HOST INV **Decisive scenarios:** BT22. **Fresh browser verification:** not executed.

DASH-06 · Separate saved layout from temporary selection and recover decisions

Intent: Specific / candidate. **Proposed priority:** P2. **Delta:** Still limited.

Current support: Applied filters are included in saved chart settings.

Remaining gap / limit: No explicit filter-free template save, workspace undo, checkpoint history or restored-state diff is established.

Evidence: T08 T12 INV BASE CHART **Decisive scenarios:** BT22 BT33. **Fresh browser verification:** not executed.

DASH-07 · Edit near the result and judge changes

Intent: Core preference. **Proposed priority:** P2. **Delta:** Expanded partial.

Current support: Field distributions and typed table controls are near the data; calculation and field inspectors have draft previews.

Remaining gap / limit: General chart settings and advanced model/density controls do not have a uniform live editing contract. Planned DSL authoring does not count as delivered editing.

Evidence: T08 T17 TABLE THDR INV PLAN **Decisive scenarios:** BT02 BT18. **Fresh browser verification:** not executed.

DASH-08 · Rearrange and focus a dashboard without losing meaning

Intent: Core. **Proposed priority:** P2. **Delta:** Expanded partial.

Current support: Panels move, resize, duplicate and expand; facets have focus/paging; filter owners now have navigation/highlighting.

Remaining gap / limit: Per-facet pinning and clear duplicate-filter ownership remain separate concerns. Current focus/scroll geometry has not been browser-verified here.

Evidence: T12 T14 INV FILTER PLOT **Decisive scenarios:** BT11 BT17. **Fresh browser verification:** not executed.

Filtering and selection

FILT-01 · Explain exactly which population a view represents

Intent: Core. **Proposed priority:** P1. **Delta:** Expanded partial.

Current support: Active counts, local Rows/search labels and owner navigation are active. Chart traces describe additional populations and exclusions.

Remaining gap / limit: No universal row-exclusion explanation or ordered filter funnel is established. Peer-filtered mark totals can legitimately differ from global row totals.

Evidence: T06 T12 FILTER INV CHART **Decisive scenarios:** BT03 BT11. **Fresh browser verification:** not executed.

FILT-02 · Compose filters predictably, including the same field twice

Intent: Core. **Proposed priority:** P1. **Delta:** Implemented slice.

Current support: The workspace model intersects independent chart predicates; selected categorical pairs are two intersected field filters.

Remaining gap / limit: Arbitrary unions of category pairs need pair predicates, not independent lists. Effective intersection counts and contradiction explanations remain verification/product gaps.

Evidence: T12 INV CHART **Decisive scenarios:** BT03 BT07 BT11. **Fresh browser verification:** not executed.

FILT-03 · Find the chart that owns an active filter

Intent: Specific. **Proposed priority:** P1. **Delta:** Old gap substantially closed.

Current support: FilterChip labels invoke onShowChart, pointer/focus invokes highlight, and PlotManager wires the callback in Charts and Rows. X alone removes the filter.

Remaining gap / limit: Do not build a second jump-to-owner feature. Prove focus, overflow popovers, expanded panels and keyboard navigation in the real browser.

Evidence: T12 FILTER PLOT **Decisive scenarios:** BT11. **Fresh browser verification:** not executed.

FILT-04 · Reset the current loaded-data subset reliably

Intent: Core. **Proposed priority:** P1. **Delta:** Implemented slice.

Current support: Clear all is wired to the provider and explicitly labels chart filters, table searches and Rows filters.

Remaining gap / limit: Reset is scoped to loaded data; it is not a reset of a future remote working set. Verify all scopes and new chart predicates together.

Evidence: T06 T12 FILTER BASE **Decisive scenarios:** BT03 BT11. **Fresh browser verification:** not executed.

FILT-05 · Keep persistent base constraints and independent filter groups

Intent: Candidate / parked. **Proposed priority:** P3. **Delta:** Still outside slice.

Current support: Independent workspace instances are a host composition option.

Remaining gap / limit: No in-workspace filter islands or stable base-filter layer is established. Do not interpret peer filtering as independent filter groups.

Evidence: T12 T15 INV **Decisive scenarios:** BT31. **Fresh browser verification:** not executed.

FILT-06 · Combine graphical ranges with exact input

Intent: Core. **Proposed priority:** P2. **Delta:** Expanded partial.

Current support: Range settings, typed column controls and exact-bound disclosure in filter tooltips are present; numeric cell menus create exact or one-sided filters.

Remaining gap / limit: Not every brush has adjacent manual inputs. Display rounding and exact comparison need a documented common contract.

Evidence: T06 T12 FILTER THDR TMENU **Decisive scenarios:** BT03 BT04. **Fresh browser verification:** not executed.

FILT-07 · Express unbounded threshold selections

Intent: Specific. **Proposed priority:** P2. **Delta:** Expanded partial.

Current support: Filter labels and numeric cell actions support at-or-above/at-or-below intervals with omitted bounds.

Remaining gap / limit: A one-sided filter control is not evidence that dragging to a brush edge saves an unbounded interval that remains open after new data arrives.

Evidence: T06 FILTER TMENU BASE **Decisive scenarios:** BT04. **Fresh browser verification:** not executed.

FILT-08 · Reach rare, missing and equal-looking category values

Intent: Core. **Proposed priority:** P1. **Delta:** Old gap materially reduced.

Current support: Row charts now expose searchable/paged Other members and select actual typed values, not a displayed Other label.

Remaining gap / limit: Prove stable saved membership after resize, rank changes and restore. This does not establish one universal category picker across all controls.

Evidence: T06 T09 CHART NUM **Decisive scenarios:** BT05 BT07. **Fresh browser verification:** not executed.

FILT-09 · Search intended values and explain each match

Intent: Core. **Proposed priority:** P2. **Delta:** Stable partial.

Current support: Table search and calculated-value resolution exist. The old analysis says hidden fields participate.

Remaining gap / limit: Visible-only scope and match highlighting are not established in the reviewed paths. Recheck the actual search helper before treating absence as a confirmed defect.

Evidence: T06 T09 BASE TABLE INV **Decisive scenarios:** BT06. **Fresh browser verification:** not executed.

FILT-10 · Provide richer queries without harming simple search

Intent: Candidate. **Proposed priority:** P3. **Delta:** Not found / optional.

Current support: Substring and typed controls form the baseline.

Remaining gap / limit: Fuzzy matching, token queries and a unified language remain optional design choices, not necessary failures of the scalar explorer.

Evidence: T06 T09 BASE INV **Decisive scenarios:** BT06. **Fresh browser verification:** not executed.

FILT-11 · Select dates with explicit calendar semantics

Intent: Core. **Proposed priority:** P2. **Delta:** Expanded partial.

Current support: UTC daily Calendar views, day/week/month line rollups, period/series selection and date controls now exist.

Remaining gap / limit: Relative rolling versus completed periods, quarter/year presets and calendar stepping are not supplied by those additions. Freeze or encode the reference time for any future relative filter.

Evidence: T07 CHART ROLL **Decisive scenarios:** BT08 BT09. **Fresh browser verification:** not executed.

FILT-12 · Use distributions to guide filters

Intent: Specific / candidate. **Proposed priority:** P1. **Delta:** Expanded.

Current support: Inline table/header graphics, field inspection and Calendar views provide substantial distribution-guided interaction. Re-clicking a header mark can clear its filter.

Remaining gap / limit: No-inline-histogram is stale. More domain-specific natural-break or calendar-density pickers remain narrower optional scope; verify population counts now.

Evidence: T06 T07 TABLE THDR CHART **Decisive scenarios:** BT02 BT03 BT08. **Fresh browser verification:** not executed.

Table interactions

TABLE-01 · Hide, recover and reorder columns

Intent: Core. **Proposed priority:** P1. **Delta:** Old gap substantially closed.

Current support: The active table mounts a header drag hook and context menu with hide, show hidden, move left/right/first and selected-column settings.

Remaining gap / limit: Named column sets and broader durable view ownership remain absent from the reviewed slice. Keyboard access and width/order restore require current proof.

Evidence: T02 TABLE THDR TMENU **Decisive scenarios:** BT12 BT22. **Fresh browser verification:** not executed.

TABLE-02 · Choose useful widths and adjust them quickly

Intent: Core. **Proposed priority:** P2. **Delta:** Expanded partial.

Current support: Name-based default width, pointer resize, keyboard resize and Reset width are active.

Remaining gap / limit: No content-aware auto-fit or double-click fit is present in the reviewed header/menu paths. Reset width returns a name-based default, not a content fit.

Evidence: T02 TABLE THDR TMENU **Decisive scenarios:** BT12. **Fresh browser verification:** not executed.

TABLE-03 · Sort correctly and return to source order

Intent: Core. **Proposed priority:** P2. **Delta:** Outcome mostly closed; gesture differs.

Current support: Clear sort is active in the context menu. The header itself toggles ascending/descending. Natural sorting is described in the inventory.

Remaining gap / limit: Do not say source-order reset is missing. A third header-click reset remains a preference gap; null ordering and natural-order accuracy need independent fixture proof.

Evidence: T09 THDR TMENU INV **Decisive scenarios:** BT12. **Fresh browser verification:** not executed.

TABLE-04 · Use readable aliases while preserving canonical names

Intent: Core. **Proposed priority:** P2. **Delta:** Implemented slice.

Current support: Field settings provide display labels/descriptions and filter chips use shared labels.

Remaining gap / limit: Automatic prefix cleanup and alias history are optional follow-ups; verify header, copied canonical names and exported field identity remain distinct.

Evidence: T02 T09 FILTER TMENU INV **Decisive scenarios:** BT02 BT12. **Fresh browser verification:** not executed.

TABLE-05 · Keep display formatting consistent and analytically truthful

Intent: Core. **Proposed priority:** P1. **Delta:** Expanded partial.

Current support: Shared chip formatting includes extra exact-bound disclosure; R19 is recorded fixed for details, counts and variance units.

Remaining gap / limit: Do not repeat the old currency-count bug as current fact. Test axes, new trace dialogs and every aggregate's units; a single table example is insufficient.

Evidence: T02 T08 T09 FILTER BASE INV **Decisive scenarios:** BT02 BT07 BT18. **Fresh browser verification:** not executed.

TABLE-06 · Read long and structured text without losing meaning

Intent: Specific. **Proposed priority:** P2. **Delta:** Still limited.

Current support: Compact scalar cells and raw-value access are described; copy-value and copy-row actions now exist.

Remaining gap / limit: Wrapping, chosen truncation side, code/newline presentation, persistent row detail and configurable row heights are not established. Copying is not rich in-place reading.

Evidence: T04 TMENU INV BASE **Decisive scenarios:** BT13. **Fresh browser verification:** not executed.

TABLE-07 · Render tag collections, images, histories and related records

Intent: Specific / parked. **Proposed priority:** P3. **Delta:** Still outside scalar slice.

Current support: The declared data model remains scalar; JSON flattens nested objects/arrays.

Remaining gap / limit: No typed rich-cell extension contract is established. Indexed tag columns do not preserve a collection as one semantic field.

Evidence: T04 T05 INV **Decisive scenarios:** BT13 BT30. **Fresh browser verification:** not executed.

TABLE-08 · Adapt to a small number of records or very wide records

Intent: Candidate. **Proposed priority:** P3. **Delta:** Not found in reviewed scope.

Current support: The table remains the common record presentation.

Remaining gap / limit: Transpose, record cards and automatic small-record layouts are not established. A generic templating DSL is neither a prerequisite nor a delivered substitute.

Evidence: T01 T19 INV PLAN **Decisive scenarios:** BT13. **Fresh browser verification:** not executed.

TABLE-09 · Bookmark records or retain interesting cohorts

Intent: Specific. **Proposed priority:** P3. **Delta:** Not found in reviewed scope.

Current support: Active chart filters can describe a temporary subset and saved JSON can retain them.

Remaining gap / limit: Stable row bookmarks, tags and a named cohort collection are not established. Durable source identity is a dependency, not a reason to add a bookmark icon alone.

Evidence: T01 T08 INV **Decisive scenarios:** BT23 BT33. **Fresh browser verification:** not executed.

TABLE-10 · Inspect calculated values alongside source records

Intent: Core. **Proposed priority:** P1. **Delta:** Implemented slice.

Current support: DataTable merges calculated column values into resolvedRows, then passes them into filtering and the displayed body; calculation inspectors are described.

Remaining gap / limit: Current correctness across edit, filter, sort, search, copy and export must be re-proved together. Scalar inspection is not an aggregate computation graph.

Evidence: T11 T13 T15 TABLE BASE INV **Decisive scenarios:** BT18 BT22. **Fresh browser verification:** not executed.

TABLE-11 · Export the rows and values being inspected

Intent: Specific. **Proposed priority:** P1. **Delta:** Implemented slice.

Current support: The active table supplies filteredRows to the toolbar; the baseline records CSV escaping, ordering and derived-value repairs.

Remaining gap / limit: Browser download inspection was previously incomplete and is blocked here. Prove exported IDs/order/values, quoting, and field names against the visible scope.

Evidence: T11 T15 TABLE BASE **Decisive scenarios:** BT21. **Fresh browser verification:** not executed.

TABLE-12 · Edit cells or apply conditional formatting only when useful

Intent: Candidate. **Proposed priority:** P3. **Delta:** Not found / conditional.

Current support: Display formatting and copy/filter cell actions are present; they are not edits.

Remaining gap / limit: Inline mutation, typed validation/undo and a general conditional-rule engine are not established. These remain task-dependent, not universal EDA obligations.

Evidence: T02 T04 T09 TMENU INV **Decisive scenarios:** BT13. **Fresh browser verification:** not executed.

Calculations and reusable computation

CALC-01 · Create scalar derived fields

Intent: Core. **Proposed priority:** P1. **Delta:** Implemented slice.

Current support: The recorded evaluator supports arithmetic, comparisons, conditional logic, functions and bracketed field references.

Remaining gap / limit: Scalar expressions are not grouped/window calculations. Current formula execution is not freshly tested in this audit.

Evidence: T11 T13 BASE INV **Decisive scenarios:** BT18. **Fresh browser verification:** not executed.

CALC-02 · Reject invalid calculations before damaging saved state

Intent: Core. **Proposed priority:** P1. **Delta:** Implemented slice.

Current support: The recorded workflow validates syntax, dependencies, cycles and source rows before Apply; October 2 tested an invalid draft.

Remaining gap / limit: One invalid syntax case does not cover unknown functions, cycles, dependent edits or full-analysis import atomicity.

Evidence: T09 T15 BASE REVIEW HOST **Decisive scenarios:** BT18 BT22. **Fresh browser verification:** not executed.

CALC-03 · Explain invalid or missing derived results

Intent: Core. **Proposed priority:** P1. **Delta:** Implemented slice.

Current support: Saved/draft row previews, source inputs and row failure reasons are described.

Remaining gap / limit: Evidence is session/dataset-specific rather than a durable execution history. Distinguish missing input, conversion failure and calculation failure.

Evidence: T09 T15 BASE INV **Decisive scenarios:** BT18. **Fresh browser verification:** not executed.

CALC-04 · Use documented functions consistent with runtime

Intent: Specific. **Proposed priority:** P2. **Delta:** Implemented slice.

Current support: The baseline records a shared searchable function registry and cursor insertion.

Remaining gap / limit: No general group or array-expression grammar is established. Revalidate help against exports before adding more function names.

Evidence: T11 T17 BASE INV **Decisive scenarios:** BT18. **Fresh browser verification:** not executed.

CALC-05 · Edit a calculation and update every dependent consumer

Intent: Core. **Proposed priority:** P1. **Delta:** Implemented slice.

Current support: Dependency previews and explicit Apply are described, with protected in-use rename/delete and preserved filter thresholds.

Remaining gap / limit: Saved drafts, automatic consumer rewrites and a durable edit history remain separate gaps. New chart consumers need integration proof.

Evidence: T11 T15 BASE INV **Decisive scenarios:** BT18 BT22. **Fresh browser verification:** not executed.

CALC-06 · Use a consistent computed result in every view

Intent: Core. **Proposed priority:** P1. **Delta:** Expanded partial.

Current support: Tables resolve shared scalar columns; grouped summaries and UTC rollups reuse definitions/reducers; newer traces retain source inputs.

Remaining gap / limit: Shared function code is not proof of one execution or cached shared result. Cross-view arithmetic and eligible-ID agreement were waived for newer charts.

Evidence: T11 T15 TABLE ROLL CHART CLOSE **Decisive scenarios:** BT07 BT19. **Fresh browser verification:** not executed.

CALC-07 · Keep row, group and window computations semantically distinct

Intent: Core. **Proposed priority:** P2. **Delta:** Stable partial.

Current support: Scalar formulas and named count/sum/average groups are different controls; calendar rollups add explicit period scope.

Remaining gap / limit: Window/rank expressions and arbitrary grouped formula composition are not established. Row sum(x,y) must not be presented as a dataset sum.

Evidence: T11 T16 T17 BASE CHART **Decisive scenarios:** BT19 BT26. **Fresh browser verification:** not executed.

CALC-08 · Inspect and reuse grouped, pivot and statistical outputs

Intent: Core / architecture open. **Proposed priority:** P2. **Delta:** Expanded partial.

Current support: Named grouped summaries are reusable; pivot and many new chart families now expose contributors.

Remaining gap / limit: Inspection is wider than reuse. Pivot outputs, density samples and modeled tables are not established as named downstream sources.

Evidence: T11 T13 T15 T16 T17 CHART INV **Decisive scenarios:** BT19 BT26. **Fresh browser verification:** not executed.

CALC-09 · Add regression, uncertainty and density at the intended grouping scope

Intent: Specific / now planned. **Proposed priority:** P2. **Delta:** New plan, not implementation.

Current support: Box/violin density and rectangular scatter count bins exist. PR136 adds scoped plans for regression, LOESS, hexagons and 2D contours.

Remaining gap / limit: The merged PR explicitly changes no application code. Fits, confidence layers, marginals and contour density must remain planned-only until implementation and browser proof exist.

Evidence: T15 T17 CHART PLAN **Decisive scenarios:** BT26 BT27. **Fresh browser verification:** not executed.

CALC-10 · Make analytical transformations deterministic and interpretable

Intent: Core. **Proposed priority:** P2. **Delta:** Expanded partial.

Current support: Shared numeric rules, UTC calendar arithmetic and chart-specific trace contracts improve determinism.

Remaining gap / limit: Stable source IDs across reload, durable source versions and a renderer-independent replay contract are not established; deterministic layout is narrower than deterministic analysis history.

Evidence: T15 T18 NUM ROLL CHART INV **Decisive scenarios:** BT23 BT29. **Fresh browser verification:** not executed.

CALC-11 · Identify and inspect scalar dependency chains in place

Intent: Core. **Proposed priority:** P1. **Delta:** Implemented slice.

Current support: The calculation workflow exposes markers, row inputs/results, upstream/downstream dependencies and affected consumers.

Remaining gap / limit: Preserve the boundary between scalar dependency inspection and whole-chart provenance. Verify deep-chain edits in a real mounted workspace.

Evidence: T08 T15 BASE INV **Decisive scenarios:** BT18. **Fresh browser verification:** not executed.

Faceting

FACET-01 · Repeat suitable views by one or two fields

Intent: Core. **Proposed priority:** P2. **Delta:** Implemented bounded slice.

Current support: Wrap/grid layouts exist for the supported 2D families; current catalogue breadth is larger than facet eligibility.

Remaining gap / limit: No requirement to facet every view type. Explicit-list repetition, deeper nesting and repeat outside grouping remain separate design candidates.

Evidence: T14 T16 INV BASE **Decisive scenarios:** BT17. **Fresh browser verification:** not executed.

FACET-02 · Use comparable scales across facets

Intent: Core. **Proposed priority:** P1. **Delta:** Implemented slice.

Current support: The baseline describes full-source domains/order; October 2 reports matching regional x/y ticks.

Remaining gap / limit: Proof covers one comparison, not every changed-field, empty-cell, scale type or new mode combination.

Evidence: T14 BASE REVIEW **Decisive scenarios:** BT17. **Fresh browser verification:** not executed.

FACET-03 · Choose global-coordinate versus facet-local selection

Intent: Specific. **Proposed priority:** P2. **Delta:** Still limited by chosen contract.

Current support: The reviewed model applies chart selection across facets and labels its scope.

Remaining gap / limit: Facet-key-bounded XY selection is a separate missing option, not a bug in the approved global-coordinate default.

Evidence: T14 BASE INV **Decisive scenarios:** BT17. **Fresh browser verification:** not executed.

FACET-04 · Filter by clicking facet headers

Intent: Specific. **Proposed priority:** P1. **Delta:** Implemented slice.

Current support: The baseline records typed wrap/grid header filters and keyboard selection.

Remaining gap / limit: Do not retain an old missing-header-action claim. Verify owner identity, clear behavior and source counts after combined facet/chart selections.

Evidence: T14 BASE INV **Decisive scenarios:** BT17. **Fresh browser verification:** not executed.

FACET-05 · Choose and order displayed facets without filtering rows

Intent: Specific. **Proposed priority:** P2. **Delta:** Implemented bounded slice.

Current support: Ordered visibleFacetIds, paging and focus are recorded.

Remaining gap / limit: Top-group selection, nested repeats and a durable pin workflow are not established. Visibility is not membership filtering.

Evidence: T14 BASE INV **Decisive scenarios:** BT17. **Fresh browser verification:** not executed.

FACET-06 · Keep facets readable without internal chart scrolling

Intent: Explicit preference. **Proposed priority:** P1. **Delta:** Implemented bounded slice.

Current support: Paging, focus and ordered visibility are recorded as the chosen layout solution.

Remaining gap / limit: Current browser evidence is needed for full labels, page changes and dense/empty layouts. Absence of a scrollbar alone does not prove legibility.

Evidence: T14 BASE REVIEW **Decisive scenarios:** BT17 BT34. **Fresh browser verification:** not executed.

FACET-07 · Preserve facet identity across typed values

Intent: Core correctness. **Proposed priority:** P1. **Delta:** Implemented slice.

Current support: Typed tuple keys and missing-group policies are recorded, avoiding separator-splitting keys.

Remaining gap / limit: Test 1 versus string 1, missing values and separator-containing labels with new mode combinations; durable row identity remains DATA-04.

Evidence: T14 T15 T16 BASE **Decisive scenarios:** BT05 BT17. **Fresh browser verification:** not executed.

Scale policy

SCALE-01 · Explain the population that determines a scale

Intent: Core. **Proposed priority:** P1. **Delta:** Expanded partial.

Current support: Full-source facet domains and additional chart traces make some scale choices inspectable.

Remaining gap / limit: No uniform full/working/visible population switch is established. Preserve stable domains under own brushing and disclose exceptions.

Evidence: T12 T15 INV CHART **Decisive scenarios:** BT10 BT17. **Fresh browser verification:** not executed.

SCALE-02 · Zoom a numerical axis without changing the row subset

Intent: Specific. **Proposed priority:** P2. **Delta:** Still limited for common 2D.

Current support: Map viewport/camera behavior is distinct from analytical filters; common 2D brushes select rows.

Remaining gap / limit: No universal 2D axis zoom/reset contract is established. Do not confuse saved axis options or map pan with common chart zoom.

Evidence: T14 INV CHART BASE **Decisive scenarios:** BT10 BT29. **Fresh browser verification:** not executed.

SCALE-03 · Use linear, categorical, symlog and calendar scales meaningfully

Intent: Specific. **Proposed priority:** P1. **Delta:** Materially expanded.

Current support: The manifest now supports UTC time specifically for Line Chart calendar summaries, alongside linear, band and symlog.

Remaining gap / limit: True log remains explicitly unsupported. Raw numeric days are not dates; calendar support must not be generalized to all date-like axes.

Evidence: T07 T11 T14 T18 COV CHART ROLL **Decisive scenarios:** BT08 BT10. **Fresh browser verification:** not executed.

SCALE-04 · Share formats and disclose local overrides

Intent: Core. **Proposed priority:** P2. **Delta:** Expanded partial.

Current support: Field defaults, labels and exact filter-bound disclosure exist.

Remaining gap / limit: Uniform axis tick units, override origin and generated-versus-explicit values are not established across all 18 families and new modes.

Evidence: T08 T15 FILTER INV **Decisive scenarios:** BT02 BT10. **Fresh browser verification:** not executed.

Color and legends

COLOR-01 · Preserve category meaning across views

Intent: Core. **Proposed priority:** P1. **Delta:** Implemented bounded slice.

Current support: Shared scale IDs, field bindings and editing are described; historical category keys have reviewed examples.

Remaining gap / limit: Line series and specialized chart color paths need fresh cross-view comparison; source-field and renamed-scale identity must be checked rather than inferred.

Evidence: T08 T14 INV BASE REVIEW **Decisive scenarios:** BT17 BT20. **Fresh browser verification:** not executed.

COLOR-02 · Explain every non-obvious encoding automatically

Intent: Explicit preference. **Proposed priority:** P1. **Delta:** Expanded partial.

Current support: Automatic and dedicated legends exist; new maps, sizes and density add more encodings.

Remaining gap / limit: The manifest's universal wording exceeds one reviewed categorical legend. Numeric density/area/projection/series legends require independent checks.

Evidence: T14 COV INV CHART **Decisive scenarios:** BT10 BT20 BT29. **Fresh browser verification:** not executed.

COLOR-03 · Select or emphasize through legends

Intent: Specific. **Proposed priority:** P2. **Delta:** Stable partial.

Current support: Typed categorical legend filtering is described.

Remaining gap / limit: Continuous legend brushing and linked hover emphasis are not established as general contracts. A visible color ramp is not interactive numerical selection.

Evidence: T14 INV BASE **Decisive scenarios:** BT20. **Fresh browser verification:** not executed.

Chart semantics

CHART-01 · Distinguish bar glyph inputs from count and measure transforms

Intent: Core distinction. **Proposed priority:** P1. **Delta:** Materially expanded.

Current support: Counts, histograms, grouped count/sum/average measures, grouped series and stacks are delivered.

Remaining gap / limit: Arbitrary supplied-measure glyph grammar and repeated raw labels remain broader authoring scope. A new mode is not proof of denominator correctness.

Evidence: T11 T18 CHART **Decisive scenarios:** BT07 BT14. **Fresh browser verification:** not executed.

CHART-02 · Explore relationships and inspect selected records

Intent: Core inspection / specific extras. **Proposed priority:** P1. **Delta:** Materially expanded.

Current support: Scatter now has row tracing, point/range selection, bubble area and rectangular density bins.

Remaining gap / limit: Regression/uncertainty/hexagons/marginals/contours are planned, not delivered. Overlap, size provenance and exclusion visibility need current browser proof.

Evidence: T11 T14 T15 CHART PLAN **Decisive scenarios:** BT10 BT15 BT27. **Fresh browser verification:** not executed.

CHART-03 · Draw lines according to data shape and time meaning

Intent: Specific. **Proposed priority:** P1. **Delta:** Materially expanded.

Current support: Raw lines and UTC day/week/month category series exist; calendar series support area and stacked area; Parallel Coordinates covers a distinct per-row topology.

Remaining gap / limit: Do not claim date lines, grouped series or parallel coordinates are wholly missing. Arbitrary repeated-line/slope grammars and general layer composition remain separate.

Evidence: T16 T18 CHART ROLL **Decisive scenarios:** BT08 BT14 BT28. **Fresh browser verification:** not executed.

CHART-04 · Compare and inspect distributions

Intent: Core / richer layers specific. **Proposed priority:** P1. **Delta:** Materially expanded.

Current support: Box/violin/observations/beeswarm traces now explain statistics, density inputs, exclusions and source observations.

Remaining gap / limit: The old missing-box-contributor backlog is stale. Reusable density outputs and live local bandwidth editing remain narrower follow-ups.

Evidence: T14 T15 T17 CHART **Decisive scenarios:** BT16 BT26. **Fresh browser verification:** not executed.

CHART-05 · Inspect and reuse aggregates with correct denominators

Intent: Core / derived measures specific. **Proposed priority:** P1. **Delta:** Expanded partial.

Current support: Pivot contributors and reusable grouped summaries exist; newer stacks/cards/time views expose more aggregate semantics.

Remaining gap / limit: Pivot-as-source, subtotal hierarchies, percentages and prior-period calculations are not generally established. New generic charts do not close every pivot outcome.

Evidence: T11 T13 T15 CHART INV BASE **Decisive scenarios:** BT07 BT19. **Fresh browser verification:** not executed.

CHART-06 · Coordinate 3D with the analytical workspace

Intent: Exploratory broader grammar. **Proposed priority:** P2. **Delta:** Stable partial.

Current support: 3D receives filters and has saved camera/size/omission behavior; historical Lorenz proof is available as a report.

Remaining gap / limit: Point picking, complete data-scale labeling and per-point provenance are not established. 2D selection driving 3D is not 3D-originated selection.

Evidence: T12 T15 CHART INV REVIEW **Decisive scenarios:** BT28. **Fresh browser verification:** not executed.

CHART-07 · Use non-plot views as analytical context

Intent: Core supporting views. **Proposed priority:** P1. **Delta:** Expanded.

Current support: Summary, source tables, legends, rich explanation and now Metric Card support the workflow; inline table distributions are active.

Remaining gap / limit: Static text is not live data-bound narrative; metric all-source comparison is not a frozen baseline; every supporting view needs a clear population label.

Evidence: T09 T13 T14 T19 TABLE CHART **Decisive scenarios:** BT01 BT07 BT33. **Fresh browser verification:** not executed.

CHART-08 · Draw grouped, stacked, normalized bars and areas

Intent: Exploratory examples / later delivered scope. **Proposed priority:** P1. **Delta:** Old absence largely closed.

Current support: Grouped bars, absolute/percentage stacks, area and stacked area are explicitly delivered chart modes.

Remaining gap / limit: Do not list the whole family as missing. Streamgraph and generalized stacking/dodging output reuse remain unestablished, lower-priority architecture extensions.

Evidence: T18 CHART **Decisive scenarios:** BT14 BT26. **Fresh browser verification:** not executed.

CHART-09 · Represent multivariate rows and hierarchies appropriately

Intent: Exploratory. **Proposed priority:** P3. **Delta:** Partially closed.

Current support: Parallel Coordinates is active and registered.

Remaining gap / limit: Hierarchy-aware treemap/packing remains outside the delivered catalogue. Separate the delivered multivariate slice from uncommitted hierarchy examples.

Evidence: T18 REG CHART **Decisive scenarios:** BT28 BT32. **Fresh browser verification:** not executed.

CHART-10 · Distinguish data transforms from geometry transforms

Intent: Core explainability / architecture open. **Proposed priority:** P2. **Delta:** Expanded partial.

Current support: Stack bounds, density-bin intervals, bubble area, map projection and parallel vertices appear in chart-specific traces/contracts.

Remaining gap / limit: There is no established general inspectable geometry pipeline whose output can be substituted or reused independently of a chart renderer.

Evidence: T18 CHART **Decisive scenarios:** BT10 BT14 BT15 BT29. **Fresh browser verification:** not executed.

Traceability and reproduction

TRACE-01 · Inspect exact source contributors for a selected mark

Intent: Core. **Proposed priority:** P1. **Delta:** Materially expanded.

Current support: Current chart contracts extend beyond scalar/pivot/named groups to bins, distributions, scatter, time, stacks, maps, flows and ECDF.

Remaining gap / limit: The old histogram/box/scatter contributor absence is stale. Trace reachability, selected mark identity, exclusions and roundtrip consistency are not freshly verified.

Evidence: T11 T15 CHART **Decisive scenarios:** BT07 BT15 BT16 BT24. **Fresh browser verification:** not executed.

TRACE-02 · Inspect every intermediate result and reuse it where useful

Intent: Core. **Proposed priority:** P2. **Delta:** Expanded partial.

Current support: Named group results and many chart-specific trace stages are described.

Remaining gap / limit: Broad inspection does not establish every intermediate as a named reusable table. Reduced lines, density/model outputs and general transform composition remain uneven.

Evidence: T11 T13 T15 CHART INV **Decisive scenarios:** BT19 BT26. **Fresh browser verification:** not executed.

TRACE-03 · Explain properties, defaults, scales and denominators

Intent: Core. **Proposed priority:** P1. **Delta:** Expanded partial.

Current support: New traces include stack bands, numeric exclusions, date bounds, projections, ECDF denominators and source inputs.

Remaining gap / limit: No universal every-property provenance contract is established. Test parameter origins, own-versus-peer filtering and overridden settings instead of counting trace dialogs.

Evidence: T15 CHART INV **Decisive scenarios:** BT10 BT14 BT24. **Fresh browser verification:** not executed.

TRACE-04 · Connect friendly controls to an expanded specification

Intent: Candidate / now planned. **Proposed priority:** P2. **Delta:** New plan, not general compiler.

Current support: Chart settings and chart-spec inspection provide bounded configuration; PR136 plans compact dashboard authoring.

Remaining gap / limit: A settings inspector is not an interchangeable source/transform/filter/scale/glyph compiler. The DSL PR is documentation-only and not runtime support.

Evidence: T16 T17 PLAN INV **Decisive scenarios:** BT26 BT27. **Fresh browser verification:** not executed.

TRACE-05 · Reproduce an analysis independently of the current renderer

Intent: Specific / architecture parked. **Proposed priority:** P3. **Delta:** Stable partial.

Current support: Settings restore and full-analysis bundles preserve applied application state with source rows.

Remaining gap / limit: No renderer-neutral scene, stable source version or headless semantic evaluation contract is established. Restoring React is not independent analytical reproduction.

Evidence: T15 T16 INV HOST **Decisive scenarios:** BT22 BT23 BT26. **Fresh browser verification:** not executed.

TRACE-06 · Reuse grouping, repetition and derived layers without manual duplication

Intent: Candidate. **Proposed priority:** P2. **Delta:** Stable partial / planned extension.

Current support: Facets and grouped/calendar definitions cover bounded repetition; new advanced scatter plans specify grouping/facet behavior.

Remaining gap / limit: General explicit-list repeat, model-layer inheritance and common group-object outputs remain unresolved or planned, not delivered.

Evidence: T16 T17 PLAN CHART INV **Decisive scenarios:** BT26 BT27. **Fresh browser verification:** not executed.

TRACE-07 · Keep product intent, implementation and proof synchronized

Intent: Core process. **Proposed priority:** P0. **Delta:** Documentation drift confirmed.

Current support: A transcript audit, feature inventory, matrix, historical review and retirement records all exist. Tests enforce useful catalogue invariants.

Remaining gap / limit: Mixed-age documents conflict; reviews lack revision-bound artifacts in the manifest; October 2 screenshot links point to absent tmp-root files. Add a verifiable claim-to-proof chain.

Evidence: T10 T20 BASE INV COV COVTEST REVIEW TMP CLOSE **Decisive scenarios:** BT35. **Fresh browser verification:** not executed.

Performance and loading

PERF-01 · Keep the loaded workspace interactive

Intent: Core. **Proposed priority:** P1. **Delta:** Still unmeasured in current audit.

Current support: Virtual rows and 10,000-row examples exist; deployed artifact contains the representative data.

Remaining gap / limit: No current load/filter/Apply/scroll latency or heap measurement. A fixture row count and a successful build are not a capacity envelope.

Evidence: T01 T13 TABLE INV DEPLOY **Decisive scenarios:** BT34. **Fresh browser verification:** not executed.

PERF-02 · Compute once when consumers share a result

Intent: Core. **Proposed priority:** P2. **Delta:** Expanded partial.

Current support: Shared numeric and UTC reducers improve semantic consistency; scalar caching and named definitions are described.

Remaining gap / limit: A reused reducer/definition is not proof of shared execution or invalidation correctness. The baseline notes grouped consumers recompute; re-profile current paths before adding cache infrastructure.

Evidence: T11 T13 T17 NUM ROLL BASE **Decisive scenarios:** BT19 BT34. **Fresh browser verification:** not executed.

PERF-03 · Move only needed data and disclose incompleteness

Intent: Candidate / parked. **Proposed priority:** P3. **Delta:** Still outside slice.

Current support: One in-memory source is explicit; local examples are whole-file fetches.

Remaining gap / limit: No projected/streamed server protocol or loaded-versus-total disclosure is established. Do not silently turn performance wishes into a backend rewrite.

Evidence: T13 INV HOST **Decisive scenarios:** BT31. **Fresh browser verification:** not executed.

PERF-04 · Explain loading and allow long work to be stopped

Intent: Specific. **Proposed priority:** P2. **Delta:** Stable partial.

Current support: The host fetch path has loading, error, retry and stale-request abort handling.

Remaining gap / limit: Local parse progress/cancellation, worker execution and long calculation progress are not established. No current responsiveness measurements were possible.

Evidence: T13 HOST INV **Decisive scenarios:** BT31 BT34. **Fresh browser verification:** not executed.

PERF-05 · Measure representative tasks before optimizing

Intent: Core method. **Proposed priority:** P1. **Delta:** Proof debt.

Current support: Repository review reports and deterministic examples give useful starting points.

Remaining gap / limit: No current repeatable browser performance benchmark was run here; no claim can be made about 100k or million-row usability.

Evidence: T20 INV DEPLOY **Decisive scenarios:** BT34. **Fresh browser verification:** not executed.

Errors, accessibility and screen support

UX-01 · Explain invalid values before they mislead a chart

Intent: Core. **Proposed priority:** P1. **Delta:** Expanded partial.

Current support: Shared numeric code excludes blank, boolean and nonfinite measurements; conversion/calculation errors and many chart trace exclusions exist.

Remaining gap / limit: The old no-common-numeric-policy claim is stale. Error reachability and agreement across all new consumers need browser proof.

Evidence: T09 T15 NUM CHART INV **Decisive scenarios:** BT02 BT07. **Fresh browser verification:** not executed.

UX-02 · Distinguish empty, invalid, zero and missing results

Intent: Core. **Proposed priority:** P1. **Delta:** Expanded partial.

Current support: An unmatched search was historically reviewed; newer charts document valid-zero versus empty versus no-valid-number distinctions.

Remaining gap / limit: One empty-table case is not every chart's empty-state proof. Test date gaps, all-invalid groups, maps and normalized denominators explicitly.

Evidence: T06 T07 CHART REVIEW **Decisive scenarios:** BT02 BT07 BT09 BT29. **Fresh browser verification:** not executed.

UX-03 · Complete real tasks with keyboard and assistive technology

Intent: Core baseline. **Proposed priority:** P1. **Delta:** Expanded partial / unverified.

Current support: Named actions, keyboard width control, menu handling, chip focus/highlight and Alt-Enter trace contracts exist.

Remaining gap / limit: Naming alone is not full accessibility. Canvas/WebGL marks, brushing, focus return, virtual rows and screen-reader outcomes remain unverified here.

Evidence: T02 T09 T20 FILTER THDR TABLE CHART REVIEW **Decisive scenarios:** BT12 BT24 BT34.
Fresh browser verification: not executed.

UX-04 · Keep presentation useful at the supported screen size

Intent: Specific / desktop baseline. **Proposed priority:** P1. **Delta:** Expanded partial.

Current support: The stated workspace minimum is 1024 CSS pixels. Selected historical examples were checked at 1280/1024, with limited narrower flows.

Remaining gap / limit: Do not infer mobile support from 390-pixel spot checks. New modes, floating inspectors, menu collisions and long labels need current desktop proof.

Evidence: T01 T14 T19 INV REVIEW **Decisive scenarios:** BT17 BT24 BT34. **Fresh browser verification:** not executed.

Growth beyond the old catalogue

These additions deserve explicit support and proof records even when they were not separately named as obligations in the original transcripts. They should not inflate transcript completeness merely by increasing chart count.

G01 · Scalar table workflow

Header distributions, drag reorder, context-menu column recovery, Clear sort and typed cell actions. Direct active source; browser unverified. Relevant intent: T02 T06 T09. Evidence: TABLE THDR TMENU.

G02 · Filter discoverability

Owner navigation and focus/hover highlighting, overflow chip list and explicit local scope. Direct source and callback wiring search; browser unverified. Relevant intent: T12. Evidence: FILTER PLOT.

G03 · Trace breadth

Contributors, exclusions, bounds and geometry across many more marks than scalar/pivot. Current implementation guide; individual renderer paths not all independently audited. Relevant intent: T11 T15 T18. Evidence: CHART.

G04 · Calendar series and Calendar

UTC day/week/month, category series and exact period contributors. Direct rollup source plus current chart guide; browser unverified. Relevant intent: T07 T16 T18. Evidence: ROLL CHART.

G05 · Grouped/stacked/percentage bars and area

Supplied grouped measures, cumulative bands and denominators. Current chart guide and mode manifest; browser unverified. Relevant intent: T11 T18. Evidence: CHART COV.

G06 · Bubble and rectangular density scatter

Area encoding, bin memberships and source-row tracing. Current chart guide and mode manifest; not regression, KDE or hexagons. Relevant intent: T14 T15 T17. Evidence: CHART COV.

G07 · Other member discovery

Search/paging and typed real-member selections. Current chart guide; browser unverified. Relevant intent: [T06](#). Evidence: [CHART](#).

G08 · Map

Point and region modes, local geometry and typed joins. Active registry plus current guide; not general analytical multi-source joins. Relevant intent: [T11](#) [T15](#). Evidence: [REG CHART](#).

G09 · Metric Card

Count/sum/average with all-source reference and source inspection. Active registry plus guide; not frozen baseline. Relevant intent: [T11](#) [T12](#). Evidence: [REG CHART](#).

G10 · Heatmap

Two-category count/sum/average with exact pair selection. Active registry plus guide; not correlation/missingness semantics. Relevant intent: [T11](#) [T13](#). Evidence: [REG CHART](#).

G11 · Sankey

Ordered-stage flows, exclusions and exact node/link contracts. Active registry plus guide; not arbitrary edge-list network. Relevant intent: [T11](#) [T15](#) [T18](#). Evidence: [REG CHART](#).

G12 · Parallel Coordinates and ECDF

Multivariate row topology plus threshold/tie-aware distribution inspection. Active registry plus guide; current browser comparison unverified. Relevant intent: [T14](#) [T18](#). Evidence: [REG CHART](#).

G13 · Advanced scatter / authoring DSL

New shaped regression, contours, hexagons, marginals and compact authoring. Planning growth only; PR136 makes no application changes. Relevant intent: [T16](#) [T17](#) [T19](#). Evidence: [PLAN](#).

Source labels link to the identified repository files or PR/run records. Full source locators and reading scope are in Report 06.