

Coverage matrix review: growth, blind spots and proof debt

Read-only audit · October 5, 2026 · byronwall/explorEDA

Revision: 362db58082df9c1b57c2305a49823a1dae385081

Fresh application browser tests: 0 completed; navigation blocked by administrator policy.

What the matrix actually measures

The current matrix is a **selected implementation-and-example catalogue**, not a transcript requirements matrix. Its 52 rows cover 18 registered view types, six modes and 28 cross-cutting features. Every row is marked required; 51 are declared supported and only true log is not supported. All supported rows have at least one declared example. This is useful catalogue hygiene, but the row set omits important product outcomes. [COV REG](#)

Its three concepts are explicitly separate: implementation status, example usage (shown/reviewed/not used), and feature review (at least one reviewed assignment). The UI explains these definitions. Blank example cells mean no recorded usage, not necessarily a missing capability or a failed test. Do not demand that every one of the 19 examples show every feature; most such combinations would be irrelevant. [COV COVUI](#)

The matrix is development-only: LandingPage conditionally imports it under `import.meta.env.DEV`. The deployed Pages build therefore cannot be used as a current matrix route even if its application were reachable. Provide a development review artifact or generated static coverage page rather than misdiagnosing production omission as a routing failure. [HOST](#)

Recomputed catalogue snapshot

Indicator	Value
Feature rows	52
Examples	19
Declared implemented	51
Features with declared example usage	51
Features with at least one historical reviewed assignment	30
Needs attention under the current source predicate	22
Feature/example declarations	182
Reviewed feature/example assignments	37
Examples with any review record	7
Explicit gap strings	0

These values are calculated from the included source-transcribed JSON. They are not a browser observation or a fresh test result. “Needs attention” is the source predicate: an explicit gap, unsupported/not-checked implementation, no example, or no review. Here it consists of 21 supported-but-unreviewed features plus unsupported log. The 182 declarations include the 37 reviewed assignments, not 182 additional shown-only assignments. [COV COVUI](#)

What is growing

Implementation breadth is growing faster than recorded visual proof. All seven added view types and all six chart-mode rows are shown but have no reviewed assignment in the manifest. The newer time-scale row is also supported/shown without a review. Older chart-wide rows can inherit a historical reviewed status from one old example even when a newer mode needs different tests. The reviewed numeric-day line does not certify calendar areas; reviewed scatter does not certify density membership or bubble-area semantics. [COV REVIEW CHART](#)

Everyday interaction support is undercounted. Header distributions, drag reorder, table context menus and filter-owner navigation now exist, yet the row set has no direct outcome-specific credit for most of them. Those capabilities disappear inside broad table/filter labels. The same problem affects calculations: `calculated-orders` has fourteen recorded calculations, but its only reviewed assignment is invalid state. That does not measure a valid formula, dependency chain, edit propagation or calculation provenance. [TABLE THDR TMENU FILTER COV REVIEW](#)

Traceability is particularly invisible in the matrix. The `scatter-trace` example declares charts, guides, colors and interactions but has no traceability feature to declare. The chart guide describes many contributor/geometry trace contracts, yet the matrix cannot say which family can explain which step. Add explicit source-membership, exclusion, intermediate-result and property-origin outcomes rather than a single oversized “traceability supported” flag. [COV CHART](#)

What is lacking in the model

The data model lacks partial support, planned-only status and a scope description for exceptions. “Map” combines point and region joins; “area” combines simple and stacked bands; “stacked bars” combines absolute and percentage semantics. Conversely, `scale:time` has an appropriately narrow description tied to calendar Line Charts. Use that style of bounded contract more consistently. [COV](#)

The review model stores a date, a repository report string and prose evidence per reviewed assignment. It does not store the reviewed commit, data hash, browser/version, viewport, action/result identifiers, test runner or artifact digest. Source changes cannot automatically make a review stale. Feature-level reviewed is computed by any reviewed assignment, not by whether the current relevant modes were exercised. [COV](#)

Neither the feature detail nor the example usage view renders the stored review date, report link or evidence sentence. They link to the example and show checked status, so readers cannot follow the proof directly from the visible coverage claim. Expose those fields and their freshness next to the assignment, with a clear distinction between opening the example and opening its proof. [COVUI](#)

`getOpenGapCount()` sums optional gap strings. With no gap arrays, the result is zero even though log is unsupported and most transcript gaps are not represented. That API is not a count of unresolved product needs. The current summary uses “Needs attention,” which is better; retain its distinct definition and avoid publishing a misleading “zero product gaps” claim. [COV COVTEST COVUI](#)

Safeguards already present — retain them

The coverage tests compare the exact example ID list with the example catalogue and compare declared chart types with the active registry. The validator also detects unknown IDs, missing reviewed dates, missing evidence sentences and evidence attached to unreviewed assignments. These are real existing safeguards; they should not be proposed as though absent. They were inspected in source but not rerun here. [COVTEST COV](#)

The missing checks are different: real calendar-date validity rather than only a date-shaped string; existing report files and anchors rather than a path prefix; actual artifact resolution; revision/data freshness; semantic assertion coverage; and bounded implementation exceptions. Duplicate IDs and changed proof dependencies can also be tested explicitly. The existing equality checks protect the current example catalogue, but do not establish that each claimed feature is actually exercised by its saved example. [COV COVTEST](#)

Historical review is useful but not current proof

The 37 reviewed assignments all point to the October 2 report. That report documents seven examples, principally at 1280 CSS pixels; shop was also checked at 1024, with selected narrow flows at 783/390. It explicitly does not cover virtual scrolling and does not expand the supported desktop minimum below 1024. It was correct at its date to distinguish numeric study days from a time scale. New UTC calendar support should not retroactively change the historical report; it should add a new proof record. [REVIEW CHART](#)

The report's screenshot links resolve to files such as tmp/shop-operations-1280.png. At the pinned revision the tmp directory listing contains only evals/, so those linked screenshots are not retained at their stated repository locations. This does not prove the historical browser work never happened. It means this audit cannot inspect those screenshots from the cited paths and the proof chain is not reproducible from the report alone. [REVIEW TMP](#)

Row-by-row commentary

Counts below are manifest declarations and historical assignments. “Reviewed 0” is not a runtime failure; it identifies missing recorded review for that row. Every row's fresh browser status in this audit is not tested.

chart:map · Map

Declared implementation: supported. **Examples:** 2. **Historically reviewed examples:** 0.

Point and region modes are delivered; split their different coordinate, join, omission, and geometry-restore contracts in the matrix. [COV](#)

chart:metric-card · Metric Card

Declared implementation: supported. **Examples:** 10. **Historically reviewed examples:** 0.

A filtered versus all-source metric is useful growth; it is not a frozen comparison cohort. Check count versus eligible numeric contributors. [COV](#)

chart:row · Row Chart

Declared implementation: supported. **Examples:** 13. **Historically reviewed examples:** 0.

Ranked counts now include searchable Other members. A generic row-chart row does not prove exact member identity after resize or restore. [COV](#)

chart:bar · Bar Chart

Declared implementation: supported. **Examples:** 11. **Historically reviewed examples:** 0.

Histogram, counts, grouped measures and multiple series modes coexist. Separate bin-boundary, selection, and denominator proof. [COV](#)

chart:scatter · Scatter Plot

Declared implementation: supported. **Examples:** 11. **Historically reviewed examples:** 2.

An older scatter example is reviewed, but that cannot certify newly added bubble, density, or mark-trace behavior. [COV](#)

chart:3d-scatter · 3D Scatter

Declared implementation: supported. **Examples:** 1. **Historically reviewed examples:** 1.

Historical Lorenz checks support receiving linked filters and visible color. They do not prove point picking or a full accessible selection path. [COV](#)

chart:pivot · Pivot Table

Declared implementation: supported. **Examples:** 4. **Historically reviewed examples:** 1.

Position summaries are historically reviewed; arbitrary aggregate error handling, contributor inspection and output reuse need separate rows. [COV](#)

chart:data-table · Data Table

Declared implementation: supported. **Examples:** 17. **Historically reviewed examples:** 1.

Listing records is reviewed. New header distributions, dragging, context menus, calculated cells and export roundtrips deserve independent proof. [COV](#)

chart:summary · Summary

Declared implementation: supported. **Examples:** 2. **Historically reviewed examples:** 1.

Historical field counts are credited; inference corrections, blank/nonfinite policies and filtered distributions require explicit scenarios. [COV](#)

chart:markdown · Markdown / explanation

Declared implementation: supported. **Examples:** 3. **Historically reviewed examples:** 0.

Static rich explanation is shown. It is not data-bound narrative or the newly planned compact authoring DSL. [COV](#)

chart:boxplot · Distribution / Box Plot

Declared implementation: supported. **Examples:** 6. **Historically reviewed examples:** 0.

Box, violin, observations and beeswarm are materially different modes; contributor, density and geometry claims should not hide behind one cell. [COV](#)

chart:color-legend · Color Legend view

Declared implementation: supported. **Examples:** 2. **Historically reviewed examples:** 0.

A dedicated legend view is distinct from automatic chart legends. Continuous-range interaction is not established by displaying a palette. [COV](#)

chart:line · Line Chart

Declared implementation: supported. **Examples:** 5. **Historically reviewed examples:** 1.

The reviewed numeric-day line is not proof of new UTC rollups, long-format category series, area bands or missing-period policy. [COV](#)

chart:sankey · Sankey

Declared implementation: supported. **Examples:** 1. **Historically reviewed examples:** 0.

Ordered-stage flows are delivered; an edge-list network is not. Check adjacent-stage pairs, stage identity, weight exclusions and Other nodes. [COV](#)

chart:parallel-coordinates · Parallel Coordinates

Declared implementation: supported. **Examples:** 1. **Historically reviewed examples:** 0.

This closes the earlier parallel-coordinate example gap. Reorder, inversion, brush intersection and complete-row exclusions need browser proof. [COV](#)

chart:calendar · Calendar

Declared implementation: supported. **Examples:** 3. **Historically reviewed examples:** 0.

UTC day/month presentation is delivered. This does not close relative periods, quarter controls or period stepping in generic field filters. [COV](#)

chart:heatmap · Heatmap

Declared implementation: supported. **Examples:** 1. **Historically reviewed examples:** 0.

Two-category aggregates are delivered. Correlation and missingness semantics are not supplied merely by a grid of colored cells. [COV](#)

chart:ecdf · ECDF

Declared implementation: supported. **Examples:** 1. **Historically reviewed examples:** 0.

Distribution thresholds add analytical depth. Check ties, denominator eligibility, both directions and grouped versus overall curves. [COV](#)

mode:scatter-density · Scatter density

Declared implementation: supported. **Examples:** 1. **Historically reviewed examples:** 0.

Rectangular count bins are delivered. They are not hexagonal bins or two-dimensional KDE contours; those are newly planned scatter scope. [COV](#)

mode:bubble-scatter · Bubble scatter

Declared implementation: supported. **Examples:** 1. **Historically reviewed examples:** 0.

Numeric size uses an area contract. Check zero, negative/invalid values, full-source stability and source-row selection under overlap. [COV](#)

mode:area · Area and stacked area

Declared implementation: supported. **Examples:** 1. **Historically reviewed examples:** 0.

A combined row hides two geometries. Check missing periods and cumulative bounds; stack averages must remain disallowed. [COV](#)

mode:stacked-bars · Stacked and percentage bars

Declared implementation: supported. **Examples:** 1. **Historically reviewed examples:** 0.

A combined row hides absolute and normalized denominators. Show zero/no rows/no valid measurements separately. [COV](#)

mode:grouped-bars · Grouped bars

Declared implementation: supported. **Examples:** 1. **Historically reviewed examples:** 0.

An exact category-series pair is supported. Arbitrary unions of pairs cannot be represented by independent field value sets. [COV](#)

mode:calendar-series · Calendar series

Declared implementation: supported. **Examples:** 2. **Historically reviewed examples:** 0.

Day/week/month grouping, week start, category series and source IDs are a genuine partial closure of line and date intent. [COV](#)

labels:meaningful-title · Meaningful titles

Declared implementation: supported. **Examples:** 6. **Historically reviewed examples:** 1.

Historical examples have useful questions. No guarantee that every newly created chart or changed metric retains a truthful title. [COV](#)

labels:axes · Axis labels

Declared implementation: supported. **Examples:** 6. **Historically reviewed examples:** 1.

Historical units and names are credited. Add generated-versus-overridden labels and derived units to acceptance criteria. [COV](#)

guides:ticks · Ticks

Declared implementation: supported. **Examples:** 6. **Historically reviewed examples:** 1.

Reviewed at selected widths; test long labels, date boundaries and facet crowding rather than treating one readable axis as universal. [COV](#)

guides:grids · Grid lines

Declared implementation: supported. **Examples:** 1. **Historically reviewed examples:** 0.

Shown in scatter-trace but not reviewed. Test whether guides aid comparison without covering points or conflicting with facet scale policy. [COV](#)

scale:linear · Linear scale

Declared implementation: supported. **Examples:** 2. **Historically reviewed examples:** 1.

Numeric-day historical proof is appropriately narrow. Include constant, empty and all-invalid domains in a separate robustness dimension. [COV](#)

scale:log · Log scale

Declared implementation: not-supported. **Examples:** 0. **Historically reviewed examples:** 0.

Correctly not supported. Symlog is not log. Zero explicit gap strings is not evidence that this unsupported capability is complete. [COV](#)

scale:time · Time scale

Declared implementation: supported. **Examples:** 1. **Historically reviewed examples:** 0.

New supported contract is specifically UTC Line Chart calendar summaries, not universal time axes across all chart modes. [COV](#)

scale:band · Band scale

Declared implementation: supported. **Examples:** 1. **Historically reviewed examples:** 1.

Historical categorical positions are credited. Typed equal-looking values, ordering and omitted categories still need targeted checks. [COV](#)

scale:symlog · Symmetric log scale

Declared implementation: supported. **Examples:** 2. **Historically reviewed examples:** 1.

Correctly separated from log. Preserve that distinction in chart copy, exported settings and axis inspection. [COV](#)

color:categorical · Categorical color

Declared implementation: supported. **Examples:** 5. **Historically reviewed examples:** 2.

Shared categorical colors have historical proof. Add typed keys, missing groups, source-field binding and rename consistency. [COV](#)

color:numerical · Numerical color

Declared implementation: supported. **Examples:** 2. **Historically reviewed examples:** 1.

Historical Lorenz visibility is evidence for that palette and background, not for all domains or accessible continuous legends. [COV](#)

color:legend · Legends

Declared implementation: supported. **Examples:** 5. **Historically reviewed examples:** 2.

Historical categories are named. The description every non-obvious encoding is broader than the finite set of reviewed examples. [COV](#)

facet:wrap · Wrap facets

Declared implementation: supported. **Examples:** 3. **Historically reviewed examples:** 1.

Historical Lorenz layout is credited. Add ordered visibility, paging, focus and keyboard header actions; do not require all 18 types to facet. [COV](#)

facet:grid · Grid facets

Declared implementation: supported. **Examples:** 1. **Historically reviewed examples:** 1.

Historical material-by-size layout is credited. Add empty cells, typed tuples, field changes and interaction scope. [COV](#)

facet:shared-scales · Shared scales

Declared implementation: supported. **Examples:** 1. **Historically reviewed examples:** 1.

One matching-tick comparison does not establish all field/type/scale combinations. Include position, color and size contracts. [COV](#)

interaction:brushing · Brushing

Declared implementation: supported. **Examples:** 4. **Historically reviewed examples:** 1.

A historical range brush is checked. New density, parallel, time and stacked modes need their own filter-semantic checks. [COV](#)

interaction:cross-filter · Cross-chart filtering

Declared implementation: supported. **Examples:** 13. **Historically reviewed examples:** 2.

Web 167/500 and Lorenz historical counts are valuable oracles. Waived new cross-view comparisons remain unverified. [COV](#)

interaction:active-filter · Active filter display

Declared implementation: supported. **Examples:** 1. **Historically reviewed examples:** 1.

Owner navigation and highlighting are now active source behavior; the old reviewed Sports chip alone does not prove the new focus path. [COV](#)

interaction:saved-filter-state · Saved filter state

Declared implementation: supported. **Examples:** 1. **Historically reviewed examples:** 1.

The declared intent is opening a preset example. Rename or split it so it cannot be mistaken for edited-state export and restore. [COV](#)

table:sorting · Table sorting

Declared implementation: supported. **Examples:** 2. **Historically reviewed examples:** 1.

Clear sort now exists in the context menu. Header clicks still toggle asc/desc; record outcome support separately from a preferred three-state gesture. [COV](#)

table:filtering · Table filtering

Declared implementation: supported. **Examples:** 1. **Historically reviewed examples:** 1.

Text search and a reversible empty result have historical proof. Add typed cell filters and local Rows versus chart-owned scopes. [COV](#)

table:virtualization · Virtual table scrolling

Declared implementation: supported. **Examples:** 2. **Historically reviewed examples:** 0.

Explicitly not covered by the October 2 table review. A shown 10,000-row example is not scroll, memory or screen-reader proof. [COV](#)

table:formatting · Table formatting

Declared implementation: supported. **Examples:** 1. **Historically reviewed examples:** 1.

Historical grouped PTS values are narrower than the broad label. Add precision, currency, count units, aliases and exact-bound disclosure. [COV](#)

layout:dashboard · Dashboard layout

Declared implementation: supported. **Examples:** 5. **Historically reviewed examples:** 1.

Readability is historically checked; duplicate filter ownership, resize persistence and focused-view restoration are separate outcomes. [COV](#)

state:empty · Empty state

Declared implementation: supported. **Examples:** 1. **Historically reviewed examples:** 1.

One unmatched search is reviewed. Add empty chart inputs, zero-valued groups, invalid measures, absent dates and unmatched map regions. [COV](#)

state:invalid · Invalid state

Declared implementation: supported. **Examples:** 1. **Historically reviewed examples:** 1.

Invalid formula syntax is reviewed. It does not prove transactional rejection of malformed full-analysis imports or every new chart setting. [COV](#)

accessibility:naming · Accessibility naming

Declared implementation: supported. **Examples:** 6. **Historically reviewed examples:** 4.

Keep the narrow label. Useful names do not establish keyboard equivalence, screen-reader semantics or accessible Canvas/WebGL marks. [COV](#)

responsive:desktop-resize · Desktop resize

Declared implementation: supported. **Examples:** 1. **Historically reviewed examples:** 1.

Historical 1280/1024 checks support selected layouts. Narrow checks do not change the declared 1024 CSS-pixel workspace minimum. [COV](#)

Example-level review distribution

Example	Declared pairs	Reviewed pairs	Interpretation
distribution-discovery	6	0	Shown declarations only; no review record
region-map	5	0	Shown declarations only; no review record
point-map	5	0	Shown declarations only; no review record
scatter-density	6	0	Shown declarations only; no review record
bubble-scatter	6	0	Shown declarations only; no review record
area-charts	8	0	Shown declarations only; no review record
stacked-bars	6	0	Shown declarations only; no review record
grouped-bars	6	0	Shown declarations only; no review record
calendar-series	8	0	Shown declarations only; no review record
shop-operations	18	11	October 2 report; only listed assignments
palmer-penguins	10	0	Shown declarations only; no review record
nba-stats	14	8	October 2 report; only listed assignments
categorical-charts	14	6	October 2 report; only listed assignments

Example	Declared pairs	Reviewed pairs	Interpretation
box-plot	8	0	Shown declarations only; no review record
product-activity	13	2	October 2 report; only listed assignments
scatter-trace	10	0	Shown declarations only; no review record
calculated-orders	9	1	October 2 report; only listed assignments
shop-10000	16	1	October 2 report; only listed assignments
lorenz-3d	14	8	October 2 report; only listed assignments

The absence of a review on newly added modes is more important than filling every blank square. Prioritize distinct semantics: pair selection, percentage denominators, date boundaries, missing measurements, trace identity and restore. Avoid spending effort declaring the same easy title/legend property in more examples while core workflows remain unrepresented. [COV CHART](#)

Proposed extension: outcome coverage alongside the catalogue

Keep the existing chart/example catalogue. Add a linked outcome layer with stable requirement IDs, scope, implementation evidence and verification records. Do not overload one boolean status to mean designed, coded, demonstrated, reviewed and accepted. The proposed dimensions in the data folder are recommendations only; no repository file has been modified.

outcome:field-inspection

Assessment: Partial / growing. **Transcript ledger:** DATA-02 DATA-03.

Contract: Inline distributions, missing/excluded counts, type preview and raw/effective distinction. Decisive proof: BT01 BT02.

outcome:column-operations

Assessment: Implemented slice / unverified here. **Transcript ledger:** TABLE-01 TABLE-02 TABLE-03.

Contract: Drag, hide/recover, width reset, keyboard resize and Clear sort; separate auto-fit absence. Decisive proof: BT12 BT22.

outcome:filter-population

Assessment: Partial / growing. **Transcript ledger:** FILT-01 FILT-02.

Contract: Full, peer and global/local population semantics with exact source IDs. Decisive proof: BT03 BT07.

outcome:filter-owner-navigation

Assessment: Implemented slice / unverified here. **Transcript ledger:** FILT-03.

Contract: Label focus/jump versus X removal, including overflow and Rows. Decisive proof: BT11.

outcome:reset-all

Assessment: Implemented slice / unverified here. **Transcript ledger:** FILT-04.

Contract: Reset chart filters, table searches and Rows-local controls together. Decisive proof: BT03 BT11.

outcome:exact-range

Assessment: Partial. **Transcript ledger:** FILT-06 FILT-07.

Contract: Manual bound precision, one-sided intervals and data-replacement semantics. Decisive proof: BT04.

outcome:typed-other-members

Assessment: Implemented slice / unverified here. **Transcript ledger:** FILT-08.

Contract: Typed identity, rare-member selection and resize/restore stability. Decisive proof: BT05.

outcome:calculation-authoring

Assessment: Implemented slice / historical proof. **Transcript ledger:** CALC-01 CALC-02 CALC-03.

Contract: Valid formulas, invalid drafts, dependency errors and row-level explanations. Decisive proof: BT18.

outcome:calculation-dependent-edit

Assessment: Implemented slice / needs current integration proof. **Transcript ledger:** CALC-05 CALC-06.

Contract: Recompute every affected chart/table/filter while preserving thresholds. Decisive proof: BT18 BT22.

outcome:aggregate-contributors

Assessment: Partial / growing. **Transcript ledger:** TRACE-01 CALC-08.

Contract: Exact source members versus eligible measurements and exclusions per family. Decisive proof: BT07 BT15 BT16.

outcome:property-provenance

Assessment: Partial / growing. **Transcript ledger:** TRACE-03.

Contract: Transforms, scales, defaults, stack bounds, date intervals and denominators. Decisive proof: BT10 BT14 BT24.

outcome:intermediate-reuse

Assessment: Partial. **Transcript ledger:** DATA-08 TRACE-02.

Contract: Named grouped outputs versus chart-local arrays; one concrete downstream consumer.
Decisive proof: BT19 BT26.

outcome:settings-roundtrip

Assessment: Implemented slice / fresh proof missing. **Transcript ledger:** DASH-03 DASH-04.

Contract: Edited settings remount against supplied host data. Decisive proof: BT22.

outcome:full-analysis-roundtrip

Assessment: Implemented slice / fresh proof missing. **Transcript ledger:** DASH-03 DASH-04.

Contract: Rows, special values, calculations, new chart settings and geometry assets. Decisive proof: BT22 BT29.

outcome:invalid-restore-atomicity

Assessment: Implemented slice / needs proof. **Transcript ledger:** DASH-04 CALC-02.

Contract: Invalid JSON/dependencies cannot destroy the current analysis. Decisive proof: BT22.

outcome:durable-named-analysis

Assessment: Not established in current host. **Transcript ledger:** DASH-02 DASH-05.

Contract: Storage, ownership, dirty state, reopening and source binding. Decisive proof: BT22 BT23.

outcome:filter-free-template

Assessment: Not established. **Transcript ledger:** DASH-06.

Contract: Layout/configuration separated from a temporary selection. Decisive proof: BT33.

outcome:stable-source-identity

Assessment: Not established. **Transcript ledger:** DATA-04 TRACE-05.

Contract: Key and source fingerprint survive reorder/replacement without silent remapping. Decisive proof: BT23.

outcome:calendar-relative-period

Assessment: Not established beyond fixed rollups. **Transcript ledger:** FILT-11.

Contract: Rolling versus completed periods, step windows, explicit saved reference time. Decisive proof: BT08 BT09.

outcome:rich-cell-reading

Assessment: Not established in scalar model. **Transcript ledger:** TABLE-06 TABLE-07.

Contract: Long text and structured objects retain readable semantic context. Decisive proof: BT13.

outcome:keyboard-workflow

Assessment: Partial / unverified. **Transcript ledger:** UX-03.

Contract: Task completion, mark selection alternatives, focus and Escape, not names alone. Decisive proof: BT12 BT24.

outcome:screen-reader-workflow

Assessment: Unverified. **Transcript ledger:** UX-03.

Contract: Real assistive technology reads table/trace/selection context accurately. Decisive proof: BT24 BT34.

outcome:measured-performance

Assessment: Unverified. **Transcript ledger:** PERF-01 PERF-05.

Contract: Load/filter/Apply/scroll/heap with device, shape and latency distributions. Decisive proof: BT34.

planned:advanced-scatter

Assessment: Planned only. **Transcript ledger:** CALC-09 CHART-02.

Contract: Regression, LOESS, marginals, hexagons and 2D contours; own versus peer filter scope. Decisive proof: BT27.

planned:compact-authoring

Assessment: Planned only. **Transcript ledger:** TRACE-04 TRACE-06.

Contract: Complete document authoring, warnings, expanded settings and export equivalence. Decisive proof: BT27.

Suggested orthogonal schema

An outcome record should contain: requirement IDs and transcript anchors; a narrowly stated contract and exceptions; implementation status and source revision; example/test IDs; and independent verification records. A verification record should carry result (pass, fail, blocked, not-run, waived, or explicitly historical), browser/version/viewport, dataset hash, tested commit, steps, expected/observed source keys and values, and artifact links/digests.

A review remains a historical fact after code changes. Its applicability to the current build is a separate freshness decision. Use either a conservative commit-based expiry or dependency fingerprints for changed reducers, providers, source fixtures and renderers. A passed screenshot from an old commit must not silently become evidence for a new denominator or selection mode.

Generate the matrix, transcript crosswalk and summary from the same structured records. Link each checked assignment to its proof and display a filter for unverified current implementations, waived acceptance checks, planned-only work and unrepresented transcript outcomes. Name the current “With evidence” tile “With declared example usage” or keep its explanatory qualifier equally prominent.

The first useful new proof batch is BT02/03/07/08/11/12/18/21/22/24: numeric eligibility, filter scope, cross-view arithmetic, UTC, owner navigation, table controls, calculation edits, CSV, restore and trace/keyboard behavior. That improves trust more than indiscriminately increasing the number of shown cells.

Source labels link to the identified repository files or PR/run records. Full source locators and reading scope are in Report 06.