
# GEDCOM X

http://gedcomx.org/



#### **GEDCOM X**

- Genealogical Data Exchange
  - Media Types (e.g. JSON)
  - Standard Interface (e.g. REST)
  - SDKs (Java, JavaScript, C#, etc.)

application/xml application/pdf application/json audio/mpeg image/jpeg image/png image/gif multipart/mixed text/csv text/css text/html text/plain video/mp4 application/vnd.ms-excel application/calendar+xml application/gzip

Media Types

# GEDCOM X: Media Types

- Semantics
  - Sources
  - Persons
  - Relationships
  - Evidence
  - Places
  - Analysis
  - Etc.

# GEDCOM X: Media Types

- Formats
  - XML
  - JSON

## **GEDCOM X: Date Format**

Date Description	Encoding	Туре
January 18, 1752 at 10:14 p.m.	+1752-01-18T22:14	Simple Date
From April 13, 1825 to November 26, 1825	+1825-04-13/+1825-11-26	Date Range
Until May, 1887	/+1887-03	Open-ended Date Range
About 1680	A+1680	Approximate Date
Sometime between April 13, 1825 and November 26, 1825	A+1825-04-13/+1825-11-26	Approximate Date Range

#### **GEDCOM X: XML Format**

```
<gedcomx xmlns="http://gedcomx.org/v1">
  <person id="P1">
    <source description="#SD1"/>
    <name>...</name>
  </person>
  <person id="P2">
    <source description="#SD2"/>
    <name>...</name>
  </person>
  <relationship>
    <person1 resouce="#P1"/>
    <person2 resource="#P2"/>
  </relationship>
  <sourceDescription id="SD1">
    <citation>...</citation>
  </sourceDescription>
  <sourceDescription id="SD2">
    <citation>...</citation>
  </sourceDescription>
```

### **GEDCOM X: JSON Format**

```
"persons" : [
    "id" : "P1",
    "sources" : [ { "description" : "#SD1" } ],
    "names" : [ ... ],
  },
{
    "id": "P2",
    "sources" : [ { "description" : "#SD2" } ],
    "names" : [ ... ],
  },
"relationships" : [
    "person1" : { "resource" : "#P1" },
    "person2" : { "resource" : "#P1" }
"sourceDescriptions" : [
    "id" : "SD1",
    "citation" : { ... },
  },
    "id": "SD2",
    "citation" : { ... },
```

### **GEDCOM X: API**

- Conforms to REST
- Based on Hypermedia
- Designed for reusable consumer code

#### **GEDCOM X: API**


```
<gedcomx xmlns="http://gedcomx.org/v1">
  <person id="P1">
    <link rel="parents" href="/path/to/parents"/>
    k rel="children" href="/path/to/children"/>
    <link rel="spouses" href="/path/to/spouses"/>
    <name>...</name>
  </person>
  <collection id="P1">
    <link rel="search" template="/path/to/search{?q}"/>
    <link rel="persons" href="/path/to/persons"/>
    <link rel="artifacts" href="/path/to/artifacts"/>
    <title>...</title>
  </person>
</gedcomx>
```

# GEDCOM X @FamilySearch

- FamilySearch API
- Internal data exchange
  - Tree
  - Records
  - Sources
- External data exchange
  - Ancestry
  - MyHeritage
  - Etc.

### **GEDCOM** X

Start Here



http://gedcomx.org/

