

Möhür

CERTIFICATE GENERATION SYSTEM

möhür — Azerbaijani for “seal, stamp”: the mark that makes a document official.

DATE 15.09.2026
STATUS IN PRODUCTION
PLATFORM Google Workspace
RUNTIME Apps Script
FIRST DOC F3B5DR5

You write one row in a spreadsheet. The system turns that row into a certificate that is **numbered**, **carries a QR code**, **exists as a PDF** and is **filed**. Nobody touches it in between.

§ 01

The problem it solves

Organisations that inspect, test, calibrate or train issue a document at the end of every job. That document needs a unique number, the number must never appear on a second document, the file has to survive as a PDF, and somebody has to be able to find it years later.

In most places this is done by hand: copy the template, fill the fields, look up the next number in a register, export to PDF, move the file into a folder. Every step depends on a person. Duplicate numbers, empty fields and wrong dates are therefore not the exception but the normal outcome — and they usually surface at the worst possible moment, when an auditor is reading the document.

Möhür reduces that entire chain to changing one cell.

§ 02

By hand, and with Möhür

STEP	BY HAND	WITH MÖHÜR
Number	Looked up in a register, typed in	Generated; reuse is not possible
Document	Template copied, fields filled one by one	Filled from the row
Short version	Prepared a second time, separately	Produced in the same pass
PDF	Exported manually	Automatic
QR code	Absent, or made on a website and pasted in	Placed into the document
Filing	Folder created, four files moved into it	Per-certificate folder, files land in it
Retrieval	Search the drive	Code, folder and PDF link sit in the row

Time	15–20 minutes	About 30 seconds
Missing data	Document is produced anyway, incomplete	Nothing is produced; the reason is written back

§ 03

How it works

The run below is not a mock-up — it is the first certificate the system produced in production. Only the client company and inspector names are **sample values** chosen for this document; it is not a record of a real inspection.

1 Fill the row — nine fields

WHAT THE PERSON TYPES

Language en
 Equipment QÜLLə kran KB-403
 Serial KB403-11927
 Manufacturer Bakı Maşınqayırma
 Client Xəzər Tikinti MMC
 Test date 14.09.2026
 Next inspection 14.09.2027
 Inspector R. Əliyev
 Result PASS

The reference-code column is left empty. The number is issued by the system, not by a person — letting a person assign it is exactly what makes reuse possible. Column headings are configurable; this deployment runs them in Azerbaijani.

2 Type one word into the status cell

HAZIR “ready” → the system runs, ~30 s → VERILIB “issued”, or XƏTA “error”

No other value starts the system. The result is written back into the same cell, and neither Verilib nor Xəta re-arms the trigger, so the run cannot loop.

3 The system writes back into the row

WHAT THE SYSTEM WRITES — NO ONE EDITS THIS BY HAND

Reference code F3B5DR5
 Folder link drive.google.com/.../10jE9ls
 PDF link drive.google.com/.../1MzsI7n
 Issued at 14.09.2026 21:52

What comes out

One row yields four files and the folder that holds them. The folder name is built from the code and the equipment, so whoever searches the archive knows what they are looking at without opening anything.

```
Drive/
└─ Möhür – sertifikatlar/
   └─ F3B5DR5 – Qüllə kran KB-403/
      ├── F3B5DR5 – Qüllə kran KB-403 (tam)           Google Doc · full
      ├── F3B5DR5 – Qüllə kran KB-403 (tam).pdf       86 KB · 4 pages
      ├── F3B5DR5 – Qüllə kran KB-403 (qısa)         Google Doc · short
      └─ F3B5DR5 – Qüllə kran KB-403 (qısa).pdf      78 KB · 2 pages
```

Why a short version exists

The full certificate runs to four pages with its annexes, but a client, an insurer or a site entrance usually needs only the first two. The system produces both in the same pass, so the two documents can never disagree about the data.

What the QR carries

The QR on page one carries the text below. Anyone scanning it sees which machine was tested, for which company and when, without opening the document. The format is deliberately machine-readable and the field names are in English: the certificate is issued in two languages, but whoever scans the code should not need to know either of them.



```
EQUIPMENT=Qüllə kran KB-403
COMPANY=Xəzər Tikinti MMC
TEST_DATE=14.09.2026
REF=F3B5DR5
```

The square is a working QR code — scan it. It belongs to certificate **F3B5DR5**, produced by the live system.

Four rules

What makes a document system usable is not its speed but its refusal to produce a wrong document. These four rules hold under every condition.

A number is never reused

Every issued code is written to a separate log. Each new code is checked against that log; if a collision cannot be resolved the system stops and reports it rather than issuing the same number twice.

No half-finished document

If anything fails mid-run, every file created up to that point is removed. A partially filled official document is worse than no document at all.

The template is never touched

The system always works on a copy. After hundreds of certificates the original template is byte-for-byte what it was on day one.

No QR, no certificate

If the code cannot be fetched, nothing is produced. A certificate without its QR looks verifiable while being impossible to verify — the most dangerous of the failure modes.

§ 06

What you configure, what needs code

The shape of the system is not buried in the source. Templates, placeholders and languages live in their own sheet tabs — that is the part you can change without calling a developer.

Done from the sheet

- Add a template
- Add a language
- Move a field around the template
- Change the result wording — `PASS=CONFORMS`
- Set the page the short version is cut at

Needs code

- Add a genuinely new data field (“Pressure”, say)
- Change how files and folders are named
- Change which fields the QR carries

The system refuses an invented column; a field has to be declared first. That is deliberate — it stops a typo from producing a certificate with a blank on it.

How the second language is set up sums the design up: the English certificate needs **one row** in the sheet — `PASS=CONFORMS; FAIL=DOES NOT CONFORM`. Every other field is inherited from the base language. A third language is a handful of rows, not a code change.

§ 07

Adapting it to other fields

The system was built for crane inspection, but what it does is not specific to that trade: *a number that never repeats, a scannable QR, a PDF, and an orderly archive*. Any document that needs those four runs on the same core; only the column names and the template change.

FIELD	WHAT SITS IN THE ROW	DOCUMENT PRODUCED
Calibration lab	Instrument, serial, measuring range, deviation, validity	Calibration certificate
Fire / safety audit	Building, auditor, findings, next audit	Compliance report
Training provider	Participant, course, hours, date, grade	Certificate of attendance
Service / maintenance	Vehicle, plate, work done, parts list	Service record
Laboratory	Sample, method, result, analyst	Analysis report

What follows are not shortcomings but facts about the platform. Knowing them before a build is better than discovering them during one.

Google Docs has no page model

The API sees a document as one flat stream; pagination is decided when the document is rendered. “The first two pages” is therefore only well defined if the template contains an **explicit page break**. If it relies on automatic pagination, the cut point moves as the content grows. On any build that wants a short version, this is the first question to settle.

The QR comes from outside

Apps Script has no QR generator, so the image must be fetched from a third-party service. That makes the script dependent on someone else at runtime. Rather than hide that, the system turns it into a rule: if the service does not answer, no certificate is produced.

Date cells are not text

A date typed into the sheet looks like `14.09.2026` but is stored as a date object, and reading it directly returns something else entirely. The system converts it explicitly. A small detail — and the one most likely to produce a quietly wrong document.