

DataGrip File Edit View Navigate Code Refactor Run Tools Git Window Help

Lab4 main

Database Explorer

- postgres@localhost
 - baggage
 - columns 5
 - baggage_id integer
 - weight_in_kg numeric(4,2)
 - created_date date
 - update_date date
 - booking_id integer
 - keys 1
 - foreign keys 1
 - indexes 1
 - baggage_check
 - boarding_pass
 - booking
 - columns 7
 - booking_id integer
 - passenger_id integer
 - booking_platform varchar
 - created_at date
 - update_at date

at_least_10yo.sql

```
1 alter table passengers
2 add constraint check_age check (
3     extract('year' from age(date_of_birth)) >= 10
4 )
```

Files

- Lab5 ~/Desktop/University/Dt
 - at_least_10yo.sql (postgres@localhost)
 - Scratches and Consoles

Services

Database

- postgres@localhost
 - defence.sql 350 ms
 - air_and_reginal.sql 348 ms
 - at_least_10yo.sql 44 ms
 - defence2.sql 356 ms
 - names_date.sql 341 ms

[2025-10-08 11:44:00] Connected to lab3
[2025-10-08 11:44:00] completed in 327 ms
[2025-10-08 11:45:32] lab3> alter table passengers
add constraint check_age check (
extract('year' from age(date_of_birth)) >= 10
)
[2025-10-08 11:45:32] completed in 8 ms

Lab5 > at_least_10yo.sql 3:50 LF UTF-8 4 spaces

DataGrip File Edit View Navigate Code Refactor Run Tools Git Window Help

Lab4 main

Database Explorer

- postgres@localhost
 - baggage
 - columns 5
 - baggage_id integer
 - weight_in_kg numeric(4,2)
 - created_date date
 - update_date date
 - booking_id integer
 - keys 1
 - foreign keys 1
 - indexes 1
 - baggage_check
 - boarding_pass
 - booking
 - columns 7
 - booking_id integer
 - passenger_id integer
 - booking_platform varchar
 - created_at date
 - update_at date

at_least_10yo.sql

```
1 alter table passengers
2 add constraint check_age check (
3     extract('year' from age(date_of_birth)) >= 10
4 )
```

accept_booking_price.sql

```
1 alter table booking
2 add constraint check_booking_price check (
3     price <= 50000 and price > 0
4 )
```

Files

- Lab5 ~/Desktop/University/Dt
 - accept_booking_price.sql (postgres@localhost)
 - at_least_10yo.sql (postgres@localhost)
 - Scratches and Consoles

Services

Database

- postgres@localhost
 - defence.sql 350 ms
 - accept_booking_price.sql 26 ms
 - air_and_reginal.sql 348 ms
 - at_least_10yo.sql 44 ms
 - defence2.sql 356 ms
 - names_date.sql 341 ms

[2025-10-08 11:46:35] Connected to lab3
[2025-10-08 11:46:35] completed in 35 ms
[2025-10-08 11:47:51] lab3> alter table booking
add constraint check_booking_price check (
price <= 50000 and price > 0
)
[2025-10-08 11:47:51] completed in 7 ms

Lab5 > accept_booking_price.sql 4:6 LF UTF-8 4 spaces

Lab4 main

Database Explorer

- postgres@localhost
 - lab3
 - information_schema
 - pg_catalog
 - public
 - tables 10
 - airline
 - airport
 - baggage
 - columns 5
 - baggage_id integer
 - weight_in_kg numeric(4,2)
 - created_date date
 - update_date date
 - booking_id integer
 - keys 1
 - foreign keys 1
 - indexes 1
 - checks 1

at_least_10yo.sql accept_booking_price.sql bag_check.sql

```
1 alter table baggage
2 add constraint check_weight_bet check (
3 (baggage.weight_in_kg is not null) and (weight_in_kg >= 1 and weight_in_kg <= 23)
4 ) not valid
```

Files

- Lab5 ~/Desktop/University/Di
 - accept_booking_price.sql
 - at_least_10yo.sql
 - bag_check.sql
- Scratches and Consoles

Services

Database

- postgres@localhost
 - bag_check.sql 20 ms
 - accept_booking_price.sql
 - at_least_10yo.sql 60 ms

```
CHECK (weight_in_kg BETWEEN 1 AND 23) NOT VALID
[2025-10-12 12:58:40] completed in 5 ms
[2025-10-12 12:59:08] lab3.public> ALTER TABLE baggage
drop constraint check_weight_range
[2025-10-12 12:59:08] completed in 4 ms
[2025-10-12 12:59:44] lab3.public> alter table baggage
add constraint check_weight_bet check (
(baggage.weight_in_kg is not null) and (weight_in_kg >= 1 and weight_in_kg <= 23)
) not valid
[2025-10-12 12:59:44] completed in 4 ms
```

Lab5 > bag_check.sql 1:1 LF UTF-8 4 spaces

Lab4 main

Database Explorer

- postgres@localhost
 - lab3
 - information_schema
 - pg_catalog
 - public
 - tables 10
 - airline
 - airport
 - baggage
 - columns 5
 - baggage_id integer
 - weight_in_kg numeric(4,2)
 - created_date date
 - update_date date
 - booking_id integer
 - keys 1
 - foreign keys 1
 - indexes 1
 - checks 1

at_least_10yo.sql accept_booking_price.sql bag_check.sql name_len.sql

```
1 alter table airport
2 add constraint check_len check(
3 length(airport_name) between 1 and 10
4 ) not valid
```

Files

- Lab5 ~/Desktop/University/Di
 - accept_booking_price.sql
 - at_least_10yo.sql
 - bag_check.sql
 - name_len.sql
- Scratches and Consoles

Services

Database

- postgres@localhost
 - bag_check.sql 20 ms
 - accept_booking_price.sql
 - at_least_10yo.sql 60 ms
 - name_len.sql 21 ms

```
[2025-10-12 13:01:55] lab3> alter table airport
add constraint check_len check(
length(airport_name) between 1 and 10
)
[2025-10-12 13:01:55] [23514] ERROR: check constraint "check_len" of relation "airport" is violated by some row
[2025-10-12 13:02:06] lab3.public> alter table airport
add constraint check_len check(
length(airport_name) between 1 and 10
) not valid
[2025-10-12 13:02:06] completed in 3 ms
```

Lab5 > name_len.sql 4:12 LF UTF-8 4 spaces

Lab4 main

Database Explorer

- postgres@localhost
 - lab3
 - information_schema
 - pg_catalog
 - public
 - tables 10
 - airline
 - airport
 - baggage
 - columns 5
 - baggage_id integer
 - weight_in_kg numeric(4,2)
 - created_date date
 - update_date date
 - booking_id integer
 - keys 2
 - foreign keys 1
 - indexes 2
 - checks 1

accept_booking_price.sql

bag_check.sql

name_len.sql

unique_cons.sql

Files

- Lab5 ~/Desktop/University/DI
 - accept_booking_price.sql
 - at_least_10yo.sql
 - bag_check.sql
 - name_len.sql
 - unique_cons.sql
- Scratches and Consoles

Services

Database

- postgres@localhost
 - bag_check.sql 20 ms
 - accept_booking_price.sql
 - at_least_10yo.sql 60 ms
 - unique_cons.sql 9 ms
 - name_len.sql 21 ms

```
14 add constraint un_bkk unique (boarding_pass_id);
15
16 alter table booking
17 add constraint un_plat unique (booking_id);
18
19 alter table booking_flight
20 add constraint un_fl unique (booking_flight_id);
21
22 alter table flights
23 add constraint un_no unique (flight_id);
24
25 alter table passengers
26 add constraint un_passport unique (passport_number);
27
28 alter table security_check
29 add constraint un_psss unique (security_check_id);
```

[2025-10-12 13:10:53] Detail: Key (Flight_no)=(PF-U-A) is duplicated.

[2025-10-12 13:10:59] lab3.public> alter table flights
add constraint un_no unique (flight_id)

[2025-10-12 13:10:59] completed in 2 ms

[2025-10-12 13:11:01] lab3.public> alter table passengers
add constraint un_passport unique (passport_number)

[2025-10-12 13:11:01] completed in 5 ms

[2025-10-12 13:11:08] lab3.public> alter table security_check
add constraint un_psss unique (security_check_id)

[2025-10-12 13:11:08] completed in 3 ms

Lab5 > unique_cons.sql 29:49 LF UTF-8 4 spaces

Lab4 main

Database Explorer

- postgres@localhost
 - lab3
 - information_schema
 - pg_catalog
 - public
 - tables 10
 - airline
 - airport
 - baggage
 - columns 5
 - baggage_id integer
 - weight_in_kg numeric(4,2)
 - created_date date
 - update_date date
 - booking_id integer
 - keys 2
 - foreign keys 1
 - indexes 2
 - checks 1

accept_booking_price.sql

bag_check.sql

name_len.sql

unique_cons.sql

males_age.sql

Files

- Lab5 ~/Desktop/University/DI
 - accept_booking_price.sql
 - at_least_10yo.sql
 - bag_check.sql
 - males_age.sql
 - name_len.sql
 - unique_cons.sql
- Scratches and Consoles

Services

Database

- postgres@localhost
 - bag_check.sql 20 ms
 - accept_booking_price.sql
 - males_age.sql 21 ms
 - at_least_10yo.sql 60 ms
 - unique_cons.sql 9 ms
 - name_len.sql 21 ms

```
1 alter table passengers
2 add constraint check_age_m_f check (
3     gender = 'Male' and extract('year' from date_of_birth) >= 18
4     or
5     gender = 'Female' and extract('year' from date_of_birth) >= 19
6 )
```

[2025-10-12 13:14:28] [42710] ERROR: constraint "check_age" for relation "passengers" already exists

[2025-10-12 13:14:37] lab3.public> alter table passengers
add constraint check_age_m_f check (
gender = 'Male' and extract('year' from date_of_birth) >= 18
or
gender = 'Female' and extract('year' from date_of_birth) >= 19
)

[2025-10-12 13:14:37] completed in 4 ms

Lab5 > males_age.sql 2:29 LF UTF-8 4 spaces

Lab4 main

Database Explorer

- postgres@localhost
 - lab3
 - information_schema
 - pg_catalog
 - public
 - tables 10
 - airline
 - airport
 - baggage
 - columns 5
 - baggage_id integer
 - weight_in_kg numeric(4,2)
 - created_date date
 - update_date date
 - booking_id integer
 - keys 2
 - foreign keys 1
 - indexes 2
 - checks 1

price.sql bag_check.sql name_len.sql unique_cons.sql males_age.sql cit_rules.sql

```
1 alter table passengers
2 add constraint check_cit_age check (
3 (country_of_citizenship = 'Kazakhstan' and extract('year' from age(date_of_birth)) >= 18)
4 or
5 (country_of_citizenship = 'France' and extract('year' from age(date_of_birth)) >= 17)
6 or
7 extract('year' from age(date_of_birth)) >= 17
8 ) not valid
```

Files

- Lab5 ~/Desktop/University/DI
 - accept_booking_price.sql [p
 - at_least_10yo.sql [postgres@l
 - bag_check.sql [postgres@l
 - cit_rules.sql [postgres@local
 - males_age.sql [postgres@l
 - name_len.sql [postgres@local
 - unique_cons.sql [postgres@l
- Scratches and Consoles

Services

postgres@localhost

- bag_check.sql 20 ms
- accept_booking_price.sql
- males_age.sql 17 ms
- at_least_10yo.sql 60 ms
- unique_cons.sql 9 ms
- name_len.sql 21 ms
- cit_rules.sql 8 ms

```
[2025-10-12 13:23:09] [23514] ERROR: check constraint "check_cit_age" of relation "passengers" is violated by some row
[2025-10-12 13:23:22] lab3.public> alter table passengers
add constraint check_cit_age check (
(country_of_citizenship = 'Kazakhstan' and extract('year' from age(date_of_birth))
or
(country_of_citizenship = 'France' and extract('year' from age(date_of_birth)) >= 1
or
extract('year' from age(date_of_birth)) >= 17
) not valid
[2025-10-12 13:23:22] completed in 1 ms
```

Lab5 > cit_rules.sql 8:17 LF UTF-8 4 spaces

Lab4 main

Database Explorer

- postgres@localhost
 - lab3
 - information_schema
 - pg_catalog
 - public
 - tables 10
 - airline
 - airport
 - baggage
 - columns 5
 - baggage_id integer
 - weight_in_kg numeric(4,2)
 - created_date date
 - update_date date
 - booking_id integer
 - keys 2
 - foreign keys 1
 - indexes 2
 - checks 1

check.sql name_len.sql unique_cons.sql males_age.sql cit_rules.sql ticket_dis.sql

```
1 alter table booking
2 add column discount numeric;
3
4 update booking
5 set discount = case
6 when created_at <= '2024-01-01' then 0.05
7 else 0.1
8 end;
9
10 alter table booking
11 add constraint check_ticket_price check (
12 created_at <= '2024-01-01' and booking.discount = 0.05
13 or
14 created_at > '2024-01-01' and booking.discount = 0.1
15 )
```

Files

- Lab5 ~/Desktop/University/DI
 - accept_booking_price.sql [p
 - at_least_10yo.sql [postgres@l
 - bag_check.sql [postgres@l
 - cit_rules.sql [postgres@local
 - males_age.sql [postgres@l
 - name_len.sql [postgres@local
 - ticket_dis.sql [postgres@local
 - unique_cons.sql [postgres@l
- Scratches and Consoles

Services

postgres@localhost

- bag_check.sql 20 ms
- accept_booking_price.sql
- males_age.sql 17 ms
- at_least_10yo.sql 60 ms
- unique_cons.sql 9 ms
- ticket_dis.sql 9 ms
- name_len.sql 21 ms
- cit_rules.sql 8 ms

```
else 0.1
end
[2025-10-12 13:37:14] 500 rows affected in 16 ms
[2025-10-12 13:37:14] lab3> alter table booking
add constraint check_ticket_price check (
created_at <= '2024-01-01' and booking.discount = 0.05
or
created_at > '2024-01-01' and booking.discount = 0.10
)
[2025-10-12 13:37:14] completed in 2 ms
```

Lab5 > ticket_dis.sql 14:62 (365 chars, 14 line breaks) LF UTF-8 4 spaces