

Lab4 main

Database Explorer

- postgres@localhost
 - keys 2
 - foreign keys 1
 - indexes 2
 - checks 3
 - booking_flight
 - columns 5
 - keys 2
 - foreign keys 2
 - booking_flight_booking_id
 - booking_flight_flight_id_fk
 - indexes 2
 - flights
 - columns 14
 - flight_id integer
 - flight_no varchar(50)
 - scheduled_departure date
 - scheduled_arrival date
 - departure_airport_id integer

flights_spec_fl.sql names_of_dep.sql next_month_query.sql list_of_passangers.sql

```
1 select p.passport_number from passengers as p
2 join booking b 1<->1..n on p.passenger_id = b.passenger_id
3 join booking_flight bf 1<->1..n on b.booking_id = bf.booking_id
4 join public.flights f 1..n<->1..n on bf.flight_id = f.flight_id
5 where flight_no = 'US-NM';
6
```

Services

Database

- postgres@localhost
 - next_month_query.sql
 - names_of_dep.sql
 - list_of_passangers.sql 346 ms
 - flights_spec_fl.sql

Output lab3.public.passengers

passport_number
477941088-8
244308393-4
235089473-1
638795237-9

4 rows

Lab6 > list_of_passangers.sql 6:1 LF UTF-8 4 spaces

Lab4 main

Database Explorer

- postgres@localhost
 - keys 2
 - foreign keys 1
 - indexes 2
 - checks 3
 - booking_flight
 - columns 5
 - keys 2
 - foreign keys 2
 - booking_flight_booking_id
 - booking_flight_flight_id_fk
 - indexes 2
 - flights
 - columns 14
 - flight_id integer
 - flight_no varchar(50)
 - scheduled_departure date
 - scheduled_arrival date
 - departure_airport_id integer

flights_spec_fl.sql names_of_dep.sql next_month_query.sql list_of_passangers.sql

```
1 select airline.airline_name from airline
2 left join flights
3 1<->0..n on airline.airline_id = flights.airline_id
4 where date_trunc('month', now()) + '1 month' >= scheduled_departure
5 and date_trunc('month', now()) + '2 month' < scheduled_departure;
```

Services

Database

- postgres@localhost
 - next_month_query.sql 375 ms
 - names_of_dep.sql
 - list_of_passangers.sql 346 ms
 - flights_spec_fl.sql

Output lab3.public.airline

airline_name

0 rows

Lab6 > next_month_query.sql 5:26 LF UTF-8 4 spaces

Lab4 main

Database Explorer

- postgres@localhost
 - keys 2
 - foreign keys 1
 - Indexes 2
 - checks 3
 - booking_flight
 - columns 5
 - keys 2
 - foreign keys 2
 - booking_flight_booking_lc
 - booking_flight_flight_id_fk
 - Indexes 2
 - flights
 - columns 14
 - flight_id integer
 - flight_no varchar(50)
 - scheduled_departure date
 - scheduled_arrival date
 - departure_airport_id integer

flights_spec_fl.sql

```
1 select
2   flights.flight_id,
3   flights.flight_no as number,
4   airport.airport_name as name
5 from flights
6 join airport
7 on flights.departure_airport_id = airport.airport_id
8
```

names_of_dep.sql

next_month_query.sql

list_of_passangers.sql

Files

- Lab6 ~/Desktop/University/DI
 - flights_spec_fl.sql (postgres@localhost)
 - list_of_passangers.sql (postgres@localhost)
 - names_of_dep.sql (postgres@localhost)
 - next_month_query.sql (postgres@localhost)
 - Scratches and Consoles

Services

Database

- postgres@localhost
 - next_month_query.sql 378 ms
 - names_of_dep.sql 403 ms
 - list_of_passangers.sql 346 ms
 - flights_spec_fl.sql

Output

Result 1

flight_id	number	name
1	US-CT	Elorza Airport
2	US-NM	Figari Sud-Corse Airport
3	FI-OL	Darcula Airport
4	RU-KR	Line Acres Finsch Mine Airport
5	RO-DJ	
6	CA-SK	

Lab6 > names_of_dep.sql

7:53 LF UTF-8 4 spaces

Lab4 main

Database Explorer

- postgres@localhost
 - keys 2
 - foreign keys 1
 - Indexes 2
 - checks 3
 - booking_flight
 - columns 5
 - keys 2
 - foreign keys 2
 - booking_flight_booking_lc
 - booking_flight_flight_id_fk
 - Indexes 2
 - flights
 - columns 14
 - flight_id integer
 - flight_no varchar(50)
 - scheduled_departure date
 - scheduled_arrival date
 - departure_airport_id integer

flights_spec_fl.sql

```
1 select airline_name as name, flights.flight_no from airline
2 left join flights
3 on airline.airline_id = flights.airline_id
4 order by airline_name ASC
```

names_of_dep.sql

next_month_query.sql

list_of_passangers.sql

Files

- Lab6 ~/Desktop/University/DI
 - flights_spec_fl.sql (postgres@localhost)
 - list_of_passangers.sql (postgres@localhost)
 - names_of_dep.sql (postgres@localhost)
 - next_month_query.sql (postgres@localhost)
 - Scratches and Consoles

Services

Database

- postgres@localhost
 - next_month_query.sql 378 ms
 - names_of_dep.sql 403 ms
 - list_of_passangers.sql 346 ms
 - flights_spec_fl.sql 381 ms

Output

Result 1

name	flight_no
0	CA-BC
0	ZA-MP
0	PE-MDD
0	MX-CHH
0	ES-CM
0	US-TX

Lab6 > flights_spec_fl.sql

4:26 LF UTF-8 4 spaces

Lab4 main

Database Explorer

postgres@localhost

- keys 2
- foreign keys 1
- indexes 2
- checks 3
- booking_flight
 - columns 5
 - keys 2
 - foreign keys 2
 - booking_flight_booking_id
 - booking_flight_flight_id_fk
 - indexes 2
- flights
 - columns 14
 - flight_id integer
 - flight_no varchar(50)
 - scheduled_departure date
 - scheduled_arrival date
 - departure_airport_id integer

Services

Database

postgres@localhost

- next_month_query.sql 378 ms
- names_of_dep.sql 403 ms
- list_of_passangers.sql 346 ms
- flights_spec_fl.sql 381 ms
- func-s.sql 353 ms

Output

Result 9

	average	minimum	maximum	summa	flight_id
49	7853.32	7853.32	7853.32	7853.32	66
50	9849.54	9849.54	9849.54	9849.54	68
51	4889.565	4867.24	4911.89	9779.13	69
52	683.27	683.27	683.27	683.27	70
53	9174.72	9174.72	9174.72	9174.72	73
54	7310.14	5686.47	8933.81	14620.28	75

Lab6 > func-s.sql

Lab4 main

Database Explorer

postgres@localhost

- indexes 2
- flights
 - columns 14
 - flight_id integer
 - flight_no varchar(50)
 - scheduled_departure date
 - scheduled_arrival date
 - departure_airport_id integer
 - arrival_airport_id integer
 - departing_gate varchar(50)
 - arriving_gate varchar(50)
 - airline_id integer
 - status varchar(50)
 - actual_departure date
 - actual_arrival date
 - created_at date
 - update_at date
 - keys 2
 - foreign keys 3

Services

Database

postgres@localhost

- next_month_query.sql 378 ms
- names_of_dep.sql 403 ms
- list_of_passangers.sql 346 ms
- spec_country.sql 342 ms
- flights_spec_fl.sql 381 ms
- func-s.sql 353 ms

Output

lab3.public.airport 2

lab3.public.flights

flight_id	
1	6
2	20
3	64
4	79
5	112
6	148

56 rows

Lab6 > spec_country.sql

Lab4 main

Database Explorer

postgres@localhost

- country varchar(50)
- state varchar(50)
- city varchar(50)
- created_at date
- update_at date
- keys 2
- indexes 2
- checks 1
- baggage
- baggage_check
- boarding_pass
- booking
 - columns 8
 - booking_id integer
 - passenger_id integer
 - booking_platform varchar
 - created_at date
 - update_at date

flights_spec_fl.sql

```
1 select passengers.first_name, airport_name from passengers
2 join public.booking b 1<->1.n: on passengers.passenger_id = b.passenger_id
3
4 join public.booking_flight bf 1<->1.n: on b.booking_id = bf.booking_id
5 join public.flights f 1.n<->1: on bf.flight_id = f.flight_id
6 join public.airport a 1.n<->1: on a.airport_id = f.departure_airport_id
7 where extract('year' from age(now(), date_of_birth)) < 18;
8
```

minor_pass.sql

Output

first_name	airport_name
1 Vivyan	Hana Airport
2 Lester	Industrial Airpark
3 Lester	Tom Price Airport
4 Cleve	Ocean Falls Seaplane Base
5 Bradley	Henri Coandă International
6 Cleve	Pitalito Airport

37 rows

Services

postgres@localhost

- next_month_query.sql 378 ms
- names_of_dep.sql 403 ms
- list_of_passangers.sql 346 ms
- spec_country.sql 342 ms
- flights_spec_fl.sql 381 ms
- func-s.sql 353 ms
- minor_pass.sql 348 ms

Lab6 > minor_pass.sql

Lab4 main

Database Explorer

postgres@localhost

- country varchar(50)
- state varchar(50)
- city varchar(50)
- created_at date
- update_at date
- keys 2
- indexes 2
- checks 1
- baggage
- baggage_check
- boarding_pass
- booking
 - columns 8
 - booking_id integer
 - passenger_id integer
 - booking_platform varchar
 - created_at date
 - update_at date

flights_spec_fl.sql

```
1 select passengers.first_name, passengers.last_name, passengers.passport_number, actual_arrival from pass
2 join public.booking b 1<->1.n: on passengers.passenger_id = b.passenger_id
3
4 join public.booking_flight bf 1<->1.n: on b.booking_id = bf.booking_id
5 join public.flights f 1.n<->1: on bf.flight_id = f.flight_id
```

spc_pass_arr.sql

Output

first_name	last_name	passport	actual_arrival
1 Muhammad	Fass	189932770-9	2023-07-18
2 Trevar	Broun	788025864-7	2024-02-11
3 Auria	Breffit	578537341-4	2023-07-11
4 Archie	Toffel	677556708-1	2023-06-17
5 Sanders	Biddles		2023-09-05
6 Sanders	Biddles		2024-03-01

Table Coloring Options

1-500 of 501

Services

postgres@localhost

- next_month_query.sql 378 ms
- names_of_dep.sql 403 ms
- list_of_passangers.sql 346 ms
- spec_country.sql 342 ms
- flights_spec_fl.sql 381 ms
- func-s.sql 353 ms
- spc_pass_arr.sql 367 ms
- minor_pass.sql 348 ms

Lab6 > spc_pass_arr.sql

Lab4main

Database Explorer

postgres@localhost

checks 1

airport

columns 7

airport_id integer

airport_name varchar(50)

country varchar(50)

state varchar(50)

city varchar(50)

created_at date

update_at date

keys 2

indexes 2

checks 1

baggage

baggage_check

boarding_pass

booking

columns 8

1

2

3

4

5

6

select flights.flight_id, a2.country from flights

join public.airline a 1 on flights.airline_id = a.airline_id

join public.airport a2 1 on flights.arrival_airport_id = a2.airport_id

where airline_country = a2.country

group by a2.country, flight_id

lab3.publicpostgres@localhost

Files

Lab6

flights_spec_fl.sql (postgres@

func-s.sql (postgres@localhost

home_orogin.sql (postgres@

list_of_passangers.sql (postg

minor_pass.sql (postgres@loc

names_of_dep.sql (postgres@

next_month_query.sql (postg

spc_pass_arr.sql (postgres@

spec_country.sql (postgres@

Scratches and Consoles

Services

1%

next_month_query.sql 378 ms

names_of_dep.sql 403 ms

list_of_passangers.sql 346 ms

spec_country.sql 342 ms

flights_spec_fl.sql 381 ms

func-s.sql 353 ms

home_orogin.sql 346 ms

spc_pass_arr.sql 367 ms

minor_pass.sql 348 ms

Output

Result 3

flight_idcountry

1977China

2817China

3676China

4248China

5874Philippines

6366China

78 rows

Lab6home_orogin.sql5:31 LF UTF-8 4 spaces