AUTHENTICATION OF CHEMICAL AND BIOLOGICAL RESOURCES

This application makes use of a variety of biological and chemical reagents: established cultured cell lines, specialty chemicals and peptides, and plasmid DNA. The authenticity of these resources will be established according to NIH guidelines. Our efforts in each area are briefly described below.

- Cell lines: Model mammalian cell lines will be used for the proposed studies. All cell lines will be obtained from ATCC and will be used for less than 12 passages. Cell lines will be tested for mycoplasma every 6 months.
- 2. **Specialty chemicals and peptides:** Chemical reagents will be obtained from common suppliers (Sigma Aldrich, etc.) that provide QC authentication. The integrity of purchased chemicals will also be verified using common analytical techniques (NMR, mass spec, etc.) All new small molecules produced during the proposed work will also be rigorously characterized (via NMR, mass spec, HPLC, etc.). It should be noted that the PI has over 8 years of experience in small molecule synthesis and characterization. Peptides produced via solid-phase peptide synthesis will be confirmed using LCMS.
- 3. **Plasmids:** Plasmids used to produce protein conjugates will be obtained from commercial sources with sequencing validation (Addgene). Plasmids produced in-house will be sequenced to confirm the open reading frame.

Bibliography and References Cited

- [1] Cech, T. R. and Steitz, J. A.: The Noncoding RNA Revolution—Trashing Old Rules to Forge New Ones. <u>Cell.</u> 157(1): 77–94, March 2014.
- [2] Müller-McNicoll, M. and Neugebauer, K. M.: How cells get the message: Dynamic assembly and function of mRNA-protein complexes. Nature Reviews Genetics. 14(4): 275–287, April 2013.
- [3] Etzel, M. and Mörl, M.: Synthetic Riboswitches: From Plug and Pray toward Plug and Play. <u>Biochemistry</u>. 56(9): 1181–1198, March 2017.
- [4] Johnson Jr, J. E., Reyes, F. E., Polaski, J. T., and Batey, R. T.: B₁₂ cofactors directly stabilize an mRNA regulatory switch. Nature. 492(7427): 133–137, December 2012.
- [5] Paige, J. S., Wu, K. Y., and Jaffrey, S. R.: RNA Mimics of Green Fluorescent Protein. <u>Science</u>. 333(6042): 642–646, July 2011.
- [6] Filonov, G. S., Moon, J. D., Svensen, N., and Jaffrey, S. R.: Broccoli: Rapid Selection of an RNA Mimic of Green Fluorescent Protein by Fluorescence-Based Selection and Directed Evolution. <u>J. Am. Chem. Soc.</u> 136(46): 16299–16308, November 2014.
- [7] Autour, A., Jeng, S., Cawte, A., Abdolahzadeh, A., Galli, A., Panchapakesan, S. S. S., Rueda, D., Ryckelynck, M., and Unrau, P. J.: Fluorogenic RNA Mango aptamers for imaging small non-coding RNAs in mammalian cells. Nature Communications. 9(1): 656, February 2018.
- [8] Dolgosheina, E. V., Jeng, S. C. Y., Panchapakesan, S. S. S., Cojocaru, R., Chen, P. S. K., Wilson, P. D., Hawkins, N., Wiggins, P. A., and Unrau, P. J.: RNA Mango Aptamer-Fluorophore: A Bright, High-Affinity Complex for RNA Labeling and Tracking. ACS Chem. Biol. 9(10): 2412–2420, October 2014.
- [9] Fusco, D., Accornero, N., Lavoie, B., Shenoy, S. M., Blanchard, J.-M., Singer, R. H., and Bertrand, E.: Single mRNA Molecules Demonstrate Probabilistic Movement in Living Mammalian Cells. <u>Current Biology</u>. 13(2): 161–167, January 2003.
- [10] Della Ragione, F., Gagliardi, M., D'Esposito, M., and Matarazzo, M. R.: Non-coding RNAs in chromatin disease involving neurological defects. Front. Cell. Neurosci. 8, 2014.
- [11] Anastasiadou, E., Jacob, L. S., and Slack, F. J.: Non-coding RNA networks in cancer. Nature Reviews Cancer. 18(1): 5–18, January 2018.
- [12] Rinn, J. L. and Chang, H. Y.: Genome Regulation by Long Noncoding RNAs. <u>Annual Review of Biochemistry</u>. 81(1): 145–166, 2012.
- [13] Rinn, J. L., Euskirchen, G., Bertone, P., Martone, R., Luscombe, N. M., Hartman, S., Harrison, P. M., Nelson, F. K., Miller, P., Gerstein, M., Weissman, S., and Snyder, M.: The transcriptional activity of human Chromosome 22. Genes Dev. 17(4): 529–540, February 2003.
- [14] Tanaka Ritsuko, , Satoh Hitoshi, , Moriyama Masatsugu, , Satoh Kasumi, , Morishita Yasuyuki, , Yoshida Syouko, , Watanabe Toshiki, , Nakamura Yoshikazu, , and Mori Shigeo, : Intronic U50 small-nucleolar-RNA (snoRNA) host gene of no protein-coding potential is mapped at the chromosome breakpoint t(3;6)(q27;q15) of human B-cell lymphoma. Genes to Cells. 5(4): 277–287, December 2001.
- [15] Damas, N. D., Marcatti, M., Côme, C., Christensen, L. L., Nielsen, M. M., Baumgartner, R., Gylling, H. M., Maglieri, G., Rundsten, C. F., Seemann, S. E., Rapin, N., Thézenas, S., Vang, S., Ørntoft, T., Andersen, C. L., Pedersen, J. S., and Lund, A. H.: SNHG5 promotes colorectal cancer cell survival by counteracting STAU1-mediated mRNA destabilization. Nature Communications. 7: 13875, December 2016.
- [16] Zhao, L., Guo, H., Zhou, B., Feng, J., Li, Y., Han, T., Liu, L., Li, L., Zhang, S., Liu, Y., Shi, J., and Zheng, D.: Long non-coding RNA SNHG5 suppresses gastric cancer progression by trapping MTA2 in the cytosol. Oncogene. 35(44): 5770–5780, November 2016.

- [17] He, B., Bai, Y., Kang, W., Zhang, X., and Jiang, X.: LncRNA SNHG5 regulates imatinib resistance in chronic myeloid leukemia via acting as a CeRNA against MiR-205-5p. <u>Am J Cancer Res</u>. 7(8): 1704–1713, PMC5574942, August 2017.
- [18] Yan, L., Wang, S., Li, Y., Tognetti, L., Tan, R., Zeng, K., Pianigiani, E., Mi, X., Li, H., Fimiani, M., and Rubegni, P.: SNHG5 promotes proliferation and induces apoptosis in melanoma by sponging miR-155. RSC Advances. 8(11): 6160–6168, 2018.
- [19] Ma, Z., Xue, S., Zeng, B., and Qiu, D.: IncRNA SNHG5 is associated with poor prognosis of bladder cancer and promotes bladder cancer cell proliferation through targeting p27. Oncology Letters. 15(2): 1924–1930, February 2018.
- [20] Shen, H., Wang, Y., Shi, W., Sun, G., Hong, L., and Zhang, Y.: LncRNA SNHG5/miR-26a/SOX2 signal axis enhances proliferation of chondrocyte in osteoarthritis. <u>Acta Biochim Biophys Sin (Shanghai)</u>. 50(2): 191–198, February 2018.
- [21] Zheng, L., Hu, N., Guan, G., Chen, J., Zhou, X., and Li, M.: Long noncoding RNA SNHG6 promotes osteosarcoma cell proliferation through regulating p21 and KLF2. Archives of Biochemistry and Biophysics.
- [22] Iii, R. J. T., Demeshkina, N. A., Lau, M. W. L., Panchapakesan, S. S. S., Jeng, S. C. Y., Unrau, P. J., and Ferré-D'Amaré, A. R.: Structural basis for high-affinity fluorophore binding and activation by RNA Mango. Nature Chemical Biology. 13(7): 807–813, July 2017.
- [23] Warner, K. D., Chen, M. C., Song, W., Strack, R. L., Thorn, A., Jaffrey, S. R., and Ferré-D'Amaré, A. R.: Structural basis for activity of highly efficient RNA mimics of green fluorescent protein. Nature Structural & Molecular Biology. 21(8): 658–663, August 2014.
- [24] Jeng, S. C. Y., Chan, H. H. Y., Booy, E. P., McKenna, S. A., and Unrau, P. J.: Fluorophore ligand binding and complex stabilization of the RNA Mango and RNA Spinach aptamers. RNA. 22(12): 1884–1892, January 2016.
- [25] Morisaki, T., Lyon, K., DeLuca, K. F., DeLuca, J. G., English, B. P., Zhang, Z., Lavis, L. D., Grimm, J. B., Viswanathan, S., Looger, L. L., Lionnet, T., and Stasevich, T. J.: Real-time quantification of single RNA translation dynamics in living cells. <u>Science</u>. 352(6292): 1425–1429, June 2016.
- [26] Tutucci, E., Vera, M., Biswas, J., Garcia, J., Parker, R., and Singer, R. H.: An improved MS2 system for accurate reporting of the mRNA life cycle. Nature Methods. 15(1): 81–89, January 2018.
- [27] Braselmann, E., Wierzba, A. J., Polaski, J. T., Chromiński, M., Batan, D., Gryko, D., Batey, R. T., and Palmer, A. E.: Development of a riboswitch-based platform for live cell imaging of RNAs in mammalian cells. <u>bioRxiv</u>. 199240 pp, October 2017.
- [28] McNeil, P. L. and Warder, E.: Glass beads load macromolecules into living cells. <u>Journal of Cell Science</u>. 88(5): 669–678, December 1987.
- [29] Hayashi-Takanaka, Y., Yamagata, K., Wakayama, T., Stasevich, T. J., Kainuma, T., Tsurimoto, T., Tachibana, M., Shinkai, Y., Kurumizaka, H., Nozaki, N., and Kimura, H.: Tracking epigenetic histone modifications in single cells using Fab-based live endogenous modification labeling. Nucleic Acids Res. 39(15): 6475–6488, August 2011.
- [30] Rosendahl, M. S., Omann, G. M., and Leonard, N. J.: Synthesis and biological activity of a profluorescent analogue of coenzyme B12. PNAS. 79(11): 3480–3484, June 1982.
- [31] Lee, M. and Grissom, C. B.: Design, Synthesis, and Characterization of Fluorescent Cobalamin Analogues with High Quantum Efficiencies. Org. Lett. 11(12): 2499–2502, June 2009.
- [32] Smeltzer, C. C., Cannon, M. J., Pinson, P. R., Munger, J. D., West, F. G., and Grissom, C. B.: Synthesis and Characterization of Fluorescent Cobalamin (CobalaFluor) Derivatives for Imaging. <u>Org. Lett.</u> 3(6): 799–801, March 2001.
- [33] Porter, E. B., Polaski, J. T., Morck, M. M., and Batey, R. T.: Recurrent RNA motifs as scaffolds for genetically encodable small-molecule biosensors. Nature Chemical Biology. 13(3): 295–301, March 2017.

- [34] Fesinmeyer, R. M., Hudson, F. M., and Andersen, N. H.: Enhanced Hairpin Stability through Loop Design: The Case of the Protein G B1 Domain Hairpin. J. Am. Chem. Soc. 126(23): 7238–7243, June 2004.
- [35] Shell, T. A. and Lawrence, D. S.: Vitamin B12: A Tunable, Long Wavelength, Light-Responsive Platform for Launching Therapeutic Agents. Acc. Chem. Res. 48(11): 2866–2874, November 2015.
- [36] Shell, J. R., Rodgers, Z. L., and Lawrence, D. S.: Tunable Visible and Near-IR Photoactivation of Light-Responsive Compounds by Using Fluorophores as Light-Capturing Antennas. <u>Angew. Chem. Int. Ed.</u> 53(3): 875–878, January 2014.
- [37] Cochran, A. G., Skelton, N. J., and Starovasnik, M. A.: Tryptophan zippers: Stable, monomeric β -hairpins. PNAS. 98(10): 5578–5583, May 2001.
- [38] Kier, B. L. and Andersen, N. H.: Probing the Lower Size Limit for Protein-Like Fold Stability: Ten-Residue Microproteins With Specific, Rigid Structures in Water. <u>J. Am. Chem. Soc.</u> 130(44): 14675–14683, November 2008.
- [39] Andersen, N. H., Olsen, K. A., Fesinmeyer, R. M., Tan, X., Hudson, F. M., Eidenschink, L. A., and Farazi, S. R.: Minimization and Optimization of Designed β -Hairpin Folds. <u>J. Am. Chem. Soc.</u> 128(18): 6101–6110, May 2006.
- [40] Jackowska, A., Chromiński, M., Giedyk, M., and Gryko, D.: 5'-Vitamin B12 derivatives suitable for bioconjugation via the amide bond. Org. Biomol. Chem. 16(6): 936–943, February 2018.
- [41] Chromiński, M., Lewalska, A., and Gryko, D.: Reduction-free synthesis of stable acetylide cobalamins. Chemical Communications. 49(97): 11406–11408, 2013.
- [42] Ruetz Markus, , Salchner Robert, , Wurst Klaus, , Fedosov Sergey, , and Kräutler Bernhard, : Phenylethynyl-cobalamin: A Light-Stable and Thermolysis-Resistant Organometallic Vitamin B12 Derivative Prepared by Radical Synthesis. Angewandte Chemie International Edition. 52(43): 11406–11409, September 2013.
- [43] Chromiński, M., Lewalska, A., Karczewski, M., and Gryko, D.: Vitamin B12 Derivatives for Orthogonal Functionalization. J. Org. Chem. 79(16): 7532–7542, August 2014.
- [44] Kolb Hartmuth C., Finn M. G., and Sharpless K. Barry, Click Chemistry: Diverse Chemical Function from a Few Good Reactions. Angewandte Chemie International Edition. 40(11): 2004–2021, May 2001.
- [45] Patterson, D. M., Nazarova, L. A., and Prescher, J. A.: Finding the Right (Bioorthogonal) Chemistry. ACS Chem. Biol. 9(3): 592–605, March 2014.
- [46] Pathare, P. M., Wilbur, D. S., Heusser, S., Quadros, E. V., McLoughlin, P., and Morgan, A. C.: Synthesis of Cobalamin-Biotin Conjugates That Vary in the Position of Cobalamin Coupling. Evaluation of Cobalamin Derivative Binding to Transcobalamin II. Bioconjugate Chem. 7(2): 217–232, January 1996.
- [47] Grimm, J. B., Muthusamy, A. K., Liang, Y., Brown, T. A., Lemon, W. C., Patel, R., Lu, R., Macklin, J. J., Keller, P. J., Ji, N., and Lavis, L. D.: A general method to fine-tune fluorophores for live-cell and *in vivo* imaging. Nature Methods. 14(10): 987–994, October 2017.
- [48] Grimm, J. B., English, B. P., Chen, J., Slaughter, J. P., Zhang, Z., Revyakin, A., Patel, R., Macklin, J. J., Normanno, D., Singer, R. H., Lionnet, T., and Lavis, L. D.: A general method to improve fluorophores for live-cell and single-molecule microscopy. Nature Methods. 12(3): 244–250, March 2015.
- [49] Li, G.-W. and Xie, X. S.: Central dogma at the single-molecule level in living cells. <u>Nature</u>. 475(7356): 308–315, July 2011.
- [50] Katz, Z. B., English, B. P., Lionnet, T., Yoon, Y. J., Monnier, N., Ovryn, B., Bathe, M., and Singer, R. H.: Mapping translation 'hot-spots' in live cells by tracking single molecules of mRNA and ribosomes. <u>eLife</u> Sciences. 5: e10415, January 2016.
- [51] Yamagishi, M., Ishihama, Y., Shirasaki, Y., Kurama, H., and Funatsu, T.: Single-molecule imaging of β-actin mRNAs in the cytoplasm of a living cell. Experimental Cell Research. 315(7): 1142–1147, April 2009.

- [52] Halstead, J. M., Lionnet, T., Wilbertz, J. H., Wippich, F., Ephrussi, A., Singer, R. H., and Chao, J. A.: An RNA biosensor for imaging the first round of translation from single cells to living animals. <u>Science</u>. 347(6228): 1367–1671, March 2015.
- [53] Fiedler, B. L., Van Buskirk, S., Carter, K. P., Qin, Y., Carpenter, M. C., Palmer, A. E., and Jimenez, R.: Droplet Microfluidic Flow Cytometer For Sorting On Transient Cellular Responses Of Genetically-Encoded Sensors. Anal. Chem. 89(1): 711–719, January 2017.
- [54] Dean, K. M., Davis, L. M., Lubbeck, J. L., Manna, P., Friis, P., Palmer, A. E., and Jimenez, R.: High-Speed Multiparameter Photophysical Analyses of Fluorophore Libraries. <u>Anal. Chem.</u> 87(10): 5026–5030, May 2015.
- [55] Zurla, C., Lifland, A. W., and Santangelo, P. J.: Characterizing mRNA Interactions with RNA Granules during Translation Initiation Inhibition. PLOS ONE. 6(5): e19727, May 2011.
- [56] Jain, S., Wheeler, J. R., Walters, R. W., Agrawal, A., Barsic, A., and Parker, R.: ATPase-Modulated Stress Granules Contain a Diverse Proteome and Substructure. Cell. 164(3): 487–498, January 2016.
- [57] Nelles, D. A., Fang, M. Y., O'Connell, M. R., Xu, J. L., Markmiller, S. J., Doudna, J. A., and Yeo, G. W.: Programmable RNA Tracking in Live Cells with CRISPR/Cas9. Cell. 165(2): 488–496, April 2016.
- [58] Mueller, F., Senecal, A., Tantale, K., Marie-Nelly, H., Ly, N., Collin, O., Basyuk, E., Bertrand, E., Darzacq, X., and Zimmer, C.: FISH-quant: Automatic counting of transcripts in 3D FISH images. <u>Nature Methods</u>. 10(4): 277–278, April 2013.
- [59] Mairal, T., Özalp, V. C., Sánchez, P. L., Mir, M., Katakis, I., and O'Sullivan, C. K.: Aptamers: Molecular tools for analytical applications. Anal Bioanal Chem. 390(4): 989–1007, February 2008.
- [60] Cho, E. J., Lee, J.-W., and Ellington, A. D.: Applications of Aptamers as Sensors. <u>Annual Review of Analytical Chemistry</u>. 2(1): 241–264, 2009.
- [61] Lorsch, J. R. and Szostak, J. W.: In vitro selection of RNA aptamers specific for cyanocobalamin. Biochemistry. 33(4): 973–982, February 1994.
- [62] Trausch, J. J. and Batey, R. T. Chapter Three Design of Modular "Plug-and-Play" Expression Platforms Derived from Natural Riboswitches for Engineering Novel Genetically Encodable RNA Regulatory Devices. In Burke-Aguero, D. H. (Ed.): Methods in Enzymology, volume 550 of Riboswitches as Targets and Tools, pp 41–71. Academic Press, January 2015.
- [63] Park Eonyoung, and Maquat Lynne E., : Staufen-mediated mRNA decay. Wiley Interdisciplinary Reviews: RNA. 4(4): 423–435, June 2013.