

National Institutes of Health  
Center for Scientific Review, Div. of Receipt and Referral  
6701 Rockledge Drive MSC 7768  
Bethesda, MD 20892-7768  
(301) 435-1115

April 7, 2018

Greetings:

Thank you for receiving my F32 application. See below for information describing my submission:

**Title:** Multicomponent, superresolution imaging of RNA in mammalian cells

**FOA:** PA-16-307

**Please assign this applicaton to:**

**Referees:**

- Jennifer A. Prescher, Ph.D, U.C. Irvine
- Scott Rychnovsky, Ph.D, U.C. Irvine
- Chris Vanderwal, Ph.D, U.C. Irvine

Thank you for your time and consideration.

Sincerely,

Colin Rathbun

## Bibliography and References Cited

- [1] Cech, T. R. and Steitz, J. A.: The Noncoding RNA Revolution—Trashing Old Rules to Forge New Ones. Cell. 157(1): 77–94, March 2014.
- [2] Müller-McNicoll, M. and Neugebauer, K. M.: How cells get the message: Dynamic assembly and function of mRNA–protein complexes. Nature Reviews Genetics. 14(4): 275–287, April 2013.
- [3] Etzel, M. and Mörl, M.: Synthetic Riboswitches: From Plug and Pray toward Plug and Play. Biochemistry. 56(9): 1181–1198, March 2017.
- [4] Johnson Jr, J. E., Reyes, F. E., Polaski, J. T., and Batey, R. T.: B<sub>12</sub> cofactors directly stabilize an mRNA regulatory switch. Nature. 492(7427): 133–137, December 2012.
- [5] Paige, J. S., Wu, K. Y., and Jaffrey, S. R.: RNA Mimics of Green Fluorescent Protein. Science. 333(6042): 642–646, July 2011.
- [6] Filonov, G. S., Moon, J. D., Svensen, N., and Jaffrey, S. R.: Broccoli: Rapid Selection of an RNA Mimic of Green Fluorescent Protein by Fluorescence-Based Selection and Directed Evolution. J. Am. Chem. Soc. 136(46): 16299–16308, November 2014.
- [7] Autour, A., Jeng, S., Cawte, A., Abdolazadeh, A., Galli, A., Panchapakesan, S. S. S., Rueda, D., Ryckelynck, M., and Unrau, P. J.: Fluorogenic RNA Mango aptamers for imaging small non-coding RNAs in mammalian cells. Nature Communications. 9(1): 656, February 2018.
- [8] Dolgosheina, E. V., Jeng, S. C. Y., Panchapakesan, S. S. S., Cojocar, R., Chen, P. S. K., Wilson, P. D., Hawkins, N., Wiggins, P. A., and Unrau, P. J.: RNA Mango Aptamer-Fluorophore: A Bright, High-Affinity Complex for RNA Labeling and Tracking. ACS Chem. Biol. 9(10): 2412–2420, October 2014.
- [9] Fusco, D., Accornero, N., Lavoie, B., Shenoy, S. M., Blanchard, J.-M., Singer, R. H., and Bertrand, E.: Single mRNA Molecules Demonstrate Probabilistic Movement in Living Mammalian Cells. Current Biology. 13(2): 161–167, January 2003.
- [10] Della Ragione, F., Gagliardi, M., D'Esposito, M., and Matarazzo, M. R.: Non-coding RNAs in chromatin disease involving neurological defects. Front. Cell. Neurosci. 8, 2014.
- [11] Anastasiadou, E., Jacob, L. S., and Slack, F. J.: Non-coding RNA networks in cancer. Nature Reviews Cancer. 18(1): 5–18, January 2018.
- [12] Rinn, J. L. and Chang, H. Y.: Genome Regulation by Long Noncoding RNAs. Annual Review of Biochemistry. 81(1): 145–166, 2012.
- [13] Rinn, J. L., Eiskirchen, G., Bertone, P., Martone, R., Luscombe, N. M., Hartman, S., Harrison, P. M., Nelson, F. K., Miller, P., Gerstein, M., Weissman, S., and Snyder, M.: The transcriptional activity of human Chromosome 22. Genes Dev. 17(4): 529–540, February 2003.
- [14] Tanaka Ritsuko, , Satoh Hitoshi, , Moriyama Masatsugu, , Satoh Kasumi, , Morishita Yasuyuki, , Yoshida Syouko, , Watanabe Toshiki, , Nakamura Yoshikazu, , and Mori Shigeo, : Intronic U50 small-nucleolar-RNA (snoRNA) host gene of no protein-coding potential is mapped at the chromosome breakpoint t(3;6)(q27;q15) of human B-cell lymphoma. Genes to Cells. 5(4): 277–287, December 2001.
- [15] Damas, N. D., Marcatti, M., Côme, C., Christensen, L. L., Nielsen, M. M., Baumgartner, R., Gylling, H. M., Maglieri, G., Rundsten, C. F., Seemann, S. E., Rapin, N., Thézenas, S., Vang, S., Ørntoft, T., Andersen, C. L., Pedersen, J. S., and Lund, A. H.: *SNHG5* promotes colorectal cancer cell survival by counteracting STAU1-mediated mRNA destabilization. Nature Communications. 7: 13875, December 2016.
- [16] Zhao, L., Guo, H., Zhou, B., Feng, J., Li, Y., Han, T., Liu, L., Li, L., Zhang, S., Liu, Y., Shi, J., and Zheng, D.: Long non-coding RNA SNHG5 suppresses gastric cancer progression by trapping MTA2 in the cytosol. Oncogene. 35(44): 5770–5780, November 2016.

- [17] He, B., Bai, Y., Kang, W., Zhang, X., and Jiang, X.: LncRNA SNHG5 regulates imatinib resistance in chronic myeloid leukemia via acting as a CeRNA against MiR-205-5p. Am J Cancer Res. 7(8): 1704–1713, PMC5574942, August 2017.
- [18] Yan, L., Wang, S., Li, Y., Tognetti, L., Tan, R., Zeng, K., Pianigiani, E., Mi, X., Li, H., Fimiani, M., and Rubegni, P.: SNHG5 promotes proliferation and induces apoptosis in melanoma by sponging miR-155. RSC Advances. 8(11): 6160–6168, 2018.
- [19] Ma, Z., Xue, S., Zeng, B., and Qiu, D.: LncRNA SNHG5 is associated with poor prognosis of bladder cancer and promotes bladder cancer cell proliferation through targeting p27. Oncology Letters. 15(2): 1924–1930, February 2018.
- [20] Shen, H., Wang, Y., Shi, W., Sun, G., Hong, L., and Zhang, Y.: LncRNA SNHG5/miR-26a/SOX2 signal axis enhances proliferation of chondrocyte in osteoarthritis. Acta Biochim Biophys Sin (Shanghai). 50(2): 191–198, February 2018.
- [21] Zheng, L., Hu, N., Guan, G., Chen, J., Zhou, X., and Li, M.: Long noncoding RNA SNHG6 promotes osteosarcoma cell proliferation through regulating p21 and KLF2. Archives of Biochemistry and Biophysics.
- [22] Ili, R. J. T., Demeshkina, N. A., Lau, M. W. L., Panchapakesan, S. S. S., Jeng, S. C. Y., Unrau, P. J., and Ferré-D'Amaré, A. R.: Structural basis for high-affinity fluorophore binding and activation by RNA Mango. Nature Chemical Biology. 13(7): 807–813, July 2017.
- [23] Warner, K. D., Chen, M. C., Song, W., Strack, R. L., Thorn, A., Jaffrey, S. R., and Ferré-D'Amaré, A. R.: Structural basis for activity of highly efficient RNA mimics of green fluorescent protein. Nature Structural & Molecular Biology. 21(8): 658–663, August 2014.
- [24] Jeng, S. C. Y., Chan, H. H. Y., Booy, E. P., McKenna, S. A., and Unrau, P. J.: Fluorophore ligand binding and complex stabilization of the RNA Mango and RNA Spinach aptamers. RNA. 22(12): 1884–1892, January 2016.
- [25] Morisaki, T., Lyon, K., DeLuca, K. F., DeLuca, J. G., English, B. P., Zhang, Z., Lavis, L. D., Grimm, J. B., Viswanathan, S., Looger, L. L., Lionnet, T., and Stasevich, T. J.: Real-time quantification of single RNA translation dynamics in living cells. Science. 352(6292): 1425–1429, June 2016.
- [26] Tutucci, E., Vera, M., Biswas, J., Garcia, J., Parker, R., and Singer, R. H.: An improved MS2 system for accurate reporting of the mRNA life cycle. Nature Methods. 15(1): 81–89, January 2018.
- [27] Braselmann, E., Wierzb, A. J., Polaski, J. T., Chromiński, M., Batan, D., Gryko, D., Batey, R. T., and Palmer, A. E.: Development of a riboswitch-based platform for live cell imaging of RNAs in mammalian cells. bioRxiv. 199240 pp, October 2017.
- [28] McNeil, P. L. and Warder, E.: Glass beads load macromolecules into living cells. Journal of Cell Science. 88(5): 669–678, December 1987.
- [29] Hayashi-Takanaka, Y., Yamagata, K., Wakayama, T., Stasevich, T. J., Kainuma, T., Tsurimoto, T., Tachibana, M., Shinkai, Y., Kurumizaka, H., Nozaki, N., and Kimura, H.: Tracking epigenetic histone modifications in single cells using Fab-based live endogenous modification labeling. Nucleic Acids Res. 39(15): 6475–6488, August 2011.
- [30] Rosendahl, M. S., Omann, G. M., and Leonard, N. J.: Synthesis and biological activity of a profluorescent analogue of coenzyme B12. PNAS. 79(11): 3480–3484, June 1982.
- [31] Lee, M. and Grissom, C. B.: Design, Synthesis, and Characterization of Fluorescent Cobalamin Analogues with High Quantum Efficiencies. Org. Lett. 11(12): 2499–2502, June 2009.
- [32] Smeltzer, C. C., Cannon, M. J., Pinson, P. R., Munger, J. D., West, F. G., and Grissom, C. B.: Synthesis and Characterization of Fluorescent Cobalamin (CobalaFluor) Derivatives for Imaging. Org. Lett. 3(6): 799–801, March 2001.
- [33] Porter, E. B., Polaski, J. T., Morck, M. M., and Batey, R. T.: Recurrent RNA motifs as scaffolds for genetically encodable small-molecule biosensors. Nature Chemical Biology. 13(3): 295–301, March 2017.

- [34] Fesinmeyer, R. M., Hudson, F. M., and Andersen, N. H.: Enhanced Hairpin Stability through Loop Design: The Case of the Protein G B1 Domain Hairpin. J. Am. Chem. Soc. 126(23): 7238–7243, June 2004.
- [35] Shell, T. A. and Lawrence, D. S.: Vitamin B12: A Tunable, Long Wavelength, Light-Responsive Platform for Launching Therapeutic Agents. Acc. Chem. Res. 48(11): 2866–2874, November 2015.
- [36] Shell, J. R., Rodgers, Z. L., and Lawrence, D. S.: Tunable Visible and Near-IR Photoactivation of Light-Responsive Compounds by Using Fluorophores as Light-Capturing Antennas. Angew. Chem. Int. Ed. 53(3): 875–878, January 2014.
- [37] Cochran, A. G., Skelton, N. J., and Starovasnik, M. A.: Tryptophan zippers: Stable, monomeric  $\beta$ -hairpins. PNAS. 98(10): 5578–5583, May 2001.
- [38] Kier, B. L. and Andersen, N. H.: Probing the Lower Size Limit for Protein-Like Fold Stability: Ten-Residue Microproteins With Specific, Rigid Structures in Water. J. Am. Chem. Soc. 130(44): 14675–14683, November 2008.
- [39] Andersen, N. H., Olsen, K. A., Fesinmeyer, R. M., Tan, X., Hudson, F. M., Eidenschink, L. A., and Farazi, S. R.: Minimization and Optimization of Designed  $\beta$ -Hairpin Folds. J. Am. Chem. Soc. 128(18): 6101–6110, May 2006.
- [40] Jackowska, A., Chromiński, M., Giedyk, M., and Gryko, D.: 5'-Vitamin B12 derivatives suitable for bioconjugation via the amide bond. Org. Biomol. Chem. 16(6): 936–943, February 2018.
- [41] Chromiński, M., Lewalska, A., and Gryko, D.: Reduction-free synthesis of stable acetylide cobalamins. Chemical Communications. 49(97): 11406–11408, 2013.
- [42] Ruetz Markus, , Salchner Robert, , Wurst Klaus, , Fedosov Sergey, , and Kräutler Bernhard, : Phenylethynyl-cobalamin: A Light-Stable and Thermolysis-Resistant Organometallic Vitamin B12 Derivative Prepared by Radical Synthesis. Angewandte Chemie International Edition. 52(43): 11406–11409, September 2013.
- [43] Chromiński, M., Lewalska, A., Karczewski, M., and Gryko, D.: Vitamin B12 Derivatives for Orthogonal Functionalization. J. Org. Chem. 79(16): 7532–7542, August 2014.
- [44] Kolb Hartmuth C., , Finn M. G., , and Sharpless K. Barry, : Click Chemistry: Diverse Chemical Function from a Few Good Reactions. Angewandte Chemie International Edition. 40(11): 2004–2021, May 2001.
- [45] Patterson, D. M., Nazarova, L. A., and Prescher, J. A.: Finding the Right (Bioorthogonal) Chemistry. ACS Chem. Biol. 9(3): 592–605, March 2014.
- [46] Pathare, P. M., Wilbur, D. S., Heusser, S., Quadros, E. V., McLoughlin, P., and Morgan, A. C.: Synthesis of Cobalamin-Biotin Conjugates That Vary in the Position of Cobalamin Coupling. Evaluation of Cobalamin Derivative Binding to Transcobalamin II. Bioconjugate Chem. 7(2): 217–232, January 1996.
- [47] Grimm, J. B., Muthusamy, A. K., Liang, Y., Brown, T. A., Lemon, W. C., Patel, R., Lu, R., Macklin, J. J., Keller, P. J., Ji, N., and Lavis, L. D.: A general method to fine-tune fluorophores for live-cell and *in vivo* imaging. Nature Methods. 14(10): 987–994, October 2017.
- [48] Grimm, J. B., English, B. P., Chen, J., Slaughter, J. P., Zhang, Z., Revyakin, A., Patel, R., Macklin, J. J., Normanno, D., Singer, R. H., Lionnet, T., and Lavis, L. D.: A general method to improve fluorophores for live-cell and single-molecule microscopy. Nature Methods. 12(3): 244–250, March 2015.
- [49] Li, G.-W. and Xie, X. S.: Central dogma at the single-molecule level in living cells. Nature. 475(7356): 308–315, July 2011.
- [50] Katz, Z. B., English, B. P., Lionnet, T., Yoon, Y. J., Monnier, N., Ovrzyn, B., Bathe, M., and Singer, R. H.: Mapping translation 'hot-spots' in live cells by tracking single molecules of mRNA and ribosomes. eLife Sciences. 5: e10415, January 2016.
- [51] Yamagishi, M., Ishihama, Y., Shirasaki, Y., Kurama, H., and Funatsu, T.: Single-molecule imaging of  $\beta$ -actin mRNAs in the cytoplasm of a living cell. Experimental Cell Research. 315(7): 1142–1147, April 2009.

- [52] Halstead, J. M., Lionnet, T., Wilbertz, J. H., Wippich, F., Ephrussi, A., Singer, R. H., and Chao, J. A.: An RNA biosensor for imaging the first round of translation from single cells to living animals. Science. 347(6228): 1367–1671, March 2015.
- [53] Fiedler, B. L., Van Buskirk, S., Carter, K. P., Qin, Y., Carpenter, M. C., Palmer, A. E., and Jimenez, R.: Droplet Microfluidic Flow Cytometer For Sorting On Transient Cellular Responses Of Genetically-Encoded Sensors. Anal. Chem. 89(1): 711–719, January 2017.
- [54] Dean, K. M., Davis, L. M., Lubbeck, J. L., Manna, P., Friis, P., Palmer, A. E., and Jimenez, R.: High-Speed Multiparameter Photophysical Analyses of Fluorophore Libraries. Anal. Chem. 87(10): 5026–5030, May 2015.
- [55] Zurla, C., Lifland, A. W., and Santangelo, P. J.: Characterizing mRNA Interactions with RNA Granules during Translation Initiation Inhibition. PLOS ONE. 6(5): e19727, May 2011.
- [56] Jain, S., Wheeler, J. R., Walters, R. W., Agrawal, A., Barsic, A., and Parker, R.: ATPase-Modulated Stress Granules Contain a Diverse Proteome and Substructure. Cell. 164(3): 487–498, January 2016.
- [57] Nelles, D. A., Fang, M. Y., O'Connell, M. R., Xu, J. L., Markmiller, S. J., Doudna, J. A., and Yeo, G. W.: Programmable RNA Tracking in Live Cells with CRISPR/Cas9. Cell. 165(2): 488–496, April 2016.
- [58] Mueller, F., Senecal, A., Tantale, K., Marie-Nelly, H., Ly, N., Collin, O., Basyuk, E., Bertrand, E., Darzacq, X., and Zimmer, C.: FISH-quant: Automatic counting of transcripts in 3D FISH images. Nature Methods. 10(4): 277–278, April 2013.
- [59] Mairal, T., Özalp, V. C., Sánchez, P. L., Mir, M., Katakis, I., and O'Sullivan, C. K.: Aptamers: Molecular tools for analytical applications. Anal Bioanal Chem. 390(4): 989–1007, February 2008.
- [60] Cho, E. J., Lee, J.-W., and Ellington, A. D.: Applications of Aptamers as Sensors. Annual Review of Analytical Chemistry. 2(1): 241–264, 2009.
- [61] Lorsch, J. R. and Szostak, J. W.: In vitro selection of RNA aptamers specific for cyanocobalamin. Biochemistry. 33(4): 973–982, February 1994.
- [62] Trausch, J. J. and Batey, R. T. Chapter Three - Design of Modular “Plug-and-Play” Expression Platforms Derived from Natural Riboswitches for Engineering Novel Genetically Encodable RNA Regulatory Devices. In Burke-Aguero, D. H. (Ed.): Methods in Enzymology, volume 550 of *Riboswitches as Targets and Tools*, pp 41–71. Academic Press, January 2015.
- [63] Park Eonyoung, and Maquat Lynne E., : Staufen-mediated mRNA decay. Wiley Interdisciplinary Reviews: RNA. 4(4): 423–435, June 2013.