


CMU SCS

15-826: Multimedia Databases and Data Mining

Lecture #17: Text - part IV (LSI)
C. Faloutsos



CMU SCS

Must-read Material

- Foltz, P. W. and S. T. Dumais (Dec. 1992). "Personalized Information Delivery: An Analysis of Information Filtering Methods." Comm. of ACM (CACM) 35(12): 51-60.

15-826 Copyright: C. Faloutsos (2017) 2




CMU SCS

Outline

Goal: 'Find **similar / interesting** things'

- Intro to DB
- ➔ • Indexing - similarity search
- Data Mining

15-826 Copyright: C. Faloutsos (2017) 3




CMU SCS

Indexing - Detailed outline

- primary key indexing
- secondary key / multi-key indexing
- spatial access methods
- fractals
- ➔ • text
- SVD: a powerful tool
- multimedia
- ...

15-826 Copyright: C. Faloutsos (2017) 4




CMU SCS

Text - Detailed outline

- text
 - problem
 - full text scanning
 - inversion
 - signature files
 - clustering
 - ➔ – information filtering and LSI

15-826 Copyright: C. Faloutsos (2017) 5




CMU SCS

LSI - Detailed outline

- LSI
 - ➔ – problem definition
 - main idea
 - experiments

15-826 Copyright: C. Faloutsos (2017) 6




CMU SCS

Information Filtering + LSI

- [Foltz+, '92] Goal:
 - users specify interests (= keywords)
 - system alerts them, on suitable news-documents
- Major contribution: LSI = Latent Semantic Indexing
 - latent (‘hidden’) concepts

15-826 Copyright: C. Faloutsos (2017) 7



CMU SCS

Information Filtering + LSI


Main idea

- map each document into some ‘concepts’
- map each term into some ‘concepts’

‘Concept’ :~ a set of terms, with weights, e.g.

- “data” (0.8), “system” (0.5), “retrieval” (0.6) -
- > DBMS_concept

15-826 Copyright: C. Faloutsos (2017) 8




Information Filtering + LSI

Pictorially: term-document matrix (BEFORE)

	'data'	'system'	'retrieval'	'lung'	'ear'
TR1	1	1	1		
TR2	1	1	1		
TR3				1	1
TR4				1	1

15-826 Copyright: C. Faloutsos (2017) 9




Information Filtering + LSI

Pictorially: concept-document matrix and...

	'DBMS-concept'	'medical-concept'
TR1	1	
TR2	1	
TR3		1
TR4		1

15-826 Copyright: C. Faloutsos (2017) 10




Information Filtering + LSI

... and concept-term matrix

	'DBMS-concept'	'medical-concept'
data	1	
system	1	
retrieval	1	
lung		1
ear		1

15-826 Copyright: C. Faloutsos (2017) 11



Information Filtering + LSI

Q: How to search, eg., for 'system' ?

15-826 Copyright: C. Faloutsos (2017) 12

CMU SCS

Information Filtering + LSI

A: find the corresponding concept(s); and the corresponding documents

	'DBMS-concept'	'medical-concept'
data	1	
system	1 ↑	
retrieval	1	
lung		1
ear		1

	'DBMS-concept'	'medical-concept'
TR1	1	
TR2	1	
TR3		1
TR4		1

15-826 Copyright: C. Faloutsos (2017) 13

CMU SCS

Information Filtering + LSI

A: find the corresponding concept(s); and the corresponding documents

	'DBMS-concept'	'medical-concept'
data	1	
system	1 ↑	
retrieval	1	
lung		1
ear		1

	'DBMS-concept'	'medical-concept'
TR1	1 ←	
TR2	1 ←	
TR3		1
TR4		1

15-826 Copyright: C. Faloutsos (2017) 14

CMU SCS

Information Filtering + LSI

Thus it works like an (automatically constructed) thesaurus:
 we may retrieve documents that DON'T have the term 'system', but they contain almost everything else ('data', 'retrieval')

15-826 Copyright: C. Faloutsos (2017) 15

CMU SCS

LSI - Detailed outline

- LSI
 - problem definition
 - main idea
 - – experiments

15-826 Copyright: C. Faloutsos (2017) 16

CMU SCS

LSI - Experiments

- 150 Tech Memos (TM) / month
- 34 users submitted 'profiles' (6-66 words per profile)
- 100-300 concepts

15-826 Copyright: C. Faloutsos (2017) 17

CMU SCS

LSI - Experiments

- four methods, cross-product of:
 - vector-space or LSI, for similarity scoring
 - keywords or document-sample, for profile specification
- measured: precision/recall

$$\left\{ \begin{array}{l} \text{'data', 'retrieval' ...} \\ \text{(concept1, concept2...)} \end{array} \right\} \times \left\{ \begin{array}{l} \text{• data} \\ \text{• mining} \\ \text{• ...} \end{array} \right\}$$

15-826 Copyright: C. Faloutsos (2017) 18

CMU SCS

LSI - Experiments

- Q: Who wins?

precision

recall

15-826 Copyright: C. Faloutsos (2017) 19

CMU SCS

LSI - Experiments

- LSI, with document-based profiles, were better

precision

recall

$$\left\{ \begin{array}{l} \text{'data', ...} \\ \text{(concept1, ...)} \end{array} \right\} \times \left\{ \begin{array}{l} \text{• data} \\ \text{• mining} \\ \text{• ...} \end{array} \right\}$$

15-826 Copyright: C. Faloutsos (2017) 20



LSI - Discussion - Conclusions

- Great idea,
 - to derive ‘concepts’ from documents
 - to build a ‘statistical thesaurus’ automatically
 - to reduce dimensionality
- Often leads to better precision/recall
- but:
 - Needs ‘training’ set of documents
 - ‘concept’ vectors are not sparse anymore

15-826

Copyright: C. Faloutsos (2017)

21



LSI - Discussion - Conclusions

Observations

- Bellcore (-> Telcordia) has a patent
- used for multi-lingual retrieval

How exactly SVD works? (Details, next)

	'data'	'system'	'retrieval'	'lung'	'ear'
TR1	1	1	1		
TR2	1	1	1		
TR3				1	1
TR4				1	1

??



	'DBMS- concept'	'medical- concept'
TR1	1	
TR2	1	
TR3		1
TR4		1

	'DBMS- concept'	'medical- concept'
data	1	
system	1	
retrieval	1	
lung		1
ear		1

15-826

Copyright: C. Faloutsos (2017)

22