


15-826: Multimedia Databases and Data Mining

Lecture #15: Text - part II

C. Faloutsos





Optional (but terrific to read)

- ★ McIlroy, M. D. (Jan. 1982). "Development of a Spelling List." IEEE Trans. on Communications COM-30(1): 91-99.
 - http://ieeexplore.ieee.org/document/1095395/
- ★ Severance, D. G. and G. M. Lohman (Sept. 1976). "Differential Files: Their Application to the Maintenance of Large Databases." ACM TODS 1(3): 256-267.
 - http://dl.acm.org/citation.cfm?id=320484

Copyright: C. Faloutsos (2017)





Outline


Goal: 'Find similar / interesting things'


- Intro to DB
- Indexing similarity search
 - Data Mining


15-826 Copyright: C. Faloutsos (2017)




























Integer coding: small integers - > few bits

number	binary	Self-delimiting
2	10	00 1 10
3	11	00 1 11
15	1111	0000 1 1111

- O(log(i)) bits for integer i
- can drop middle '1'
- can drop one of the zeros (!)

• (can apply recursively, to length)

15


CMU SCS


Integer coding: small integers - > few bits


number	binary	Self-d	elimiting
2	10	00	10
3	11	00	11
15	1111	0000	1111


- $O(\log(i))$ bits for integer i
- can drop middle '1'
- can drop one of the zeros (!)


• (can apply recursively, to length)






















Signature files


• A: superimposed coding!! [Mooers49], ...


Word	Signature	
data	001 000 110 010	
base	000 010 101 001	
doc.signature	001 010 111 011	


m (=4 bits/word)
F (=12 bits sign. size)

15-826

Copyright: C. Faloutsos (2017)









Signature files

• A: superimposed coding!! [Mooers49], ...

Word	Signature	
data	001 000 110 010	
base	000 010 101 001	
doc.signature	001 010 111 011	

'YES' is 'MAYBE'
'NO' is 'NO'

15-826

Copyright: C. Faloutsos (2017)

29

31



Signature files

- Q1: How to choose *F* and *m*?
- Q2: Why is it called 'false drop'?
- Q3: other apps of signature files?

15-826

Copyright: C. Faloutsos (2017)

30



Signature files

• Q1: How to choose *F* and *m*?

Word	Signature	
data	001 000 110 010	
base	000 010 101 001	
doc.signature	001 010 111 011	

m (=4 bits/word)

F (=12 bits sign. size)

15-826 Copyright: C. Faloutsos (2017)



Signature files


- Q1: How to choose *F* and *m*?
- A: so that doc. signature is 50% full


Word	Signature	
data	001 000 110 010	
base	000 010 101 001	
doc.signature	001 010 111 011	


m (=4 bits/word)


F (=12 bits sign. size)


15-826 Copyright: C. Faloutsos (2017)














































App#2: Bloom-joins

Q: what if we want to send at most, say 100 bytes NY -> Chicago?

A: Bloom-join! Send a bloom filter of the S.A values

15-826

Copyright: C. Faloutsos (2017)

App#3: Differential files

Problem definition:

- A large file (eg., with EMPLOYEE records), nicely packed and organized (eg., B-tree)
- A few insertions/deletions, that we would like to keep separate, and merge, at night
- How to search, eg., for employee #123?

15-826

Copyright: C. Faloutsos (2017)

50



App#3: Differential files

S	sn	name	
1	-		
5	5		
1	2		
5	503		
5	509		

flag	ssn	name,
i	123	
i	55	
d	17	
d	33	

49

51

Differential file

15-826 Copyright: C. Faloutsos (2017)

CMU SCS

App#3: Differential files

- Q: How to search, eg., for employee #123?
- A: bloom-filter, for keys of diff. file
- Q: What are the advantages of differential files?
- A: <see paper, for 10(!) of them>

15-826

Copyright: C. Faloutsos (2017)

C Faloutsos 15-826



App#4: Virus-scan

- Q: How to search, for thousands of patterns?
- A: Bloom filter:
- Exact Pattern Matching with Feed-Forward Bloom Filters, J. Moraru, and D. Andersen, (ALENEX11), Jan 2011

15-826

Copyright: C. Faloutsos (2017)









Signature files - conclusions

- easy insertions; slower than inversion
- brilliant idea of 'quick and dirty' filter: quickly discard the vast majority of non qualifying elements, and focus on the rest.

15-826

Copyright: C. Faloutsos (2017)

54



References

- Blandford, D. and Blelloch, G. 2002. *Index* Compression through Document Reordering. Data Compression Conference (DCC '02) (April 02 -04, 2002).
- Brown, E. W., J. P. Callan, et al. (March 1994). Supporting Full-Text Information Retrieval with a Persistent Object Store. EDBT conference, Cambridge, U.K., Springer Verlag.

15-826

Copyright: C. Faloutsos (2017)

55



References - cont' d

- Faloutsos, C. and H. V. Jagadish (Aug. 23-27, 1992). On B-tree Indices for Skewed Distributions. 18th VLDB Conference, Vancouver, British Columbia.
- Karp, R. M. and M. O. Rabin (March 1987). "Efficient Randomized Pattern-Matching Algorithms." IBM Journal of Research and Development 31(2): 249-260.
- Knuth, D. E., J. H. Morris, et al. (June 1977). "Fast Pattern Matching in Strings." SIAM J. Comput 6(2): 323-350.

15-826

Copyright: C. Faloutsos (2017)

C. Faloutsos 15-826



References - cont' d

 Mackert, L. M. and G. M. Lohman (August 1986). R* Optimizer Validation and Performance Evaluation for Distributed Queries. Proc. of 12th Int. Conf. on Very Large Data Bases (VLDB), Kyoto, Japan.

• Manber, U. and S. Wu (1994). GLIMPSE: A Tool to Search Through Entire File Systems. Proc. of USENIX Techn. Conf.



McIlroy, M. D. (Jan. 1982). "Development of a Spelling List." IEEE Trans. on Communications COM-30(1): 91-99.

15-826

Copyright: C. Faloutsos (2017)

57



References - cont' d

- Mooers, C. (1949). Application of Random Codes to the Gathering of Statistical Information Bulletin 31. Cambridge, Mass, Zator Co.
- Pedersen, D. C. a. J. (1990). Optimizations for dynamic inverted index maintenance. ACM SIGIR.
- Riedel, E. (1999). Active Disks: Remote Execution for Network Attached Storage. ECE, CMU. Pittsburgh, PA.

15-826

Copyright: C. Faloutsos (2017)

58

60



References - cont' d



- Severance, D. G. and G. M. Lohman (Sept. 1976). "Differential Files: Their Application to the Maintenance of Large Databases." ACM TODS 1(3): 256-267.
- Tomasic, A. and H. Garcia-Molina (1993). Performance of Inverted Indices in Distributed Text Document Retrieval Systems. PDIS.
- Tomasic, A., H. Garcia-Molina, et al. (May 24-27, 1994). Incremental Updates of Inverted Lists for Text Document Retrieval. ACM SIGMOD, Minneapolis, MN.

15-826

Copyright: C. Faloutsos (2017)

59



References - cont' d

- Wu, S. and U. Manber (1992). "AGREP- A Fast Approximate Pattern-Matching Tool.".
- Zobel, J., A. Moffat, et al. (Aug. 23-27, 1992). An Efficient Indexing Technique for Full-Text Database Systems. VLDB, Vancouver, B.C., Canada.

15-826

Copyright: C. Faloutsos (2017)