

LILLEN CHECKLISTS

AND GUIDES

Contents

Checklists	2
Pre-Departure	2
On Arrival	3
Pre-Return	4
Bad Weather	4
Guides	5
Battery and Water Control Panel	5
Electric Bed	6
Step 1 - House Power Enabled	6
Step 2 - Electrical Cable Connectors	6
Step 3 - Fuse Box	6
Manual Operation	6
15A to 10A Power Adaptor	6
Nitrogen Tyre Inflation	7

Checklists

Pre-Departure

Ensure that the rooftop tv antenna is retracted and secured
Ensure awning is retracted and secured properly
Ensure sunroof hatch is closed. Including in the bathroom
Ensure bike rack is secure
Ensure that Button 1-4 on the <u>Battery and Water Control Panel</u> are off
Ensure that the hot water heater is off
Buttons are located on the left-hand side back lounge area
Ensure that the diesel heater is off if applicable
Dial is located on the left-hand side back lounge area
Disconnect 240v electricity if applicable
Disconnect city water if applicable
Disconnect grey water if applicable
Ensure LPG gas bottles are turned off
Ensure that the windows are securely closed and locked
Ensure everything in the kitchen has been put away and is rattle-proof
Secure all drawers and doors
Secure all loose objects for travel
Start the engine for warm up
Ensure that the refrigerator (in auto mode) has shifted back 12v

flat surface.

Or	n Arrival
	Select as flat and level a parking site as possible. Use leveling blocks if
	required.
	Connect 240v electricity if applicable
	Connect city water if applicable
	Connect grey water if applicable
	Ensure LPG gas bottle is open
	Turn on button 1-3 on the <u>Battery and Water Control Panel</u>
	Turn the water pump on, if not connected to city water
	Button 4 on the <u>Battery and Water Control Panel</u>
	Turn the hot water heater on using either 240v or LPG gas.
	Ensure the refrigerator (in auto mode) switch to either 240v or LPG gas.
	If using LPG gas, turn the refrigerator fan on.
	Please note! If using LPG gas, it can take up 20 minutes before the
	fridge turns on.

The refrigerator must be level and will not operate if not parked on a

Pre-Return
☐ Full Tank of Diesel
□ Empty Toilet Cassette
☐ Empty Grey Water Tank
Bad Weather Before bad weather arises, please ensure the following:
 Ensure awning is packed away Ensure sunroof hatch is closed. Including in the bathroom Ensure external storage hatches are closed

Important! Do not leave awning out overnight or unattended.

Guides

Battery and Water Control Panel

The Battery and Water Control Panel is located near the main door. As a rule of thumb, while stationary button 1-4 should be switched ON.

Important! All buttons must be switched OFF while driving.



LEGEND

- 1. Main battery button
- 2. Turns on auxiliary power. (Required for the powering the Bed, TV etc)
- 3. Enables the lighting
- 4. Turns on the water pump (Not required if connected to city water)
- 5. Checks the water tank levels
- 6. Grey water tank
- 7. Fresh water tank
- 8. Check the 12v battery power levels
- 9. The house battery
- 10. The car battery
- 11. Light indicating that external 240v electricity is operational

Electric Bed

In the unfortunate event that the bed has stopped working please follow these 3 steps.

Step 1 - House Power Enabled

First check that button 1 and 2 on the Battery and Water Control Panel are turned on.

Step 2 - Electrical Cable Connectors

Second, check that the electrical cables that hang down on the inside of the storage hatch on the left rear side are properly connected. It's easy to accidentally knock them out when removing the camping chairs and other large objects.

Step 3 - Fuse Box

If the cables are properly connected, the next place to check is the fuse box that is located under the passenger couch behind the driver seat. There is a Spare Fuses Kit inside the storage hatch at the rear on the right side (where the water hoses are stored).

Manual Operation

According to the electric bed manual, there is an option for manual operation of the bed. It is a two-man job and it seem to be a complicated procedure.

Important! Do not attempt manual operation without first contacting the owner or Camplify support.

15A to 10A Power Adaptor

Lillen comes equipped with a weatherproof 15A to 10A power adaptor. It safely and legally connects the 15A power cable to 10A power point.

Generally, if you book a powered site at a caravan park it will be equipped with a 15A power point.

However, if you are taking Lillen to stay at someones property they might only have 10A power points.

Nitrogen Tyre Inflation

Lillen's tyres have been inflated with nitrogen for increased tyre performance and better fuel economy.

This is identified by the red coloured valve cap.

If a top up is required and you are unable to find a workshop that offers nitrogen, air can be used but let the owner know upon return of the vehicle as the tyre will need to be fully deflated and refilled with nitrogen.