

Chapter Three Part Three: Deciding which Numerical Summaries to Use

Review

Remember last class period we talked about different types of summary statistics:

Measures of Center

- Mean:
- Median:

Measures of Spread

- Range:
- IQR:
- Standard Deviation

We call summary statistics NOT affected by outliers _____.

Measures of Center

- Mean:
- Median:

Measures of Spread

- Range:
- IQR:
- Standard Deviation

Example Situation One Consider a small town with six families. Calculate the mean and median family income from these numbers:

\$25,000 \$27,000 \$29,000 \$35,000 \$37,000 \$38,000

Situation Two What if a particularly wealthy family moves to town:

\$25,000 \$27,000 \$29,000 \$35,000 \$37,000 \$38,000 \$100,000,000

Now calculate the mean and median.

Mean versus Median

Like the previous example establishes, extreme values or values found in the tails of a distribution can influence the mean but not typically the median. Often times data such as:

-
-
-


Are highly skewed and you should be skeptical if only the mean is reported!

We note that means and medians are generally **similar** when:

-
-

Means and medians are generally **different** when:

-
-



So in summary, reporting the median is appropriate when the distribution is _____ and _____. Reporting the mean is appropriate when the distribution is _____. So we can basically break down the summary statistics we've learned about into two groups.

Robust

-
-
-

Not Robust

-
-

These should be reported together! However the first step to determining which group to use is to always get a picture of your data!

Report the **5 Number Summary** when the data is:

-
-

Report the **Mean and Standard Deviation** when the data is:

-
-