

Individual Con

Method comparison CN vs. MCI

Method / Model	Average AUC	Sensitivity (MCI)	Specificity (MCI)
SUVR	0.6064	0.58	0.55
Distance	0.659	0.649	0.57
Divergence	0.6485	0.589	0.59
Correlation	0.6479	0.609	0.569
Deviation	0.572	0.549	0.52
Baseline KNN (k=15)	0.5302	0.4024	0.5976

Method comparison CN vs. AD

Method / Model	Average AUC	Sensitivity (AD)	Specificity (AD)
SUVR	0.9202	0.7928	0.9154
Distance	0.9086	0.7838	0.8769
Divergence	0.8505	0.7207	0.8231
Correlation	0.8551	0.7387	0.7769
Deviation	0.7347	0.5676	0.7692
Baseline KNN (k=15)	0.6564	0.3670	0.6330

SUVR

Model / Metric	Baseline KNN (k=15)	MLPclassifier_VOIs
CN vs AD		
Average AUC	0.6564	0.9202
Average Sensitivity (AD)	0.3670	0.7928
Average Specificity (AD)	0.6330	0.9154
CN vs MCI		
Average AUC	0.5302	0.6064
Average Sensitivity (MCI)	0.4024	0.5828
Average Specificity (MCI)	0.5976	0.5538

Baseline from ADNI metaROI value, constructed using KNN

Distance

Model / Metric	Baseline KNN (k=15)	MLPclassifier_VOIs
CN vs AD		
Average AUC	0.6564	0.9086
Average Sensitivity (AD)	0.3670	0.7838
Average Specificity (AD)	0.6330	0.8769
CN vs MCI		
Average AUC	0.5302	0.6591
Average Sensitivity (MCI)	0.4024	0.6490
Average Specificity (MCI)	0.5976	0.5769

Divergence

Model / Metric	Baseline KNN (k=15)	MLPclassifier_VOIs
CN vs AD		
Average AUC	0.6564	0.8505
Average Sensitivity (AD)	0.3670	0.7207
Average Specificity (AD)	0.6330	0.8231
CN vs MCI		
Average AUC	0.5302	0.6485
Average Sensitivity (MCI)	0.4024	0.5894
Average Specificity (MCI)	0.5976	0.5923

Correlation

Model / Metric	Baseline KNN (k=15)	MLPclassifier_VOIs
CN vs AD		
Average AUC	0.6564	0.8551
Average Sensitivity (AD)	0.3670	0.7387
Average Specificity (AD)	0.6330	0.7769
CN vs MCI		
Average AUC	0.5302	0.6479
Average Sensitivity (MCI)	0.4024	0.6093
Average Specificity (MCI)	0.5976	0.5692

DEVIATION

Model / Metric	Baseline KNN (k=15)	MLPclassifier_VOIs
CN vs AD		
Average AUC	0.5011	0.7347
Average Sensitivity (AD)	0.5375	0.5676
Average Specificity (AD)	0.4625	0.7692
CN vs MCI		
Average AUC	0.4848	0.5720
Average Sensitivity (MCI)	0.1900	0.5497
Average Specificity (MCI)	0.8100	0.5231