

Covariance intersection to improve the robustness of the photoplethysmogram derived respiratory rate

Jia Zhang, Gaetano Scebba and Walter Karlen, *Senior Member, IEEE*

Abstract

c l c l c l c l c l c l c l c l c l c l c l c l
c l c l c l c l c l c l c l c l c l c l c l c l
c l c l c l c l c l c l c l c l c l
c l c l c l c l c l c l c l c l c l c l c l c l
c l c l c l c l c l c l c l c l c l c l c l c l
c l c l c l c l c l c l c l c l c l c l c l c l
c l c l c l c l c l c l c l c l c l c l c l c l
c l c l c l c l c l c l c l c l c l c l c l c l
c l c l c l c l c l c l c l c l c l c l c l c l
c l c l c l c l c l c l c l c l c l c l c l c l
c l c l c l c l c l c l c l c l c l c l c l c l
l c l c l c l c l c l c l c l c l c l c l c l c l
l c l c l c l c l c l c l c l c l c l c l c l c l
l c l c l

I. INTRODUCTION

c 2 c 2 c 2 c 2 c 2 c 2 c 2 c 2 c 2 c 2 c 2 c 2 c
2 c 2 c 2 c 2 c 2 c 2 c 2 c 2[?] c 2 c 2 c 2 c 2 c 2
c 2 c 2 c 2 c 2 c 2 c 2 c 2 c 2 c 2 c 2 c 2[?] c 2 c 2 c 2
c 2 c 2 c 2 c 2 c 2 c 2 c 2 c 2 c 2 c 2 c 2 c 2 c
2 c 2 c 2 c 2 c 2 c 2 c 2 c 2 c 2 c 2 c 2 c 2 c 2
c 2 c 2 c 2 c 2 c 2 c 2 c 2 c 2 c 2 c 2 c 2 c 2 c
2 c 2 c 2 c 2 c 2 c 2 c 2 c 2 c 2 c 2
c 2 c 2 c 2 c 2 c 2 c 2 c 2 c 2 c 2 c 2 c 2 c 2 c
2 c 2 c 2 c 2 c 2 c 2 c 2[?] c 2 c 2 c 2 c 2 c 2 c 2
c 2 c 2 c 2 c 2 c 2 c 2 c 2 c 2 c 2 c 2 c 2 c 2 c
2 c 2 c 2 c 2 c 2 c 2 c 2 c 2 c 2 c 2 c 2 c 2 c 2
2[?] c 2 c 2[?] c 2 c 2 c 2 c 2 c 2 c 2[?] c 2 c 2 c 2 c 2
2 c 2 c 2 c 2 c 2 c 2 c 2 c 2 c 2[?] c 2 c 2 c 2 c 2
c 2 c 2 c 2 c 2 c 2 c 2 c 2 c 2 c 2 c 2 c 2 c 2 c
2 c 2 c 2 c 2 c 2 c 2 c 2 c 2 c 2 c 2 c 2 c 24 c 2