

The Manifest Taxonomy (The 5 Document Types)

Your JSONL manifest will classify everything into five distinct cognitive types:

-  **Tool:** Functional code blocks that agents can physically execute (e.g., a Python script that runs a database backup or an API caller).
-  **Skill:** High-level prompts, persona modifications, or step-by-step logic workflows that alter how an agent thinks or behaves.
-  **Reference:** Static, authoritative knowledge sources that don't change often (e.g., your architecture guides, documentation, or code libraries).
-  **Memory:** Dynamic, historical user data and experience tracks managed by MEM0 or OB1 (e.g., past chat logs or learned user preferences).
-  **Data:** Raw files, assets, logs, outputs, and inputs (e.g., CSV files, your training scripts, or the raw outputs of an agent run).

__NovÆ-Core/ # Your Absolute Parent Root

|
|--manifest.jsonl # The Master Index across | your entire system

|—  **__Database & Universal~ Memory~Bank_Across System~Services ~**
#d.u.m.b.a.s.s.= Proof, Cognitive_Plane & . . . Source-of-Truth....

'It Isn't ~"dumbass-proof"~ **Until It's,**
~"#d.u.m.b.a.s.s."~ Proven'™

| |—manifest.jsonl

| |  Æsop protocols, orcastratiion layer
|NovÆExorpus memory bank

| |—  clis-and-agents/
Open Wiki CLI bindings and wrapper
harnesses

| |—  github-ci-cd/ # Automated cross-agent auditing pipelines

| |—  Daemon config... #Inference routing &Omniroute configurations

| — **_CAPABILITIES_PLANE/**
#The "Doing" Layer (Skills & Tools)

| | — manifest.jsonl

| | —  termux/ # Local execution
runtime environment hooks

| | —  horizons-ui/# User interface scripts
& web components

| | —  skills/ # Unified skill directory
(merged with ~SKILLS.md)

| — **_KNOWLEDGE_PLANE.**
(References&Assets)

The 'Logical Layer'

| | — manifest.jsonl

| | —  global-documentation-vault/ # Central reference hub for architecture guides

| | —  design-corpus/ #Core design paradigm &system philosophy

| | —  Training and data...
System data collection flywheel inputs

| | —  Web scraping...
Scraping parameters and guardrail logic

| — **_DATA_PLANE/**
State (Storage & Outputs)

The Persistent

| — manifest.jsonl

| —  yJSONL_data.bank_/ # The foundation for recursive KAG streams

| —  Data condensation/ #Active parsing workspace for heavy corpora

| —  PROOFS/ # OB1 work memory tracking and verification
tokens. Reasoning Bank based RLVR audits POSTGRES Verification

| —  _system_archives/ # Isolated graveyard (zARCHIVE,
zDUPLICATES, [DEPRICATED])

 **The Master Æsop-Xi / NovÆxorpus Repository Map**

novae-xorpus/

CORPUS REPO

|— master_manifest.jsonl
streaming)

|

|--- 🧠 ~Database & Universal Memory~Bank_AcrossSystem~Services

#d.u.m.b.a.s.s.= Proof, Cognitive_Plane & . .

Source-of-Truth....

📖 THE UNIVERSAL DATA HUB & MASTER

🚀 The Master Cross-Repository Index (JSONL

'It Isn't ~"dumbass-proof"~
It's,~"#d.u.m.b.a.s.s."~Proven'™

Until

|— **aesop-xi/**

LAYER (Ethical Core) 🦁🐱

| |— manifest.jsonl
| |— 📁 arbitration_engine.py
| |— 📁 policies/
| |— 📁 tool_usage_guardrails.json

code

| |— 📁 security_clearance.yaml

repos

| |— 📁 hardware_throttler.py

allocations

|

|— **novus-aexenti/**

Multi-Agent Brain)

| |— manifest.jsonl
| |— 📁 dual_agent_router/
| |— 📁 query_analyzer.py
| |— 📁 executor_bridge.py

|

| |— 📁 mem0_episodic/

| |— 📁 ob1_static_protocols/

| |— 📁 **OmniRoute**,data retrieval bridge. post gres vector, stale knowledge guard token
constraints and routing tool

|

| |— 📁 vector_recal_engine.py/

Cross agent auditor via p2p servers

compiles scripts

|

| |— 📁 **reasoning_bank/**

Training Workspace) GCP &on device MoA

| |— manifest.jsonl

| |— 📁 failure_logs/

⚖️🎬 UNIVERSAL ORCHESTRATION

Inter-agent resource & priority steering rules

Hard boundaries, permissions, and tool rules

Explicit constraints on what tools can alter

Defines OAuth boundaries between agents and

Checks NPU thresholds; manages hardware

🧠 COGNITIVE MOE ENGINE (The

Query Model vs. Executor Model handshake logic

Directs incoming strings to specific vectors

Formats tasks for the execution agents

mem0 live experience tracking infrastructure

Session forks, time-slice proofs, and constraints

OmniRoute,data retrieval bridge. post gres vector, stale knowledge guard token

Pulls historical chat events end of day,

📈 SYSTEM FLYWHEEL (RLVR Model

Tracked JSONL files containing model errors

```

| | | └─ reward_variables/      # Strict parameters measuring model efficiency
| | | └─ frontier_traces/       # Logs detailing actions taken by heavy API models
| | | └─ post_regression/       # 🔄 POST REGRESS ZONE (Ensures updates
don't break old skills)
| | | └─ baseline_tests/        # Standardized capability tests for the swarms
| | | └─ regression_audit_report.jsonl # Keeps track of accuracy degradation over
model versions
| | └─ nope_databank/           # 🛡️ ZERO-MEMORY LAYER (Isolated Sandboxed
Workspace)
| | └─ manifest.jsonl           # Volatile index (wipes/expires without persistence)
| | └─ Red Agent Auditor intercept , # Temporary landing pad for scripts bound for
GCP
|
| └─ novaexopia/                # 🦾 THE "CLAW" (Harness Runtimes &
Multi-APK Architecture)
| | └─ manifest.jsonl
| |
| | └─ OpenWiki-tui-harness/    # 🖥️ UNIFIED TERMINAL USER INTERFACE
SHELL
| | | └─ src/                   # Shared TUI layout, views, inputs, and render code
| | | └─ config_profiles/      # 🧩 ONE ENGINE, DUAL RUNTIMES
| | | └─ file_administrator.yaml # Profile A: Structural database housekeeper
parameters
| | └─ oeracle_helpdesk.yaml    # Profile B: Interactive troubleshooting oracle
parameters
| |
| | └─ horizons-ui/ 🌅          # 📱 TIER 1 APK: Main Graphical User Interface
| | | └─ 🤖 model_loaders/      # Binds Qwen 3.5 9B (HTP Kernel) & 0.8B
(GenieX SDK) qairt#
| | | └─ 🖥️ ui_tiles/           # Chat Interface tile, Terminal tile, File Picker tile
| | | └─ 📡 connectivity/      # WebSockets, WebHooks, and OpenRouter fallback
routes
| |
| | └─ [>_] aesc/               # 🖥️ TIER 2 APK: System Terminal Daemon
| | | └─ laptop_trick_tunnel/  v # 📡 ADB-to-WebSocket local Unix host bridge
logic
| | └─ npu_watchdog/           # Real-time Genie SDK thermal & OOM monitoring
loop
| |
| | └─ 👤 aeyre/                # 🎤 TIER 3 APK: Media Daemon
| | | └─ screen_vision/        # 👁️ Real-time pixel canvas parsing & vision
capture

```

```

| | └─ voice_ast_stack/ # Native low-latency VAD, TT, TTS, and STT
pipelines
| | └─ MICRO-AGENT SWARM HARNESS EXTENSIONS & MODULAR_AGENT
HARNESSES/ └─ ecc--everything Claude Code #
Independent agent harness for remote Claude Code agent, sub agents and skills
| | └─ prime-agent/ # Main local code execution/self-improvement
harness for edge models
| | └─ ringer-notif-loop/ # Background system notification and trigger
manager
| | └─ honey for devs # Contextual agent rules and cognitive core
settings
| | └─ aider-workspace/ # Git-tracked automatic command-line workspace
agent
| | └─ local-nanobots/ # Container hooks for your 4 specialized micro-bots
| | └─ smol-agents/ # Minimal, low-overhead script fragment generator
pods
| | └─ turbo-quant-swarms/ # Quantized reasoning models handling
high-speed traffic
| | └─ mcp_connectors/ # 🛠️ PLUGINS & CAPABILITIES GATEWAY
| | └─ anthropic_official/ # Local mirror of Anthropic open-source plug-in library
| | └─ custom_node.js_mcp/ # Your planned custom Node.js server
configurations
| | └─ filesystem_mcp/ # MCP server interface giving agents local folder
sight
| | └─ skills-and-capabilities/ # 🛠️ GENERAL CAPABILITY INJECTIONS
(Shared Library)
| | └─ manifest.jsonl
| | └─ notebook-lmpy/ # Official NotebookLMPy skills repository
| | └─ obsidian-skills/ # Official Obsidian community skill definitions
| | └─ graphify-visual/ # Official Graphify skill & repo visual topology map
| | └─ claude-video/ # Video analysis and temporal sequence
processing
| | └─ code-review-graph/ # Structural graph code checking tool injects
| | └─ early-trend-scraper/ # 📡 PRE-TREND RESEARCH DAEMON
| | └─ daily_scraper.py # Automated cron/timer web scraper
| | └─ stack_analyzer.py # Evaluates changes between web logs &
Nov/Exorpus
| | └─ trending_databank.jsonl # Raw data logs storing pre-trend repo indicators
| └─ data_vault_sandbox/ # 🏠 LOCAL AIRGAPPED USER OBSERVATORY
(Safety Sandbox)


```

- manifest.jsonl # Manual staging layout index (NO RCLONE SYNC)
- 📁 .obsidian/graphify # Graphical metadata workspace for Obsidian/Markor/OpenWiki
- 📁 personal_knowledge/ # Hand-written notes, troubleshooting logs, user manuals

🏛️ The Master On-Device / Cloud Repository Blueprint

NovAE-Core/ # Master Parent Hub (0Auth Authorized)

- manifest.jsonl # 🚀 The Cross-Server Global JSONL Index
- 🧠 _COGNITIVE_PLANE/ # Core Logic & Context Compilers
 - manifest.jsonl
 - .ob1_protocols/ # OB1 static session fork & constraint proof schemas
 - mem0_episodic/ # MEM0 vector data interface for live history recall
 - omniroute_gateways/ # OmniRoute memory and data bridge, token cache
- pipeline. config & fallback routing Postgres vector and stale data guard
 - reasoning_bank/ # Home Node RLVR (Reinforcement Learning via Value & Reward)
 - logs/ # Raw failure records, reward variables, frontier trace data
 - scripts_training/ # Source code for cloud-bound JSONL recursive KAG tasks
- 📱 _APPLICATION_PLANE/ # The 3-Tier Multi-APK Architecture
 - manifest.jsonl
 - 🔧 _TIER_1_MAIN_HUB_APK/ # Accessibility & Game SDK Permissions
 - src/ # GUI Components, Model Router, & File Picker
 - webview_chromium/ # Interfaced WebSocket browser environments
 - openrouter_fallback/ # API hook for cloud frontier model handoffs
 - 💻 _TIER_2_TERMINAL_MANAGER_APK/ # NPU Watchdog & Guardrail System
 - src/ # Smol / Turbo Quant background supervisor nodes
(Monitors Genie SDK / QAIRT for thermal spikes)
 - 🎤 _TIER_3_MEDIA_DAEMON_APK/ # Screen Vision & AST Pipeline
 - vision_layers/ # High-speed canvas/screen-capture pipelines
 - voice_ast_stack/ # Ultra-low latency VAD, TT, TTS, and STT pipelines
- 🤖 _SWARM_CLUSTERS_&_AGENTS/ # Dedicated Runtimes & Persona Wrappers
 - manifest.jsonl



↻ The Closed-Loop RLVR / KAG Lifecycle

