


Here is the updated specification document. It establishes **wiki_md/** as the canonical **LLM Wiki Layer**, fully integrated with the **OpenWiki TUI** and governed by the **Files Executive Agent** as an organization-wide protocol.

SYSTEM SPECIFICATION: COGNITIVE REPOSITORY & AGENT ORCHESTRATION

Document Target: Autonomous Planning, Auditing, and Execution Agents **Version:** 2.1 (LLM Wiki Protocol & OpenWiki Executive Integration) **Core Framework:** 5+1 Tier Cognitive Memory, OpenWiki TUI File Management, Multi-Model Cross-Auditing, Sandboxed Red Gatekeeping, and Distributed RAG Manifests

1. The LLM Wiki Protocol & Files Executive Agent


The **LLM Wiki (wiki_md/)** serves as the organization’s persistent semantic spine. It is governed directly by the **Files Executive Agent** operating within the **OpenWiki TUI**:




Protocol Responsibilities of the Files Executive Agent


1. **TUI-Driven Lifecycle Management:** The Files Executive Agent runs inside the OpenWiki terminal interface, monitoring file additions, moves, renames, and refactors across all tiers.
2. **Deterministic Linking & Backlinks:** Automatically verifies bidirectional Markdown links ([[entity_name]]), ensuring the LLM Wiki remains an intact graph without orphaned concepts.
3. **Extraction Intake Coordination:** Acts as the bridge between incoming raw sources in 01_raw_sources/, synthesizing structured knowledge into 02_wiki_md/, and passing extracted procedural artifacts to 04_skills_runtime/.
4. **Manifest Synchronization:** Whenever the agent modifies a node in wiki_md/, it immediately writes updated hashes, token counts, and entity tags to both 02_wiki_md/manifest.jsonl and the root manifest.jsonl.

2. Updated Repository Topology (Featuring the LLM Wiki)





3. End-to-End Orchestration & Interaction Flow



(Trains recursive weights & refined prompt packs)
--

4. LLM Wiki (wiki_md/) Document Standard

All documents created or maintained by the Files Executive Agent inside wiki_md/ must comply with this standard:

```
---
id: wiki_rag_indexing_protocol
tier: 2
type: architecture
created: 2026-09-03
updated: 2026-09-03
author: files_executive_agent
sources:
  - "01_raw_sources/pdf/rag_system_spec.pdf"
extracted_skills:
  - "04_skills_runtime/prompt_skills/manifest_sync.md"
extracted_tools:
  - "04_skills_runtime/extracted_tools/cli/build_manifest.py"
tags:
  - llm_wiki
  - openwiki
  - indexing
---
```

RAG Indexing Protocol

Context & Purpose

Summary of how the LLM Wiki synchronizes with the machine-readable cache...

Architectural Interfaces

The `[[manifest_registry_spec]]` defines how this node is indexed by the `[[files_executive_agent]]`.

Linked Concepts

- `[[hierarchical_manifest_routing]]`
- `[[procedural_tool_extraction]]`

5. Master Execution Lifecycle for Planning & Executive Agents

1. Intake & TUI Triaging (Files Executive Agent):

- Inspect any incoming document in 01_raw_sources/ via OpenWiki TUI.

- Write core concepts into 02_wiki_md/.
 - Extract tools to 04_skills_runtime/extracted_tools/ and prompt skills to 04_skills_runtime/prompt_skills/.
 - Update the local 02_wiki_md/manifest.jsonl and root manifest.jsonl.
2. **Cache Compilation:**
 - Build pre-tokenized passages into 03_recall_cache/jsonl/ and refresh vector embeddings from updated wiki_md/ nodes.
 3. **Session Execution:**
 - Plan and execute daily sessions across Query, Executor, and Frontier models.
 - Log all raw trajectories to 05_episodic_logs/.
 4. **P2P Synchronization & Red Audit:**
 - At end-of-day, sync daily driver logs to home node via P2P.
 - Cross-auditor aligns model traces and extracts testable candidate scripts.
 - Red Auditor evaluates scripts in the local sandbox against the universal database.
 5. **RLVR Cloud Hand-off:**
 - Push verified trajectories to the Google Cloud Storage bucket for cloud scripter processing and RLVR recursive model/prompt training.