

MASTER COMPILATION EXECUTION PLAN & HANDOFF PROTOCOL

****Ecosystem****: Project NovÆxorpheus (NÆX) & NovusÆxenti Living Master Canon

****Motto****: *Xçineribus, in-variis-nunquam-varius, Novi-Æxentis-Copiæ, Vincent*

****Scope****: Complete end-to-end execution blueprint and operational handoff for compiling raw corpus assets into the canonical repository mirrors.

****Archive Package****: `NovAeXorpheus\_Complete\_Mirrors.zip` (Local Sandbox & Drive Mirror)

1. Executive Summary & Architectural Foundation

This execution plan provides the definitive, self-contained handoff for the next agent session to finalize the compilation of the raw documentation corpus into the standardized repository structure.

The Canonical Repositories

1. ****`novaex-xorpheus`****: Central Living Wiki vault (18 first-class cuts) and `#d.u.m.b.a.s.s.` integrated memory core.
2. ****`novus-aexenti`****: Cognitive MoE reasoning engine (0.8B Triage vs 9B Executor) and Reasoning Bank recovery flywheel.
3. ****`novaexopia`****: "The Claw" runtime, OpenWiki TUI, 8 modular swarm harnesses, and MCP capability bridge.
4. ****`aesop-xi`****: Universal orchestration, ethical policy governance, and hardware arbitration.
5. ****`horizons-ui`****: Master visual presentation shell (Android Chromium WebView / Jetpack Compose tiles).
6. ****`novus-aesc`****: Native system terminal daemon (`WirelessAdbBridgeService.kt` on `127.0.0.1:5555`).
7. ****`novus-aeyre`****: Native media & sensory ingress daemon (Silero VAD, Moonshine ONNX STT, Kokoro-82m TTS).

2. Non-Negotiable Operational Laws

Every incoming agent must strictly comply with these core invariants:

1. ****The Non-1:1 Condensation Law****: Strip conversational filler, redundant logs, and duplicate boilerplate, but preserve 100% of technical rules, parameters, build flags, and schemas so that raw and clean markdown build the exact same output.
2. ****Red Auditor Complete Stealth Invariant****: The Red Auditor is strictly excluded from all public manifests, maps, and repository trees. It resides exclusively in `~/.red/`, exposing only `red\_verdict: pass|fail|n/a` on trajectory records.
3. ****Locality of Reference****: Skills (`skills/`) and executable tools (`tools/`) must be co-located directly inside the repository where they are applied.

4. **MAP.md vs. manifest.jsonl (The First-Move Directive)**:

- `MAP.md`: Human/agent orientation index in Markdown with `[[wikilinks]]`. Read on session start.

- `manifest.jsonl`: Machine RAG index, JSON Lines with SHA256, tokens, category, `retrieval_tokens`. Queried via stream filter, never loaded whole into context.

- Sequence: Read root `MAP.md` → Read tier `MAP.md` → Query `manifest.jsonl` → Load targeted files only.

5. **Extractor Independence (Hard Rule 5)**: The tool that cleaned a file cannot grade the cleaning. Verification must run via `corpus-verify` (`tools/check.py`) using disjoint extraction libraries (`pypdf`, `zipfile+xml.etree`, `html.parser`).

3. Phase-by-Phase Compilation Workflow

Phase 1: Ingestion & Normalization (`raw/` → `clean_md/`)

* **Input**: Raw source documents in `02_MY_ORIGINALS` (`1Zy4qUXM999ojqaYj-ByZ-6n3rbsll0wo`) and vendor archives.

* **Execution**:

1. Run `convert_raw_to_markdown.py` to normalize documents into clean UTF-8 Markdown with standardized YAML frontmatter (`id`, `tier`, `category`, `sources`, `tags`).

2. Execute `doc_to_skill_and_tool.py`:

- Reasoning heuristics and workflows → `skills/` (`SKILL.md` format).

- Executable bash/python code → `tools/` (with standard argument parsing and exit codes).

Phase 2: Independent RLVR Verification (`clean_md/` → `audit/`)

* **Execution**:

1. Run `corpus-verify` (`tools/check.py`) across all generated clean Markdown notes.

2. Evaluate `find_atoms()` (URLs, measurements, paths, version strings) and `chunk_split()` segment containment.

3. Output discrepancies to `audit/03-check/`. If any named technical atom was dropped, block compilation and regenerate.

Phase 3: Machine Cache Generation (`clean_md/` → `chunk.jsonl`)

* **Execution**:

1. Run `generate_jsonl_markers.py` to generate pre-tokenized 256-token passages into `chunk.jsonl`.

2. Compute SHA-256 checksums, token counts, and retrieval tags.

3. Compile the local repository `manifest.jsonl`.

Phase 4: Living Wiki Population (`clean_md/` → `wiki_md/` in `novae-xorpus`)

* **Execution**:

1. Ingest clean notes into the 18 first-class branches of `02_wiki_md/`:

- `vendors/`: Deep trees for Google, Qualcomm, Nvidia, GitHub, Anthropic, PrimeIntellect, DeepSeek.
 - `weights/`: Active (0.8B, 9B, 2B), candidates (Gemma 4 12B, Phi-4-Mini), voice, and vision models.
 - `runtimes/` & `engines/`: QAI RT, GenieX, llama.cpp, ONNX RT, Moonshine, Kokoro.
 - `harnesses/` & `agents/`: ECC, Prime Agent, DeepSeek harness; Æræcle, File Administrator, Cross-Auditor.
 - `protocols/`: Æsop-Xi, MCP, W5+H, ADB loopback, OmniRoute extraction.
 - `memory-subsystem/`: OmniRoute (20128), Reasoning Bank, OB1, mem0, SQLite, Postgres, Continual Harness.
 - `architectures/`, `runbooks/`, `entities/`, `projects/`, `references/`, `operator-log/`, `indexes/`.
2. Enforce bidirectional `[[wikilinks]]` across all concepts.

4. Subsystem Wiring Invariants

- * **OmniRoute Gateway**: Configured as an asynchronous memory extraction tap on `localhost:20128/v1`. Intercepts all traffic, extracts trajectories into `reasoning\_bank/` and habits into `mem0/`, then routes to providers.
- * **The Laptop Trick**: `WirelessAdbBridgeService.kt` in `novus-aesc` maintains the `127.0.0.1:5555` ADB loopback with UID 2000 shell privileges and a `ws://localhost:8080/shell` terminal pipeline, running as a `START\_STICKY` Foreground Service.
- * **Hexagon Dual-Payload Asset Pattern**: In `novus-aexenti` and `horizons-ui`, `.gguf` paths are dynamically mapped to pre-compiled `\_http.bin` context binaries when the QAI RT backend is active.

5. Copy-Paste Resume Prompt for Next Agent

```markdown

RESUME INSTRUCTION:

Continue execution on Project NovÆxorpus living canon compilation.

1. Reference MASTER\_COMPILATION\_EXECUTION\_PLAN\_AND\_HANDOFF.md and NovAeXorpus\_Complete\_Mirrors.zip in Secure-Spark-Proof-Folder / 01\_MASTER\_MIRROR\_GLIDE.
2. The 7 canonical repository skeletons (novae-xorpus, novus-aexenti, novaexopia, aesop-xi, horizons-ui, novus-aesc, novus-aeyre) are staged.
3. Execute Phase 1 (Ingestion & Normalization) on the raw files in 02\_MY\_ORIGINALS:
  - Convert raw inputs to clean Markdown with YAML frontmatter.
  - Extract procedural heuristics to skills/ and executable scripts to tools/.
  - Enforce the Non-1:1 Condensation Law (preserve 100% build context, eliminate

conversational fat).

4. Run corpus-verify (tools/check.py) per Hard Rule 5 for independent RLVR validation before committing.

5. Populate the 18-branch Living Wiki in novae-xorpus/02\_wiki\_md/ and index in manifest.jsonl.

Strict Invariant: The Red Auditor lives exclusively in ~/.red/ and must never appear in repository manifests or trees.

...