

```
{"record_id": "W5H_ARCH_001", "document_path":  
"02_wiki_md/W5H_ARCHITECTURAL_MATRIX_AND_NODE_TOPOLOGY.md", "tier": 2,  
"category": "ARCHITECTURE", "metadata": {"title": "W5+H System Overview", "node": "global",  
"author": "operator"}, "retrieval_tokens": ["w5h", "matrix", "architecture", "who", "what", "when",  
"where", "why", "how"], "content": "W5+H Ecosystem Matrix: Who spans Operator Derek  
LeGrand, Horizons Concierge, Aesc Terminal, Aeyre Media, 0.8B Triage, 9B Executor, Home  
Assistant, and Red Auditor. What is sovereign multi-tier cognitive agent ecosystem running  
open weights. Where spans Node Alpha (Razr Ultra / Snapdragon 8 Elite), Node Beta (Jetson  
Orin Nano Super), Node Gamma (Rubik Pi 3), and Node Delta (GCP)."}  
{"record_id": "W5H_ARCH_002", "document_path":  
"02_wiki_md/DECOUPLED_3APK_NATIVE_SPECIFICATION.md", "tier": 2, "category":  
"ANDROID_DAEMONS", "metadata": {"title": "Decoupled 3-APK Suite Architecture", "node":  
"node_alpha", "author": "operator"}, "retrieval_tokens": ["3apk", "horizons_ui", "aesc", "aeyre",  
"adb_loopback", "lmk", "android"], "content": "The Decoupled 3-APK Native Architecture  
partitions execution into Horizons UI (Chromium WebView frontend), Aesc (Terminal daemon,  
local ADB loopback on 127.0.0.1:5555 running as UID 2000), and Aeyre (Media daemon, Silero  
VAD, Moonshine STT, Kokoro TTS). Communicates over local abstract UNIX sockets to bypass  
Android LMK and sandbox restrictions."}  
{"record_id": "W5H_ARCH_003", "document_path":  
"02_wiki_md/CC_MASTER_PLANNING_SESSION_SYNTHESIS.md", "tier": 2, "category":  
"PLANNING", "metadata": {"title": "Dual-Model Allocation & Context Optimization", "node":  
"node_alpha", "author": "operator"}, "retrieval_tokens": ["qwen", "dual_agent", "triage",  
"executor", "mem0", "ob1", "context_bloat"], "content": "Dual-Agent setup prevents open-weight  
model bloat: Qwen 0.8B GGUF Q4_0 on Hexagon NPU serves as Triage / Concierge compiler.  
Qwen 9B GGUF Q4_0 serves as Core Executor. Context is scoped via mem0 rolling habits and  
OB1 static protocols over MCP, avoiding multi-turn chat bloating."}  
{"record_id": "W5H_ARCH_004", "document_path":  
"02_wiki_md/MULTI_NODE_SOVEREIGN_MESH_BLUEPRINT.md", "tier": 2, "category":  
"CLOUD_MESH", "metadata": {"title": "Asymmetric Cross-Account IAM & RLVR Flywheel",  
"node": "node_beta_delta", "author": "operator"}, "retrieval_tokens": ["gcp", "iam", "asymmetric",  
"vertex_ai", "rlvr", "red_agent", "tailscale"], "content": "Asymmetric cross-account IAM protocol  
connects personal developer credits ($1,000 Vertex AI Agent Builder pool) to business GCS  
buckets with roles/storage.objectViewer (read-only), ensuring zero-write isolation and protecting  
proprietary code. Red Agent auditor verifies batch logs in .incognito_red_sandbox/ before cloud  
training."}
```