

MAP.md — novaecopia (The Tool Harness Runtime & 3-APK Native Repo)

Subsystem Identity & Navigation Ontology

- **WHO:** Invoked by Horizons UI concierge, OpenWiki TUI, and local CLI agents (Æsc shell, Prime Agent, ECC).
- **WHAT:** The execution bridge and native runtime environment hosting the decoupled 3-APK Android architecture, on-device daemons, Model Context Protocol (MCP) connectors, and TUI profiles.
- **WHEN:** Active continuously on Node Alpha (Motorola Razr Ultra) during all interactive terminal, voice ingress, screen capture, and tool execution sessions.
- **WHERE:** `novaexopia/` (Subsystem Root inside `__Novæxorpux_LIVING_MASTER_CANON`).
- **WHY:** Decouples heavy AI execution, background terminals, and media streaming from the Android UI process, eliminating Android LMK crashes and permission boundaries without rooting.
- **HOW:** Inter-process communication across localhost TCP loopbacks, UNIX domain sockets, and WebSocket channels.

Directory Topology

novaexopia/

— MAP.md	# This document (Internal layout and daemon topology)
— manifest.jsonl	# Machine-readable catalog of all assets and endpoints
— AGENTS.md	# Operational guardrails, model roles, and execution rules
— RESUME.md	# Active runtime state, daemon PIDs, and checkpoint markers
— UNRESOLVED.md	# Open engineering tickets, APK enhancements, latency optimizations
— aesc/	# TIER 2 APK: System Terminal & Shell Daemon

- | |— WirelessAdbBridgeService.kt # Kotlin local ADB loopback service (127.0.0.1:5555)
- | |— npu_manager.py # UNIX socket model swapper (/dev/socket/npu_manager.sock)
- | |— system_housekeeper.sh # Background maintenance & zero-trust hygiene daemon
- | |— agent_panel.sh # Terminal UI controller and workspace monitor
- |
- |— aeyre/ # TIER 3 APK: Media & Sensory Ingress Daemon
- | |— voice_stream_daemon.py # Audio ingress daemon (Silero VAD + Moonshine + Kokoro)
- | |— screen_vision_bounds.json # Display coordinates, resolution, and VLM crop configs
- |
- |— horizons-ui/ # TIER 1 APK: Master Visual Concierge Frontend
- | |— webview_bridge_contract.json # JSON-RPC 2.0 WebSocket schema for UI-to-daemon comms
- |
- |— openwiki-tui-harness/ # Unified Terminal User Interface Shell Profiles
- | |— file_administrator.yaml # Configuration for File Administrator profile
- | |— oracle_helpdesk.yaml # Configuration for Oracle Help Desk profile
- |
- |— mcp_connectors/ # Model Context Protocol Tool Bridges
 - |— filesystem_mcp.json # Node.js local filesystem MCP server configuration
 - |— sqlite_mcp.py # Lightweight Python SQLite MCP server (stdio JSON-RPC)
 - |— postgres_mcp.json # PostgreSQL MCP connector over Tailscale mesh

Native Daemon Topology & Network Routing


