

Chrome's Gemini Nano & cloud APIs with External API and NotebookLM connectors, along with GitHub, Obsidian, and Markor integration.

Signing commits

You can sign commits locally using GPG, SSH, or S/MIME.

> \[!NOTE]

> [GitHub Desktop](https://desktop.github.com/) only supports commit signing if your Git client is configured to sign commits by default.

> \[!TIP]

> To configure your Git client to sign commits by default for a local repository, in Git versions 2.0.0 and above, run ``git config commit.gpgsign true``. To sign all commits by default in any local repository on your computer, run ``git config --global commit.gpgsign true``.

>

> To store your GPG key passphrase so you don't have to enter it every time you sign a commit, we recommend using the following tools:

>

> * For Mac users, the [GPG Suite](https://gpgtools.org/) allows you to store your GPG key passphrase in the macOS Keychain.

> * For Windows users, the [Gpg4win](https://www.gpg4win.org/) integrates with other Windows tools.

>

> You can also manually configure [gpg-agent](http://linux.die.net/man/1/gpg-agent) to save your GPG key passphrase, but this doesn't integrate with macOS Keychain like ssh-agent and requires more setup.

If you have multiple keys or are attempting to sign commits or tags with a key that doesn't match your committer identity, you should [tell Git about your signing key](/en/authentication/managing-commit-signature-verification/telling-git-about-your-signing-key).

1. When committing changes in your local branch, add the -S flag to the git commit command:


```
```shell
$ git commit -S -m "YOUR_COMMIT_MESSAGE"
Creates a signed commit
```
```

2. If you're using GPG, after you create your commit, provide the passphrase you set up when you [generated your GPG key](/en/authentication/managing-commit-signature-verification/generating-a-new-gpg-key).

3. When you've finished creating commits locally, push them to your remote repository on GitHub:

```
```shell
$ git push
Pushes your local commits to the remote repository
```
```

4. On GitHub, navigate to your pull request.

5. On the pull request, click . Commits.

![Screenshot of the title and tabs on a pull request. The "Commits" tab is outlined in dark orange.](/assets/images/help/pull_requests/pull-request-tabs-commits.png)

6. To view more detailed information about the verified signature, click **Verified**.

![Screenshot of a commit in the commit list for a repository. "Verified" is highlighted with an orange outline.](/assets/images/help/commits/verified-commit.png)

Further reading

- * [Telling Git about your signing key](/en/authentication/managing-commit-signature-verification/telling-git-about-your-signing-key)
- * [Signing tags](/en/authentication/managing-commit-signature-verification/signing-tags)
- * [Managing GPG verification for GitHub Codespaces](/en/codespaces/managing-your-codespaces/managing-gpg-verification-for-github-codespaces)