

Here is how to set up both parts completely on your phone: the automated script to pull your Drive files into your mobile terminal, and the exact structural logic for your skills.md file so your agents know what to do.

---

## Part 1: Automated Script to Pull Drive Files to Your Phone

Since you are managing this on your phone, you don't want to manually download files from the Google Drive app. Instead, you can use a command-line tool called rclone directly inside your mobile terminal (**Termux** on Android or **a-Shell** on iOS) to sync your automated Drive folder to your phone with one command.

### 1. Install Rclone on your Phone

Open your mobile terminal app and run:

```
pkg install rclone -y
```

### 2. Connect to Google Drive (On Mobile)

Run the setup wizard:

```
rclone config
```

- Type n for a new remote, and name it gdrive.
- Scroll or type the number for **Google Drive** (usually around 18).
- Leave the client ID and secret blank (just press Enter).
- Select full access (1).
- When it asks for **Use auto-config?**, type n (since you are on a phone).
- It will print a URL. Long-press it to copy, paste it into your mobile browser, log into Google, and copy the **verification code**. Paste that back into your terminal.

### 3. Create the Automatic Sync Loop Script

Now, create a short shell script on your phone that syncs the files and lets you run grep automatically. In your terminal, type:

```
cat << 'EOF' > sync_and_grep.sh
#!/bin/bash
# 1. Sync the Google Drive folder to your local phone workspace
echo "🔄 Syncing latest agent files from Google Drive..."
```

```

rclone sync gdrive:Your_GDrive_Folder_Name ~/AgentWorkspace

# 2. Ask user for a search term
read -p "🔍 What keyword do you want to grip/grep? " keyword

# 3. Run grep across all synced .md and .jsonl files
echo "📄 Searching files..."
grep -rn "$keyword" ~/AgentWorkspace/*.md ~/AgentWorkspace/*.jsonl
EOF

chmod +x sync_and_grep.sh

```

*To run this anytime on your phone, just type `./sync_and_grep.sh`.*

---

## Part 2: Structural Logic for Your skills.md

Your agents need a master skills.md file to understand what tasks they are allowed to perform, what tools they have access to, and how your files are organized. Under modern agent standards, a skills.md file acts as a **system prompt and tool registry combined**.

Save a file named skills.md inside your main folder with the exact structural logic below. Your agents will read this file to configure themselves:

```

# Agent Core System Profile & Skills

## 1. System Intent
You are an autonomous operations agent with universal workspace
access. Your goal is to assist field agents by parsing document
structures, reading raw data payloads, and executing search tools.

## 2. Workspace File Map
The workspace is strictly partitioned into the following file
extensions. Do not attempt to read files outside their designated
definitions:
- `/Workspace/PDF/` -> Static records, signed contracts, final
invoices.
- `/Workspace/MD/` -> Standard Operating Procedures (SOPs), team
manuals, instructions.
- `/Workspace/JSONL/` -> Raw execution logs, customer chat history
strings.

## 3. Core Capability: File Gripping (Grep)
When a user asks you to "Grip", "Grep", or "Scan" a concept, you
must execute a localized text search.
- **Primary target:** Scan `.md` and `.jsonl` formats first.

```

```
- **Rule:** If a match is found in a `.jsonl` file, unpack the JSON string line and print only the matching key-value pair to the user.
```

## ## 4. Remote Tool Registries (MCP)

### ### Tool: document\_search\_grep

```
- **Description:** Search all markdown and text strings across agent file directories.  
- **Arguments:**  
  - `query` (string, required): The target word, regex pattern, or phrase to locate.  
  - `directory` (string, optional): Restrict search to 'MD', 'JSONL', or 'ALL'.
```

### ### Tool: file\_reader

```
- **Description:** Reads the raw contents of a specific file path into the context window.  
- **Arguments:**  
  - `path` (string, required): Full destination path to target file (e.g., `/Workspace/MD/SOP_01.md`).
```

## How This All Works Together on Your Phone:

1. Your Google Apps Script (from the previous step) automatically creates .md and .jsonl files in your Drive.
2. You run `./sync_and_grep.sh` on your phone to pull down those files and the skills.md.
3. When you point a mobile-connected agent framework at this folder, it reads skills.md, instantly adapts to your system rules, and knows exactly how to use its tools to "grip" data for your agents.

Would you like to write a **template layout for the .jsonl log files** so your agents can parse customer notes cleanly, or do you want to focus on **testing the terminal sync script** first?