

03_WORKSPACE_FILE_TREES_AND_TOPOLOGY_SYNTHESIS.md

Master Synthesis & Cross-Reference of Proposed File Trees & Repository Layouts

Source Subfolders: 2- PRPSD-34.FILE TREE-(2-S.F.'s-15-files) (Folders 1BvhX2r7ifb7RS_hBpXPZfkgNePMDY0fo and 1BUwLDYBw7R2YZ61Jypg97N76PHBzbwU0)

Scope: Exhaustive architectural cross-reference of all 15 proposed file trees, workspace maps, and memory layouts against the established Living Master Canon.

Non-Destructive Ingestion Notice: All source files remain 100% unaltered in place.

1. Executive Summary: The Architectural Evolution

The 15 files across 2- PRPSD-34.FILE TREE-(2-S.F.'s-15-files) document the evolutionary design phases of the ecosystem from early flat directory experiments to the final Federated Multi-Corpora standard.

Three distinct developmental generations were analyzed and synthesized:

- 1. Generation 1: Flat Single-Corpus Prototypes (Drive/NovA-Corp.txt, More.File.Trees.md)**
 - Early structure attempted to fit everything into a single flat Drive/NovA-Corpus/ with prefixes like tier-1-horizons-ui/, tier-2-novus-agenti/, tier-3-nova-claw/, and tier-4-aesop/.
 - *The Problem Identified:* Collapsed two incompatible concepts under the word "tier"—stack roles (UI, Agent, Harness, Safety) were conflated with information types (sensory, semantic, working, procedural, episodic).
- 2. Generation 2: The Three-Template Separation (PROPOSED_FILE_TREE.txt, MEMORY_LAYER_FILES_MAP.txt)**
 - Solved the conflation by separating the system into three explicit templates:
 - **Template 1 (Corpus Layout):** Flat, plain domain names for cross-repo governance.

- **Template 2 (Graduated Repo Layout):** Clean software engineering structure with `.github/workflows/`, `src/`, `scripts/`, and build guides once a domain graduates into a git repository.
- **Template 3 (Memory Layout):** Scoped exclusively to the memory system (`file-management-system/` or `#d.u.m.b.a.s.s.`), where tiers strictly refer to information-type (episodic, structural, analytical).

3. **Generation 3: The Master Canonical Topology (Root Canonical Workspace, The Global Information Layer & Storage Matrix.txt, Master Aesop-Xi Repository Map)**

- Formalized the federated multi-repository ecosystem: `horizons-ui`, `novus-aexenti`, `novaecopia`, `aesop-xi`, `skills-and-capabilities`, `vendor-corpora`, and `data_vault`.
- Codified the native 3-APK decoupling: separating Horizons UI (WebView), AEsc (Terminal Daemon via ADB loopback 127.0.0.1:5555), and AEyre (Media/VAD/TTS Daemon).

2. Comprehensive File-by-File Cross-Reference Matrix

Source File	Source Subfolder	Core Architectural Blueprint	Canonical Disposition & Master Alignment
PROPOSED_FILE_TREES.txt	Folder 1 (Priority)	Defines the "Three Separate Templates" rule: drops tier-N- prefixes from stack roles; confines tiering strictly to memory types.	Adopted as Canonical Rule. Invariants 1–5 in 00_DEFINITIVE_MASTER_SPECIFICATION_V3_COMPLETE.md mirror this separation.
MEMORY_LAYER_FILES_MAP.txt	Folder 1 (Priority)	3-tier memory breakdown: Tier 1 (episodic/mem0), Tier 2 (structural/open-wiki/obsidian), Tier 3 (analytical/graphify/notebooklm).	Enveloped into 5+1 Tier Model. Expanded into the 5 tiers of data_vault/ and #d.u.m.b.a.s.s..

Source File	Source Subfolder	Core Architectural Blueprint	Canonical Disposition & Master Alignment
The Master Asop-Xi / NovA-Core Repository Map	Folder 1 (Priority)	Comprehensive ASCII tree mapping all repos, AST graphs, MCP connectors, and the <code>.incognito_red_sandbox/</code> .	Direct Blueprint for Master Canon. Sits as the foundational architecture for all repos live in <code>__NovAcorpus_LIVING_MASTER_CANON/</code> .
Drive/NovA-Corp.txt	Folder 1 (Priority)	Initial 00-INBOX to 04-REVERSE-ENG pipeline draft.	Superseded by Ingestion Pipeline. Replaced by <code>raw/</code> → <code>clean_md/</code> → <code>chunks/</code> → <code>wiki_md/</code> .
17864574560517997725393267838896.png & Screenshot...png	Folder 1 (Priority)	Architectural diagrams detailing Intent Ingress → OmniRoute Gateway → Red Agent Auditor pass/fail loops.	Codified into Active Code. Verified in <code>arbitration_engine.py</code> , <code>omniroute_config.yaml</code> , and <code>sandbox_evaluator.py</code> .
Root Canonical Workspace	Folder 2 (Cont.)	Detailed layout of <code>master_build-guide/</code> , <code>target-docs-curation/</code> , <code>skill-construction-factory/</code> , and <code>agent-harness-hub/</code> .	Federated across Repositories. Built out in <code>skills-and-capabilities/</code> (Pocock skills) and <code>_dumbass_universal_memory/</code> .
The Global Information Layer & Storage Matrix.txt	Folder 2 (Cont.)	Cryptographic Chain-of-Thought vault, <code>active_execution</code>	Implemented in Reasoning Bank. Active ledger created in

Source File	Source Subfolder	Core Architectural Blueprint	Canonical Disposition & Master Alignment
		<code>_paths.json</code> , and baseline recovery matrices.	<code>_dumbass_universal_memory/reasoning_bank/</code> .
<code>More.File.Trees.md</code>	Folder 2 (Cont.)	Single-page Markdown transcript of the early inbox/corpora/vault layout.	Archived as Provenance Reference. Captured in this synthesis.

3. Key Nomenclature & Structural Harmonization

- Purging "Omni Claw" / "Nova-Claw":**
 - Early proposals in this batch used transitional working titles (`nova-claw`, `nova-claw-novus-agenti`, `Nova-Claw Runtime`).
 - Harmonization Law:** These have been formally reconciled to `novaecopia` (NovÆcopia™) as codified in `NovÆxopia Vincet.docx` and operator directives.
 - De-coupling of the 3 APKs:**
 - Early trees grouped Android components under `horizons-ui/`.
 - Harmonization Law:** Formally split into three independent process daemons to bypass Android's Low Memory Killer (LMK):
 - `horizons-ui`: Chromium WebView visual presentation shell.
 - `aesc`: Terminal daemon operating ADB loopback on `127.0.0.1:5555` with UID 2000 permissions.
 - `aeyre`: Continuous media daemon running Silero VAD, Moonshine ONNX, and Kokoro TTS.
 - The Sovereignty of #d.u.m.b.a.s.s.:**
 - Early drafts embedded memory databases inside `file-management-system/` or within `aesop-xi/`.
 - Harmonization Law:** Reconciled as an independent, cross-cutting subsystem (`_dumbass_universal_memory/`) spanning local SQLite, Jetson PostgreSQL, mem0, and the OmniRoute extraction gateway.
-

4. Implementation Readiness

All actionable code modules, schemas, and layouts defined across these 15 source files have been mapped and provisioned in `__NovExorpus_LIVING_MASTER_CANON/`.