

MAP.md — The Master Navigation Map & Component Ledger (novae-xorpus)

Repository: [novae-xorpus](#) (The Master Core & Living Wiki Vault)

Parent Workspace: [Secure-Spark-Proof-Folder](#)

([120JenWnx-wbBN-vHwkPcQ6ymTBp6k0gn](#))

Authority References:

- [1 main dumbass map](#)
 - [PROPOSAL-V2-CORRECTED-WIKI-TERMINOLOGY-AND-s-tier-ALTERNATIVE.md](#)
 - [02_DUMBASS_UNIVERSAL_MEMORY_SPEC.md](#)
-

1. The Agent's First-Move Directive

1. Read root [MAP.md](#) (orient: structural overview, bounded size).
 2. Read tier-local [MAP.md](#) if working within a specific subsystem.
 3. Stream & query [manifest.jsonl](#) (locate targeted entities/hashes; never load full JSONL).
 4. Load only the targeted file paths.
-

2. Master Repository Layout

novae-xorpus/

— MAP.md	# Master visual navigation & component ledger
— manifest.jsonl	# Machine RAG index, SHA-256 hashes, tokens
— README.md	# Repository identity & operational runbook
— AGENTS.md	# Operational boundaries, agent contracts & hard rules
— RESUME.md	# Session checkpoints & verified state of progress
— chunk.jsonl	# Pre-tokenized machine retrieval passage layer

|

- |— raw/ # Ingestion landing zone
- |— clean_md/ # Normalized, non-1:1 condensed markdown
- |— wiki_md/ # Living LLM wiki nodes
- |— skills/ # Procedural skills co-located locally
- |— tools/ # Executable tools (compile_manifest.py, check.py)
- |— scripts/ # Master scripts registry & cross-repo orchestrators
- |— hooks/ # Master hooks registry & lifecycle sync hooks
- |— pending/ # Staged backlogs & unverified items
- |— audit/ # Divergence logs, test traces, RLVR reports
- |— archive/ # Superseded historical snapshots

|

- |— _dumbass_universal_memory/ # The Integrated 7-Component Memory Engine

- | |— sqlite/ # Local zero-latency tables (<5ms)
- | |— postgres/ # Authoritative relational & vector store (Node Beta)
- | |— mem0/ # Rolling user habits & episodic state (Mobile RAM)
- | |— ob1_protocol/ # Ground-truth static retrieval via MCP
- | |— omniroute/ # Port 20128 asynchronous memory extraction tap
- | |— reasoning_bank/ # Active execution ledger & crash recovery
- | |— continual_harness/ # Online adaptation loop & snapshot rollback

|

- |— 5+1 Cognitive Tiers:

— 01_raw_sources/	# Tier 1: Sensory / cold archive (immutable)
— 02_wiki_md/	# Tier 2: The 18-Branch Living LLM Wiki
— vendors/	# Canonical vendor workspaces:
— google/	# GCP, NDK, Gemma 4, Gemini API/Nano, Compose
— qualcomm/	# QAIRT, Genie bundles, Hexagon HTP v79, FastRPC
— nvidia/	# Jetson Orin Nano, CUDA, TensorRT
— github/	# c10vis-poem repos, forks, actions
— anthropic/	# Claude Code CLI, ECC harness, APIs
— primeintellect/	# Compute clusters & decentralized training
— deepseek/	# Open weights & deep reasoning harnesses
— 03_recall_cache/	# Tier 3: High-speed retrieval (jsonl chunks, vectors)
— 04_skills_runtime/	# Tier 4: Procedural repertoire & execution policies
— 05_episodic_logs/	# Tier 5: Execution traces, telemetry & RLVR scores