

AUDIT-04-REGISTRIES.md

Audit & Extraction Report: Subfolder 4 of ___Lex-Novi-Æxentis-Copiæ (Registries)

Scope: Master system registries, repository bank, model registries, and anti-duplication ledgers.

Parent Source: ___Lex-Novi-Æxentis-Copiæ/Registries
(1JvzBZvukd6AtndLe7IrJTEfymv8FvWX0).

Status: All original files preserved 100% untouched.

1. Purpose & The "Anti-Fork" Law (From CLAUDE.md)

In CLAUDE.md, the operational mandate for this folder is stated explicitly:

WHY: "60+ forks with no index is how the same repo got forked three times."

WHERE: The central registry of what exists, where it lives, and its verified build state.

WHEN: Consulted before cloning, forking, or generating any new tool, to prevent duplicate code sprawl.

Target Destination in the Master Corpus:

- **Repository Registry:** Codified into 02_wiki_md/entities/repo_registry.jsonl and 05_FEDERATED_FILE_TREE_TOPOLOGY_MASTER.md.
- **Model Registry:** Codified into npu_manager.py (MODEL_REGISTRY) and 02_wiki_md/entities/model_profiles.md.

2. Internal Structure & Subfolder Breakdown

Registries/

├─  CLAUDE.md	# W5+H State of the Union & anti-duplication rules
├─  README.md	# Human overview: "The index of what exists and where"
├─  skill_manifest.json	# Structured metadata declaring join conventions

```

├── 📄 llm_wiki.md # Machine-facing index
|
├── 📁 1. repo-data-bank/ # Active specifications for core ecosystem repos
|   ├── omni-claw-blueprint. # The unified Claw runtime architecture
|   ├── Personal Agentic Operating Stack... # Cognitive architecture stack taxonomy
|   ├── Five.layer-file/memory/skill-setup # Early 5-layer memory schema
|   ├── Final -memory-layer-p2p_ # P2P sync protocols between edge and home
server
|   ├── FULL.MULTI.TIERED.MEMORY.LAYER... # Multi-tier memory layer mapping
|   ├── Automated scripts for file mgmt... # Automation scripts inventory
|   └── (1a)-Horizons.Ui-defined # Horizons UI initial specification
|
└── 📁 2. old-repo-research/ # Research on upstream tools & environment setups
    ├── edge-ai-hub-integration.md/.jsonl # Qualcomm AI Hub model integration notes
    ├── ENVIRONMENT (Markor).md # Termux/Android operational environment
profiles
    └── README (Markor).md # On-device Markor editor conventions

```

3. Detailed Technical Extractions

A. The Master Repository Manifest Pattern (*skill_manifest.json*)

- *Extracted Schema:*

```

{
    "name": "registries",

```

```

"kind": "corpus-section",

"conventions": {

  "axis": "domain",

  "document_artifacts": ["original", ".md", ".jsonl", "skills.md"],

  "join_key": "shared basename"

}

}

```

- *Action:* Adopted as the join standard across all manifests in Master Spec 00 and Spec 02.

B. The Omni-Claw Blueprint ([omni-claw-blueprint.](#))

- *Content:* Unifies the multi-APK mobile daemon framework with the Prime Agent execution loop, formalizing the interface between the user's touch/voice input and the background shell daemons.
- *Action:* Enveloped into [novaexopia/](#) in [01_SOVEREIGN_NODE_AND_APK_TOPOLOGY.md](#).

C. Cognitive Architecture Stack ([Personal Agentic Operating Stack...](#))

- *Content:* Establishes the formal boundary separating Open Brain (OB1 static database proofs), Mem0 (dynamic in-session episodic memory), LLM Wiki (semantic knowledge graph), and Reasoning Bank (RLVR training ledger).
- *Action:* Codified directly into [02_DUMBASS_UNIVERSAL_MEMORY_SPEC.md](#).

4. What Was Combined & What Was Trimmed

- **Fluff Trimmed:**
 - [Copy of LM llm Wiki or or Wiki llm - Google Search](#) (28.3 MB raw web scrape PDF) and its markdown duplicate were bypassed. The useful Karpathy LLM-Wiki parameters were already extracted into [README_DATA_VAULT.md](#).
 - Duplicate Markor environment copies ([ENVIRONMENT \(Markor\) \(1\).pdf](#) and [.md](#)) were consolidated into a single environment reference.
- **Combined Specifications:**

- Merged the 7 sub-items in `repo-data-bank` into the master `05_FEDERATED_FILE_TREE_TOPOLOGY_MASTER.md`, establishing a clean single source of truth for all repository paths.
-

5. Architectural Value

This folder provides the **Indexical Glue** for the entire ecosystem. It enforces that every repository, model, and script is cataloged in one place before work begins, preventing fragmented forks and redundant implementations.