

One UI, two daemons it can't function without

Not three independent apps sharing a repo pattern. One orchestrator front end, and two bare-metal daemon services — not headless, each carries its own low-graphics 1-2 tile UI — it depends on to reach the device beyond Android's sandbox.

PRESENTATION **Horizons UI**

repo: horizons-ui · branding: Horizons UI™ — "the ever-expanding canopy"

The orchestrator app — the only one of the three a user actually touches directly.

TRANSPORT	WebSocket layer connecting to the two daemons and whatever backend the model router selects.
BROWSER	Embedded Chromium WebView, hosting the UI surface itself.
CHAT	LLM chat tile interface.
TERMINAL	Terminal GUI, surfacing the shell daemon's access.
ROUTING	Model router with file picker / uploader, cloud front-end hooks, and a fallback to an OpenRouter server if the primary path fails.
AGENT	Houses the nano/smol-agent (model not yet chosen) running the dual query/execute tandem against the device NPU and runtime.

Flagged, not resolved: Horizons UI's own model router (with OpenRouter fallback) is a separate routing layer from OmniRoute. Worth deciding whether this router calls OmniRoute or duplicates its job before all three APKs exist — cheaper to settle now than after.

Horizons UI is not self-sufficient — but it isn't device-blind either. As a standard Android APK it already holds normal app-level access (file picker/uploader, storage, network/WebSocket) — that's baseline, not something it borrows. What it doesn't hold is the *elevated* tier: Accessibility Service / Device Assistant class privileges that bypass the app sandbox entirely. That specific escalation — sandbox-level shell access and NPU/hardware execution — is what routes through the two daemons below.

DAEMON 1 **Shell Access**

repo: not yet named in official signage

Not a Termux replacement — Termux itself, elevated. It keeps its built-in terminal/emulator; what changes is the privilege tier it runs at, so it stops being treated as a sandboxed app.

MECHANISM	Registers as an Accessibility Service / on-device assistant, escalated with Device Assistant and Media Server privileges — the combination that grants shell-level access outside the normal app sandbox.
NPU GUARD	Houses the small "housekeeper" model (nano/smol/TurboQuant-class) that acts as a traffic cop over the Hexagon NPU, queuing tool calls so the executive model and tooling models don't collide on the same tensor registers.
MEMORY ROUTING	Sits in front of the memory pipeline the user described directly this session: OmniRoute (SQL/routing) → Reasoning Bank (RLVR trajectories) → OB1 → Mem0, front to back.
GUI	Bare-metal, low-graphics — one or two tiles. Not headless: built for local configuration and portability.
CONSUMER	Horizons UI's terminal GUI is the front end for this daemon's access.

DAEMON 2 **Speech & Vision**

repo: not yet named in official signage

Fronts the device agent's speech and vision layer — same permission class as the shell daemon.

MECHANISM	Same accessibility-service / OS-level permission class as Daemon 1.
-----------	---

captured from session · reference material, not a build-out session on its own