

```
info Found Xcode workspace "
info Building (using "xcodebuild -workspace rzmobile.xcworkspace
-configuration Debug -scheme rzmobile -destination
id=9C2D01B8-040D-452D-97F4-7E61B73DC853")
error Failed to build iOS project. We ran "xcodebuild" command but it exited
with error code 65. To debug build logs further, consider building your app
with Xcode.app, by opening rzmobile.xcworkspace. Run CLI with --verbose flag
for more details.
Command line invocation:
/Applications/Xcode.app/Contents/Developer/usr/bin/xcodebuild -workspace
rzmobile.xcworkspace -configuration Debug -scheme rzmobile -destination
id=9C2D01B8-040D-452D-97F4-7E61B73DC853

User defaults from command line:
IDEPackageSupportUseBuiltInSCM = YES

note: Using new build system
note: Planning
Analyze workspace

Create build description
Build description signature: de4ef8c65ec1a4ece57422b396d653c7
Build description path: /Users/ionleu/Library/Developer/Xcode/DerivedData/
rzmobile-cqedqnvtarbidlfxcwmvjrmijupf/Build/Intermediates.noindex/
XCBuildData/de4ef8c65ec1a4ece57422b396d653c7-desc.xcbuild

note: Build preparation complete
note: Building targets in parallel
/Users/ionleu/Documents/personal/projects/radio-zum/rz-mobile/ios/Pods/
Pods.xcodeproj: warning: The iOS Simulator deployment target
'IPHONEOS_DEPLOYMENT_TARGET' is set to 7.0, but the range of supported
deployment target versions is 9.0 to 15.0.99. (in target 'RCTSystemSetting'
from project 'Pods')
CompileC /Users/ionleu/Library/Developer/Xcode/DerivedData/rzmobile-
cqedqnvtarbidlfxcwmvjrmijupf/Build/Intermediates.noindex/Pods.build/Debug-
iphonesimulator/RCTSystemSetting.build/Objects-normal/x86_64/
RCTSystemSetting.o /Users/ionleu/Documents/personal/projects/radio-zum/rz-
mobile/node_modules/react-native-system-setting/ios/RTCSYSTEMSetting.m normal
x86_64 objective-c com.apple.compilers.llvm.clang.1_0.compiler (in target
'RCTSystemSetting' from project 'Pods')
cd /Users/ionleu/Documents/personal/projects/radio-zum/rz-mobile/ios/Pods
export LANG=en_US.US-ASCII
/Applications/Xcode.app/Contents/Developer/Toolchains/
XcodeDefault.xctoolchain/usr/bin/clang -x objective-c -target x86_64-apple-
ios7.0-simulator -fmessage-length=0 -fdiagnostics-show-note-include-stack
-fmacro-backtrace-limit=0 -std=gnu11 -fobjc-arc -fobjc-weak -fmodules
-fmodules-cache-path=/Users/ionleu/Library/Developer/Xcode/DerivedData/
```

```
ModuleCache.noindex -fmodules-prune-interval\=86400 -fmodules-prune-
after\=345600 -fbuild-session-file\=/Users/ionleu/Library/Developer/Xcode/
DerivedData/ModuleCache.noindex/Session.modulevalidation -fmodules-validate-
once-per-build-session -Wnon-modular-include-in-framework-module
-Werror\=non-modular-include-in-framework-module -Wno-trigraphs -fpascal-
strings -00 -fno-common -Wno-missing-field-initializers -Wno-missing-
prototypes -Werror\=return-type -Wdocumentation -Wunreachable-code -Wno-
implicit-atomic-properties -Werror\=deprecated-objc-isa-usage -Wno-objc-
interface-ivars -Werror\=objc-root-class -Wno-arc-repeated-use-of-weak
-Wimplicit-retain-self -Wduplicate-method-match -Wno-missing-braces
-Wparentheses -Wswitch -Wunused-function -Wno-unused-label -Wno-unused-
parameter -Wunused-variable -Wunused-value -Wempty-body -Wuninitialized
-Wconditional-uninitialized -Wno-unknown-pragmas -Wno-shadow -Wno-four-char-
constants -Wno-conversion -Wconstant-conversion -Wint-conversion -Wbool-
conversion -Wenum-conversion -Wno-float-conversion -Wnon-literal-null-
conversion -Wobjc-literal-conversion -Wshorten-64-to-32 -Wpointer-sign -Wno-
newline-eof -Wno-selector -Wno-strict-selector-match -Wundeclared-selector
-Wdeprecated-implementations -DPOD_CONFIGURATION_DEBUG\=1 -DDEBUG\=1
-DCOCOAPODS\=1 -DOBJS_OLD_DISPATCH_PROTOTYPES\=0 -isysroot /Applications/
Xcode.app/Contents/Developer/Platforms/iPhoneSimulator.platform/Developer/
SDKs/iPhoneSimulator15.0.sdk -fasm-blocks -fstrict-aliasing -Wprotocol
-Wdeprecated-declarations -g -Wno-sign-conversion -Winfinite-recursion
-Wcomma -Wblock-capture-autoreleasing -Wstrict-prototypes -Wno-semicolon-
before-method-body -Wunguarded-availability -fobjc-abi-version\=2 -fobjc-
legacy-dispatch -index-store-path /Users/ionleu/Library/Developer/Xcode/
DerivedData/rzmobile-cqedqnvtarabidlfxcwmvjrmijupf/Index/DataStore -iquote /
Users/ionleu/Library/Developer/Xcode/DerivedData/rzmobile-
cqedqnvtarabidlfxcwmvjrmijupf/Build/Intermediates.noindex/Pods.build/Debug-
iphonesimulator/RCTSystemSetting.build/RCTSystemSetting-generated-files.hmap
-I/Users/ionleu/Library/Developer/Xcode/DerivedData/rzmobile-
cqedqnvtarabidlfxcwmvjrmijupf/Build/Intermediates.noindex/Pods.build/Debug-
iphonesimulator/RCTSystemSetting.build/RCTSystemSetting-own-target-
headers.hmap -I/Users/ionleu/Library/Developer/Xcode/DerivedData/rzmobile-
cqedqnvtarabidlfxcwmvjrmijupf/Build/Intermediates.noindex/Pods.build/Debug-
iphonesimulator/RCTSystemSetting.build/RCTSystemSetting-all-non-framework-
target-headers.hmap -ivfsoverlay /Users/ionleu/Library/Developer/Xcode/
DerivedData/rzmobile-cqedqnvtarabidlfxcwmvjrmijupf/Build/
Intermediates.noindex/Pods.build/Debug-iphonesimulator/
RCTSystemSetting.build/all-product-headers.yaml -iquote /Users/ionleu/
Library/Developer/Xcode/DerivedData/rzmobile-cqedqnvtarabidlfxcwmvjrmijupf/
Build/Intermediates.noindex/Pods.build/Debug-iphonesimulator/
RCTSystemSetting.build/RCTSystemSetting-project-headers.hmap -I/Users/ionleu/
Library/Developer/Xcode/DerivedData/rzmobile-cqedqnvtarabidlfxcwmvjrmijupf/
Build/Products/Debug-iphonesimulator/RCTSystemSetting/include -I/Users/
ionleu/Documents/personal/projects/radio-zum/rz-mobile/ios/Pods/Headers/
Private -I/Users/ionleu/Documents/personal/projects/radio-zum/rz-mobile/ios/
Pods/Headers/Private/RCTSystemSetting -I/Users/ionleu/Documents/personal/
```

```
projects/radio-zum/rz-mobile/ios/Pods/Headers/Public -I/Users/ionleu/Documents/personal/projects/radio-zum/rz-mobile/ios/Pods/Headers/Public/DoubleConversion -I/Users/ionleu/Documents/personal/projects/radio-zum/rz-mobile/ios/Pods/Headers/Public/FBLazyVector -I/Users/ionleu/Documents/personal/projects/radio-zum/rz-mobile/ios/Pods/Headers/Public/FBReactNativeSpec -I/Users/ionleu/Documents/personal/projects/radio-zum/rz-mobile/ios/Pods/Headers/Public/RCTRequired -I/Users/ionleu/Documents/personal/projects/radio-zum/rz-mobile/ios/Pods/Headers/Public/RCTSysteSetting -I/Users/ionleu/Documents/personal/projects/radio-zum/rz-mobile/ios/Pods/Headers/Public/RCTTypeSafety -I/Users/ionleu/Documents/personal/projects/radio-zum/rz-mobile/ios/Pods/Headers/Public/React-Core -I/Users/ionleu/Documents/personal/projects/radio-zum/rz-mobile/ios/Pods/Headers/Public/React-RCTText -I/Users/ionleu/Documents/personal/projects/radio-zum/rz-mobile/ios/Pods/Headers/Public/React-callinvoker -I/Users/ionleu/Documents/personal/projects/radio-zum/rz-mobile/ios/Pods/Headers/Public/React-cxxreact -I/Users/ionleu/Documents/personal/projects/radio-zum/rz-mobile/ios/Pods/Headers/Public/React-jsi -I/Users/ionleu/Documents/personal/projects/radio-zum/rz-mobile/ios/Pods/Headers/Public/React-jsiexecutor -I/Users/ionleu/Documents/personal/projects/radio-zum/rz-mobile/ios/Pods/Headers/Public/React-jssinspector -I/Users/ionleu/Documents/personal/projects/radio-zum/rz-mobile/ios/Pods/Headers/Public/ReactCommon -I/Users/ionleu/Documents/personal/projects/radio-zum/rz-mobile/ios/Pods/Headers/Public/Yoga -I/Users/ionleu/Documents/personal/projects/radio-zum/rz-mobile/ios/Pods/Headers/Public/glog -I/Users/ionleu/Library/Developer/Xcode/DerivedData/rzmobile-cqedqnvtarabidlfxcwmvjrmijupf/Build/Intermediates.noindex/Pods.build/Debug-iphonesimulator/RCTSysteSetting.build/DerivedSources-normal/x86_64 -I/Users/ionleu/Library/Developer/Xcode/DerivedData/rzmobile-cqedqnvtarabidlfxcwmvjrmijupf/Build/Intermediates.noindex/Pods.build/Debug-iphonesimulator/RCTSysteSetting.build/DerivedSources/x86_64 -I/Users/ionleu/Library/Developer/Xcode/DerivedData/rzmobile-cqedqnvtarabidlfxcwmvjrmijupf/Build/Intermediates.noindex/Pods.build/Debug-iphonesimulator/RCTSysteSetting.build/DerivedSources -F/Users/ionleu/Library/Developer/Xcode/DerivedData/rzmobile-cqedqnvtarabidlfxcwmvjrmijupf/Build/Products/Debug-iphonesimulator/RCTSysteSetting -fmodule-map-file\=/Users/ionleu/Documents/personal/projects/radio-zum/rz-mobile/ios/Pods/Headers/Public/React/React-Core.modulemap -fmodule-map-file\=/Users/ionleu/Documents/personal/projects/radio-zum/rz-mobile/ios/Pods/Headers/Public/yoga/Yoga.modulemap -include /Users/ionleu/Documents/personal/projects/radio-zum/rz-mobile/ios/Pods/Target\Support\ Files/RCTSysteSetting/RCTSysteSetting-prefix.pch -MMD -MT dependencies -MF /Users/ionleu/Library/Developer/Xcode/DerivedData/rzmobile-cqedqnvtarabidlfxcwmvjrmijupf/Build/Intermediates.noindex/Pods.build/Debug-iphonesimulator/RCTSysteSetting.build/Objects-normal/x86_64/RTCSysteSetting.d --serialize-diagnostics /Users/ionleu/Library/Developer/Xcode/DerivedData/rzmobile-cqedqnvtarabidlfxcwmvjrmijupf/Build/Intermediates.noindex/Pods.build/Debug-iphonesimulator/RTCSysteSetting.build/Objects-normal/x86_64/RTCSysteSetting.dia -c /Users/
```

```
ionleu/Documents/personal/projects/radio-zum/rz-mobile/node_modules/react-native-system-setting/ios/RTCSYSTEMSetting.m -o /Users/ionleu/Library/Developer/Xcode/DerivedData/rzmobile-cqedqnvtrabidlfxcwmvjrmijupf/Build/Intermediates.noindex/Pods.build/Debug-iphonesimulator/RTCSYSTEMSetting.build/Objects-normal/x86_64/RTCSYSTEMSetting.o
In file included from /Users/ionleu/Documents/personal/projects/radio-zum/rz-mobile/node_modules/react-native-system-setting/ios/RTCSYSTEMSetting.m:9:
In file included from /Users/ionleu/Documents/personal/projects/radio-zum/rz-mobile/node_modules/react-native-system-setting/ios/RTCSYSTEMSetting.h:11:
In file included from /Users/ionleu/Documents/personal/projects/radio-zum/rz-mobile/ios/Pods/Headers/Public/React-Core/React/RCTEventEmitter.h:9:
/Users/ionleu/Documents/personal/projects/radio-zum/rz-mobile/ios/Pods/Headers/Public/React-Core/React/RCTJSInvokerModule.h:14:64: warning: pointer is missing a nullability type specifier (_Nonnull, _Nullable, or _Null_unspecified) [-Wnullability-completeness]
@property (nonatomic, copy, nonnull) void (^invokeJS)(NSString *module,
NSString *method, NSArray *args);
^
/Users/ionleu/Documents/personal/projects/radio-zum/rz-mobile/ios/Pods/Headers/Public/React-Core/React/RCTJSInvokerModule.h:14:64: note: insert '_Nullable' if the pointer may be null
@property (nonatomic, copy, nonnull) void (^invokeJS)(NSString *module,
NSString *method, NSArray *args);
^
_Nullable
/Users/ionleu/Documents/personal/projects/radio-zum/rz-mobile/ios/Pods/Headers/Public/React-Core/React/RCTJSInvokerModule.h:14:64: note: insert '_Nonnull' if the pointer should never be null
@property (nonatomic, copy, nonnull) void (^invokeJS)(NSString *module,
NSString *method, NSArray *args);
^
_Nonnull
In file included from /Users/ionleu/Documents/personal/projects/radio-zum/rz-mobile/node_modules/react-native-system-setting/ios/RTCSYSTEMSetting.m:9:
In file included from /Users/ionleu/Documents/personal/projects/radio-zum/rz-mobile/node_modules/react-native-system-setting/ios/RTCSYSTEMSetting.h:11:
/Users/ionleu/Documents/personal/projects/radio-zum/rz-mobile/ios/Pods/Headers/Public/React-Core/React/RCTEventEmitter.h:17:39: warning: pointer is missing a nullability type specifier (_Nonnull, _Nullable, or _Null_unspecified) [-Wnullability-completeness]
@property (nonatomic, weak) RCTBridge *bridge;
^
/Users/ionleu/Documents/personal/projects/radio-zum/rz-mobile/ios/Pods/Headers/Public/React-Core/React/RCTEventEmitter.h:17:39: note: insert '_Nullable' if the pointer may be null
@property (nonatomic, weak) RCTBridge *bridge;
^
```

```
    _Nullable  
/Users/ionleu/Documents/personal/projects/radio-zum/rz-mobile/ios/Pods/  
Headers/Public/React-Core/React/RCTEventEmitter.h:17:39: note: insert  
'_Nonnull' if the pointer should never be null  
@property (nonatomic, weak) RCTBridge *bridge;  
    ^  
    _Nonnull  
/Users/ionleu/Documents/personal/projects/radio-zum/rz-mobile/ios/Pods/  
Headers/Public/React-Core/React/RCTEventEmitter.h:25:24: warning: pointer is  
missing a nullability type specifier (_Nonnull, _Nullable, or  
_Null_unspecified) [-Wnullability-completeness]  
- (NSArray<NSString *> *)supportedEvents;  
    ^  
/Users/ionleu/Documents/personal/projects/radio-zum/rz-mobile/ios/Pods/  
Headers/Public/React-Core/React/RCTEventEmitter.h:25:24: note: insert  
'_Nullable' if the pointer may be null  
- (NSArray<NSString *> *)supportedEvents;  
    ^  
    _Nullable  
/Users/ionleu/Documents/personal/projects/radio-zum/rz-mobile/ios/Pods/  
Headers/Public/React-Core/React/RCTEventEmitter.h:25:24: note: insert  
'_Nonnull' if the pointer should never be null  
- (NSArray<NSString *> *)supportedEvents;  
    ^  
    _Nonnull  
/Users/ionleu/Documents/personal/projects/radio-zum/rz-mobile/ios/Pods/  
Headers/Public/React-Core/React/RCTEventEmitter.h:31:37: warning: pointer is  
missing a nullability type specifier (_Nonnull, _Nullable, or  
_Null_unspecified) [-Wnullability-completeness]  
- (void)sendEventWithName:(NSString *)name body:(id)body;  
    ^  
/Users/ionleu/Documents/personal/projects/radio-zum/rz-mobile/ios/Pods/  
Headers/Public/React-Core/React/RCTEventEmitter.h:31:37: note: insert  
'_Nullable' if the pointer may be null  
- (void)sendEventWithName:(NSString *)name body:(id)body;  
    ^  
    _Nullable  
/Users/ionleu/Documents/personal/projects/radio-zum/rz-mobile/ios/Pods/  
Headers/Public/React-Core/React/RCTEventEmitter.h:31:37: note: insert  
'_Nonnull' if the pointer should never be null  
- (void)sendEventWithName:(NSString *)name body:(id)body;  
    ^  
    _Nonnull  
/Users/ionleu/Documents/personal/projects/radio-zum/rz-mobile/ios/Pods/  
Headers/Public/React-Core/React/RCTEventEmitter.h:31:50: warning: pointer is  
missing a nullability type specifier (_Nonnull, _Nullable, or  
_Null_unspecified) [-Wnullability-completeness]
```

```
- (void)sendEventWithName:(NSString *)name body:(id)body;
^
/Users/ionleu/Documents/personal/projects/radio-zum/rz-mobile/ios/Pods/
Headers/Public/React-Core/React/RCTEventEmitter.h:31:50: note: insert
'_Nullable' if the pointer may be null
- (void)sendEventWithName:(NSString *)name body:(id)body;
^
    _Nullable
/Users/ionleu/Documents/personal/projects/radio-zum/rz-mobile/ios/Pods/
Headers/Public/React-Core/React/RCTEventEmitter.h:31:50: note: insert
'_Nonnull' if the pointer should never be null
- (void)sendEventWithName:(NSString *)name body:(id)body;
^
    _Nonnull
/Users/ionleu/Documents/personal/projects/radio-zum/rz-mobile/ios/Pods/
Headers/Public/React-Core/React/RCTEventEmitter.h:41:31: warning: pointer is
missing a nullability type specifier (_Nonnull, _Nullable, or
_Null_unspecified) [-Wnullability-completeness]
- (void)addListener:(NSString *)eventName;
^
/Users/ionleu/Documents/personal/projects/radio-zum/rz-mobile/ios/Pods/
Headers/Public/React-Core/React/RCTEventEmitter.h:41:31: note: insert
'_Nullable' if the pointer may be null
- (void)addListener:(NSString *)eventName;
^
    _Nullable
/Users/ionleu/Documents/personal/projects/radio-zum/rz-mobile/ios/Pods/
Headers/Public/React-Core/React/RCTEventEmitter.h:41:31: note: insert
'_Nonnull' if the pointer should never be null
- (void)addListener:(NSString *)eventName;
^
    _Nonnull
/Users/ionleu/Documents/personal/projects/radio-zum/rz-mobile/node_modules/
react-native-system-setting/ios/RTCSYSTEMSetting.m:62:41: error: definition
of 'AVAudioSession' must be imported from module 'AVFAudio.AVAudioSession'
before it is required
    AVAudioSession* audioSession = [AVAudioSession sharedInstance];
^
In module 'MediaPlayer' imported from /Users/ionleu/Documents/personal/
projects/radio-zum/rz-mobile/node_modules/react-native-system-setting/ios/
RTCSYSTEMSetting.m:21:
In module 'AVFoundation' imported from /Applications/Xcode.app/Contents/
Developer/Platforms/iPhoneSimulator.platform/Developer/SDKs/
iPhoneSimulator15.0.sdk/System/Library/Frameworks/MediaPlayer.framework/
Headers/AVFoundation+MPNowPlayingInfoLanguageOptionAdditions.h:10:
In module 'AVFAudio' imported from /Applications/Xcode.app/Contents/
Developer/Platforms/iPhoneSimulator.platform/Developer/SDKs/
```

```
iPhoneSimulator15.0.sdk/System/Library/Frameworks/AVFoundation.framework/
Headers/AVFAudio.h:8:
/Applications/Xcode.app/Contents/Developer/Platforms/
iPhoneSimulator.platform/Developer/SDKs/iPhoneSimulator15.0.sdk/System/
Library/Frameworks/AVFAudio.framework/Headers/AVAudioSession.h:28:12: note:
definition here is not reachable
@interface AVAudioSession : NSObject {
^
6 warnings and 1 error generated.
```

```
warning: Capabilities for Signing & Capabilities may not function correctly
because its entitlements use a placeholder team ID. To resolve this, select a
development team in the rzmobile editor. (in target 'rzmobile' from project
'rzmobile')
/Users/ionleu/Documents/personal/projects/radio-zum/rz-mobile/ios/Pods/
Pods.xcodeproj: warning: The iOS Simulator deployment target
'IPHONEOS_DEPLOYMENT_TARGET' is set to 8.0, but the range of supported
deployment target versions is 9.0 to 15.0.99. (in target 'boost-for-react-
native' from project 'Pods')
```

```
** BUILD FAILED **
```

The following build commands failed:

```
CompileC /Users/ionleu/Library/Developer/Xcode/DerivedData/rzmobile-
cqedqnvtrabidlfxcwmvjrmijupf/Build/Intermediates.noindex/Pods.build/Debug-
iphonesimulator/RCTSystemSetting.build/Objects-normal/x86_64/
RCTSystemSetting.o /Users/ionleu/Documents/personal/projects/radio-zum/rz-
mobile/node_modules/react-native-system-setting/ios/RTCSYSTEMSetting.m normal
x86_64 objective-c com.apple.compilers.llvm.clang.1_0.compiler (in target
'RCTSystemSetting' from project 'Pods')
(1 failure)
```