Process & Decision Documentation

Project/Assignment Decisions

A major decision I decided to add to my project was a “no clip” mode where the player could move the fox sprite freely around the screen. I wanted to do something other than showing the hitboxes of every asset that was in the game. I knew several other people who had used that, so I wanted to develop a feature that would still be useful to a developer of the game, but that was slightly different. Additionally, I decided to not have the menu button be a toggle, where pressing the same button would access/escape the menu, since when it was attempted to be implemented, it broke a significant amount of my code, or would be flashing in a strobe-like manner.

Role-Based Process Evidence

```
function keyPressed() {
  console.log("true");
  startMusicIfNeeded();
}

function mousePressed() {
  startMusicIfNeeded();
}
```

Testing the keyPressed function

```
  // --- KEEP IN VIEW ---
  player.pos.x = constrain(player.pos.x, FRAME_W / 2, VIEWW - FRAME_W / 2);
}

function drawDevMenu() {
  rectMode(CENTER, CENTER);
  fill(devMenu.colour);
  rect(devMenu.x, devMenu.y, devMenu.w, devMenu.h);
  textSize(40);
  stroke("white");
  text(devMenu.x, devMenu.y * 0.5, devMenu.title);
  text(devMenu.x, devMenu.y, devMenu.text);
}
```

Developing the Devmenu function

```
function keyPressed() {
  startMusicIfNeeded();

  if (kb.presses("m") || kb.presses("M")) {
    //drawDevMenu();
    if (window.gamePaused === true) {
      window.gamePaused = false;
    } else {
      window.gamePaused = true;
    }
  }
```

Adding a button trigger to open the Devmenu

```
if (kb.pressing("left")) {
  player.x = player.x - 1;
  player.mirror.x = true;
  // console.log("left");
}
if (kb.pressing("right")) {
  //player.vel.x = 0;
  player.mirror.x = false;
  //console.log("right");
  player.x = player.x + 1;
}
if (kb.pressing("up")) {
  player.y = player.y - 1;
  // player.vel.y = 0;
  //console.log("up");
  //player.mirror.y = false;
}
if (kb.pressing("down")) {
  player.y = player.y + 1;
  // player.mirror.y = false;
  // player.vel.y = 0;
  // console.log("down");
}
```

The various key inputs and the hidden code behind each one (all lines were previously active, which caused several issues)



Floating fox!



Final iteration of the Devmenu

Clarissa Chamberlain

Roles: Lead Programmer

During this assignment, I used the slides provided during the in-class lecture, as well as the other examples featured in the other examples given to us in order to create a developer menu, where various helpful features that would help in playtesting could be toggled.

Tools used:

-Visual Studio Code
-GitHub Desktop

GenAi Documentation

No GenAi was used in the completion of this task.