Unix II

Big News (1 of 3)




- New edition addition guy... Marcus, Jr.
- Big & Fast

Big News (2 of 3)



- C4CS Course Creator
- Towner Prize (Outstanding GSI) Winner
- Mr. Chez Betty
- All around Great Person

Big News (3 of 3)



- Git II Lecturer: IA Matt Terwilliger
- Personal redemption
- #SEEYOUINCLASS

Administrative

Regex/Regexp

What is it?

- 99 Problems
- All the "Big" tools use it
- Try out
 - www.regular-expressions.info
 - www.regexr.com
- Endless amusement during live demos

Regex/Regexp

What is it?

- 99 Problems
- All the "Big" tools use it
- Try out
 - www.regular-expressions.info
 - www.regexr.com
- Endless amusement during live demos

The Basics

- Special Characters \^\$.|?*+()[]{}
- Character classes [<chars>]
- Shorthand classes \<char> and [[:class:]]
- Anchors
- Alternation
- Repetition
- Greedy & Lazy
- Grouping
- Backreferencing

Working on data by line

Get it out there

- cat
- echo
- head
- tail

Big Tools

- grep (g/re/p)
- sed
- awk

Other Tools

- cut
- tee
- tr
- sort
- uniq
- diff
- comm

File Redirection

Operators

- < send file as input
- > send output to file (create/overwrite)
- >> append output to file (create/preserve)
- >& merge output
- < merge input
- << "Here Document"

Descriptors, Name and Number

- 0: Standard Input (stdin, cin)
- 1: Standard Output (stdout, cout)
- 2: Standard Error (stderr, cerr)

Scripts

- Just Do It!
 - o history
- Shebang, Hashbang, #!
- Get that money...
 - \$0 current script
 - \$n script args 1, 2, 3...
 - \$# number of args
 - \$* and \$@ quoted args
 - \$? the previous return value
- Variables and Arrays
- Math... \$((EXPRESSION))
- Spacing
 - Critical
 - Maddening

Control

• Functions

```
# Define
function_name() {
    statements
}
# Invoke
function_name
# Delete
unset .f function_name
```

- Loops
 - while (while, do, done)
 - for
 - until
 - select
 - break/continue
- Conditionals
 - o if (if, then, elif, then, else, fi)