ICPSR INSTITUTE FOR SOCIAL RESEARCH UNIVERSITY OF MICHIGAN

ICPSR 31181

Study of Women's Health Across the Nation (SWAN), 2002-2004: Visit 06 Dataset

Kim Sutton-Tyrrell
University of Pittsburgh

Faith Selzer
University of Pittsburgh

MaryFran R. (Mary Francis Roy) Sowers
University of Michigan

Joel S. Finkelstein
Massachusetts General Hospital, Boston

Lynda H. Powell
Rush University. Rush-Presbyterian-St. Luke's Medical Center, Chicago

Ellen B. Gold
University of California-Davis

Gail A. Greendale
University of California-Los Angeles

Gerson Weiss
University of Medicine and Dentistry-New Jersey Medical Center

Karen A. Matthews
University of Pittsburgh

ICPSR Codebook

Inter-university Consortium for Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
https://www.icpsr.umich.edu/web/ICPSR/studies/31181/terms

Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR Processing Notes for #31181

Study of Women's Health Across the Nation (SWAN), 2002-2004: Visit 06 Dataset

1. **Variable Link:** Using the variable **SWANID**, this dataset can be linked with the SWAN Cross-Sectional Screener Data (ICPSR 04368), Baseline Data (ICPSR 28762), Visit 1 Data (ICPSR 29221), Visit 2 Data (ICPSR 29401), Visit 3 Data (ICPSR 29701), Visit 4 Data (ICPSR 30142), Visit 5 Data (ICPSR 30501), Visit 7 Data (ICPSR 31901), Visit 8 Data (ICPSR 32122), Visit 9 Data (ICPSR 32721), and Visit 10 Data (ICPSR 32961).
2. **Stata Limitations:** Due to Stata limitations, several variables do not contain value labels for character variables within the Stata files.
3. **Additional Information:** For additional information on the Study of Women's Health Across the Nation, please visit the SWAN website.

ICPSR 31181

Study of Women's Health Across the Nation (SWAN), 2002-2004: Visit 06 Dataset

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

SWANID: Respondent ID

Respondent ID

Value	Label	Unweighted Frequency	%
10046	-	1	0.0%
10056	-	1	0.0%
10126	-	1	0.0%
10153	-	1	0.0%
10196	-	1	0.0%
10245	-	1	0.0%
10484	-	1	0.0%
10514	-	1	0.0%
10522	-	1	0.0%
10532	-	1	0.0%
10550	-	1	0.0%
10604	-	1	0.0%
10629	-	1	0.0%
10630	-	1	0.0%
10694	-	1	0.0%
10747	-	1	0.0%
10757	-	1	0.0%
10801	-	1	0.0%
10879	-	1	0.0%
10910	-	1	0.0%
10968	-	1	0.0%
11007	-	1	0.0%
11041	-	1	0.0%
11079	-	1	0.0%
11097	-	1	0.0%
11126	-	1	0.0%
11133	-	1	0.0%
11180	-	1	0.0%
11201	-	1	0.0%
11208	-	1	0.0%
11211	-	1	0.0%
11267	-	1	0.0%

Value	Label	Unweighted Frequency	%
11284	-	1	0.0%
11286	-	1	0.0%
11298	-	1	0.0%
11338	-	1	0.0%
11347	-	1	0.0%
11430	-	1	0.0%
11463	-	1	0.0%
11478	-	1	0.0%
11481	-	1	0.0%
11508	-	1	0.0%
11519	-	1	0.0%
11600	-	1	0.0%
11613	-	1	0.0%
11630	-	1	0.0%
11632	-	1	0.0%
11642	-	1	0.0%
11740	-	1	0.0%
11769	-	1	0.0%
	Total	**2,448**	**100.0%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 54201.79
- Minimum: 10046.00
- Maximum: 99962.00
- Standard Deviation: 25803.81

Location: 1-5 (width: 5; decimal: 0)
Variable Type: numeric

VISIT: Study visit

SWAN study visit #

Value	Label	Unweighted Frequency	%
06	-	2448	100.0%
	Total	**2,448**	**100.0%**

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 6-7 (width: 2; decimal: 0)
Variable Type: character

INTDAY6: Interview day

Date form completed

Value	Label	Unweighted Frequency	%
2036	-	1	0.0%
2041	-	1	0.0%
2045	-	1	0.0%
2055	-	1	0.0%
2085	-	1	0.0%
2095	-	1	0.0%
2106	-	1	0.0%
2107	-	3	0.1%
2114	-	1	0.0%
2116	-	1	0.0%
2118	-	1	0.0%
2119	-	1	0.0%
2120	-	1	0.0%
2122	-	2	0.1%
2123	-	2	0.1%
2125	-	1	0.0%
2128	-	3	0.1%
2129	-	2	0.1%
2132	-	2	0.1%
2133	-	3	0.1%
2135	-	5	0.2%
2136	-	2	0.1%
2137	-	4	0.2%
2138	-	1	0.0%
2140	-	2	0.1%
2141	-	5	0.2%
2142	-	8	0.3%
2143	-	3	0.1%
2144	-	5	0.2%

Value	Label	Unweighted Frequency	%
2145	-	6	0.2%
2146	-	12	0.5%
2147	-	16	0.7%
2148	-	13	0.5%
2149	-	36	1.5%
2150	-	18	0.7%
2151	-	13	0.5%
2152	-	12	0.5%
2153	-	13	0.5%
2154	-	16	0.7%
2155	-	19	0.8%
2156	-	36	1.5%
2157	-	24	1.0%
2158	-	19	0.8%
2159	-	10	0.4%
2160	-	14	0.6%
2161	-	23	0.9%
2162	-	25	1.0%
2163	-	38	1.6%
2164	-	9	0.4%
2165	-	9	0.4%
	Total	**2,441**	**99.7%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	7	0.3%
	Total	**7**	**0.3%**

This variable has 2,441 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 2226.55
- Minimum: 2036.00
- Maximum: 2687.00
- Standard Deviation: 78.66

Location: 8-11 (width: 4; decimal: 0)
Variable Type: numeric

AGE6: Age at current visit (integer)

Calculated from date of birth to when the interview form was completed, and rounded to the next lowest integer

Value	Label	Unweighted Frequency	%
47	-	2	0.1%
48	-	234	9.6%
49	-	300	12.3%
50	-	308	12.6%
51	-	297	12.1%
52	-	298	12.2%
53	-	290	11.8%
54	-	238	9.7%
55	-	208	8.5%
56	-	119	4.9%
57	-	91	3.7%
58	-	57	2.3%
59	-	5	0.2%
	Total	**2,447**	**100.0%**

Value	Missing Data	Unweighted Frequency	%
.	-	1	0.0%
	Total	**1**	**0.0%**

This variable has 2,447 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 51.98
- Median: 52.00
- Mode: 50.00
- Minimum: 47.00
- Maximum: 59.00
- Standard Deviation: 2.68

Location: 12-13 (width: 2; decimal: 0)
Variable Type: numeric

LANGINT6: Language of interview

Interview language

Value	Label	Unweighted Frequency	%
1	1: English	2222	90.8%
2	2: Spanish	34	1.4%

Value	Label	Unweighted Frequency	%
3	3: Cantonese	83	3.4%
4	4: Japanese	102	4.2%
	Total	**2,441**	**99.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	7	0.3%
	Total	**7**	**0.3%**

This variable has 2,441 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 14-15 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RACE: Race/Ethnicity

Race/Ethnicity

Value	Label	Unweighted Frequency	%
1	Black/African American	729	29.8%
2	Chinese/Chinese American	210	8.6%
3	Japanese/Japanese American	263	10.7%
4	Caucasian/White Non-Hispanic	1207	49.3%
5	Hispanic	39	1.6%
	Total	**2,448**	**100.0%**

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 16-16 (width: 1; decimal: 0)
Variable Type: numeric

PREGNAN6: Currently Pregnant

Are you currently pregnant?

Value	Label	Unweighted Frequency	%
1	1: No	2067	84.4%
2	2: Yes	0	0.0%
	Total	**2,067**	**84.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	381	15.6%
	Total	**381**	**15.6%**

This variable has 2,067 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 17-18 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PREVBLO6: Blood Drawn Previously

Was blood for this annual follow-up drawn previous to this interview date?

Value	Label	Unweighted Frequency	%
1	1: No	1250	51.1%
2	2: Yes	0	0.0%
	Total	**1,250**	**51.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	1198	48.9%
	Total	**1,198**	**48.9%**

This variable has 1,250 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 19-20 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EATDRIN6: Eat/drink in last 12 hours

Have you had anything to eat or drink, other than water, in the last 12 hours? That is since (time) last night?

Value	Label	Unweighted Frequency	%
1	1: No	2009	82.1%
2	2: Yes	57	2.3%
	Total	**2,066**	**84.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	1	0.0%
.	-	381	15.6%
	Total	**382**	**15.6%**

This variable has 2,066 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 21-22 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRTPER6: Start period in last week

Did you start a menstrual period in the last five days?

Value	Label	Unweighted Frequency	%
1	1: No	1588	64.9%
2	2: Yes	478	19.5%
	Total	**2,066**	**84.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	1	0.0%
.	-	381	15.6%
	Total	**382**	**15.6%**

This variable has 2,066 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 23-24 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BLEDAY6: Day that you started to bleed

What is the date that you started to bleed?

Value	Label	Unweighted Frequency	%
2118	-	1	0.0%
2124	-	1	0.0%
2126	-	1	0.0%
2127	-	2	0.1%
2138	-	1	0.0%
2141	-	1	0.0%
2142	-	2	0.1%
2143	-	1	0.0%
2144	-	1	0.0%
2147	-	2	0.1%
2148	-	1	0.0%
2149	-	2	0.1%
2150	-	1	0.0%
2151	-	3	0.1%
2152	-	4	0.2%
2154	-	3	0.1%
2155	-	4	0.2%
2156	-	4	0.2%

Value	Label	Unweighted Frequency	%
2157	-	4	0.2%
2158	-	3	0.1%
2159	-	4	0.2%
2160	-	1	0.0%
2161	-	3	0.1%
2162	-	3	0.1%
2163	-	2	0.1%
2165	-	3	0.1%
2166	-	2	0.1%
2167	-	5	0.2%
2168	-	4	0.2%
2169	-	3	0.1%
2170	-	4	0.2%
2171	-	5	0.2%
2172	-	2	0.1%
2173	-	3	0.1%
2174	-	3	0.1%
2175	-	4	0.2%
2176	-	2	0.1%
2177	-	3	0.1%
2178	-	5	0.2%
2179	-	5	0.2%
2180	-	7	0.3%
2181	-	4	0.2%
2182	-	5	0.2%
2183	-	10	0.4%
2184	-	1	0.0%
2185	-	1	0.0%
2186	-	3	0.1%
2187	-	5	0.2%
2188	-	4	0.2%
2189	-	4	0.2%
	Total	**478**	**19.5%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	1970	80.5%
	Total	**1,970**	**80.5%**

This variable has 478 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 2230.35
- Median: 2220.00
- Minimum: 2118.00
- Maximum: 2508.00
- Standard Deviation: 62.78

Location: 25-28 (width: 4; decimal: 0)
Variable Type: numeric

BLDRWAT6: Blood draw attempted

Blood draw attempted?

Value	Label	Unweighted Frequency	%
1	1: Yes, as per protocol	1675	68.4%
2	2: Yes, menses too variable	275	11.2%
3	3: Yes, last attempt	116	4.7%
4	4: Yes, respondent pregnant	0	0.0%
5	5: No, not fasting and/or not in window	0	0.0%
	Total	**2,066**	**84.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	1	0.0%
.	-	381	15.6%
	Total	**382**	**15.6%**

This variable has 2,066 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 29-30 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BLDDRAW6: Blood drawn

Blood drawn?

Value	Label	Unweighted Frequency	%
1	1: No	0	0.0%
2	2: Yes	2067	84.4%
	Total	**2,067**	**84.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	381	15.6%
	Total	**381**	**15.6%**

This variable has 2,067 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 31-32 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SPEDAY6: Blood specimen day

Blood Specimen Day

Value	Label	Unweighted Frequency	%
2041	-	1	0.0%
2045	-	1	0.0%
2085	-	1	0.0%
2095	-	1	0.0%
2107	-	3	0.1%
2116	-	1	0.0%
2117	-	1	0.0%
2119	-	1	0.0%
2120	-	1	0.0%
2122	-	1	0.0%

Value	Label	Unweighted Frequency	%
2123	-	2	0.1%
2125	-	1	0.0%
2128	-	3	0.1%
2129	-	1	0.0%
2131	-	1	0.0%
2132	-	2	0.1%
2133	-	2	0.1%
2135	-	4	0.2%
2136	-	1	0.0%
2137	-	3	0.1%
2138	-	1	0.0%
2140	-	1	0.0%
2141	-	4	0.2%
2142	-	2	0.1%
2143	-	3	0.1%
2144	-	2	0.1%
2145	-	3	0.1%
2146	-	10	0.4%
2147	-	7	0.3%
2148	-	9	0.4%
2149	-	22	0.9%
2150	-	16	0.7%
2151	-	8	0.3%
2152	-	11	0.4%
2153	-	8	0.3%
2154	-	13	0.5%
2155	-	12	0.5%
2156	-	22	0.9%
2157	-	13	0.5%
2158	-	12	0.5%
2159	-	9	0.4%
2160	-	10	0.4%
2161	-	22	0.9%
2162	-	20	0.8%
2163	-	24	1.0%

Value	Label	Unweighted Frequency	%
2164	-	7	0.3%
2165	-	9	0.4%
2166	-	14	0.6%
2167	-	9	0.4%
2168	-	8	0.3%
	Total	**2,080**	**85.0%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	368	15.0%
	Total	**368**	**15.0%**

This variable has 2,080 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 2233.75
- Minimum: 2041.00
- Maximum: 2684.00
- Standard Deviation: 74.53

Location: 33-36 (width: 4; decimal: 0)
Variable Type: numeric

ANTICO16: Anticoagulant #1

Since your last study visit, have you taken: Any medication, pills or other medicine to thin your blood (anticoagulants)?

Value	Label	Unweighted Frequency	%
1	1: No	2368	96.7%
2	2: Yes	73	3.0%
	Total	**2,441**	**99.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	7	0.3%
	Total	**7**	**0.3%**

This variable has 2,441 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 37-38 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACOATW16: Anticoagulant #1 taken two times/week for the last month

If YES to ANTICO16: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	22	0.9%
2	2: Yes	51	2.1%
	Total	**73**	**3.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2368	96.7%
.	-	7	0.3%
	Total	**2,375**	**97.0%**

This variable has 73 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 39-40 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ANTICO26: Anticoagulant #2

Since your last study visit, have you taken: Any medication, pills or other medicine to thin your blood (anticoagulants)?

Value	Label	Unweighted Frequency	%
1	1: No	66	2.7%
2	2: Yes	7	0.3%
	Total	**73**	**3.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2368	96.7%
.	-	7	0.3%
	Total	**2,375**	**97.0%**

This variable has 73 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 41-42 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACOATW26: Anticoagulant #2 taken two times/week for the last month

If YES to ANTICO26: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	0	0.0%
2	2: Yes	7	0.3%
	Total	**7**	**0.3%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2434	99.4%
.	-	7	0.3%
	Total	**2,441**	**99.7%**

This variable has 7 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 43-44 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HEART16: Heart medication #1

Since your last study visit, have you taken: Anything for your heart or heart beat, including pills or patches?

Value	Label	Unweighted Frequency	%
1	1: No	2348	95.9%
2	2: Yes	93	3.8%
	Total	**2,441**	**99.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	7	0.3%
	Total	**7**	**0.3%**

This variable has 2,441 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 45-46 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HARTTW16: Heart medication #1 taken two times/week for the last month

If YES to HEART16: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	16	0.7%
2	2: Yes	77	3.1%
	Total	**93**	**3.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2348	95.9%
.	-	7	0.3%

Value	Missing Data	Unweighted Frequency	%
	Total	**2,355**	**96.2%**

This variable has 93 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 47-48 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HEART26: Heart medication #2

Since your last study visit, have you taken: Anything for your heart or heart beat, including pills or patches?

Value	Label	Unweighted Frequency	%
1	1: No	74	3.0%
2	2: Yes	19	0.8%
	Total	**93**	**3.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2348	95.9%
.	-	7	0.3%
	Total	**2,355**	**96.2%**

This variable has 93 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 49-50 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HARTTW26: Heart medication #2 taken two times/week for the last month

If YES to HEART26: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	3	0.1%

Value	Label	Unweighted Frequency	%
2	2: Yes	16	0.7%
	Total	**19**	**0.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2422	98.9%
.	-	7	0.3%
	Total	**2,429**	**99.2%**

This variable has 19 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 51-52 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHOLST16: Cholesterol medication #1

Since your last study visit, have you taken: Any medications for cholesterol or fats in your blood?

Value	Label	Unweighted Frequency	%
1	1: No	2174	88.8%
2	2: Yes	267	10.9%
	Total	**2,441**	**99.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	7	0.3%
	Total	**7**	**0.3%**

This variable has 2,441 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 53-54 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHOLTW16: Cholesterol medication #1 taken two times/week for the last month

If YES to CHOLST16: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	26	1.1%
2	2: Yes	241	9.8%
	Total	**267**	**10.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2174	88.8%
.	-	7	0.3%
	Total	**2,181**	**89.1%**

This variable has 267 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 55-56 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHOLST26: Cholesterol medication #2

Since your last study visit, have you taken: Any medications for cholesterol or fats in your blood?

Value	Label	Unweighted Frequency	%
1	1: No	257	10.5%
2	2: Yes	10	0.4%
	Total	**267**	**10.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2174	88.8%
.	-	7	0.3%
	Total	**2,181**	**89.1%**

This variable has 267 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 57-58 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHOLTW26: Cholesterol medication #2 taken two times/week for the last month

If YES to CHOLST26: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	3	0.1%
2	2: Yes	7	0.3%
	Total	**10**	**0.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2431	99.3%
.	-	7	0.3%
	Total	**2,438**	**99.6%**

This variable has 10 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 59-60 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BP16: Blood pressure medication #1

Since your last study visit, have you taken: Blood pressure pills?

Value	Label	Unweighted Frequency	%
1	1: No	1849	75.5%
2	2: Yes	592	24.2%
	Total	**2,441**	**99.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	7	0.3%
	Total	**7**	**0.3%**

This variable has 2,441 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 61-62 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BPTW16: Blood pressure medication #1 taken two times/week for the last month

If YES to BP16: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	25	1.0%
2	2: Yes	567	23.2%
	Total	**592**	**24.2%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	1849	75.5%
.	-	7	0.3%
	Total	**1,856**	**75.8%**

This variable has 592 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 63-64 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BP26: Blood pressure medication #2

Since your last study visit, have you taken: Blood pressure pills?

Value	Label	Unweighted Frequency	%
1	1: No	393	16.1%
2	2: Yes	199	8.1%
	Total	**592**	**24.2%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	1849	75.5%
.	-	7	0.3%
	Total	**1,856**	**75.8%**

This variable has 592 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 65-66 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BPTW26: Blood pressure medication #2 taken two times/week for the last month

If YES to BP26: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	17	0.7%
2	2: Yes	182	7.4%
	Total	**199**	**8.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2242	91.6%
.	-	7	0.3%
	Total	**2,249**	**91.9%**

This variable has 199 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 67-68 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIURET16: Diuretic #1

Since your last study visit, have you taken: Diuretics for water retention?

Value	Label	Unweighted Frequency	%
1	1: No	2256	92.2%
2	2: Yes	185	7.6%
	Total	**2,441**	**99.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	7	0.3%
	Total	**7**	**0.3%**

This variable has 2,441 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 69-70 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIURTW16: Diuretic #1 taken two times/week for the last month

If YES to DIURET16: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	34	1.4%
2	2: Yes	151	6.2%
	Total	**185**	**7.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2256	92.2%
.	-	7	0.3%
	Total	**2,263**	**92.4%**

This variable has 185 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 71-72 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIURET26: Diuretic #2

Since your last study visit, have you taken: Diuretics for water retention?

Value	Label	Unweighted Frequency	%
1	1: No	177	7.2%
2	2: Yes	8	0.3%
	Total	**185**	**7.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2256	92.2%
.	-	7	0.3%

Value	Missing Data	Unweighted Frequency	%
	Total	**2,263**	**92.4%**

This variable has 185 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 73-74 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIURTW26: Diuretic #2 taken two times/week for the last month

If YES to DIURET26: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	1	0.0%
2	2: Yes	7	0.3%
	Total	**8**	**0.3%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2433	99.4%
.	-	7	0.3%
	Total	**2,440**	**99.7%**

This variable has 8 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 75-76 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYROI16: Thyroid medication #1

Since your last study visit, have you taken: Thyroid pills?

Value	Label	Unweighted Frequency	%
1	1: No	2177	88.9%

Value	Label	Unweighted Frequency	%
2	2: Yes	264	10.8%
	Total	**2,441**	**99.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	7	0.3%
	Total	**7**	**0.3%**

This variable has 2,441 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 77-78 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYRTW16: Thyroid medication #1 taken two times/week for the last month

If YES to THYROI16: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	14	0.6%
2	2: Yes	250	10.2%
	Total	**264**	**10.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2177	88.9%
.	-	7	0.3%
	Total	**2,184**	**89.2%**

This variable has 264 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 79-80 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYROI26: Thyroid medication #2

Since your last study visit, have you taken: Thyroid pills?

Value	Label	Unweighted Frequency	%
1	1: No	257	10.5%
2	2: Yes	7	0.3%
	Total	**264**	**10.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2177	88.9%
.	-	7	0.3%
	Total	**2,184**	**89.2%**

This variable has 264 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 81-82 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYRTW26: Thyroid medication #2 taken two times/week for the last month

If YES to THYROI26: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	4	0.2%
2	2: Yes	3	0.1%
	Total	**7**	**0.3%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2434	99.4%
.	-	7	0.3%
	Total	**2,441**	**99.7%**

This variable has 7 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 83-84 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSULN16: Insulin medication #1

Since your last study visit, have you taken: Insulin or pills for sugar in your blood?

Value	Label	Unweighted Frequency	%
1	1: No	2285	93.3%
2	2: Yes	156	6.4%
	Total	**2,441**	**99.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	7	0.3%
	Total	**7**	**0.3%**

This variable has 2,441 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 85-86 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSUTW16: Insulin medication #1 taken two times/week for the last month

If YES to INSULN16: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	6	0.2%
2	2: Yes	150	6.1%
	Total	**156**	**6.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2285	93.3%
.	-	7	0.3%
	Total	**2,292**	**93.6%**

This variable has 156 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 87-88 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSULN26: Insulin medication #2

Since your last study visit, have you taken: Insulin or pills for sugar in your blood?

Value	Label	Unweighted Frequency	%
1	1: No	76	3.1%
2	2: Yes	80	3.3%
	Total	**156**	**6.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2285	93.3%
.	-	7	0.3%
	Total	**2,292**	**93.6%**

This variable has 156 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 89-90 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSUTW26: Insulin medication #2 taken two times/week for the last month

If YES to INSULN26: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	4	0.2%
2	2: Yes	76	3.1%
	Total	**80**	**3.3%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2361	96.4%
.	-	7	0.3%
	Total	**2,368**	**96.7%**

This variable has 80 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 91-92 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NERVS16: Nervous condition medication #1

Since your last study visit, have you taken: Any medications for a nervous condition such as tranquilizers, sedatives, sleeping pills, or anti-depression medication?

Value	Label	Unweighted Frequency	%
1	1: No	2014	82.3%
2	2: Yes	427	17.4%

Value	Label	Unweighted Frequency	%
	Total	**2,441**	**99.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	7	0.3%
	Total	**7**	**0.3%**

This variable has 2,441 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 93-94 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NERVTW16: Nervous condition medication #1 taken two times/week last month

If YES to NERVS16: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	106	4.3%
2	2: Yes	321	13.1%
	Total	**427**	**17.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2014	82.3%
.	-	7	0.3%
	Total	**2,021**	**82.6%**

This variable has 427 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 95-96 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NERVS26: Nervous condition medication #2

Since your last study visit, have you taken: Any medications for a nervous condition such as tranquilizers, sedatives, sleeping pills, or anti-depression medication?

Value	Label	Unweighted Frequency	%
1	1: No	282	11.5%
2	2: Yes	144	5.9%
	Total	**426**	**17.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	1	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2014	82.3%
.	-	7	0.3%
	Total	**2,022**	**82.6%**

This variable has 426 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 97-98 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NERVTW26: Nervous condition medication #2 taken two times/week last month

If YES to NERVS26: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	29	1.2%
2	2: Yes	115	4.7%
	Total	**144**	**5.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2297	93.8%
.	-	7	0.3%
	Total	**2,304**	**94.1%**

This variable has 144 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 99-100 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STEROI16: Steroid #1

Since your last study visit, have you taken: Steroid pills such as Prednisone, or cortisone?

Value	Label	Unweighted Frequency	%
1	1: No	2331	95.2%
2	2: Yes	110	4.5%
	Total	**2,441**	**99.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	7	0.3%
	Total	**7**	**0.3%**

This variable has 2,441 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 101-102 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STERTW16: Steroid #1 taken two times/week for the last month

If YES to STEROI16: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	75	3.1%
2	2: Yes	35	1.4%
	Total	**110**	**4.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2331	95.2%
.	-	7	0.3%
	Total	**2,338**	**95.5%**

This variable has 110 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 103-104 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STEROI26: Steroid #2

Since your last study visit, have you taken: Steroid pills such as Prednisone, or cortisone?

Value	Label	Unweighted Frequency	%
1	1: No	100	4.1%
2	2: Yes	10	0.4%
	Total	**110**	**4.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2331	95.2%
.	-	7	0.3%
	Total	**2,338**	**95.5%**

This variable has 110 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 105-106 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STERTW26: Steroid #2 taken two times/week for the last month

If YES to STEROI26: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	5	0.2%
2	2: Yes	5	0.2%
	Total	**10**	**0.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2431	99.3%
.	-	7	0.3%
	Total	**2,438**	**99.6%**

This variable has 10 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 107-108 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FERTIL16: Fertility medication #1

Since your last study visit, have you taken: Fertility medications to help you get pregnant (Pergonal, Clomid)?

Value	Label	Unweighted Frequency	%
1	1: No	2441	99.7%
2	2: Yes	0	0.0%
	Total	**2,441**	**99.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	7	0.3%
	Total	**7**	**0.3%**

This variable has 2,441 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 109-110 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FRTLTW16: Fertility medication #1 taken two times/week last month

If YES to FERTIL16: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	0	0.0%
2	2: Yes	0	0.0%
	Total	**0**	**0.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2441	99.7%
.	-	7	0.3%
	Total	**2,448**	**100.0%**

This variable has 0 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 111-112 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FERTIL26: Fertility medication #2

Since your last study visit, have you taken: Fertility medications to help you get pregnant (Pergonal, Clomid)?

Value	Label	Unweighted Frequency	%
1	1: No	0	0.0%
2	2: Yes	0	0.0%
	Total	**0**	**0.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2441	99.7%
.	-	7	0.3%
	Total	**2,448**	**100.0%**

This variable has 0 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 113-114 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FRTLTW26: Fertility medication #2 taken two times/week last month

If YES to FERTIL26: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	0	0.0%
2	2: Yes	0	0.0%
	Total	**0**	**0.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2441	99.7%
.	-	7	0.3%
	Total	**2,448**	**100.0%**

This variable has 0 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 115-116 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCP16: Birth control pill #1

Since your last study visit, have you taken: Birth control pills?

Value	Label	Unweighted Frequency	%
1	1: No	2400	98.0%
2	2: Yes	41	1.7%
	Total	**2,441**	**99.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	7	0.3%
	Total	**7**	**0.3%**

This variable has 2,441 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 117-118 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCPTWI16: Birth control pill #1 taken two times/week last month

If YES to BCP16: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	1: No	14	0.6%
2	2: Yes	27	1.1%
	Total	**41**	**1.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2400	98.0%
.	-	7	0.3%
	Total	**2,407**	**98.3%**

This variable has 41 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 119-120 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCP26: Birth control pill #2

Since your last study visit, have you taken: Birth control pills?

Value	Label	Unweighted Frequency	%
1	1: No	40	1.6%
2	2: Yes	1	0.0%
	Total	**41**	**1.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2400	98.0%
.	-	7	0.3%
	Total	**2,407**	**98.3%**

This variable has 41 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 121-122 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCPTWI26: Birth control pills #2 taken two times/week last month

If YES to BCP26: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	1: No	0	0.0%
2	2: Yes	1	0.0%
	Total	**1**	**0.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2440	99.7%
.	-	7	0.3%
	Total	**2,447**	**100.0%**

This variable has 1 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 123-124 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCREAS6: Primary reason for taking birth control pills

For your most recent use, what was the primary reason for taking birth control pills?

Value	Label	Unweighted Frequency	%
1	1: Prevent pregnancy	5	0.2%
2	2: Help control pre-menstrual symptoms	5	0.2%
3	3: Help control menopausal symptoms	6	0.2%
4	4: Control other symptoms	1	0.0%
5	5: Regulate periods	11	0.4%
6	6: Prevent osteoporosis	0	0.0%
7	7: Reduce bleeding	9	0.4%
8	8: Other	2	0.1%
	Total	**39**	**1.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	1	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2401	98.1%
.	-	7	0.3%
	Total	**2,409**	**98.4%**

This variable has 39 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 125-126 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCRES_S6: Primary reason other specify

For your most recent use, what was the primary reason for taking birth control pills? - (Specify)

Value	Label	Unweighted Frequency	%
	-	7	0.3%
-1	-1: N/A	2439	99.6%
-7	-7: Refused	0	0.0%
-8	-8: Do not know	0	0.0%
-9	-9: Missing	0	0.0%
TO CONTROL FIBROIDS	-	1	0.0%
to prevent cyst	-	1	0.0%
	Total	**2,448**	**100.0%**

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 127-145 (width: 19; decimal: 0)
Variable Type: character

ESTROG16: Estrogen pills #1

Since your last study visit, have you taken: Estrogen pills (such as Premarin, Estrace, Ogen, etc)?

Value	Label	Unweighted Frequency	%
1	1: No	2196	89.7%
2	2: Yes	245	10.0%
	Total	**2,441**	**99.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	7	0.3%
	Total	**7**	**0.3%**

This variable has 2,441 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 146-147 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTRTW16: Estrogen pills #1 taken two times/week for the last month

If YES to ESTROG16: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	1: No	69	2.8%
2	2: Yes	176	7.2%
	Total	**245**	**10.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2196	89.7%
.	-	7	0.3%
	Total	**2,203**	**90.0%**

This variable has 245 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 148-149 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTROG26: Estrogen pills #2

Since your last study visit, have you taken: Estrogen pills (such as Premarin, Estrace, Ogen, etc)?

Value	Label	Unweighted Frequency	%
1	1: No	241	9.8%
2	2: Yes	4	0.2%
	Total	**245**	**10.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2196	89.7%
.	-	7	0.3%
	Total	**2,203**	**90.0%**

This variable has 245 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 150-151 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTRTW26: Estrogen pills #2 taken two times/week for the last month

If YES to ESTROG26: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	1: No	2	0.1%
2	2: Yes	2	0.1%
	Total	**4**	**0.2%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2437	99.6%
.	-	7	0.3%
	Total	**2,444**	**99.8%**

This variable has 4 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 152-153 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTRDA16: Estrogen #1 prescription daily or off & on

If YES to ESTRTW16: Does/Did your prescription have you take estrogen daily or on and off on a monthly cycle?

Value	Label	Unweighted Frequency	%
1	1: Every Day	213	8.7%
2	2: Off and On	25	1.0%
	Total	**238**	**9.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	2	0.1%
-8	-8: Do not know	4	0.2%
-7	-7: Refused	1	0.0%
-1	-1: N/A	2196	89.7%
.	-	7	0.3%
	Total	**2,210**	**90.3%**

This variable has 238 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 154-155 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTRDA26: Estrogen #2 prescription daily or off & on

If YES to ESTRTW26: Does/Did your prescription have you take estrogen daily or on and off on a monthly cycle?

Value	Label	Unweighted Frequency	%
1	1: Every Day	3	0.1%
2	2: Off and On	1	0.0%
	Total	**4**	**0.2%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2437	99.6%
.	-	7	0.3%
	Total	**2,444**	**99.8%**

This variable has 4 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 156-157 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTRNJ16: Estrogen injection/patch #1

Since your last study visit, have you taken: Estrogen by injection or patch (such as Estraderm)?

Value	Label	Unweighted Frequency	%
1	1: No	2414	98.6%
2	2: Yes	27	1.1%
	Total	**2,441**	**99.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	7	0.3%
	Total	**7**	**0.3%**

This variable has 2,441 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 158-159 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EINJTW16: Estrogen injection/patch #1 taken two times/week for the last month

If YES to ESTRNJ16: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	1: No	8	0.3%
2	2: Yes	19	0.8%
	Total	**27**	**1.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2414	98.6%
.	-	7	0.3%
	Total	**2,421**	**98.9%**

This variable has 27 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 160-161 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTRNJ26: Estrogen injection/patch #2

Since your last study visit, have you taken: Estrogen by injection or patch (such as Estraderm)?

Value	Label	Unweighted Frequency	%
1	1: No	29	1.2%
2	2: Yes	2	0.1%
	Total	**31**	**1.3%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2410	98.4%
.	-	7	0.3%
	Total	**2,417**	**98.7%**

This variable has 31 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 162-163 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EINJTW26: Estrogen injection/patch #2 taken two times/week for the last month

If YES to ESTRNJ26: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	1: No	2	0.1%
2	2: Yes	0	0.0%
	Total	**2**	**0.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2439	99.6%
.	-	7	0.3%
	Total	**2,446**	**99.9%**

This variable has 2 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 164-165 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COMBIN16: Combination estrogen/progestin #1

Since your last study visit, have you taken: Combination estrogen/progestin (such as Premphase or Prempro)?

Value	Label	Unweighted Frequency	%
1	1: No	2249	91.9%
2	2: Yes	192	7.8%
	Total	**2,441**	**99.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	7	0.3%
	Total	**7**	**0.3%**

This variable has 2,441 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 166-167 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COMBTW16: Combination estrogen/progestin #1 taken two times/week for the last month

If YES to COMBIN16: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	1: No	71	2.9%
2	2: Yes	121	4.9%
	Total	**192**	**7.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2249	91.9%
.	-	7	0.3%
	Total	**2,256**	**92.2%**

This variable has 192 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 168-169 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COMBIN26: Combination estrogen/progestin #2

Since your last study visit, have you taken: Combination estrogen/progestin (such as Premphase or Prempro)?

Value	Label	Unweighted Frequency	%
1	1: No	176	7.2%
2	2: Yes	13	0.5%
	Total	**189**	**7.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2252	92.0%
.	-	7	0.3%
	Total	**2,259**	**92.3%**

This variable has 189 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 170-171 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COMBTW26: Combination estrogen/progestin #2 taken two times/week for the last month

If YES to COMBIN26: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	1: No	6	0.2%
2	2: Yes	7	0.3%
	Total	**13**	**0.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2428	99.2%
.	-	7	0.3%
	Total	**2,435**	**99.5%**

This variable has 13 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 172-173 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROGES16: Progestin pills #1

Since your last study visit, have you taken: Progestin pills (such as Provera)?

Value	Label	Unweighted Frequency	%
1	1: No	2271	92.8%
2	2: Yes	170	6.9%
	Total	**2,441**	**99.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	7	0.3%
	Total	**7**	**0.3%**

This variable has 2,441 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 174-175 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROGTW16: Progestin pills #1 taken two times/week for the last month

If YES to PROGES16: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	1: No	44	1.8%
2	2: Yes	126	5.1%
	Total	**170**	**6.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2271	92.8%
.	-	7	0.3%
	Total	**2,278**	**93.1%**

This variable has 170 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 176-177 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROGES26: Progestin pills #2

Since your last study visit, have you taken: Progestin pills (such as Provera)?

Value	Label	Unweighted Frequency	%
1	1: No	168	6.9%
2	2: Yes	2	0.1%
	Total	**170**	**6.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2271	92.8%
.	-	7	0.3%
	Total	**2,278**	**93.1%**

This variable has 170 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 178-179 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROGTW26: Progestin pills #2 taken two times/week for the last month

If YES to PROGES26: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	1: No	1	0.0%
2	2: Yes	1	0.0%
	Total	**2**	**0.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2439	99.6%
.	-	7	0.3%
	Total	**2,446**	**99.9%**

This variable has 2 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 180-181 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROGDA16: Progestin #1 prescription daily or off & on

If YES to PROGTW16: Does/Did your prescription have you take progestin daily or on and off a monthly cycle?

Value	Label	Unweighted Frequency	%
1	1: Every Day	91	3.7%
2	2: Off and On	76	3.1%
	Total	**167**	**6.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	1	0.0%
-8	-8: Do not know	1	0.0%
-7	-7: Refused	1	0.0%
-1	-1: N/A	2271	92.8%
.	-	7	0.3%
	Total	**2,281**	**93.2%**

This variable has 167 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 182-183 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROGDA26: Progestin #2 prescription daily or off & on

If YES to PROGTW26: Does/Did your prescription have you take progestin daily or on and off a monthly cycle?

Value	Label	Unweighted Frequency	%
1	1: Every Day	2	0.1%
2	2: Off and On	0	0.0%
	Total	**2**	**0.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2439	99.6%
.	-	7	0.3%
	Total	**2,446**	**99.9%**

This variable has 2 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 184-185 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTEPR16: Osteoporosis medication #1

Since your last study visit, have you taken: Medications to prevent or treat osteoporosis (brittle or thinning bones such as Fosamax, Didronel, Evista, Miacalcin, Rocaltrol, Actonel)?

Value	Label	Unweighted Frequency	%
1	1: No	2371	96.9%
2	2: Yes	70	2.9%

Value	Label	Unweighted Frequency	%
	Total	**2,441**	**99.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	7	0.3%
	Total	**7**	**0.3%**

This variable has 2,441 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 186-187 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTETW16: Osteoporosis medication #1 taken two times/week for last month

If YES to OSTEPR16: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	28	1.1%
2	2: Yes	42	1.7%
	Total	**70**	**2.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2371	96.9%
.	-	7	0.3%
	Total	**2,378**	**97.1%**

This variable has 70 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 188-189 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTEPR26: Osteoporosis medication #2

Since your last study visit, have you taken: Medications to prevent or treat osteoporosis (brittle or thinning bones such as Fosamax, Didronel, Evista, Miacalcin, Rocaltrol, Actonel)?

Value	Label	Unweighted Frequency	%
1	1: No	67	2.7%
2	2: Yes	3	0.1%
	Total	**70**	**2.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2371	96.9%
.	-	7	0.3%
	Total	**2,378**	**97.1%**

This variable has 70 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 190-191 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTETW26: Osteoporosis medication #2 taken two times/week for last month

If YES to OSTEPR26: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	1	0.0%
2	2: Yes	2	0.1%
	Total	**3**	**0.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2438	99.6%
.	-	7	0.3%
	Total	**2,445**	**99.9%**

This variable has 3 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 192-193 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ARTHRT16: Arthritis med #1

Since your last study visit, have you taken: Prescribed medications for arthritis?

Value	Label	Unweighted Frequency	%
1	1: No	2113	86.3%
2	2: Yes	204	8.3%
	Total	**2,317**	**94.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	124	5.1%
.	-	7	0.3%
	Total	**131**	**5.4%**

This variable has 2,317 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 194-195 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ARTHTW16: Arthritis med #1 taken two times/week last month

If YES to ARTHRT16: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	69	2.8%
2	2: Yes	135	5.5%
	Total	**204**	**8.3%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2237	91.4%
.	-	7	0.3%
	Total	**2,244**	**91.7%**

This variable has 204 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 196-197 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ARTHRT26: Arthritis med #2

Since your last study visit, have you taken: Prescribed medications for arthritis?

Value	Label	Unweighted Frequency	%
1	1: No	165	6.7%
2	2: Yes	39	1.6%
	Total	**204**	**8.3%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2237	91.4%
.	-	7	0.3%
	Total	**2,244**	**91.7%**

This variable has 204 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 198-199 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ARTHTW26: Arthritis med #2 taken two times/week last month

If YES to ARTHRT26: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	20	0.8%
2	2: Yes	19	0.8%
	Total	**39**	**1.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2402	98.1%
.	-	7	0.3%
	Total	**2,409**	**98.4%**

This variable has 39 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 200-201 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED16: Other prescription medication #1

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	1: No	1293	52.8%
2	2: Yes	1148	46.9%
	Total	**2,441**	**99.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	7	0.3%
	Total	**7**	**0.3%**

This variable has 2,441 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 202-203 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW16: Other prescription medication #1 taken two times/week last month

If YES to OTHMED16: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	471	19.2%
2	2: Yes	676	27.6%
	Total	**1,147**	**46.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	1	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	1293	52.8%
.	-	7	0.3%
	Total	**1,301**	**53.1%**

This variable has 1,147 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 204-205 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED26: Other prescription medication #2

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	1: No	525	21.4%
2	2: Yes	623	25.4%
	Total	**1,148**	**46.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	1293	52.8%
.	-	7	0.3%
	Total	**1,300**	**53.1%**

This variable has 1,148 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 206-207 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW26: Other prescription medication #2 taken two times/week last month

If YES to OTHMED26: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	253	10.3%
2	2: Yes	369	15.1%
	Total	**622**	**25.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	1	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	1818	74.3%

Value	Missing Data	Unweighted Frequency	%
.	-	7	0.3%
	Total	**1,826**	**74.6%**

This variable has 622 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 208-209 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED36: Other prescription medication #3

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	1: No	286	11.7%
2	2: Yes	337	13.8%
	Total	**623**	**25.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	1818	74.3%
.	-	7	0.3%
	Total	**1,825**	**74.6%**

This variable has 623 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 210-211 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW36: Other prescription medication #3 taken two times/week last month

If YES to OTHMED36: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	151	6.2%
2	2: Yes	186	7.6%
	Total	**337**	**13.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2104	85.9%
.	-	7	0.3%
	Total	**2,111**	**86.2%**

This variable has 337 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 212-213 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED46: Other prescription medication #4

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	1: No	134	5.5%
2	2: Yes	203	8.3%
	Total	**337**	**13.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2104	85.9%
.	-	7	0.3%
	Total	**2,111**	**86.2%**

This variable has 337 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 214-215 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW46: Other prescription medication #4 taken two times/week last month

If YES to OTHMED46: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	95	3.9%
2	2: Yes	108	4.4%
	Total	**203**	**8.3%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2238	91.4%
.	-	7	0.3%
	Total	**2,245**	**91.7%**

This variable has 203 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 216-217 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED56: Other prescription medication #5

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	1: No	90	3.7%
2	2: Yes	113	4.6%
	Total	**203**	**8.3%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2238	91.4%
.	-	7	0.3%
	Total	**2,245**	**91.7%**

This variable has 203 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 218-219 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW56: Other prescription medication #5 taken two times/week last month

If YES to OTHMED56: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	59	2.4%
2	2: Yes	54	2.2%
	Total	**113**	**4.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2328	95.1%
.	-	7	0.3%
	Total	**2,335**	**95.4%**

This variable has 113 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 220-221 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED66: Other prescription medication #6

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	1: No	53	2.2%
2	2: Yes	60	2.5%
	Total	**113**	**4.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2328	95.1%
.	-	7	0.3%
	Total	**2,335**	**95.4%**

This variable has 113 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 222-223 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW66: Other prescription medication #6 taken two times/week last month

If YES to OTHMED66: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	36	1.5%
2	2: Yes	24	1.0%
	Total	**60**	**2.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2381	97.3%

Value	Missing Data	Unweighted Frequency	%
.	-	7	0.3%
	Total	**2,388**	**97.5%**

This variable has 60 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 224-225 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED76: Other prescription medication #7

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	1: No	21	0.9%
2	2: Yes	39	1.6%
	Total	**60**	**2.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2381	97.3%
.	-	7	0.3%
	Total	**2,388**	**97.5%**

This variable has 60 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 226-227 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW76: Other prescription medication #7 taken two times/week last month

If YES to OTHMED76: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	23	0.9%
2	2: Yes	16	0.7%
	Total	**39**	**1.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2402	98.1%
.	-	7	0.3%
	Total	**2,409**	**98.4%**

This variable has 39 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 228-229 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED86: Other prescription medication #8

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	1: No	16	0.7%
2	2: Yes	23	0.9%
	Total	**39**	**1.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2402	98.1%
.	-	7	0.3%
	Total	**2,409**	**98.4%**

This variable has 39 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 230-231 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW86: Other prescription medication #8 taken two times/week last month

If YES to OTHMED86: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	13	0.5%
2	2: Yes	10	0.4%
	Total	**23**	**0.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2418	98.8%
.	-	7	0.3%
	Total	**2,425**	**99.1%**

This variable has 23 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 232-233 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED96: Other prescription medication #9

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	1: No	8	0.3%
2	2: Yes	15	0.6%
	Total	**23**	**0.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2418	98.8%
.	-	7	0.3%
	Total	**2,425**	**99.1%**

This variable has 23 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 234-235 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW96: Other prescription medication #9 taken two times/week last month

If YES to OTHMED96: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	10	0.4%
2	2: Yes	5	0.2%
	Total	**15**	**0.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2426	99.1%
.	-	7	0.3%
	Total	**2,433**	**99.4%**

This variable has 15 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 236-237 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHME106: Other prescription medication #10

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	1: No	5	0.2%
2	2: Yes	10	0.4%
	Total	**15**	**0.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2426	99.1%
.	-	7	0.3%
	Total	**2,433**	**99.4%**

This variable has 15 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 238-239 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHTW106: Other prescription medication #10 taken two times/week last month

If YES to OTHMED106: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	5	0.2%
2	2: Yes	5	0.2%
	Total	**10**	**0.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2431	99.3%

Value	Missing Data	Unweighted Frequency	%
.	-	7	0.3%
	Total	**2,438**	**99.6%**

This variable has 10 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 240-241 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHME116: Other prescription medication #11

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	1: No	2	0.1%
2	2: Yes	8	0.3%
	Total	**10**	**0.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2431	99.3%
.	-	7	0.3%
	Total	**2,438**	**99.6%**

This variable has 10 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 242-243 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHTW116: Other prescription medication #11 taken two times/week last month

If YES to OTHMED116: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	6	0.2%
2	2: Yes	2	0.1%
	Total	**8**	**0.3%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2433	99.4%
.	-	7	0.3%
	Total	**2,440**	**99.7%**

This variable has 8 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 244-245 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHME126: Other prescription medication #12

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	1: No	1	0.0%
2	2: Yes	7	0.3%
	Total	**8**	**0.3%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2433	99.4%
.	-	7	0.3%
	Total	**2,440**	**99.7%**

This variable has 8 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 246-247 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHTW126: Other prescription medication #12 taken two times/week last month

If YES to OTHMED126: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	5	0.2%
2	2: Yes	2	0.1%
	Total	**7**	**0.3%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2434	99.4%
.	-	7	0.3%
	Total	**2,441**	**99.7%**

This variable has 7 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 248-249 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHME136: Other prescription medication #13

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	1: No	0	0.0%
2	2: Yes	7	0.3%
	Total	**7**	**0.3%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2434	99.4%
.	-	7	0.3%
	Total	**2,441**	**99.7%**

This variable has 7 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 250-251 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHTW136: Other prescription medication #13 taken two times/week last month

If YES to OTHMED136: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	5	0.2%
2	2: Yes	2	0.1%
	Total	**7**	**0.3%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2434	99.4%
.	-	7	0.3%
	Total	**2,441**	**99.7%**

This variable has 7 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 252-253 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHME146: Other prescription medication #14

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	1: No	1	0.0%
2	2: Yes	6	0.2%
	Total	**7**	**0.3%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2434	99.4%
.	-	7	0.3%
	Total	**2,441**	**99.7%**

This variable has 7 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 254-255 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHTW146: Other prescription medication #14 taken two times/week last month

If YES to OTHMED146: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	5	0.2%
2	2: Yes	1	0.0%
	Total	**6**	**0.2%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2435	99.5%

Value	Missing Data	Unweighted Frequency	%
.	-	7	0.3%
	Total	**2,442**	**99.8%**

This variable has 6 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 256-257 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHME156: Other prescription medication #15

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	1: No	2	0.1%
2	2: Yes	4	0.2%
	Total	**6**	**0.2%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2435	99.5%
.	-	7	0.3%
	Total	**2,442**	**99.8%**

This variable has 6 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 258-259 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHTW156: Other prescription medication #15 taken two times/week last month

If YES to OTHMED156: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	3	0.1%
2	2: Yes	1	0.0%
	Total	**4**	**0.2%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2437	99.6%
.	-	7	0.3%
	Total	**2,444**	**99.8%**

This variable has 4 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 260-261 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTLSTV6: Using any estrogen/progestin at time of last study visit

Were you using any prescription medications containing estrogen or progestin at the time of your last study visit?

Value	Label	Unweighted Frequency	%
1	1: No	92	3.8%
2	2: Yes	344	14.1%
	Total	**436**	**17.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	3	0.1%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2002	81.8%
.	-	7	0.3%
	Total	**2,012**	**82.2%**

This variable has 436 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 262-263 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

REDUHAR6: Reduce risk of heart disease

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: To reduce the risk of heart disease

Value	Label	Unweighted Frequency	%
1	1: No	87	3.6%
2	2: Yes	8	0.3%
	Total	**95**	**3.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2346	95.8%
.	-	7	0.3%
	Total	**2,353**	**96.1%**

This variable has 95 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 264-265 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTEOPO6: Reduce risk of osteoporosis

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: To reduce the risk of osteoporosis (brittle or thinning bones)

Value	Label	Unweighted Frequency	%
1	1: No	74	3.0%
2	2: Yes	21	0.9%
	Total	**95**	**3.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2346	95.8%
.	-	7	0.3%
	Total	**2,353**	**96.1%**

This variable has 95 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 266-267 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MENOSYM6: Relieve menopausal symptoms

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: To relieve menopausal symptoms

Value	Label	Unweighted Frequency	%
1	1: No	30	1.2%
2	2: Yes	65	2.7%
	Total	**95**	**3.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2346	95.8%
.	-	7	0.3%
	Total	**2,353**	**96.1%**

This variable has 95 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 268-269 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOUNGLK6: Stay young-looking

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: To stay young-looking

Value	Label	Unweighted Frequency	%
1	1: No	87	3.6%
2	2: Yes	8	0.3%
	Total	**95**	**3.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2346	95.8%
.	-	7	0.3%
	Total	**2,353**	**96.1%**

This variable has 95 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 270-271 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HCPADVI6: Health care provider (HCP) advised to take them

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: A health care provider advised me to take them

Value	Label	Unweighted Frequency	%
1	1: No	25	1.0%
2	2: Yes	70	2.9%
	Total	**95**	**3.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	-1: N/A	2346	95.8%
.	-	7	0.3%
	Total	**2,353**	**96.1%**

This variable has 95 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 272-273 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FRNADVI6: Friend/relative advised

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: A friend or relative advised me to take them

Value	Label	Unweighted Frequency	%
1	1: No	81	3.3%
2	2: Yes	14	0.6%
	Total	**95**	**3.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2346	95.8%
.	-	7	0.3%
	Total	**2,353**	**96.1%**

This variable has 95 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 274-275 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMPRMEM6: Improve memory

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: To improve my memory

Value	Label	Unweighted Frequency	%
1	1: No	85	3.5%
2	2: Yes	10	0.4%
	Total	**95**	**3.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2346	95.8%
.	-	7	0.3%
	Total	**2,353**	**96.1%**

This variable has 95 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 276-277 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

REGPERI6: Regulate periods

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: To regulate periods

Value	Label	Unweighted Frequency	%
1	1: No	71	2.9%
2	2: Yes	24	1.0%
	Total	**95**	**3.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2346	95.8%
.	-	7	0.3%
	Total	**2,353**	**96.1%**

This variable has 95 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 278-279 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HORMOTH6: Take hormones for other reasons

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: Any other? Specify

Value	Label	Unweighted Frequency	%
1	1: No	73	3.0%
2	2: Yes	22	0.9%
	Total	**95**	**3.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2346	95.8%
.	-	7	0.3%
	Total	**2,353**	**96.1%**

This variable has 95 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 280-281 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DONTKNO6: Don't know/remember why take hormones

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: Don't Know/Remember

Value	Label	Unweighted Frequency	%
1	1: No	94	3.8%
2	2: Yes	1	0.0%
	Total	**95**	**3.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2346	95.8%
.	-	7	0.3%
	Total	**2,353**	**96.1%**

This variable has 95 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 282-283 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HORMDAY6: Last took hormones day

Since your last study visit, you were taking some hormones and then stopped. In what month and year did you last take hormones?

Value	Label	Unweighted Frequency	%
1201	-	1	0.0%
1704	-	1	0.0%
1791	-	1	0.0%
1819	-	1	0.0%
1829	-	2	0.1%
1846	-	1	0.0%
1855	-	1	0.0%
1869	-	1	0.0%
1872	-	1	0.0%
1875	-	1	0.0%
1883	-	1	0.0%
1884	-	1	0.0%
1887	-	1	0.0%
1894	-	1	0.0%
1920	-	1	0.0%
1921	-	1	0.0%
1929	-	1	0.0%

Value	Label	Unweighted Frequency	%
1933	-	1	0.0%
1938	-	2	0.1%
1941	-	1	0.0%
1956	-	1	0.0%
1957	-	1	0.0%
1963	-	1	0.0%
1964	-	1	0.0%
1968	-	1	0.0%
1970	-	1	0.0%
1978	-	1	0.0%
1981	-	1	0.0%
1984	-	1	0.0%
1988	-	1	0.0%
1994	-	1	0.0%
2009	-	2	0.1%
2010	-	1	0.0%
2012	-	1	0.0%
2019	-	1	0.0%
2023	-	1	0.0%
2029	-	1	0.0%
2030	-	1	0.0%
2031	-	1	0.0%
2035	-	1	0.0%
2039	-	2	0.1%
2040	-	1	0.0%
2041	-	1	0.0%
2047	-	1	0.0%
2049	-	1	0.0%
2051	-	1	0.0%
2054	-	1	0.0%
2062	-	2	0.1%
2066	-	1	0.0%
2071	-	1	0.0%
	Total	**114**	**4.7%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	2334	95.3%
	Total	**2,334**	**95.3%**

This variable has 114 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 2050.70
- Median: 2072.00
- Minimum: 1201.00
- Maximum: 2417.00
- Standard Deviation: 144.89

Location: 284-287 (width: 4; decimal: 0)
Variable Type: numeric

PRBBLEE6: Problems with bleeding

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Problems with bleeding

Value	Label	Unweighted Frequency	%
1	1: No	108	4.4%
2	2: Yes	8	0.3%
	Total	**116**	**4.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2325	95.0%
.	-	7	0.3%
	Total	**2,332**	**95.3%**

This variable has 116 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 288-289 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HAVEPER6: Did not like having periods

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Didn't like having periods

Value	Label	Unweighted Frequency	%
1	1: No	116	4.7%
2	2: Yes	0	0.0%
	Total	**116**	**4.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2325	95.0%
.	-	7	0.3%
	Total	**2,332**	**95.3%**

This variable has 116 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 290-291 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LIKEFEL6: Did not like how felt on them

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Didn't like how I felt on them

Value	Label	Unweighted Frequency	%
1	1: No	103	4.2%
2	2: Yes	13	0.5%
	Total	**116**	**4.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2325	95.0%
.	-	7	0.3%

Value	Missing Data	Unweighted Frequency	%
	Total	**2,332**	**95.3%**

This variable has 116 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 292-293 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SIDEEFF6: Worried about possible side effects

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Worried about possible side effects

Value	Label	Unweighted Frequency	%
1	1: No	74	3.0%
2	2: Yes	42	1.7%
	Total	**116**	**4.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2325	95.0%
.	-	7	0.3%
	Total	**2,332**	**95.3%**

This variable has 116 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 294-295 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CANCER6: Worried about cancer

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Worried about cancer

Value	Label	Unweighted Frequency	%
1	1: No	86	3.5%
2	2: Yes	30	1.2%
	Total	**116**	**4.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2325	95.0%
.	-	7	0.3%
	Total	**2,332**	**95.3%**

This variable has 116 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 296-297 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ADVISTO6: Health care provider (HCP) advised to stop

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? My health care provider advised me to stop (for medical reasons)

Value	Label	Unweighted Frequency	%
1	1: No	90	3.7%
2	2: Yes	26	1.1%
	Total	**116**	**4.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2325	95.0%
.	-	7	0.3%
	Total	**2,332**	**95.3%**

This variable has 116 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 298-299 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXPENSI6: Too expensive

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Too expensive

Value	Label	Unweighted Frequency	%
1	1: No	114	4.7%
2	2: Yes	2	0.1%
	Total	**116**	**4.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2325	95.0%
.	-	7	0.3%
	Total	**2,332**	**95.3%**

This variable has 116 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 300-301 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOLIKE6: Do not like taking medications

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Don't like to take any medications

Value	Label	Unweighted Frequency	%
1	1: No	114	4.7%
2	2: Yes	2	0.1%
	Total	**116**	**4.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2325	95.0%
.	-	7	0.3%
	Total	**2,332**	**95.3%**

This variable has 116 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 302-303 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOREMEB6: Couldn't remember to take them

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Couldn't remember to take them

Value	Label	Unweighted Frequency	%
1	1: No	114	4.7%
2	2: Yes	2	0.1%
	Total	**116**	**4.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2325	95.0%
.	-	7	0.3%
	Total	**2,332**	**95.3%**

This variable has 116 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 304-305 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DNTKNOW6: Don't know why stopped hormones

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Don't know

Value	Label	Unweighted Frequency	%
1	1: No	116	4.7%
2	2: Yes	0	0.0%
	Total	**116**	**4.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2325	95.0%
.	-	7	0.3%
	Total	**2,332**	**95.3%**

This variable has 116 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 306-307 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STOPOTH6: Stopped hormones other reason

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Other, specify

Value	Label	Unweighted Frequency	%
1	1: No	44	1.8%
2	2: Yes	72	2.9%
	Total	**116**	**4.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	-1: N/A	2325	95.0%
.	-	7	0.3%
	Total	**2,332**	**95.3%**

This variable has 116 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 308-309 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOREASO6: Stopped hormones no reason given

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? No reason given

Value	Label	Unweighted Frequency	%
1	1: No	115	4.7%
2	2: Yes	1	0.0%
	Total	**116**	**4.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2325	95.0%
.	-	7	0.3%
	Total	**2,332**	**95.3%**

This variable has 116 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 310-311 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

REGVITA6: Take any vitamins/minerals at least once per week

Since your last study visit, have you taken any vitamins or minerals fairly regularly, at least once a week?

Value	Label	Unweighted Frequency	%
1	1: No	757	30.9%
2	2: Yes	1559	63.7%
	Total	**2,316**	**94.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	125	5.1%
.	-	7	0.3%
	Total	**132**	**5.4%**

This variable has 2,316 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 312-313 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ONCEADA6: How often take multi-vitamin

If YES to REGVITA6: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Multi-Vitamins, how often do you take: Regular Once-A-Day, Centrum, or Thera type

Value	Label	Unweighted Frequency	%
1	1: Do not take any	475	19.4%
2	2: 1-3 days/week	170	6.9%
3	3: 4-6 days/week	166	6.8%
4	4: Every day	748	30.6%
	Total	**1,559**	**63.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	882	36.0%
.	-	7	0.3%

Value	Missing Data	Unweighted Frequency	%
	Total	**889**	**36.3%**

This variable has 1,559 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 314-315 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ANTIOXI6: How often take antioxidant

If YES to REGVITA6: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Multi-Vitamins, how often do you take: Antioxidant combination type

Value	Label	Unweighted Frequency	%
1	1: Do not take any	1430	58.4%
2	2: 1-3 days/week	27	1.1%
3	3: 4-6 days/week	21	0.9%
4	4: Every day	80	3.3%
	Total	**1,558**	**63.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	1	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	882	36.0%
.	-	7	0.3%
	Total	**890**	**36.4%**

This variable has 1,558 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 316-317 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VITCOMB6: Other vitamin combinations

If YES to REGVITA6: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Multi-Vitamins, how often do you take: Any other combination types

Value	Label	Unweighted Frequency	%
1	1: No	1209	49.4%
2	2: Yes	350	14.3%
	Total	**1,559**	**63.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	882	36.0%
.	-	7	0.3%
	Total	**889**	**36.3%**

This variable has 1,559 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 318-319 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VTMOTH16: How often take other multi-vitamin #1

If YES to REGVITA6: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Multi-Vitamins, how often do you take: Any other combination types? If YES to VITCOMB6, specify

Value	Label	Unweighted Frequency	%
1	1: Do not take any	0	0.0%
2	2: 1-3 days/week	41	1.7%
3	3: 4-6 days/week	37	1.5%
4	4: Every day	272	11.1%
	Total	**350**	**14.3%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	-1: N/A	2091	85.4%
.	-	7	0.3%
	Total	**2,098**	**85.7%**

This variable has 350 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 2.00
- Maximum: 4.00

Location: 320-321 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VTMOTH26: How often take other multi-vitamin #2

If YES to REGVITA6: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Multi-Vitamins, how often do you take: Any other combination types? If YES to VITCOMB6, specify

Value	Label	Unweighted Frequency	%
1	1: Do not take any	2	0.1%
2	2: 1-3 days/week	12	0.5%
3	3: 4-6 days/week	6	0.2%
4	4: Every day	50	2.0%
	Total	**70**	**2.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2371	96.9%
.	-	7	0.3%
	Total	**2,378**	**97.1%**

This variable has 70 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 322-323 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VTMOTH36: How often take other multi-vitamin #3

If YES to REGVITA6: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Multi-Vitamins, how often do you take: Any other combination types? If YES to VITCOMB6, specify

Value	Label	Unweighted Frequency	%
1	1: Do not take any	0	0.0%
2	2: 1-3 days/week	4	0.2%
3	3: 4-6 days/week	1	0.0%
4	4: Every day	9	0.4%
	Total	**14**	**0.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2427	99.1%
.	-	7	0.3%
	Total	**2,434**	**99.4%**

This variable has 14 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 2.00
- Maximum: 4.00

Location: 324-325 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VTMOTH46: How often take other multi-vitamin #4

If YES to REGVITA6: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Multi-Vitamins, how often do you take: Any other combination types? If YES to VITCOMB6, specify

Value	Label	Unweighted Frequency	%
1	1: Do not take any	0	0.0%
2	2: 1-3 days/week	0	0.0%
3	3: 4-6 days/week	2	0.1%
4	4: Every day	7	0.3%
	Total	**9**	**0.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2432	99.3%
.	-	7	0.3%
	Total	**2,439**	**99.6%**

This variable has 9 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 3.00
- Maximum: 4.00

Location: 326-327 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VITAMNA6: How often take Vitamin A

If YES to REGVITA6: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins, not part of multi-vitamins, how often do you take: Vitamin A, not beta carotene

Value	Label	Unweighted Frequency	%
1	1: Do not take any	1515	61.9%
2	2: 1-3 days/week	13	0.5%
3	3: 4-6 days/week	5	0.2%
4	4: Every day	26	1.1%
	Total	**1,559**	**63.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	882	36.0%
.	-	7	0.3%
	Total	**889**	**36.3%**

This variable has 1,559 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 328-329 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BETACAR6: How often take beta-Carotene

If YES to REGVITA6: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins, not part of multi-vitamins, how often do you take: Beta-carotene

Value	Label	Unweighted Frequency	%
1	1: Do not take any	1505	61.5%
2	2: 1-3 days/week	13	0.5%
3	3: 4-6 days/week	10	0.4%
4	4: Every day	31	1.3%
	Total	**1,559**	**63.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	882	36.0%
.	-	7	0.3%
	Total	**889**	**36.3%**

This variable has 1,559 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 330-331 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VITAMNC6: How often take Vitamin C

If YES to REGVITA6: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins, not part of multi-vitamins, how often do you take: Vitamin C

Value	Label	Unweighted Frequency	%
1	1: Do not take any	1118	45.7%
2	2: 1-3 days/week	86	3.5%
3	3: 4-6 days/week	67	2.7%
4	4: Every day	288	11.8%
	Total	**1,559**	**63.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	882	36.0%
.	-	7	0.3%
	Total	**889**	**36.3%**

This variable has 1,559 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 332-333 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VITAMND6: How often take Vitamin D

If YES to REGVITA6: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins, not part of multi-vitamins, how often do you take: Vitamin D

Value	Label	Unweighted Frequency	%
1	1: Do not take any	1400	57.2%
2	2: 1-3 days/week	16	0.7%
3	3: 4-6 days/week	20	0.8%
4	4: Every day	123	5.0%
	Total	**1,559**	**63.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	882	36.0%
.	-	7	0.3%
	Total	**889**	**36.3%**

This variable has 1,559 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 334-335 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VITAMNE6: How often take Vitamin E

If YES to REGVITA6: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins, not part of multi-vitamins, how often do you take: Vitamin E

Value	Label	Unweighted Frequency	%
1	1: Do not take any	1021	41.7%
2	2: 1-3 days/week	90	3.7%
3	3: 4-6 days/week	70	2.9%
4	4: Every day	378	15.4%
	Total	**1,559**	**63.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	882	36.0%
.	-	7	0.3%
	Total	**889**	**36.3%**

This variable has 1,559 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 336-337 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CALCTUM6: How often take calcium or Tums

If YES to REGVITA6: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins, not part of multi-vitamins, how often do you take: Calcium or Tums

Value	Label	Unweighted Frequency	%
1	1: Do not take any	736	30.1%
2	2: 1-3 days/week	161	6.6%
3	3: 4-6 days/week	118	4.8%
4	4: Every day	544	22.2%

Value	Label	Unweighted Frequency	%
	Total	**1,559**	**63.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	882	36.0%
.	-	7	0.3%
	Total	**889**	**36.3%**

This variable has 1,559 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 338-339 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IRON6: How often take iron

If YES to REGVITA6: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins, not part of multi-vitamins, how often do you take: Iron

Value	Label	Unweighted Frequency	%
1	1: Do not take any	1436	58.7%
2	2: 1-3 days/week	38	1.6%
3	3: 4-6 days/week	7	0.3%
4	4: Every day	78	3.2%
	Total	**1,559**	**63.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	882	36.0%
.	-	7	0.3%
	Total	**889**	**36.3%**

This variable has 1,559 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 4.00

Location: 340-341 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ZINC6: How often take zinc

If YES to REGVITA6: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins, not part of multi-vitamins, how often do you take: Zinc

Value	Label	Unweighted Frequency	%
1	1: Do not take any	1481	60.5%
2	2: 1-3 days/week	24	1.0%
3	3: 4-6 days/week	14	0.6%
4	4: Every day	40	1.6%
	Total	**1,559**	**63.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	882	36.0%
.	-	7	0.3%
	Total	**889**	**36.3%**

This variable has 1,559 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 4.00

Location: 342-343 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELENIU6: How often take selenium

If YES to REGVITA6: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins, not part of multi-vitamins, how often do you take: Selenium

Value	Label	Unweighted Frequency	%
1	1: Do not take any	1507	61.6%
2	2: 1-3 days/week	9	0.4%

Value	Label	Unweighted Frequency	%
3	3: 4-6 days/week	10	0.4%
4	4: Every day	33	1.3%
	Total	**1,559**	**63.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	882	36.0%
.	-	7	0.3%
	Total	**889**	**36.3%**

This variable has 1,559 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 344-345 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VTMSING6: Any other single vitamins

If YES to REGVITA6: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins, not part of multi-vitamins, how often do you take: Any other single vitamins?

Value	Label	Unweighted Frequency	%
1	1: No	1140	46.6%
2	2: Yes	419	17.1%
	Total	**1,559**	**63.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	882	36.0%
.	-	7	0.3%
	Total	**889**	**36.3%**

This variable has 1,559 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 346-347 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SVTMOT16: How often take other vitamin #1

If YES to REGVITA6: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins, not part of multi-vitamins, how often do you take: Any other single vitamins? If YES to VTMSING6, specify

Value	Label	Unweighted Frequency	%
1	1: Do not take any	2	0.1%
2	2: 1-3 days/week	42	1.7%
3	3: 4-6 days/week	55	2.2%
4	4: Every day	320	13.1%
	Total	**419**	**17.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2022	82.6%
.	-	7	0.3%
	Total	**2,029**	**82.9%**

This variable has 419 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 348-349 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SVTMOT26: How often take other vitamin #2

If YES to REGVITA6: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins, not part of multi-vitamins, how often do you take: Any other single vitamins? If YES to VTMSING6, specify

Value	Label	Unweighted Frequency	%
1	1: Do not take any	1	0.0%

Value	Label	Unweighted Frequency	%
2	2: 1-3 days/week	19	0.8%
3	3: 4-6 days/week	20	0.8%
4	4: Every day	145	5.9%
	Total	**185**	**7.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2256	92.2%
.	-	7	0.3%
	Total	**2,263**	**92.4%**

This variable has 185 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 350-351 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SVTMOT36: How often take other vitamin #3

If YES to REGVITA6: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins, not part of multi-vitamins, how often do you take: Any other single vitamins? If YES to VTMSING6, specify

Value	Label	Unweighted Frequency	%
1	1: Do not take any	1	0.0%
2	2: 1-3 days/week	8	0.3%
3	3: 4-6 days/week	15	0.6%
4	4: Every day	83	3.4%
	Total	**107**	**4.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2334	95.3%

Value	Missing Data	Unweighted Frequency	%
.	-	7	0.3%
	Total	**2,341**	**95.6%**

This variable has 107 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 352-353 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SVTMOT46: How often take other vitamin #4

If YES to REGVITA6: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins, not part of multi-vitamins, how often do you take: Any other single vitamins? If YES to VTMSING6, specify

Value	Label	Unweighted Frequency	%
1	1: Do not take any	1	0.0%
2	2: 1-3 days/week	4	0.2%
3	3: 4-6 days/week	10	0.4%
4	4: Every day	36	1.5%
	Total	**51**	**2.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2390	97.6%
.	-	7	0.3%
	Total	**2,397**	**97.9%**

This variable has 51 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 354-355 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SVTMOT56: How often take other vitamin #5

If YES to REGVITA6: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins, not part of multi-vitamins, how often do you take: Any other single vitamins? If YES to VTMSING6, specify

Value	Label	Unweighted Frequency	%
1	1: Do not take any	1	0.0%
2	2: 1-3 days/week	2	0.1%
3	3: 4-6 days/week	7	0.3%
4	4: Every day	21	0.9%
	Total	**31**	**1.3%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2410	98.4%
.	-	7	0.3%
	Total	**2,417**	**98.7%**

This variable has 31 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 356-357 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SVTMOT66: How often take other vitamin #6

If YES to REGVITA6: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins, not part of multi-vitamins, how often do you take: Any other single vitamins? If YES to VTMSING6, specify

Value	Label	Unweighted Frequency	%
1	1: Do not take any	0	0.0%
2	2: 1-3 days/week	3	0.1%
3	3: 4-6 days/week	4	0.2%
4	4: Every day	11	0.4%
	Total	**18**	**0.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2423	99.0%
.	-	7	0.3%
	Total	**2,430**	**99.3%**

This variable has 18 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 2.00
- Maximum: 4.00

Location: 358-359 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SVTMOT76: How often take other vitamin #7

If YES to REGVITA6: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins, not part of multi-vitamins, how often do you take: Any other single vitamins? If YES to VTMSING6, specify

Value	Label	Unweighted Frequency	%
1	1: Do not take any	0	0.0%
2	2: 1-3 days/week	3	0.1%
3	3: 4-6 days/week	2	0.1%
4	4: Every day	8	0.3%
	Total	**13**	**0.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2428	99.2%
.	-	7	0.3%
	Total	**2,435**	**99.5%**

This variable has 13 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 2.00
- Maximum: 4.00

Location: 360-361 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SVTMOT86: How often take other vitamin #8

If YES to REGVITA6: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins, not part of multi-vitamins, how often do you take: Any other single vitamins? If YES to VTMSING6, specify

Value	Label	Unweighted Frequency	%
1	1: Do not take any	0	0.0%
2	2: 1-3 days/week	0	0.0%
3	3: 4-6 days/week	2	0.1%
4	4: Every day	7	0.3%
	Total	**9**	**0.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2432	99.3%
.	-	7	0.3%
	Total	**2,439**	**99.6%**

This variable has 9 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 3.00
- Maximum: 4.00

Location: 362-363 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SVTMOT96: How often take other vitamin #9

If YES to REGVITA6: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins, not part of multi-vitamins, how often do you take: Any other single vitamins? If YES to VTMSING6, specify

Value	Label	Unweighted Frequency	%
1	1: Do not take any	0	0.0%
2	2: 1-3 days/week	0	0.0%
3	3: 4-6 days/week	2	0.1%
4	4: Every day	3	0.1%
	Total	**5**	**0.2%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2436	99.5%
.	-	7	0.3%
	Total	**2,443**	**99.8%**

This variable has 5 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 3.00
- Maximum: 4.00

Location: 364-365 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SVTMO106: How often take other vitamin #10

If YES to REGVITA6: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins, not part of multi-vitamins, how often do you take: Any other single vitamins? If YES to VTMSING6, specify

Value	Label	Unweighted Frequency	%
1	1: Do not take any	0	0.0%
2	2: 1-3 days/week	0	0.0%
3	3: 4-6 days/week	2	0.1%
4	4: Every day	1	0.0%
	Total	**3**	**0.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2438	99.6%
.	-	7	0.3%
	Total	**2,445**	**99.9%**

This variable has 3 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 3.00
- Maximum: 4.00

Location: 366-367 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PAIN16: Over-the-counter (OTC) pain medication #1

Since your last study visit, have you taken: Any over-the-counter medications for pain including headaches and arthritis?

Value	Label	Unweighted Frequency	%
1	1: No	1526	62.3%
2	2: Yes	790	32.3%
	Total	**2,316**	**94.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	1	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	124	5.1%
.	-	7	0.3%
	Total	**132**	**5.4%**

This variable has 2,316 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 368-369 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PAINTW16: Over-the-counter (OTC) pain medication #1 taken two times/week last month

If YES to PAIN16: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	329	13.4%
2	2: Yes	461	18.8%
	Total	**790**	**32.3%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	-7: Refused	0	0.0%
-1	-1: N/A	1651	67.4%
.	-	7	0.3%
	Total	**1,658**	**67.7%**

This variable has 790 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 370-371 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PAIN26: Over-the-counter (OTC) pain medication #2

Since your last study visit, have you taken: Any over-the-counter medications for pain including headaches and arthritis?

Value	Label	Unweighted Frequency	%
1	1: No	565	23.1%
2	2: Yes	225	9.2%
	Total	**790**	**32.3%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	1651	67.4%
.	-	7	0.3%
	Total	**1,658**	**67.7%**

This variable has 790 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 372-373 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PAINTW26: Over-the-counter (OTC) pain medication #2 taken two times/week last month

If YES to PAIN26: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	121	4.9%
2	2: Yes	104	4.2%
	Total	**225**	**9.2%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2216	90.5%
.	-	7	0.3%
	Total	**2,223**	**90.8%**

This variable has 225 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 374-375 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SLEEP16: Over-the-counter (OTC) sleep medication #1

Since your last study visit, have you taken: Anything for problems sleeping?

Value	Label	Unweighted Frequency	%
1	1: No	2203	90.0%
2	2: Yes	113	4.6%
	Total	**2,316**	**94.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	1	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	124	5.1%
.	-	7	0.3%
	Total	**132**	**5.4%**

This variable has 2,316 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 376-377 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SLEPTW16: Over-the-counter (OTC) sleep medication #1 taken two times/week last month

If YES to SLEEP16: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	40	1.6%
2	2: Yes	73	3.0%
	Total	**113**	**4.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2328	95.1%
.	-	7	0.3%
	Total	**2,335**	**95.4%**

This variable has 113 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 378-379 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SLEEP26: Over-the-counter (OTC) sleep medication #2

Since your last study visit, have you taken: Anything for problems sleeping?

Value	Label	Unweighted Frequency	%
1	1: No	100	4.1%
2	2: Yes	13	0.5%
	Total	**113**	**4.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2328	95.1%
.	-	7	0.3%
	Total	**2,335**	**95.4%**

This variable has 113 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 380-381 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SLEPTW26: Over-the-counter (OTC) sleep medication #2 taken two times/week last month

If YES to SLEEP26: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	1	0.0%
2	2: Yes	12	0.5%
	Total	**13**	**0.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2428	99.2%
.	-	7	0.3%
	Total	**2,435**	**99.5%**

This variable has 13 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 382-383 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC16: Other over-the-counter (OTC) med #1

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	1: No	1745	71.3%
2	2: Yes	571	23.3%
	Total	**2,316**	**94.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	1	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	124	5.1%
.	-	7	0.3%
	Total	**132**	**5.4%**

This variable has 2,316 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 384-385 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW16: Other over-the-counter (OTC) med #1 taken two times/week last month

If YES to OTC16: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	129	5.3%
2	2: Yes	442	18.1%
	Total	**571**	**23.3%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	1870	76.4%

Value	Missing Data	Unweighted Frequency	%
.	-	7	0.3%
	Total	**1,877**	**76.7%**

This variable has 571 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 386-387 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC26: Other over-the-counter (OTC) med #2

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	1: No	390	15.9%
2	2: Yes	181	7.4%
	Total	**571**	**23.3%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	1870	76.4%
.	-	7	0.3%
	Total	**1,877**	**76.7%**

This variable has 571 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 388-389 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW26: Other over-the-counter (OTC) med #2 taken two times/week last month

If YES to OTC26: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	39	1.6%
2	2: Yes	142	5.8%
	Total	**181**	**7.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2260	92.3%
.	-	7	0.3%
	Total	**2,267**	**92.6%**

This variable has 181 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 390-391 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC36: Other over-the-counter (OTC) med #3

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	1: No	109	4.5%
2	2: Yes	72	2.9%
	Total	**181**	**7.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2260	92.3%
.	-	7	0.3%
	Total	**2,267**	**92.6%**

This variable has 181 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 392-393 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW36: Other over-the-counter (OTC) med #3 taken two times/week last month

If YES to OTC36: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	14	0.6%
2	2: Yes	58	2.4%
	Total	**72**	**2.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2369	96.8%
.	-	7	0.3%
	Total	**2,376**	**97.1%**

This variable has 72 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 394-395 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC46: Other over-the-counter (OTC) med #4

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	1: No	45	1.8%
2	2: Yes	27	1.1%
	Total	**72**	**2.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2369	96.8%
.	-	7	0.3%
	Total	**2,376**	**97.1%**

This variable has 72 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 396-397 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW46: Other over-the-counter (OTC) med #4 taken two times/week last month

If YES to OTC46: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	5	0.2%
2	2: Yes	22	0.9%
	Total	**27**	**1.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2414	98.6%
.	-	7	0.3%
	Total	**2,421**	**98.9%**

This variable has 27 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 398-399 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ALCHL246: Alcohol in last 24 hours

Have you had any alcohol in the last 24 hours?

Value	Label	Unweighted Frequency	%
1	1: No	1721	70.3%
2	2: Yes	345	14.1%
	Total	**2,066**	**84.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	1	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	381	15.6%
	Total	**382**	**15.6%**

This variable has 2,066 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 400-401 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYYSNO6: Soy protein/phytoestrogen powders/pills

During the past year have you used any supplements containing soy protein or phytoestrogen powders or pills?

Value	Label	Unweighted Frequency	%
1	1: No	1982	81.0%
2	2: Yes	329	13.4%
	Total	**2,311**	**94.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	5	0.2%
-7	-7: Refused	0	0.0%
-1	-1: N/A	125	5.1%
.	-	7	0.3%
	Total	**137**	**5.6%**

This variable has 2,311 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 402-403 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYPROT6: How often take soy protein

If YES to SOYYSNO6: How many times per week?

Value	Label	Unweighted Frequency	%
1	1: Don't take any	22	0.9%
2	2: 1-3 days/week	111	4.5%
3	3: 4-6 days/week	30	1.2%
4	4: Every day	160	6.5%
	Total	**323**	**13.2%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	7	0.3%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2111	86.2%
.	-	7	0.3%
	Total	**2,125**	**86.8%**

This variable has 323 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 404-405 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CEREACA6: How many bowls high calcium cereal

How many bowls of cereal do you eat per week where the label of the cereal box says that it is high in calcium?

Value	Label	Unweighted Frequency	%
1	1: None or less than 1/week	1524	62.3%

Value	Label	Unweighted Frequency	%
2	2: 1/week	185	7.6%
3	3: 2/week	159	6.5%
4	4: 3-4/week	151	6.2%
5	5: 5-6/week	51	2.1%
6	6: Equal to or more than 7/week	48	2.0%
	Total	**2,118**	**86.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	199	8.1%
-7	-7: Refused	0	0.0%
-1	-1: N/A	124	5.1%
.	-	7	0.3%
	Total	**330**	**13.5%**

This variable has 2,118 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 406-407 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BREADCA6: How many slices high calcium bread

How many slices of bread do you eat per week when the bread wrapper says the loaf is high in calcium?

Value	Label	Unweighted Frequency	%
1	1: None or less than 1/week	1465	59.8%
2	2: 1/week	111	4.5%
3	3: 2/week	137	5.6%
4	4: 3-4/week	163	6.7%
5	5: 5-6/week	75	3.1%
6	6: Equal to or more than 7/week	97	4.0%
	Total	**2,048**	**83.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8: Do not know	269	11.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	124	5.1%
.	-	7	0.3%
	Total	**400**	**16.3%**

This variable has 2,048 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 408-409 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ORANGCA6: How many glasses high calcium orange juice

Some brands of orange juice have extra calcium added. How many glasses of orange juice containing extra calcium do you drink per week?

Value	Label	Unweighted Frequency	%
1	1: None or less than 1/week	1393	56.9%
2	2: 1/week	216	8.8%
3	3: 2/week	190	7.8%
4	4: 3-4/week	234	9.6%
5	5: 5-6/week	100	4.1%
6	6: Equal to or more than 7/week	160	6.5%
	Total	**2,293**	**93.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	24	1.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	124	5.1%
.	-	7	0.3%
	Total	**155**	**6.3%**

This variable has 2,293 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 410-411 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ANEMIA6: Anemia since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Anemia?

Value	Label	Unweighted Frequency	%
1	1: No	2145	87.6%
2	2: Yes	171	7.0%
	Total	**2,316**	**94.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	1	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	124	5.1%
.	-	7	0.3%
	Total	**132**	**5.4%**

This variable has 2,316 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 412-413 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIABETE6: Diabetes since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Diabetes?

Value	Label	Unweighted Frequency	%
1	1: No	2270	92.7%
2	2: Yes	169	6.9%
	Total	**2,439**	**99.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8: Do not know	2	0.1%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	7	0.3%
	Total	**9**	**0.4%**

This variable has 2,439 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 414-415 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HIGHBP6: Hypertension since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? High blood pressure or hypertension?

Value	Label	Unweighted Frequency	%
1	1: No	1879	76.8%
2	2: Yes	559	22.8%
	Total	**2,438**	**99.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	3	0.1%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	7	0.3%
	Total	**10**	**0.4%**

This variable has 2,438 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 416-417 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HBCHOLE6: High cholesterol since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? High cholesterol?

Value	Label	Unweighted Frequency	%
1	1: No	1854	75.7%
2	2: Yes	461	18.8%
	Total	**2,315**	**94.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	2	0.1%
-7	-7: Refused	0	0.0%
-1	-1: N/A	124	5.1%
.	-	7	0.3%
	Total	**133**	**5.4%**

This variable has 2,315 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 418-419 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MIGRAIN6: Migraines since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Migraines?

Value	Label	Unweighted Frequency	%
1	1: No	2190	89.5%
2	2: Yes	126	5.1%
	Total	**2,316**	**94.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	1	0.0%
-7	-7: Refused	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	-1: N/A	124	5.1%
.	-	7	0.3%
	Total	**132**	**5.4%**

This variable has 2,316 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 420-421 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STROKE6: Stroke since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Stroke?

Value	Label	Unweighted Frequency	%
1	1: No	2306	94.2%
2	2: Yes	10	0.4%
	Total	**2,316**	**94.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	1	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	124	5.1%
.	-	7	0.3%
	Total	**132**	**5.4%**

This variable has 2,316 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 422-423 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTEOAR6: Arthritis since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Arthritis or osteoarthritis (degenerative joint disease)?

Value	Label	Unweighted Frequency	%
1	1: No	1999	81.7%
2	2: Yes	435	17.8%
	Total	**2,434**	**99.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	7	0.3%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	7	0.3%
	Total	**14**	**0.6%**

This variable has 2,434 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 424-425 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYROID6: Over/underactive thyroid since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Overactive or underactive thyroid?

Value	Label	Unweighted Frequency	%
1	1: No	2201	89.9%
2	2: Yes	233	9.5%
	Total	**2,434**	**99.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	7	0.3%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	7	0.3%
	Total	**14**	**0.6%**

This variable has 2,434 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 426-427 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HEARTAT6: Heart attack since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Heart attack?

Value	Label	Unweighted Frequency	%
1	1: No	2428	99.2%
2	2: Yes	12	0.5%
	Total	**2,440**	**99.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	1	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	7	0.3%
	Total	**8**	**0.3%**

This variable has 2,440 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 428-429 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ANGINA6: Angina since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Angina?

Value	Label	Unweighted Frequency	%
1	1: No	2413	98.6%
2	2: Yes	27	1.1%
	Total	**2,440**	**99.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	1	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	7	0.3%
	Total	**8**	**0.3%**

This variable has 2,440 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 430-431 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTEOPR6: Osteoporosis since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Osteoporosis (brittle or thinning bones)?

Value	Label	Unweighted Frequency	%
1	1: No	2385	97.4%
2	2: Yes	50	2.0%
	Total	**2,435**	**99.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	6	0.2%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	7	0.3%
	Total	**13**	**0.5%**

This variable has 2,435 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 432-433 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CANCERS6: Cancer since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Cancer, other than skin cancer?

Value	Label	Unweighted Frequency	%
1	1: No	2410	98.4%
2	2: Yes	29	1.2%
	Total	**2,439**	**99.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	2	0.1%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	7	0.3%
	Total	**9**	**0.4%**

This variable has 2,439 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 434-435 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SITESPE6: Primary site of cancer

If YES to CANCERS6: What is the primary site of the cancer? Specify.

Value	Label	Unweighted Frequency	%
	-	7	0.3%
-1	-1: N/A	2412	98.5%
-7	-7: Refused	0	0.0%
-8	-8: Do not know	0	0.0%
-9	-9: Missing	0	0.0%
BONE CANCER- LEGS	-	1	0.0%
BREAST	-	3	0.1%
BREAST (METASTASIS	-	1	0.0%

Value	Label	Unweighted Frequency	%
OF PREVIOUS INFLAMMATORY BREAST CANCER)			
BREAST (RIGHT)	-	1	0.0%
BREAST - LEFT	-	1	0.0%
BREAST - RIGHT	-	1	0.0%
BREAST CANCER	-	4	0.2%
BREAST CANCER - LEFT BREAST	-	1	0.0%
CERVICAL CANCER	-	1	0.0%
CML LEUKEMIA	-	1	0.0%
LEUKEMIA (CML)	-	1	0.0%
LING - UPPER RIGHT LOBE	-	1	0.0%
LYMPH NODES	-	1	0.0%
MELANOMA ON THIGH	-	1	0.0%
OVARIAN	-	1	0.0%
RIGHT BREAST	-	2	0.1%
RIGHT/BREAST CANCER (DX: DEC 01)	-	1	0.0%
RT. BREAST	-	1	0.0%
THYROID CANCER	-	1	0.0%
TRACHEA, ADENOID CYSTIC CARCINOMA (RARE, NOT ADENOCARCINOM	-	1	0.0%
UTERUS	-	2	0.1%
UTRINE	-	1	0.0%
	Total	**2,448**	**100.0%**

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 436-495 (width: 60; decimal: 0)
Variable Type: character

TAMOXIF6: Taken Tamoxifen since last visit

If BREAST CANCER: Have you taken Tamoxifen since your last study visit?

Value	Label	Unweighted Frequency	%
1	1: No	7	0.3%
2	2: Yes	8	0.3%
	Total	**15**	**0.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2426	99.1%
.	-	7	0.3%
	Total	**2,433**	**99.4%**

This variable has 15 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 496-497 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHEMOTH6: Chemotherapy/radiation for cancer

Since your last study visit, have you received chemotherapy or radiation treatment for this cancer?

Value	Label	Unweighted Frequency	%
1	1: No	11	0.4%
2	2: Yes	13	0.5%
	Total	**24**	**1.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	-1: N/A	2417	98.7%
.	-	7	0.3%
	Total	**2,424**	**99.0%**

This variable has 24 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 498-499 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BROKEBO6: Number times broke bones since last visit

Since your last study visit, how many times did you break or fracture a bone? # of times broken bones

Value	Label	Unweighted Frequency	%
0	-	2381	97.3%
1	-	57	2.3%
3	-	1	0.0%
	Total	**2,439**	**99.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	2	0.1%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	7	0.3%
	Total	**9**	**0.4%**

This variable has 2,439 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.16

Location: 500-501 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BONES16: Bone #1 broken

Which bones did you break or fracture?

Value	Label	Unweighted Frequency	%
	-	7	0.3%
-1	-1: N/A	2383	97.3%
-7	-7: Refused	0	0.0%
-8	-8: Do not know	0	0.0%
-9	-9: Missing	0	0.0%
3RD FINGER (DISTAL PHALANX) LT	-	1	0.0%
5TH METATORSAL OF RIGHT FOOT	-	1	0.0%
ANKLE	-	1	0.0%
ANKLE (LEFT)	-	1	0.0%
BABY TOE (BONE CHIP)	-	1	0.0%
BABY TOE ON RT FOOT	-	1	0.0%
BELOW THE KNEE	-	1	0.0%
BIG TOE	-	1	0.0%
BONES IN RIGHT FOOT	-	1	0.0%
BROKE PINKY FINGER ON LT HAND	-	1	0.0%
COLLAR	-	1	0.0%
EXTERIOR ANKLE BONE	-	1	0.0%
FIBULA FX	-	1	0.0%
FOOT (TOP RIGHT ANKLE OF RIGHT	-	1	0.0%
FX PELVIS 2/02	-	1	0.0%
FX RIGHT FOOT	-	1	0.0%
HIP BONE	-	1	0.0%
HIP JOINT	-	1	0.0%

Value	Label	Unweighted Frequency	%
HUMEROUS	-	2	0.1%
HUMERUS LEFT	-	1	0.0%
IN RT FOOT	-	1	0.0%
KNEE	-	1	0.0%
L SHIN BONE	-	1	0.0%
LEFT 4TH TOE	-	1	0.0%
LEFT ANKLE	-	1	0.0%
LEFT BIG TOE	-	1	0.0%
LEFT FEMUR	-	1	0.0%
LEFT FOOT	-	1	0.0%
LEFT LEG	-	1	0.0%
LEFT METATARSAL, CUNEIFORM, NA	-	1	0.0%
LEFT THUMB	-	1	0.0%
LEFT WRIST	-	2	0.1%
LT ANKLE	-	1	0.0%
LT FORE FINGER 3RD DIGIT	-	1	0.0%
METACARPAL BONE LEFT HAND	-	1	0.0%
METATORSAL-TOE BONE RT FOOT	-	1	0.0%
MID TOE (RIGHT)	-	1	0.0%
MIDDLE FINGER LEFT HAND	-	1	0.0%
MIDDLE TOE	-	1	0.0%
NOSE	-	1	0.0%
PELVIC BONE	-	1	0.0%
RIB	-	1	0.0%
RIGHT ANKLE	-	1	0.0%
RIGHT ARM	-	1	0.0%
RIGHT FEMUR	-	1	0.0%

Value	Label	Unweighted Frequency	%
	Total	**2,448**	**100.0%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 502-531 (width: 30; decimal: 0)
Variable Type: character

HAPPEN16: How happened #1

How did it happen? Was it for any of the following reasons?: After a fall from a height above the ground greater than six inches; in a motor vehicle accident; while moving fast, like running, bicycling or skating; while playing sports; or because something heavy fell on you or struck you.

Value	Label	Unweighted Frequency	%
1	1: No	24	1.0%
2	2: Yes	34	1.4%
	Total	**58**	**2.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2383	97.3%
.	-	7	0.3%
	Total	**2,390**	**97.6%**

This variable has 58 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 532-533 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BONES26: Bone #2 broken

Which bones did you break or fracture?

Value	Label	Unweighted Frequency	%
	-	7	0.3%
-1	-1: N/A	2440	99.7%
-7	-7: Refused	0	0.0%
-8	-8: Do not know	0	0.0%
-9	-9: Missing	0	0.0%
LT. FOOT	-	1	0.0%
	Total	**2,448**	**100.0%**

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 534-541 (width: 8; decimal: 0)
Variable Type: character

HAPPEN26: How happened #2

How did it happen? Was it for any of the following reasons?: After a fall from a height above the ground greater than six inches; in a motor vehicle accident; while moving fast, like running, bicycling or skating; while playing sports; or because something heavy fell on you or struck you.

Value	Label	Unweighted Frequency	%
1	1: No	1	0.0%
2	2: Yes	0	0.0%
	Total	**1**	**0.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2440	99.7%
.	-	7	0.3%
	Total	**2,447**	**100.0%**

This variable has 1 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 1.00

Location: 542-543 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BONES36: Bone #3 broken

Which bones did you break or fracture?

Value	Label	Unweighted Frequency	%
	-	7	0.3%
-1	-1: N/A	2440	99.7%
-7	-7: Refused	0	0.0%
-8	-8: Do not know	0	0.0%
-9	-9: Missing	0	0.0%
RT. TOE (1ST TARSAL	-	1	0.0%
	Total	**2,448**	**100.0%**

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 544-563 (width: 20; decimal: 0)
Variable Type: character

HAPPEN36: How happened #3

How did it happen? Was it for any of the following reasons?: After a fall from a height above the ground greater than six inches; in a motor vehicle accident; while moving fast, like running, bicycling or skating; while playing sports; or because something heavy fell on you or struck you.

Value	Label	Unweighted Frequency	%
1	1: No	1	0.0%
2	2: Yes	0	0.0%
	Total	**1**	**0.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2440	99.7%
.	-	7	0.3%
	Total	**2,447**	**100.0%**

This variable has 1 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 564-565 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DANDC6: Dilation and Curettage (D&C) since last visit

Since your last study visit, have you had any of the following surgeries or procedures? D and C, a scraping of the uterus for any reason, including abortion?

Value	Label	Unweighted Frequency	%
1	1: No	2276	93.0%
2	2: Yes	41	1.7%
	Total	**2,317**	**94.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	124	5.1%
.	-	7	0.3%
	Total	**131**	**5.4%**

This variable has 2,317 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 566-567 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NUMDAND6: Dilation and Curettage (D&C) number of times

Since your last study visit, how many times have you had a D and C? Number of times

Value	Label	Unweighted Frequency	%
1	-	39	1.6%
2	-	2	0.1%
	Total	**41**	**1.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2400	98.0%
.	-	7	0.3%
	Total	**2,407**	**98.3%**

This variable has 41 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 1.05
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.22

Location: 568-569 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HYSTERE6: Hysterectomy since last visit

Since your last study visit, have you had any of the following surgeries or procedures? Hysterectomy (an operation to remove your uterus or womb)?

Value	Label	Unweighted Frequency	%
1	1: No	2407	98.3%
2	2: Yes	34	1.4%
	Total	**2,441**	**99.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	7	0.3%
	Total	**7**	**0.3%**

This variable has 2,441 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 570-571 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HYSTDAY6: Day of hysterectomy

Since your last study visit, have you had any of the following surgeries or procedures? Hysterectomy (an operation to remove your uterus or womb)? When was this performed?

Value	Label	Unweighted Frequency	%
309	-	1	0.0%
1061	-	1	0.0%
1143	-	1	0.0%
1144	-	1	0.0%
1267	-	1	0.0%
1291	-	1	0.0%
1769	-	1	0.0%
1829	-	1	0.0%
1844	-	1	0.0%
1848	-	1	0.0%
1851	-	1	0.0%
1856	-	1	0.0%
1858	-	1	0.0%
1907	-	1	0.0%
1910	-	1	0.0%
1920	-	1	0.0%
1922	-	1	0.0%
1940	-	1	0.0%
1957	-	1	0.0%
1962	-	1	0.0%
1981	-	1	0.0%
2021	-	1	0.0%
2047	-	1	0.0%
2082	-	1	0.0%
2118	-	1	0.0%
2124	-	1	0.0%
2191	-	2	0.1%
2251	-	1	0.0%
2253	-	1	0.0%
2260	-	1	0.0%
2268	-	1	0.0%

Value	Label	Unweighted Frequency	%
2296	-	1	0.0%
	Total	**33**	**1.3%**

Value	Missing Data	Unweighted Frequency	%
.	-	2415	98.7%
	Total	**2,415**	**98.7%**

This variable has 33 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 1838.52
- Median: 1922.00
- Mode: 2191.00
- Minimum: 309.00
- Maximum: 2296.00
- Standard Deviation: 436.00

Location: 572-575 (width: 4; decimal: 0)
Variable Type: numeric

OOPHORE6: Ovaries removed since last visit

Since your last study visit, have you had any of the following surgeries or procedures? Did you have one or both ovaries removed (an oophorectomy)?

Value	Label	Unweighted Frequency	%
1	1: No	2408	98.4%
2	2: Yes	33	1.3%
	Total	**2,441**	**99.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	7	0.3%
	Total	**7**	**0.3%**

This variable has 2,441 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 576-577 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ONEOVAR6: One or both ovaries removed

Since your last study visit, have you had any of the following surgeries or procedures? Was one ovary removed or were both ovaries removed?

Value	Label	Unweighted Frequency	%
1	1: One ovary removed	10	0.4%
2	2: Both ovaries removed	22	0.9%
	Total	**32**	**1.3%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	1	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2408	98.4%
.	-	7	0.3%
	Total	**2,416**	**98.7%**

This variable has 32 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 578-579 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ABLATIN6: Endometrial ablation since last visit

Since your last study visit, have you had any of the following surgeries or procedures? Did you have an endometrial ablation (a procedure to reduce or eliminate menstrual periods by partially or completely destroying the lining of the uterus)?

Value	Label	Unweighted Frequency	%
1	1: No	2311	94.4%
2	2: Yes	6	0.2%
	Total	**2,317**	**94.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	124	5.1%
.	-	7	0.3%
	Total	**131**	**5.4%**

This variable has 2,317 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 580-581 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

UTERPRO6: Uterine procedure since last visit

Since your last study visit, have you had any of the following surgeries or procedures? Any other uterine procedures, other than D and C, for example: cesarean section, IUD insertion, fibroid removal or endometrial biopsy?

Value	Label	Unweighted Frequency	%
1	1: No	2216	90.5%
2	2: Yes	100	4.1%
	Total	**2,316**	**94.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	1	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	124	5.1%
.	-	7	0.3%
	Total	**132**	**5.4%**

This variable has 2,316 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 582-583 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYRREM6: Thyroid gland removed since last visit

Since your last study visit, have you had any of the following surgeries or procedures? Thyroid gland removed?

Value	Label	Unweighted Frequency	%
1	1: No	2313	94.5%
2	2: Yes	4	0.2%
	Total	**2,317**	**94.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	124	5.1%
.	-	7	0.3%
	Total	**131**	**5.4%**

This variable has 2,317 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 584-585 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ENDO6: Endometriosis since last visit

Since your last study visit, have you had any of the following conditions? Endometriosis diagnosed by a physician (abnormal growths in lining of uterus)?

Value	Label	Unweighted Frequency	%
1	1: No	2295	93.8%
2	2: Yes	21	0.9%
	Total	**2,316**	**94.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	1	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	124	5.1%
.	-	7	0.3%
	Total	**132**	**5.4%**

This variable has 2,316 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 586-587 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ENDODIF6: Endometriosis difficult

If YES to ENDO6: Has it made it difficult to carry out your daily routine (e.g., work, housework, childcare)?

Value	Label	Unweighted Frequency	%
1	1: No	18	0.7%
2	2: Yes	3	0.1%
	Total	**21**	**0.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2420	98.9%
.	-	7	0.3%
	Total	**2,427**	**99.1%**

This variable has 21 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 588-589 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PELVCPN6: Pelvic pain since last visit

Since your last study visit, have you had any of the following conditions? Pelvic pain (pain in the lowest part of the abdomen)?

Value	Label	Unweighted Frequency	%
1	1: No	2190	89.5%
2	2: Yes	127	5.2%
	Total	**2,317**	**94.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	124	5.1%
.	-	7	0.3%
	Total	**131**	**5.4%**

This variable has 2,317 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 590-591 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIFPELV6: Pelvic pain difficult

If YES to PELVCPN6: Has it made it difficult to carry out your daily routine (e.g., work, housework, childcare)?

Value	Label	Unweighted Frequency	%
1	1: No	88	3.6%
2	2: Yes	39	1.6%
	Total	**127**	**5.2%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2314	94.5%
.	-	7	0.3%
	Total	**2,321**	**94.8%**

This variable has 127 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 592-593 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROLAPS6: Pelvic prolapse since last visit

Since your last study visit, have you had any of the following conditions? Pelvic prolapse or relaxation (the uterus, bladder, or rectum drops, sometimes bulging out of vagina)?

Value	Label	Unweighted Frequency	%
1	1: No	2295	93.8%
2	2: Yes	22	0.9%
	Total	**2,317**	**94.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	124	5.1%
.	-	7	0.3%
	Total	**131**	**5.4%**

This variable has 2,317 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 594-595 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIFPROL6: Pelvic prolapse difficult

If YES to PROLAPS6: Has it made it difficult to carry out your daily routine (e.g., work, housework, childcare)?

Value	Label	Unweighted Frequency	%
1	1: No	17	0.7%
2	2: Yes	5	0.2%
	Total	**22**	**0.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2419	98.8%

Value	Missing Data	Unweighted Frequency	%
.	-	7	0.3%
	Total	**2,426**	**99.1%**

This variable has 22 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 596-597 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PELVCNC6: Pelvic cancer since last visit

Since your last study visit, have you had any of the following conditions? Pelvic cancer (cancer of the vulva, cervix, uterus, or ovaries)?

Value	Label	Unweighted Frequency	%
1	1: No	2313	94.5%
2	2: Yes	3	0.1%
	Total	**2,316**	**94.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	1	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	124	5.1%
.	-	7	0.3%
	Total	**132**	**5.4%**

This variable has 2,316 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 598-599 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIFCANC6: Pelvic cancer difficult

If YES to PELVCNC6: Has it made it difficult to carry out your daily routine (e.g., work, housework, childcare)?

Value	Label	Unweighted Frequency	%
1	1: No	2	0.1%
2	2: Yes	1	0.0%
	Total	**3**	**0.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2438	99.6%
.	-	7	0.3%
	Total	**2,445**	**99.9%**

This variable has 3 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 600-601 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ABBLEED6: Abnormal vaginal bleeding since last visit

Since your last study visit, have you had any of the following conditions? Abnormal vaginal bleeding (bleeding from the vagina that is different enough from your normal pattern to be a concern: irregular, heavy, or long in duration)?

Value	Label	Unweighted Frequency	%
1	1: No	2180	89.1%
2	2: Yes	137	5.6%
	Total	**2,317**	**94.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	124	5.1%
.	-	7	0.3%
	Total	**131**	**5.4%**

This variable has 2,317 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 602-603 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIFBLED6: Abnormal vaginal bleeding difficult

If YES to ABBLEED6: Has it made it difficult to carry out your daily routine (e.g., work, housework, childcare)?

Value	Label	Unweighted Frequency	%
1	1: No	79	3.2%
2	2: Yes	58	2.4%
	Total	**137**	**5.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2304	94.1%
.	-	7	0.3%
	Total	**2,311**	**94.4%**

This variable has 137 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 604-605 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FIBRUTR6: Fibroids since last visit

Since your last study visit, have you had any of the following conditions? Fibroids (benign growths in the uterus or womb)?

Value	Label	Unweighted Frequency	%
1	1: No	2078	84.9%
2	2: Yes	239	9.8%
	Total	**2,317**	**94.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	124	5.1%
.	-	7	0.3%
	Total	**131**	**5.4%**

This variable has 2,317 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 606-607 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIFFIBR6: Fibroids difficult

If YES to FIBRUTR6: Has it made it difficult to carry out your daily routine (e.g., work, housework, childcare)?

Value	Label	Unweighted Frequency	%
1	1: No	203	8.3%
2	2: Yes	36	1.5%
	Total	**239**	**9.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2202	90.0%
.	-	7	0.3%
	Total	**2,209**	**90.2%**

This variable has 239 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 608-609 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRVIDER6: Health care provider (HCP) for women's health

Do you have a health care provider from whom you primarily get your care for women's health conditions? (If you have an obstetrician or gynecologist (ob/gyn) refer to him or her. If you don't, refer to the person from whom you get care for women's health).

Value	Label	Unweighted Frequency	%
1	1: No	307	12.5%
2	2: Yes	2010	82.1%
	Total	**2,317**	**94.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	124	5.1%
.	-	7	0.3%
	Total	**131**	**5.4%**

This variable has 2,317 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 610-611 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROFDEG6: Professional degree of health care provider (HCP)

What professional degree does this health care provider have? If you are not sure, please make your best guess.

Value	Label	Unweighted Frequency	%
1	1: Medical Doctor (MD)	1806	73.8%
2	2: Dr. of Osteopathy (DO)	34	1.4%
3	3: Chiropractor (DC)	1	0.0%
4	4: Registered Nurse (RN)	9	0.4%
5	5: Nurse Practitioner (NP)	133	5.4%
6	6: Physician Assistant (PA)	7	0.3%
7	7: Other: Specify	4	0.2%
	Total	**1,994**	**81.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	15	0.6%
-7	-7: Refused	1	0.0%
-1	-1: N/A	431	17.6%
.	-	7	0.3%
	Total	**454**	**18.5%**

This variable has 1,994 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 612-613 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SPECIFY6: Professional degree - other specify

What professional degree does this health care provider have? If you are not sure, please make your best guess - Specify

Value	Label	Unweighted Frequency	%
	-	7	0.3%
-1	-1: N/A	2437	99.6%
-7	-7: Refused	0	0.0%
-8	-8: Do not know	0	0.0%
-9	-9: Missing	0	0.0%
CERTIFIED NURSE MIDWIFE	-	1	0.0%
NATUROPATHIC ND	-	1	0.0%
PHYSICAL THERAPIST/ HOLISTIC PR	-	1	0.0%
SURGEON	-	1	0.0%
	Total	**2,448**	**100.0%**

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 614-643 (width: 30; decimal: 0)
Variable Type: character

PROVSPC6: Health care provider's (HCP) specialty

Which of the following best describes this provider's specialty?

Value	Label	Unweighted Frequency	%
1	1: Family Practitioner	479	19.6%
2	2: Internist	347	14.2%
3	3: Gynecologist	964	39.4%
4	4: Naturopath	2	0.1%
5	5: Other	34	1.4%
6	6: No specialty	0	0.0%
	Total	**1,826**	**74.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	19	0.8%
-7	-7: Refused	0	0.0%
-1	-1: N/A	596	24.3%
.	-	7	0.3%
	Total	**622**	**25.4%**

This variable has 1,826 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 644-645 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SPECIAL6: Health care provider (HCP) specialty - other specify

Which of the following best describes this provider's specialty? - Specify

Value	Label	Unweighted Frequency	%
	-	7	0.3%
-1	-1: N/A	2407	98.3%
-7	-7: Refused	0	0.0%
-8	-8: Do not know	0	0.0%
-9	-9: Missing	0	0.0%
4	-	1	0.0%
ADULT MEDICINE	-	3	0.1%

Value	Label	Unweighted Frequency	%
AS ABOVE	-	1	0.0%
CARDIOLOGY AND HYPERTENSION	-	1	0.0%
ENDOCRINOLOGIS	-	2	0.1%
GEN PRACTICE	-	1	0.0%
GEN. PRACTIONER	-	1	0.0%
GENERAL PRACTIONER	-	2	0.1%
GENERAL PRACTITIONER	-	3	0.1%
GP	-	1	0.0%
HEMATOLOGIST	-	1	0.0%
ONCOLOGIST	-	1	0.0%
ONCOLOGY	-	1	0.0%
PHYSICAL THERAPIST/ HOLISTIC PR	-	1	0.0%
PRIMARY CARE	-	1	0.0%
PSYCHIATRIST	-	1	0.0%
PULMONARY	-	1	0.0%
RHEUMATOLOGIS	-	2	0.1%
SURGEON	-	2	0.1%
SURGERY	-	1	0.0%
WOMEN OVER 50	-	1	0.0%
WOMEN'S HEALTH	-	3	0.1%
WOMEN'S HEALTH PRACTITIONER	-	1	0.0%
WOMEN'S MEDICINE	-	1	0.0%
	Total	**2,448**	**100.0%**

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 646-675 (width: 30; decimal: 0)
Variable Type: character

PROVTIM6: Time spent by health care provider (HCP) on average

On average, how much time does this health care provider spend with you at each visit?

Value	Label	Unweighted Frequency	%
1	1: 0-5 minutes	57	2.3%
2	2: 6-10 minutes	210	8.6%
3	3: 11-15 minutes	426	17.4%
4	4: 16-20 minutes	470	19.2%
5	5: 21-30 minutes	499	20.4%
6	6: More than 30 minutes	337	13.8%
	Total	**1,999**	**81.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	11	0.4%
-7	-7: Refused	0	0.0%
-1	-1: N/A	431	17.6%
.	-	7	0.3%
	Total	**449**	**18.3%**

This variable has 1,999 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 676-677 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BLEEDNG6: Menstrual bleeding since last visit

Did you have any menstrual bleeding since your last study visit?

Value	Label	Unweighted Frequency	%
1	1: No	1126	46.0%
2	2: Yes	1313	53.6%
	Total	**2,439**	**99.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8: Do not know	2	0.1%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	7	0.3%
	Total	**9**	**0.4%**

This variable has 2,439 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 678-679 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BLD3MON6: Menstrual bleeding in last 3 months

Did you have any menstrual bleeding in the last 3 months?

Value	Label	Unweighted Frequency	%
1	1: No	280	11.4%
2	2: Yes	1034	42.2%
	Total	**1,314**	**53.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	1127	46.0%
.	-	7	0.3%
	Total	**1,134**	**46.3%**

This variable has 1,314 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 680-681 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LMPDAY6: Last menstrual period day

What was the date that you started your most recent menstrual bleeding?

Value	Label	Unweighted Frequency	%
957	-	1	0.0%
1139	-	1	0.0%
1291	-	1	0.0%
1444	-	1	0.0%
1600	-	1	0.0%
1646	-	1	0.0%
1694	-	1	0.0%
1743	-	1	0.0%
1745	-	1	0.0%
1769	-	1	0.0%
1789	-	1	0.0%
1797	-	1	0.0%
1823	-	1	0.0%
1824	-	1	0.0%
1825	-	1	0.0%
1827	-	1	0.0%
1828	-	1	0.0%
1829	-	1	0.0%
1830	-	1	0.0%
1833	-	2	0.1%
1836	-	1	0.0%
1838	-	1	0.0%
1852	-	2	0.1%
1855	-	1	0.0%
1857	-	1	0.0%
1861	-	1	0.0%
1863	-	1	0.0%
1864	-	2	0.1%
1867	-	1	0.0%
1869	-	1	0.0%
1870	-	1	0.0%
1871	-	1	0.0%
1872	-	3	0.1%
1874	-	1	0.0%

Value	Label	Unweighted Frequency	%
1875	-	1	0.0%
1877	-	3	0.1%
1886	-	3	0.1%
1888	-	1	0.0%
1890	-	2	0.1%
1892	-	1	0.0%
1893	-	2	0.1%
1895	-	1	0.0%
1896	-	3	0.1%
1897	-	1	0.0%
1901	-	1	0.0%
1902	-	1	0.0%
1904	-	2	0.1%
1907	-	1	0.0%
1912	-	1	0.0%
1913	-	1	0.0%
	Total	**1,308**	**53.4%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	1140	46.6%
	Total	**1,140**	**46.6%**

This variable has 1,308 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 2157.05
- Minimum: 957.00
- Maximum: 2597.00
- Standard Deviation: 127.22

Location: 682-685 (width: 4; decimal: 0)
Variable Type: numeric

DESCPER6: Describe your menstrual periods

For the next few questions I would like to ask you to think about your periods since your last study visit, during times when you were not using birth control medications: Which of the following best describes your menstrual periods since your last study visit? Have they:

Value	Label	Unweighted Frequency	%
1	1: Become farther apart	415	17.0%
2	2: Become closer together	108	4.4%
3	3: Occurred at more variable intervals	356	14.5%
4	4: Stayed the same	316	12.9%
5	5: Become more regular	15	0.6%
	Total	**1,210**	**49.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	4	0.2%
-7	-7: Refused	0	0.0%
-1	-1: N/A	1227	50.1%
.	-	7	0.3%
	Total	**1,238**	**50.6%**

This variable has 1,210 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 686-687 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LENGCYL6: Length of menstrual cycle

For the next few questions I would like to ask you to think about your periods since your last study visit, during times when you were not using birth control medications: A menstrual cycle is the period of time from the beginning of bleeding from one menstrual period to the beginning of bleeding of the next menstrual period. Since your last study visit, what was the usual length of your menstrual cycles?

Value	Label	Unweighted Frequency	%
1	1: < 24 days	96	3.9%
2	2: 24-35 days	548	22.4%
3	3: > 35 days	143	5.8%
4	4: Too variable to say	356	14.5%
	Total	**1,143**	**46.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8: Do not know	8	0.3%
-7	-7: Refused	0	0.0%
-1	-1: N/A	1290	52.7%
.	-	7	0.3%
	Total	**1,305**	**53.3%**

This variable has 1,143 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 688-689 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRGNANT6: Pregnant since last visit

Since your last study visit, have you been pregnant? Please include live births, stillbirths, abortions, miscarriages, tubal or ectopic pregnancies.

Value	Label	Unweighted Frequency	%
1	1: No	2316	94.6%
2	2: Yes	1	0.0%
	Total	**2,317**	**94.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	124	5.1%
.	-	7	0.3%
	Total	**131**	**5.4%**

This variable has 2,317 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 690-691 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OUTCOME6: Outcome of pregnancy

If YES to PRGNANT6: What was the outcome of the pregnancy?

Value	Label	Unweighted Frequency	%
1	1: Live Birth	1	0.0%
2	2: Still Birth	0	0.0%
3	3: Miscarriage	0	0.0%
4	4: Abortion	0	0.0%
5	5: Tubal (ectopic) pregnancy	0	0.0%
6	6: Still pregnant	0	0.0%
	Total	**1**	**0.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2440	99.7%
.	-	7	0.3%
	Total	**2,447**	**100.0%**

This variable has 1 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 692-693 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BRSTFEE6: Currently breastfeeding

FOR LIVE BIRTHS ONLY: Are you currently breastfeeding?

Value	Label	Unweighted Frequency	%
1	1: No	1	0.0%
2	2: Yes	0	0.0%
	Total	**1**	**0.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2440	99.7%
.	-	7	0.3%
	Total	**2,447**	**100.0%**

This variable has 1 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 694-695 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

QLTYLIF6: Quality of life

Thinking about your quality of life at the present time, I'd like you to give it a rating where 0 represents the worst possible quality for you and 10 represents the best possible quality for you. Looking at this line, how would you rate your overall quality of life at the present time? Choose a number between 0 and 10.

Value	Label	Unweighted Frequency	%
0	-	6	0.2%
1	-	9	0.4%
2	-	24	1.0%
3	-	37	1.5%
4	-	57	2.3%
5	-	199	8.1%
6	-	204	8.3%
7	-	511	20.9%
8	-	787	32.1%
9	-	404	16.5%
10	-	190	7.8%
	Total	**2,428**	**99.2%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	11	0.4%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	2	0.1%
-1	-1: N/A	0	0.0%
.	-	7	0.3%

Value	Missing Data	Unweighted Frequency	%
	Total	**20**	**0.8%**

This variable has 2,428 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 7.42
- Median: 8.00
- Mode: 8.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 1.70

Location: 696-697 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LISTEN6: Support - someone to listen

People sometimes look to others for companionship, assistance, or other types of support. How often is each of the following kinds of support available to you if you need it? Someone you can count on to listen to you when you need to talk?

Value	Label	Unweighted Frequency	%
1	1: None of the time	18	0.7%
2	2: A little of the time	75	3.1%
3	3: Some of the time	189	7.7%
4	4: Most of the time	796	32.5%
5	5: All of the time	1237	50.5%
	Total	**2,315**	**94.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	1	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	1	0.0%
-1	-1: N/A	124	5.1%
.	-	7	0.3%
	Total	**133**	**5.4%**

This variable has 2,315 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 698-699 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TAKETOM6: Support - take to doctor

People sometimes look to others for companionship, assistance, or other types of support. How often is each of the following kinds of support available to you if you need it? Someone to take you to the doctor if you needed it?

Value	Label	Unweighted Frequency	%
1	1: None of the time	45	1.8%
2	2: A little of the time	81	3.3%
3	3: Some of the time	192	7.8%
4	4: Most of the time	617	25.2%
5	5: All of the time	1380	56.4%
	Total	**2,315**	**94.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	1	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	1	0.0%
-1	-1: N/A	124	5.1%
.	-	7	0.3%
	Total	**133**	**5.4%**

This variable has 2,315 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 700-701 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CONFIDE6: Support - confide in

People sometimes look to others for companionship, assistance, or other types of support. How often is each of the following kinds of support available to you if you need it? Someone to confide in or talk to about yourself or your problems?

Value	Label	Unweighted Frequency	%
1	1: None of the time	23	0.9%
2	2: A little of the time	89	3.6%
3	3: Some of the time	209	8.5%
4	4: Most of the time	770	31.5%

Value	Label	Unweighted Frequency	%
5	5: All of the time	1224	50.0%
	Total	**2,315**	**94.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	1	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	1	0.0%
-1	-1: N/A	124	5.1%
.	-	7	0.3%
	Total	**133**	**5.4%**

This variable has 2,315 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 702-703 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HELPSIC6: Support - help with chores when sick

People sometimes look to others for companionship, assistance, or other types of support. How often is each of the following kinds of support available to you if you need it? Someone to help with daily chores if you were sick?

Value	Label	Unweighted Frequency	%
1	1: None of the time	89	3.6%
2	2: A little of the time	199	8.1%
3	3: Some of the time	432	17.6%
4	4: Most of the time	618	25.2%
5	5: All of the time	976	39.9%
	Total	**2,314**	**94.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	1	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	2	0.1%
-1	-1: N/A	124	5.1%
.	-	7	0.3%

Value	Missing Data	Unweighted Frequency	%
	Total	**134**	**5.5%**

This variable has 2,314 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 704-705 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CONTROL6: Unable to control important things in your life

In the past two weeks you have: Felt unable to control important things in your life?

Value	Label	Unweighted Frequency	%
1	1: Never	1031	42.1%
2	2: Almost Never	732	29.9%
3	3: Sometimes	509	20.8%
4	4: Fairly Often	119	4.9%
5	5: Very Often	49	2.0%
	Total	**2,440**	**99.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	1	0.0%
-1	-1: N/A	0	0.0%
.	-	7	0.3%
	Total	**8**	**0.3%**

This variable has 2,440 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 706-707 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ABILITY6: Confident in ability to handle problems

In the past two weeks you have: Felt confident about your ability to handle your personal problems?

Value	Label	Unweighted Frequency	%
1	1: Never	20	0.8%
2	2: Almost never	74	3.0%
3	3: Sometimes	390	15.9%
4	4: Fairly often	827	33.8%
5	5: Very often	1128	46.1%
	Total	**2,439**	**99.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	2	0.1%
-1	-1: N/A	0	0.0%
.	-	7	0.3%
	Total	**9**	**0.4%**

This variable has 2,439 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 708-709 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOURWAY6: Things were going your way

In the past two weeks you have: Felt that things were going your way?

Value	Label	Unweighted Frequency	%
1	1: Never	39	1.6%
2	2: Almost never	119	4.9%
3	3: Sometimes	630	25.7%
4	4: Fairly often	1034	42.2%
5	5: Very often	618	25.2%
	Total	**2,440**	**99.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	-7: Refused	1	0.0%
-1	-1: N/A	0	0.0%
.	-	7	0.3%
	Total	**8**	**0.3%**

This variable has 2,440 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 710-711 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PILING6: Difficulties piling up

In the past two weeks you have: Felt difficulties were piling so high that you could not overcome them?

Value	Label	Unweighted Frequency	%
1	1: Never	1135	46.4%
2	2: Almost never	756	30.9%
3	3: Sometimes	416	17.0%
4	4: Fairly often	89	3.6%
5	5: Very often	44	1.8%
	Total	**2,440**	**99.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	1	0.0%
-1	-1: N/A	0	0.0%
.	-	7	0.3%
	Total	**8**	**0.3%**

This variable has 2,440 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 712-713 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOTHER6: Bothered past week

During the past week: I was bothered by things that usually don't bother me.

Value	Label	Unweighted Frequency	%
1	1: Rarely/none of the time (less than 1 day)	1452	59.3%
2	2: Some/a little of the time (1-2 days)	591	24.1%
3	3: Occasionally/moderate amount of the time (3-4 days)	218	8.9%
4	4: Most/all of the time (5-7 days)	54	2.2%
	Total	**2,315**	**94.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	2	0.1%
-1	-1: N/A	124	5.1%
.	-	7	0.3%
	Total	**133**	**5.4%**

This variable has 2,315 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 4.00

Location: 714-715 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

APPETIT6: Lost appetite past week

During the past week: I did not feel like eating; my appetite was poor

Value	Label	Unweighted Frequency	%
1	1: Rarely/none of the time (less than 1 day)	1883	76.9%
2	2: Some/a little of the time (1-2 days)	291	11.9%
3	3: Occasionally/moderate amount of the time (3-4 days)	102	4.2%
4	4: Most/all of the time (5-7 days)	40	1.6%
	Total	**2,316**	**94.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	1	0.0%
-1	-1: N/A	124	5.1%
.	-	7	0.3%
	Total	**132**	**5.4%**

This variable has 2,316 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 716-717 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BLUES6: Had blues past week

During the past week: I felt that I could not shake off the blues even with help from my friends

Value	Label	Unweighted Frequency	%
1	1: Rarely/none of the time (less than 1 day)	1783	72.8%
2	2: Some/a little of the time (1-2 days)	338	13.8%
3	3: Occasionally/moderate amount of the time (3-4 days)	135	5.5%
4	4: Most/all of the time (5-7 days)	60	2.5%
	Total	**2,316**	**94.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	1	0.0%
-1	-1: N/A	124	5.1%
.	-	7	0.3%
	Total	**132**	**5.4%**

This variable has 2,316 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 718-719 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GOOD6: As good as others past week

During the past week: I felt that I was just as good as other people

Value	Label	Unweighted Frequency	%
1	1: Rarely/none of the time (less than 1 day)	66	2.7%
2	2: Some/a little of the time (1-2 days)	121	4.9%
3	3: Occasionally/moderate amount of the time (3-4 days)	280	11.4%
4	4: Most/all of the time (5-7 days)	1846	75.4%
	Total	**2,313**	**94.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	4	0.2%
-1	-1: N/A	124	5.1%
.	-	7	0.3%
	Total	**135**	**5.5%**

This variable has 2,313 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 4.00

Location: 720-721 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

KEEPMIN6: Mind on what doing past week

During the past week: I had trouble keeping my mind on what I was doing

Value	Label	Unweighted Frequency	%
1	1: Rarely/none of the time (less than 1 day)	1127	46.0%
2	2: Some/a little of the time (1-2 days)	686	28.0%
3	3: Occasionally/moderate amount of the time (3-4 days)	398	16.3%
4	4: Most/all of the time (5-7 days)	105	4.3%
	Total	**2,316**	**94.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	1	0.0%
-1	-1: N/A	124	5.1%
.	-	7	0.3%
	Total	**132**	**5.4%**

This variable has 2,316 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 722-723 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DEPRESS6: Felt depressed past week

During the past week: I felt depressed

Value	Label	Unweighted Frequency	%
1	1: Rarely/none of the time (less than 1 day)	1554	63.5%
2	2: Some/a little of the time (1-2 days)	508	20.8%
3	3: Occasionally/moderate amount of the time (3-4 days)	169	6.9%
4	4: Most/all of the time (5-7 days)	85	3.5%
	Total	**2,316**	**94.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	1	0.0%
-1	-1: N/A	124	5.1%
.	-	7	0.3%
	Total	**132**	**5.4%**

This variable has 2,316 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 724-725 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EFFORT6: Everything an effort past week

During the past week: I felt that everything I did was an effort

Value	Label	Unweighted Frequency	%
1	1: Rarely/none of the time (less than 1 day)	1414	57.8%
2	2: Some/a little of the time (1-2 days)	584	23.9%
3	3: Occasionally/moderate amount of the time (3-4 days)	206	8.4%
4	4: Most/all of the time (5-7 days)	112	4.6%
	Total	**2,316**	**94.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	1	0.0%
-1	-1: N/A	124	5.1%
.	-	7	0.3%
	Total	**132**	**5.4%**

This variable has 2,316 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 726-727 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOPEFUL6: Hopeful about future past week

During the past week: I felt hopeful about the future

Value	Label	Unweighted Frequency	%
1	1: Rarely/none of the time (less than 1 day)	72	2.9%
2	2: Some/a little of the time (1-2 days)	237	9.7%
3	3: Occasionally/moderate amount of the time (3-4 days)	490	20.0%
4	4: Most/all of the time (5-7 days)	1517	62.0%
	Total	**2,316**	**94.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	1	0.0%
-1	-1: N/A	124	5.1%
.	-	7	0.3%
	Total	**132**	**5.4%**

This variable has 2,316 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 728-729 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FAILURE6: Life has been failure past week

During the past week: I thought my life had been a failure

Value	Label	Unweighted Frequency	%
1	1: Rarely/none of the time (less than 1 day)	2031	83.0%
2	2: Some/a little of the time (1-2 days)	185	7.6%
3	3: Occasionally/moderate amount of the time (3-4 days)	75	3.1%
4	4: Most/all of the time (5-7 days)	25	1.0%
	Total	**2,316**	**94.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	1	0.0%
-1	-1: N/A	124	5.1%
.	-	7	0.3%
	Total	**132**	**5.4%**

This variable has 2,316 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 730-731 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FEARFUL6: Felt fearful past week

During the past week: I felt fearful

Value	Label	Unweighted Frequency	%
1	1: Rarely/none of the time (less than 1 day)	1819	74.3%
2	2: Some/a little of the time (1-2 days)	370	15.1%
3	3: Occasionally/moderate amount of the time (3-4 days)	92	3.8%
4	4: Most/all of the time (5-7 days)	35	1.4%
	Total	**2,316**	**94.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	1	0.0%
-1	-1: N/A	124	5.1%
.	-	7	0.3%
	Total	**132**	**5.4%**

This variable has 2,316 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 732-733 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RESTLES6: Sleep was restless past week

During the past week: My sleep was restless

Value	Label	Unweighted Frequency	%
1	1: Rarely/none of the time (less than 1 day)	1075	43.9%
2	2: Some/a little of the time (1-2 days)	651	26.6%
3	3: Occasionally/moderate amount of the time (3-4 days)	308	12.6%
4	4: Most/all of the time (5-7 days)	282	11.5%
	Total	**2,316**	**94.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	1	0.0%
-1	-1: N/A	124	5.1%
.	-	7	0.3%
	Total	**132**	**5.4%**

This variable has 2,316 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 734-735 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HAPPY6: Happy past week

During the past week: I was happy

Value	Label	Unweighted Frequency	%
1	1: Rarely/none of the time (less than 1 day)	108	4.4%
2	2: Some/a little of the time (1-2 days)	270	11.0%
3	3: Occasionally/moderate amount of the time (3-4 days)	605	24.7%
4	4: Most/all of the time (5-7 days)	1332	54.4%
	Total	**2,315**	**94.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	2	0.1%
-1	-1: N/A	124	5.1%
.	-	7	0.3%
	Total	**133**	**5.4%**

This variable has 2,315 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 736-737 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TALKLES6: Talked less than usual past week

During the past week: I talked less than usual

Value	Label	Unweighted Frequency	%
1	1: Rarely/none of the time (less than 1 day)	1649	67.4%
2	2: Some/a little of the time (1-2 days)	407	16.6%
3	3: Occasionally/moderate amount of the time (3-4 days)	200	8.2%
4	4: Most/all of the time (5-7 days)	60	2.5%
	Total	**2,316**	**94.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	1	0.0%
-1	-1: N/A	124	5.1%
.	-	7	0.3%
	Total	**132**	**5.4%**

This variable has 2,316 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 738-739 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LONELY6: Felt lonely past week

During the past week: I felt lonely

Value	Label	Unweighted Frequency	%
1	1: Rarely/none of the time (less than 1 day)	1707	69.7%
2	2: Some/a little of the time (1-2 days)	420	17.2%
3	3: Occasionally/moderate amount of the time (3-4 days)	133	5.4%
4	4: Most/all of the time (5-7 days)	56	2.3%
	Total	**2,316**	**94.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	1	0.0%
-1	-1: N/A	124	5.1%
.	-	7	0.3%
	Total	**132**	**5.4%**

This variable has 2,316 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 740-741 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

UNFRNDL6: People unfriendly past week

During the past week: People were unfriendly

Value	Label	Unweighted Frequency	%
1	1: Rarely/none of the time (less than 1 day)	1977	80.8%
2	2: Some/a little of the time (1-2 days)	264	10.8%
3	3: Occasionally/moderate amount of the time (3-4 days)	55	2.2%
4	4: Most/all of the time (5-7 days)	20	0.8%
	Total	**2,316**	**94.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	1	0.0%
-1	-1: N/A	124	5.1%
.	-	7	0.3%
	Total	**132**	**5.4%**

This variable has 2,316 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 742-743 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ENJOY6: Enjoyed life past week

During the past week: I enjoyed life

Value	Label	Unweighted Frequency	%
1	1: Rarely/none of the time (less than 1 day)	91	3.7%
2	2: Some/a little of the time (1-2 days)	200	8.2%
3	3: Occasionally/moderate amount of the time (3-4 days)	446	18.2%
4	4: Most/all of the time (5-7 days)	1579	64.5%
	Total	**2,316**	**94.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	1	0.0%
-1	-1: N/A	124	5.1%
.	-	7	0.3%
	Total	**132**	**5.4%**

This variable has 2,316 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 744-745 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CRYING6: Crying spells past week

During the past week: I had crying spells

Value	Label	Unweighted Frequency	%
1	1: Rarely/none of the time (less than 1 day)	1915	78.2%
2	2: Some/a little of the time (1-2 days)	276	11.3%
3	3: Occasionally/moderate amount of the time (3-4 days)	90	3.7%
4	4: Most/all of the time (5-7 days)	35	1.4%
	Total	**2,316**	**94.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	1	0.0%
-1	-1: N/A	124	5.1%
.	-	7	0.3%
	Total	**132**	**5.4%**

This variable has 2,316 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 746-747 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SAD6: Felt sad past week

During the past week: I felt sad

Value	Label	Unweighted Frequency	%
1	1: Rarely/none of the time (less than 1 day)	1513	61.8%
2	2: Some/a little of the time (1-2 days)	592	24.2%
3	3: Occasionally/moderate amount of the time (3-4 days)	149	6.1%
4	4: Most/all of the time (5-7 days)	62	2.5%
	Total	**2,316**	**94.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	1	0.0%
-1	-1: N/A	124	5.1%
.	-	7	0.3%
	Total	**132**	**5.4%**

This variable has 2,316 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 748-749 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DISLIKE6: People disliked me past week

During the past week: I felt that people disliked me

Value	Label	Unweighted Frequency	%
1	1: Rarely/none of the time (less than 1 day)	2043	83.5%
2	2: Some/a little of the time (1-2 days)	211	8.6%
3	3: Occasionally/moderate amount of the time (3-4 days)	50	2.0%
4	4: Most/all of the time (5-7 days)	12	0.5%
	Total	**2,316**	**94.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	1	0.0%
-1	-1: N/A	124	5.1%
.	-	7	0.3%
	Total	**132**	**5.4%**

This variable has 2,316 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 750-751 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GETGOIN6: Could not get going past week

During the past week: I could not get going

Value	Label	Unweighted Frequency	%
1	1: Rarely/none of the time (less than 1 day)	1501	61.3%
2	2: Some/a little of the time (1-2 days)	555	22.7%
3	3: Occasionally/moderate amount of the time (3-4 days)	188	7.7%
4	4: Most/all of the time (5-7 days)	72	2.9%
	Total	**2,316**	**94.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	1	0.0%
-1	-1: N/A	124	5.1%
.	-	7	0.3%
	Total	**132**	**5.4%**

This variable has 2,316 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 752-753 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SEPEXP6: Exposed directly to 9/11

Were you directly exposed to the disaster of September 11? By directly, I mean that you were in the vicinity of the World Trade Center, Pentagon, or Somerset County, PA at the time the disaster occurred?

Value	Label	Unweighted Frequency	%
1	1: No	2287	93.4%
2	2: Yes	26	1.1%
	Total	**2,313**	**94.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	1	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	2	0.1%
-1	-1: N/A	125	5.1%
.	-	7	0.3%
	Total	**135**	**5.5%**

This variable has 2,313 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 754-755 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SEPTHR6: Believe your life threatened at time of 9/11

How strongly did you believe that your own life was threatened at the time? Would you say, Not at all, To some extent or Very much so

Value	Label	Unweighted Frequency	%
1	1: Not at all	10	0.4%
2	2: To some extent	12	0.5%
3	3: Very much so	4	0.2%
	Total	**26**	**1.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2415	98.7%
.	-	7	0.3%
	Total	**2,422**	**98.9%**

This variable has 26 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 756-757 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SEPINJ6: Injured physically by 9/11

Were you injured physically in any way, that is (a) you were burned or harmed by debris or (b) your ability to breathe, see, hear, or move about was impaired in more than a transient way? Would you say, Not at all, Yes, but not seriously or Yes, seriously?

Value	Label	Unweighted Frequency	%
1	1: Not at all	24	1.0%
2	2: Yes, but not seriously	2	0.1%
3	3: Yes, seriously	0	0.0%
	Total	**26**	**1.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	-1: N/A	2415	98.7%
.	-	7	0.3%
	Total	**2,422**	**98.9%**

This variable has 26 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 758-759 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SEPFAM6: Family member/friend exposed directly to 9/11

Was your spouse or partner, any member of your family, or a close friend directly exposed to the disaster of September 11? By directly, I mean he or she was in the vicinity of the World Trade Center, the Pentagon, or Somerset County, PA or on one of the planes that crashed?

Value	Label	Unweighted Frequency	%
1	1: No	1968	80.4%
2	2: Yes	345	14.1%
	Total	**2,313**	**94.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	1	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	2	0.1%
-1	-1: N/A	125	5.1%
.	-	7	0.3%
	Total	**135**	**5.5%**

This variable has 2,313 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 760-761 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SEPLEV6: Person lose life on 9/11

Did the person or any of the people you know lose their lives?

Value	Label	Unweighted Frequency	%
1	1: No	297	12.1%
2	2: Yes	48	2.0%
	Total	**345**	**14.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2096	85.6%
.	-	7	0.3%
	Total	**2,103**	**85.9%**

This variable has 345 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 762-763 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SEPSAF6: Feel less safe after 9/11

How true are the following statements about you? You feel less safe than you did before the disaster on September 11. Is this...

Value	Label	Unweighted Frequency	%
1	1: Not at all true	499	20.4%
2	2: A little true	759	31.0%
3	3: Somewhat true	657	26.8%
4	4: Very true	313	12.8%
5	5: Extremely true	84	3.4%
	Total	**2,312**	**94.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	1	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	3	0.1%

Value	Missing Data	Unweighted Frequency	%
-1	-1: N/A	125	5.1%
.	-	7	0.3%
	Total	**136**	**5.6%**

This variable has 2,312 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 764-765 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SEPCON6: Feel less in control since 9/11

How true are the following statements about you? Compared to how you felt before the disaster, you feel less able to control the forces that will influence your life.

Value	Label	Unweighted Frequency	%
1	1: Not at all true	762	31.1%
2	2: A little true	639	26.1%
3	3: Somewhat true	564	23.0%
4	4: Very true	288	11.8%
5	5: Extremely true	58	2.4%
	Total	**2,311**	**94.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	1	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	4	0.2%
-1	-1: N/A	125	5.1%
.	-	7	0.3%
	Total	**137**	**5.6%**

This variable has 2,311 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 766-767 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SEPEAC6: Pessimistic about peace since 9/11

How true are the following statements about you? You feel more pessimistic about the possibility of there ever being peace in the world.

Value	Label	Unweighted Frequency	%
1	1: Not at all true	508	20.8%
2	2: A little true	580	23.7%
3	3: Somewhat true	697	28.5%
4	4: Very true	380	15.5%
5	5: Extremely true	145	5.9%
	Total	**2,310**	**94.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	1	0.0%
-8	-8: Do not know	1	0.0%
-7	-7: Refused	4	0.2%
-1	-1: N/A	125	5.1%
.	-	7	0.3%
	Total	**138**	**5.6%**

This variable has 2,310 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 768-769 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SEPFUT6: Pessimistic about own future since 9/11

How true are the following statements about you? You feel more pessimistic about your own future well-being.

Value	Label	Unweighted Frequency	%
1	1: Not at all true	1040	42.5%
2	2: A little true	699	28.6%
3	3: Somewhat true	408	16.7%
4	4: Very true	125	5.1%
5	5: Extremely true	39	1.6%
	Total	**2,311**	**94.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	1	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	4	0.2%
-1	-1: N/A	125	5.1%
.	-	7	0.3%
	Total	**137**	**5.6%**

This variable has 2,311 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 770-771 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SEPGOV6: Less faith in government since 9/11

How true are the following statements about you? You have less faith in government's ability to protect you than you did before the disaster.

Value	Label	Unweighted Frequency	%
1	1: Not at all true	587	24.0%
2	2: A little true	541	22.1%
3	3: Somewhat true	564	23.0%
4	4: Very true	378	15.4%
5	5: Extremely true	240	9.8%
	Total	**2,310**	**94.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	1	0.0%
-8	-8: Do not know	1	0.0%
-7	-7: Refused	4	0.2%
-1	-1: N/A	125	5.1%
.	-	7	0.3%
	Total	**138**	**5.6%**

This variable has 2,310 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00

- Maximum: 5.00

Location: 772-773 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SEPCNF6: Less confident in own abilities since 9/11

How true are the following statements about you? You became less confident in your own abilities to cope with major crises.

Value	Label	Unweighted Frequency	%
1	1: Not at all true	1355	55.4%
2	2: A little true	561	22.9%
3	3: Somewhat true	292	11.9%
4	4: Very true	78	3.2%
5	5: Extremely true	25	1.0%
	Total	**2,311**	**94.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	1	0.0%
-8	-8: Do not know	1	0.0%
-7	-7: Refused	3	0.1%
-1	-1: N/A	125	5.1%
.	-	7	0.3%
	Total	**137**	**5.6%**

This variable has 2,311 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 774-775 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SEPANX6: How much stress/anxiety because of 9/11

Overall, how much stress or anxiety have you experienced because of the terrorist events of September 11th and events since then? Please answer this question on a scale from 1 to 10, where 1 means that you have not personally been stressed or distressed at all, and 10 means that you have been terribly or extremely stressed or distressed.

Value	Label	Unweighted Frequency	%
1	-	277	11.3%
2	-	363	14.8%

Value	Label	Unweighted Frequency	%
3	-	447	18.3%
4	-	274	11.2%
5	-	288	11.8%
6	-	238	9.7%
7	-	177	7.2%
8	-	125	5.1%
9	-	54	2.2%
10	-	65	2.7%
	Total	**2,308**	**94.3%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	1	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	7	0.3%
-1	-1: N/A	125	5.1%
.	-	7	0.3%
	Total	**140**	**5.7%**

This variable has 2,308 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 4.20
- Median: 4.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.36

Location: 776-777 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHNGJOB6: Change in job since last visit

Since your last study visit, has there been a change in any of your jobs, that is: your place of employment, your job title, or your usual job tasks?

Value	Label	Unweighted Frequency	%
1	1: No	1400	57.2%
2	2: Yes	631	25.8%
	Total	**2,031**	**83.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	1	0.0%
-1	-1: N/A	409	16.7%
.	-	7	0.3%
	Total	**417**	**17.0%**

This variable has 2,031 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 778-779 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

JOB6: Work for pay past 2 weeks

During the past 2 weeks, did you work at any time at a job or business, including work for pay performed at home? (Include unpaid work in the family farm or business. If you were on vacation, or scheduled leave or sick leave, please answer as though you were at your usual job.)

Value	Label	Unweighted Frequency	%
1	1: No	109	4.5%
2	2: Yes	522	21.3%
	Total	**631**	**25.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	1810	73.9%
.	-	7	0.3%
	Total	**1,817**	**74.2%**

This variable has 631 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 780-781 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHANGHR6: Change in usual hours of work

Since your last study visit, has there been a change in your usual hours of work of any of your jobs?

Value	Label	Unweighted Frequency	%
1	1: No	1460	59.6%
2	2: Yes	462	18.9%
	Total	**1,922**	**78.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	519	21.2%
.	-	7	0.3%
	Total	**526**	**21.5%**

This variable has 1,922 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 782-783 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRTIM16: Work start time

Work start time

Value	Label	Unweighted Frequency	%
10:00:00	-	23	0.9%
10:30:00	-	1	0.0%
11:00:00	-	5	0.2%
11:30:00	-	1	0.0%
12:00:00	-	8	0.3%
13:00:00	-	5	0.2%
14:00:00	-	4	0.2%
14:30:00	-	3	0.1%
15:00:00	-	3	0.1%
15:30:00	-	1	0.0%

Value	Label	Unweighted Frequency	%
16:00:00	-	4	0.2%
16:30:00	-	1	0.0%
17:00:00	-	1	0.0%
17:30:00	-	1	0.0%
1:00:00	-	1	0.0%
22:00:00	-	1	0.0%
23:00:00	-	3	0.1%
23:30:00	-	1	0.0%
4:00:00	-	1	0.0%
4:15:00	-	1	0.0%
4:30:00	-	1	0.0%
5:00:00	-	2	0.1%
6:00:00	-	16	0.7%
6:30:00	-	12	0.5%
6:45:00	-	1	0.0%
7:00:00	-	37	1.5%
7:15:00	-	4	0.2%
7:20:00	-	1	0.0%
7:30:00	-	39	1.6%
7:35:00	-	1	0.0%
7:45:00	-	4	0.2%
8:00:00	-	86	3.5%
8:15:00	-	4	0.2%
8:20:00	-	1	0.0%
8:30:00	-	31	1.3%
8:40:00	-	1	0.0%
8:45:00	-	1	0.0%
9:00:00	-	64	2.6%
9:30:00	-	11	0.4%
	Total	**386**	**15.8%**

Value	Missing Data	Unweighted Frequency	%
.	-	2062	84.2%
	Total	**2,062**	**84.2%**

This variable has 386 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 784-795 (width: 12; decimal: 0)
Variable Type: character
(Range of) Missing Values: .

STPTIM16: Work stop time

Work stop time

Value	Label	Unweighted Frequency	%
0:00:00	-	2	0.1%
10:00:00	-	3	0.1%
10:30:00	-	1	0.0%
11:00:00	-	2	0.1%
11:15:00	-	1	0.0%
11:30:00	-	1	0.0%
12:00:00	-	10	0.4%
12:15:00	-	1	0.0%
12:30:00	-	2	0.1%
13:00:00	-	6	0.2%
13:25:00	-	1	0.0%
13:30:00	-	5	0.2%
14:00:00	-	13	0.5%
14:10:00	-	1	0.0%
14:15:00	-	1	0.0%
14:20:00	-	1	0.0%
14:30:00	-	10	0.4%
14:40:00	-	1	0.0%
14:45:00	-	3	0.1%
15:00:00	-	26	1.1%
15:15:00	-	2	0.1%
15:17:59	-	1	0.0%
15:30:00	-	18	0.7%
15:45:00	-	2	0.1%
16:00:00	-	33	1.3%
16:02:59	-	1	0.0%
16:30:00	-	30	1.2%
16:32:00	-	1	0.0%
16:40:00	-	1	0.0%

Value	Label	Unweighted Frequency	%
16:45:00	-	2	0.1%
17:00:00	-	56	2.3%
17:20:00	-	1	0.0%
17:30:00	-	20	0.8%
18:00:00	-	33	1.3%
18:30:00	-	9	0.4%
18:45:00	-	1	0.0%
19:00:00	-	21	0.9%
19:30:00	-	8	0.3%
1:00:00	-	2	0.1%
20:00:00	-	14	0.6%
20:03:00	-	1	0.0%
20:30:00	-	3	0.1%
21:00:00	-	10	0.4%
22:00:00	-	6	0.2%
22:30:00	-	2	0.1%
23:00:00	-	5	0.2%
23:30:00	-	1	0.0%
2:00:00	-	1	0.0%
3:00:00	-	2	0.1%
3:30:00	-	1	0.0%
	Total	**386**	**15.8%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	2062	84.2%
	Total	**2,062**	**84.2%**

This variable has 386 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 796-807 (width: 12; decimal: 0)
Variable Type: character
(Range of) Missing Values: .

ROTAT16: Work rotating/alternating

What are your usual hours of work each day for each job? Rotating/Alternating (Alternating weekly/monthly?)

Value	Label	Unweighted Frequency	%
1	1: No	382	15.6%
2	2: Yes	77	3.1%
	Total	**459**	**18.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	1982	81.0%
.	-	7	0.3%
	Total	**1,989**	**81.2%**

This variable has 459 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 808-809 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRTIM26: Work start time (2)

Work start time (2)

Value	Label	Unweighted Frequency	%
10:00:00	-	1	0.0%
12:00:00	-	1	0.0%
13:00:00	-	1	0.0%
13:30:00	-	1	0.0%
14:00:00	-	1	0.0%
14:30:00	-	1	0.0%
14:45:00	-	1	0.0%
15:00:00	-	3	0.1%
15:30:00	-	2	0.1%
16:00:00	-	2	0.1%
16:55:00	-	1	0.0%
17:00:00	-	4	0.2%
17:30:00	-	1	0.0%

Value	Label	Unweighted Frequency	%
18:00:00	-	3	0.1%
19:00:00	-	2	0.1%
19:30:00	-	1	0.0%
3:30:00	-	1	0.0%
6:01:00	-	1	0.0%
6:30:00	-	1	0.0%
8:00:00	-	7	0.3%
9:00:00	-	8	0.3%
9:30:00	-	2	0.1%
	Total	**46**	**1.9%**

Value	Missing Data	Unweighted Frequency	%
.	-	2402	98.1%
	Total	**2,402**	**98.1%**

This variable has 46 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 810-821 (width: 12; decimal: 0)
Variable Type: character
(Range of) Missing Values: .

STPTIM26: Work stop time (2)

Work stop time (2)

Value	Label	Unweighted Frequency	%
0:00:00	-	2	0.1%
10:00:00	-	2	0.1%
10:30:00	-	1	0.0%
12:30:00	-	2	0.1%
13:00:00	-	1	0.0%
14:30:00	-	1	0.0%
15:00:00	-	2	0.1%
15:30:00	-	1	0.0%
16:00:00	-	4	0.2%
16:15:00	-	1	0.0%
16:30:00	-	1	0.0%
17:00:00	-	6	0.2%

Value	Label	Unweighted Frequency	%
17:30:00	-	1	0.0%
18:00:00	-	3	0.1%
18:30:00	-	1	0.0%
19:00:00	-	1	0.0%
1:00:00	-	2	0.1%
20:00:00	-	1	0.0%
21:00:00	-	4	0.2%
21:30:00	-	3	0.1%
22:00:00	-	2	0.1%
22:15:00	-	1	0.0%
23:00:00	-	2	0.1%
7:00:00	-	1	0.0%
	Total	**46**	**1.9%**

Value	Missing Data	Unweighted Frequency	%
.	-	2402	98.1%
	Total	**2,402**	**98.1%**

This variable has 46 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 822-833 (width: 12; decimal: 0)
Variable Type: character
(Range of) Missing Values: .

ROTAT26: Work rotating/alternating (2)

What are your usual hours of work each day for each job? Rotating/Alternating (Alternating weekly/monthly?)

Value	Label	Unweighted Frequency	%
1	1: No	45	1.8%
2	2: Yes	25	1.0%
	Total	**70**	**2.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	-1: N/A	2371	96.9%
.	-	7	0.3%
	Total	**2,378**	**97.1%**

This variable has 70 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 834-835 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRTIM36: Work start time (3)

Work start time (3)

Value	Label	Unweighted Frequency	%
10:30:00	-	1	0.0%
11:00:00	-	1	0.0%
17:00:00	-	1	0.0%
17:15:00	-	1	0.0%
22:00:00	-	1	0.0%
8:30:00	-	1	0.0%
	Total	**6**	**0.2%**

Value	Missing Data	Unweighted Frequency	%
.	-	2442	99.8%
	Total	**2,442**	**99.8%**

This variable has 6 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 836-847 (width: 12; decimal: 0)
Variable Type: character
(Range of) Missing Values: .

STPTIM36: Work stop time (3)

Work stop time (3)

Value	Label	Unweighted Frequency	%
16:00:00	-	2	0.1%

Value	Label	Unweighted Frequency	%
18:00:00	-	1	0.0%
19:45:00	-	1	0.0%
22:00:00	-	1	0.0%
6:00:00	-	1	0.0%
	Total	**6**	**0.2%**

Value	Missing Data	Unweighted Frequency	%
.	-	2442	99.8%
	Total	**2,442**	**99.8%**

This variable has 6 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 848-859 (width: 12; decimal: 0)
Variable Type: character
(Range of) Missing Values: .

ROTAT36: Work rotating/alternating (3)

What are your usual hours of work each day for each job? Rotating/Alternating (Alternating weekly/monthly?)

Value	Label	Unweighted Frequency	%
1	1: No	6	0.2%
2	2: Yes	11	0.4%
	Total	**17**	**0.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2424	99.0%
.	-	7	0.3%
	Total	**2,431**	**99.3%**

This variable has 17 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 860-861 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOURSPA6: How many hours/week work for pay

On average, how many total hours a week do you work, for pay?

Value	Label	Unweighted Frequency	%
1	1: Less than or equal to 10 hrs	129	5.3%
2	2: 11-19 hrs	80	3.3%
3	3: 20-34 hrs	355	14.5%
4	4: 35-40 hrs	831	33.9%
5	5: 41-60 hrs	471	19.2%
6	6: More than 60 hrs	54	2.2%
	Total	**1,920**	**78.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	1	0.0%
-1	-1: N/A	520	21.2%
.	-	7	0.3%
	Total	**528**	**21.6%**

This variable has 1,920 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 862-863 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VOLUNTE6: Do volunteer work

Do you do volunteer work?

Value	Label	Unweighted Frequency	%
1	1: No	1407	57.5%
2	2: Yes	909	37.1%
	Total	**2,316**	**94.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	1	0.0%
-1	-1: N/A	124	5.1%
.	-	7	0.3%
	Total	**132**	**5.4%**

This variable has 2,316 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 864-865 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VLNTHR16: Volunteer (1) hours/week

What type of volunteer work do you do? How many hours a week do you spend doing it?

Value	Label	Unweighted Frequency	%
0.01	-	2	0.1%
0.04	-	1	0.0%
0.06	-	1	0.0%
0.10	-	2	0.1%
0.12	-	1	0.0%
0.17	-	1	0.0%
0.19	-	1	0.0%
0.20	-	1	0.0%
0.23	-	1	0.0%
0.25	-	12	0.5%
0.30	-	2	0.1%
0.38	-	1	0.0%
0.50	-	66	2.7%
0.58	-	2	0.1%
0.60	-	3	0.1%
0.63	-	1	0.0%
0.73	-	1	0.0%
0.75	-	8	0.3%
0.77	-	2	0.1%

Value	Label	Unweighted Frequency	%
0.80	-	1	0.0%
0.90	-	1	0.0%
1.00	-	200	8.2%
1.25	-	1	0.0%
1.50	-	22	0.9%
1.60	-	1	0.0%
1.75	-	1	0.0%
2.00	-	160	6.5%
2.50	-	21	0.9%
3.00	-	99	4.0%
3.50	-	4	0.2%
4.00	-	73	3.0%
4.50	-	5	0.2%
5.00	-	44	1.8%
5.50	-	4	0.2%
5.77	-	1	0.0%
6.00	-	39	1.6%
6.50	-	1	0.0%
7.00	-	8	0.3%
8.00	-	20	0.8%
8.08	-	1	0.0%
9.00	-	1	0.0%
10.00	-	27	1.1%
12.00	-	6	0.2%
13.00	-	1	0.0%
14.00	-	5	0.2%
15.00	-	9	0.4%
16.00	-	4	0.2%
17.00	-	1	0.0%
18.00	-	1	0.0%
20.00	-	19	0.8%
	Total	**907**	**37.1%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-9.00	-9: Missing	0	0.0%
-8.00	-8: Do not know	2	0.1%
-7.00	-7: Refused	0	0.0%
-1.00	-1: N/A	1532	62.6%
.	-	7	0.3%
	Total	**1,541**	**62.9%**

This variable has 907 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 4.09
- Median: 2.00
- Mode: 1.00
- Minimum: 0.01
- Maximum: 50.00
- Standard Deviation: 6.27

Location: 866-870 (width: 5; decimal: 2)
Variable Type: numeric
(Range of) Missing Values: -9.00 , -8.00 , -7.00 , -1.00 , .

VLNTHR26: Volunteer (2) hours/week

What type of volunteer work do you do? How many hours a week do you spend doing it?

Value	Label	Unweighted Frequency	%
0.01	-	1	0.0%
0.12	-	1	0.0%
0.15	-	3	0.1%
0.19	-	2	0.1%
0.20	-	2	0.1%
0.25	-	13	0.5%
0.30	-	1	0.0%
0.39	-	1	0.0%
0.46	-	1	0.0%
0.50	-	37	1.5%
0.58	-	1	0.0%
0.67	-	1	0.0%
0.75	-	3	0.1%
1.00	-	69	2.8%
1.33	-	1	0.0%

Value	Label	Unweighted Frequency	%
1.50	-	6	0.2%
2.00	-	50	2.0%
2.50	-	2	0.1%
3.00	-	25	1.0%
3.50	-	1	0.0%
4.00	-	16	0.7%
5.00	-	9	0.4%
6.00	-	8	0.3%
6.50	-	1	0.0%
7.00	-	1	0.0%
8.00	-	9	0.4%
10.00	-	3	0.1%
15.00	-	1	0.0%
20.00	-	1	0.0%
21.00	-	1	0.0%
28.00	-	1	0.0%
30.00	-	1	0.0%
40.00	-	1	0.0%
	Total	**274**	**11.2%**

Value	Missing Data	Unweighted Frequency	%
-9.00	-9: Missing	0	0.0%
-8.00	-8: Do not know	1	0.0%
-7.00	-7: Refused	0	0.0%
-1.00	-1: N/A	2166	88.5%
.	-	7	0.3%
	Total	**2,174**	**88.8%**

This variable has 274 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 2.62
- Median: 1.42
- Mode: 1.00
- Minimum: 0.01
- Maximum: 40.00
- Standard Deviation: 4.17

Location: 871-875 (width: 5; decimal: 2)
Variable Type: numeric

(Range of) Missing Values: -9.00 , -8.00 , -7.00 , -1.00 , .

VLNTHR36: Volunteer (3) hours/week

What type of volunteer work do you do? How many hours a week do you spend doing it?

Value	Label	Unweighted Frequency	%
0.25	-	2	0.1%
0.48	-	1	0.0%
0.50	-	9	0.4%
1.00	-	37	1.5%
1.25	-	1	0.0%
1.50	-	3	0.1%
2.00	-	14	0.6%
2.50	-	1	0.0%
3.00	-	7	0.3%
3.50	-	1	0.0%
4.00	-	5	0.2%
5.00	-	3	0.1%
5.50	-	1	0.0%
6.00	-	3	0.1%
7.00	-	1	0.0%
8.00	-	1	0.0%
10.00	-	3	0.1%
	Total	**93**	**3.8%**

Value	Missing Data	Unweighted Frequency	%
-9.00	-9: Missing	0	0.0%
-8.00	-8: Do not know	1	0.0%
-7.00	-7: Refused	0	0.0%
-1.00	-1: N/A	2347	95.9%
.	-	7	0.3%
	Total	**2,355**	**96.2%**

This variable has 93 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 2.22
- Median: 1.00
- Mode: 1.00
- Minimum: 0.25

- Maximum: 10.00
- Standard Deviation: 2.17

Location: 876-880 (width: 5; decimal: 2)
Variable Type: numeric
(Range of) Missing Values: -9.00 , -8.00 , -7.00 , -1.00 , .

MARITAL6: Marital status

What is your current marital status? Would you say ...

Value	Label	Unweighted Frequency	%
1	1: Single/never married	313	12.8%
2	2: Currently married/living as married	1587	64.8%
3	3: Separated	78	3.2%
4	4: Widowed	79	3.2%
5	5: Divorced	370	15.1%
	Total	**2,427**	**99.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	11	0.4%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	3	0.1%
-1	-1: N/A	0	0.0%
.	-	7	0.3%
	Total	**21**	**0.9%**

This variable has 2,427 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 881-882 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHGHHLD6: Change in anyone living in house

Since your last study visit, has there been any change in who is living in your household?

Value	Label	Unweighted Frequency	%
1	1: No	1739	71.0%
2	2: Yes	577	23.6%

Value	Label	Unweighted Frequency	%
	Total	**2,316**	**94.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	1	0.0%
-1	-1: N/A	124	5.1%
.	-	7	0.3%
	Total	**132**	**5.4%**

This variable has 2,316 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 883-884 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOUSEHL6: Anyone living in your household

Other than yourself, is there anyone living in your household?

Value	Label	Unweighted Frequency	%
1	1: No	57	2.3%
2	2: Yes	520	21.2%
	Total	**577**	**23.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	1864	76.1%
.	-	7	0.3%
	Total	**1,871**	**76.4%**

This variable has 577 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 885-886 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT16: Relationship to yourself (1)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
	-	7	0.3%
-1	-1: N/A	1921	78.5%
-7	-7: Refused	0	0.0%
-8	-8: Do not know	0	0.0%
-9	-9: Missing	0	0.0%
BOARDER	-	1	0.0%
BOYFRIEND	-	7	0.3%
BROTHER	-	2	0.1%
BROTHER IN LAW	-	1	0.0%
CHILD	-	1	0.0%
COUSIN	-	2	0.1%
DAUGHTER	-	73	3.0%
DAUGHTER'S BOYFRIEND	-	1	0.0%
DAUGHTER'S FRIEND	-	1	0.0%
DAUGHTER-IN-LAW	-	1	0.0%
EX HUSBAND	-	1	0.0%
EXCHANGE STUDENT	-	2	0.1%
FAMILY FRIEND	-	1	0.0%
FATHER	-	2	0.1%
FATHER-IN-LAW	-	1	0.0%
FIANCE	-	1	0.0%
FIANCEE	-	2	0.1%
FRIEND	-	6	0.2%
GIRLFRIEND	-	1	0.0%
GODSON	-	1	0.0%
GRANDAUGHTER	-	2	0.1%

Value	Label	Unweighted Frequency	%
GRANDBABBY	-	1	0.0%
GRANDDAUGHTER	-	7	0.3%
GRANDSON	-	8	0.3%
GREAT NIECE	-	1	0.0%
HUSBAND	-	268	10.9%
MOTHER	-	15	0.6%
MOTHER IN LAW	-	1	0.0%
MOTHER-IN-LAW	-	1	0.0%
NEPHEW	-	4	0.2%
NIECE	-	5	0.2%
PARENTS (MOM)	-	1	0.0%
PARTNER	-	4	0.2%
RELIGIOUS SISTER CANDIDATE	-	1	0.0%
ROOMATE	-	1	0.0%
ROOMMATE	-	3	0.1%
SIGNIFICANT OTHER	-	2	0.1%
SISTER	-	9	0.4%
SON	-	61	2.5%
SPOUSE	-	12	0.5%
STATE PLACEMENT PERSONEL	-	1	0.0%
SWEETHEART	-	1	0.0%
TENANT	-	1	0.0%
UNCLE	-	1	0.0%
X-HUSBAND	-	1	0.0%
	Total	**2,448**	**100.0%**

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 887-912 (width: 26; decimal: 0)
Variable Type: character

SEX16: Gender (1)

Please tell me their gender

Value	Label	Unweighted Frequency	%
	-	7	0.3%
-1	-1: N/A	1921	78.5%
-7	-7: Refused	0	0.0%
-8	-8: Do not know	0	0.0%
-9	-9: Missing	0	0.0%
F	-	132	5.4%
M	-	388	15.8%
	Total	**2,448**	**100.0%**

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 913-914 (width: 2; decimal: 0)
Variable Type: character

AGE16: Age (1)

Please tell me their age

Value	Label	Unweighted Frequency	%
1	-	6	0.2%
3	-	1	0.0%
4	-	1	0.0%
6	-	2	0.1%
8	-	4	0.2%
9	-	1	0.0%
10	-	3	0.1%
11	-	2	0.1%
12	-	4	0.2%
13	-	6	0.2%
14	-	4	0.2%
15	-	9	0.4%
16	-	9	0.4%
17	-	9	0.4%
18	-	3	0.1%
19	-	4	0.2%
20	-	10	0.4%

Value	Label	Unweighted Frequency	%
21	-	12	0.5%
22	-	9	0.4%
23	-	9	0.4%
24	-	7	0.3%
25	-	12	0.5%
26	-	8	0.3%
27	-	7	0.3%
28	-	5	0.2%
29	-	4	0.2%
30	-	10	0.4%
31	-	4	0.2%
32	-	3	0.1%
35	-	4	0.2%
36	-	1	0.0%
37	-	2	0.1%
38	-	3	0.1%
39	-	3	0.1%
40	-	1	0.0%
41	-	4	0.2%
42	-	1	0.0%
43	-	3	0.1%
44	-	4	0.2%
45	-	2	0.1%
46	-	4	0.2%
47	-	6	0.2%
48	-	15	0.6%
49	-	21	0.9%
50	-	26	1.1%
51	-	17	0.7%
52	-	38	1.6%
53	-	32	1.3%
54	-	23	0.9%
55	-	21	0.9%
	Total	**519**	**21.2%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	1	0.0%
-1	-1: N/A	1921	78.5%
.	-	7	0.3%
	Total	**1,929**	**78.8%**

This variable has 519 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 43.49
- Median: 50.00
- Mode: 52.00
- Minimum: 1.00
- Maximum: 94.00
- Standard Deviation: 18.54

Location: 915-916 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT26: Relationship to yourself (2)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
	-	7	0.3%
-1	-1: N/A	2083	85.1%
-7	-7: Refused	0	0.0%
-8	-8: Do not know	0	0.0%
-9	-9: Missing	0	0.0%
BOYFRIEND	-	1	0.0%
BOYFRIEND'S DAUGHTER	-	1	0.0%
BROTHER	-	7	0.3%
BROTHER IN LAW	-	1	0.0%
CHILD	-	2	0.1%
COMPANION	-	1	0.0%
DAD	-	1	0.0%
DAUGGHTER	-	1	0.0%
DAUGHTER	-	102	4.2%

Value	Label	Unweighted Frequency	%
DAUGHTER IN LAW	-	1	0.0%
DAUGHTER'S BOY FRIEND	-	1	0.0%
DAUGHTER'S BOYFRIEND	-	1	0.0%
DAUGHTER-IN-LAW	-	1	0.0%
EXCHANGE STUDENT	-	1	0.0%
FAMILY FRIEND	-	1	0.0%
FATHER	-	3	0.1%
FATHER'S GIRLFRIEND	-	1	0.0%
FATHER-IN-LAW	-	1	0.0%
FRIEND	-	3	0.1%
GIRL FRIEND	-	1	0.0%
GRAND DAUGHTER	-	1	0.0%
GRAND SON	-	2	0.1%
GRAND-DAUGHTER	-	2	0.1%
GRANDAUGHTER	-	2	0.1%
GRANDDAUGHTER	-	6	0.2%
GRANDMOTHER	-	1	0.0%
GRANDSO	-	1	0.0%
GRANDSON	-	17	0.7%
GREAT NEICE	-	1	0.0%
GREAT NEPHEW	-	1	0.0%
HUSBAND	-	20	0.8%
MOTHER	-	8	0.3%
MOTHER-IN-LAW	-	4	0.2%
NEIGHBOR	-	1	0.0%
NEPHEW	-	6	0.2%
NIECE	-	5	0.2%
NIECE'S BOYFRIEND	-	1	0.0%

Value	Label	Unweighted Frequency	%
NIECE'S SON	-	2	0.1%
PARENT	-	1	0.0%
RELIGIOUS SISTER	-	1	0.0%
RENTER	-	1	0.0%
ROOMMATE	-	2	0.1%
SIGNIFICANT OTHER	-	1	0.0%
SISTER-IN-LAW	-	1	0.0%
SON	-	125	5.1%
	Total	**2,448**	**100.0%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 917-946 (width: 30; decimal: 0)
Variable Type: character

SEX26: Gender (2)

Please tell me their gender

Value	Label	Unweighted Frequency	%
	-	7	0.3%
-1	-1: N/A	2083	85.1%
-7	-7: Refused	0	0.0%
-8	-8: Do not know	0	0.0%
-9	-9: Missing	0	0.0%
F	-	152	6.2%
M	-	206	8.4%
	Total	**2,448**	**100.0%**

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 947-948 (width: 2; decimal: 0)
Variable Type: character

AGE26: Age (2)

Please tell me their age

Value	Label	Unweighted Frequency	%
1	-	9	0.4%
2	-	2	0.1%
3	-	2	0.1%
4	-	2	0.1%
5	-	1	0.0%
6	-	2	0.1%
7	-	2	0.1%
8	-	5	0.2%
9	-	6	0.2%
10	-	7	0.3%
11	-	9	0.4%
12	-	6	0.2%
13	-	1	0.0%
14	-	9	0.4%
15	-	12	0.5%
16	-	16	0.7%
17	-	15	0.6%
18	-	14	0.6%
19	-	12	0.5%
20	-	12	0.5%
21	-	27	1.1%
22	-	21	0.9%
23	-	22	0.9%
24	-	13	0.5%
25	-	14	0.6%
26	-	13	0.5%
27	-	10	0.4%
28	-	10	0.4%
29	-	3	0.1%
30	-	6	0.2%
31	-	1	0.0%
32	-	1	0.0%
34	-	5	0.2%
35	-	5	0.2%
36	-	2	0.1%

Value	Label	Unweighted Frequency	%
37	-	1	0.0%
38	-	1	0.0%
40	-	1	0.0%
41	-	1	0.0%
42	-	2	0.1%
44	-	1	0.0%
46	-	2	0.1%
47	-	1	0.0%
48	-	2	0.1%
49	-	3	0.1%
50	-	2	0.1%
51	-	3	0.1%
52	-	5	0.2%
53	-	2	0.1%
54	-	1	0.0%
	Total	**358**	**14.6%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2083	85.1%
.	-	7	0.3%
	Total	**2,090**	**85.4%**

This variable has 358 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 26.59
- Median: 22.00
- Mode: 21.00
- Minimum: 1.00
- Maximum: 100.00
- Standard Deviation: 18.42

Location: 949-951 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT36: Relationship to yourself (3)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
	-	7	0.3%
-1	-1: N/A	2239	91.5%
-7	-7: Refused	0	0.0%
-8	-8: Do not know	0	0.0%
-9	-9: Missing	0	0.0%
BROTHER	-	2	0.1%
BROTHER-IN-LAW	-	1	0.0%
CARE GIVER	-	1	0.0%
CHILD	-	2	0.1%
DAUGHTER	-	52	2.1%
DAUGHTER IN LAW	-	2	0.1%
DAUGHTER'S FRIEND	-	1	0.0%
DAUGHTER-IN-LAW	-	3	0.1%
FATHER	-	1	0.0%
FOSTER DAUGHTER	-	1	0.0%
FOSTER SON	-	1	0.0%
FRIEND	-	1	0.0%
GOD SON	-	1	0.0%
GRAND DAUGHTER	-	5	0.2%
GRANDAUGHTER	-	1	0.0%
GRANDDAUGHTEF	-	8	0.3%
GRANDSON	-	16	0.7%
GREAT GRAND SON	-	1	0.0%
GREAT NEPHEW	-	4	0.2%
HELPER/ CAREGIVER	-	1	0.0%
HUSAND	-	1	0.0%
HUSBAND	-	8	0.3%
MOTHER	-	1	0.0%

Value	Label	Unweighted Frequency	%
MOTHER-IN-LAW	-	1	0.0%
NIECE	-	6	0.2%
NIECE'S SON	-	1	0.0%
OLDEST SON	-	1	0.0%
RELIGIOUS SISTER	-	1	0.0%
ROOMMATE	-	1	0.0%
S.O. NEPHEW	-	1	0.0%
SISTER	-	2	0.1%
SON	-	70	2.9%
SON'S FRIEND'S FIANCE	-	1	0.0%
SON-IN-LAW	-	1	0.0%
STEPDAUGHTER	-	1	0.0%
	Total	**2,448**	**100.0%**

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 952-972 (width: 21; decimal: 0)
Variable Type: character

SEX36: Gender (3)

Please tell me their gender

Value	Label	Unweighted Frequency	%
	-	7	0.3%
-1	-1: N/A	2239	91.5%
-7	-7: Refused	0	0.0%
-8	-8: Do not know	0	0.0%
-9	-9: Missing	0	0.0%
F	-	89	3.6%
M	-	113	4.6%
	Total	**2,448**	**100.0%**

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 973-974 (width: 2; decimal: 0)

Variable Type: character

AGE36: Age (3)

Please tell me their age

Value	Label	Unweighted Frequency	%
1	-	10	0.4%
2	-	6	0.2%
3	-	3	0.1%
4	-	4	0.2%
5	-	4	0.2%
6	-	2	0.1%
7	-	2	0.1%
8	-	5	0.2%
9	-	3	0.1%
10	-	5	0.2%
12	-	6	0.2%
13	-	10	0.4%
14	-	8	0.3%
15	-	11	0.4%
16	-	8	0.3%
17	-	3	0.1%
18	-	15	0.6%
19	-	16	0.7%
20	-	10	0.4%
21	-	10	0.4%
22	-	7	0.3%
23	-	3	0.1%
24	-	9	0.4%
25	-	5	0.2%
27	-	4	0.2%
28	-	1	0.0%
29	-	1	0.0%
30	-	4	0.2%
31	-	3	0.1%
33	-	1	0.0%
35	-	1	0.0%

Value	Label	Unweighted Frequency	%
37	-	1	0.0%
40	-	1	0.0%
42	-	1	0.0%
46	-	2	0.1%
49	-	1	0.0%
53	-	1	0.0%
54	-	3	0.1%
55	-	1	0.0%
56	-	1	0.0%
59	-	2	0.1%
60	-	2	0.1%
63	-	1	0.0%
70	-	1	0.0%
71	-	1	0.0%
80	-	1	0.0%
82	-	2	0.1%
	Total	**202**	**8.3%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2239	91.5%
.	-	7	0.3%
	Total	**2,246**	**91.7%**

This variable has 202 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 20.47
- Median: 18.00
- Mode: 19.00
- Minimum: 1.00
- Maximum: 82.00
- Standard Deviation: 15.62

Location: 975-976 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT46: Relationship to yourself (4)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
	-	7	0.3%
-1	-1: N/A	2343	95.7%
-7	-7: Refused	0	0.0%
-8	-8: Do not know	0	0.0%
-9	-9: Missing	0	0.0%
BOYFRIEND	-	1	0.0%
BROTHER	-	1	0.0%
BROTHER-IN-LAW	-	1	0.0%
DAUGHTER	-	16	0.7%
DAUGHTER IN LAW	-	1	0.0%
DAUGHTER-IN-LAW	-	1	0.0%
EX-HUSBAND	-	1	0.0%
FOSTER CHILD	-	1	0.0%
FOSTER DAUGHTER	-	2	0.1%
FOSTER SON	-	2	0.1%
FRIEND	-	1	0.0%
FRIEND'S DAUGHTER	-	1	0.0%
GOD DAUGHTER	-	1	0.0%
GRAND DAUGHTER	-	1	0.0%
GRAND SON	-	1	0.0%
GRANDAUGHTER	-	1	0.0%
GRANDDAUGHTER	-	5	0.2%
GRANDSON	-	8	0.3%
GREAT GRAND SON	-	1	0.0%
GREAT NEPHEW	-	2	0.1%
HELPER/ CAREGIVER	-	1	0.0%

Value	Label	Unweighted Frequency	%
HUSBAND	-	7	0.3%
MOTHER-IN-LAW	-	2	0.1%
NEICE	-	1	0.0%
NEPHEW	-	2	0.1%
NIECE	-	2	0.1%
RELIGIOUS SISTER	-	1	0.0%
S.O. NEPHEW	-	1	0.0%
SECOND SON	-	1	0.0%
SON	-	26	1.1%
SON'S GIRLFRIEND	-	2	0.1%
STEP SON	-	1	0.0%
STEP-SON	-	1	0.0%
TEMPORARY FOSTER CHILD	-	1	0.0%
	Total	**2,448**	**100.0%**

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 977-998 (width: 22; decimal: 0)
Variable Type: character

SEX46: Gender (4)

Please tell me their gender

Value	Label	Unweighted Frequency	%
	-	7	0.3%
-1	-1: N/A	2343	95.7%
-7	-7: Refused	0	0.0%
-8	-8: Do not know	0	0.0%
-9	-9: Missing	0	0.0%
F	-	39	1.6%
M	-	59	2.4%
	Total	**2,448**	**100.0%**

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 999-1000 (width: 2; decimal: 0)
Variable Type: character

AGE46: Age (4)

Please tell me their age

Value	Label	Unweighted Frequency	%
1	-	3	0.1%
2	-	3	0.1%
3	-	3	0.1%
4	-	3	0.1%
5	-	1	0.0%
6	-	4	0.2%
7	-	1	0.0%
8	-	1	0.0%
9	-	1	0.0%
10	-	3	0.1%
11	-	3	0.1%
12	-	2	0.1%
13	-	3	0.1%
14	-	6	0.2%
15	-	2	0.1%
16	-	5	0.2%
17	-	5	0.2%
18	-	2	0.1%
19	-	5	0.2%
20	-	6	0.2%
21	-	4	0.2%
22	-	1	0.0%
23	-	6	0.2%
24	-	1	0.0%
27	-	1	0.0%
28	-	1	0.0%
29	-	1	0.0%
30	-	1	0.0%
31	-	2	0.1%
33	-	1	0.0%

Value	Label	Unweighted Frequency	%
34	-	1	0.0%
35	-	1	0.0%
48	-	2	0.1%
50	-	1	0.0%
52	-	2	0.1%
53	-	2	0.1%
57	-	1	0.0%
59	-	1	0.0%
60	-	1	0.0%
62	-	1	0.0%
64	-	1	0.0%
67	-	1	0.0%
80	-	1	0.0%
87	-	1	0.0%
	Total	**98**	**4.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2343	95.7%
.	-	7	0.3%
	Total	**2,350**	**96.0%**

This variable has 98 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 22.21
- Median: 17.50
- Minimum: 1.00
- Maximum: 87.00
- Standard Deviation: 18.24

Location: 1001-1002 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT56: Relationship to yourself (5)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
	-	7	0.3%
-1	-1: N/A	2390	97.6%
-7	-7: Refused	0	0.0%
-8	-8: Do not know	0	0.0%
-9	-9: Missing	0	0.0%
BROTHER	-	1	0.0%
CARE-GIVER	-	1	0.0%
DAUGHTER	-	6	0.2%
DAUGHTER (FEMALE/HAVE LEGAL CU	-	1	0.0%
DAUGHTER-IN-LAW	-	1	0.0%
FOSTER CHILD	-	1	0.0%
FOSTER DAUGHTER	-	1	0.0%
FRIEND	-	1	0.0%
FRIEND'S DAUGHTER	-	1	0.0%
GOD SON	-	1	0.0%
GODSON	-	1	0.0%
GRAND NEICE	-	1	0.0%
GRAND SON	-	1	0.0%
GRANDCHILD	-	1	0.0%
GRANDDAUGHTER	-	1	0.0%
GRANDSON	-	7	0.3%
GREAT GRAND DAUGHTER	-	1	0.0%
HUSBAND	-	1	0.0%
NEPHEW	-	1	0.0%
PARTNER	-	1	0.0%
SIGNIFICANT OTHER	-	1	0.0%
SISTER	-	1	0.0%
SON	-	16	0.7%
TEMPORARY FOSTER CHILD	-	1	0.0%
THIRD SON	-	1	0.0%

Value	Label	Unweighted Frequency	%
	Total	**2,448**	**100.0%**

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 1003-1032 (width: 30; decimal: 0)
Variable Type: character

SEX56: Gender (5)

Please tell me their gender

Value	Label	Unweighted Frequency	%
	-	7	0.3%
-1	-1: N/A	2390	97.6%
-7	-7: Refused	0	0.0%
-8	-8: Do not know	0	0.0%
-9	-9: Missing	0	0.0%
F	-	16	0.7%
M	-	35	1.4%
	Total	**2,448**	**100.0%**

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 1033-1034 (width: 2; decimal: 0)
Variable Type: character

AGE56: Age (5)

Please tell me their age

Value	Label	Unweighted Frequency	%
1	-	4	0.2%
2	-	1	0.0%
4	-	3	0.1%
5	-	2	0.1%
6	-	1	0.0%
7	-	3	0.1%
8	-	1	0.0%
9	-	1	0.0%
10	-	1	0.0%

Value	Label	Unweighted Frequency	%
11	-	1	0.0%
12	-	2	0.1%
14	-	3	0.1%
15	-	2	0.1%
16	-	1	0.0%
17	-	3	0.1%
18	-	2	0.1%
20	-	2	0.1%
21	-	5	0.2%
22	-	1	0.0%
24	-	1	0.0%
25	-	2	0.1%
27	-	1	0.0%
28	-	1	0.0%
30	-	1	0.0%
42	-	1	0.0%
45	-	1	0.0%
46	-	1	0.0%
51	-	1	0.0%
58	-	2	0.1%
	Total	**51**	**2.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2390	97.6%
.	-	7	0.3%
	Total	**2,397**	**97.9%**

This variable has 51 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 18.00
- Median: 16.00
- Mode: 21.00
- Minimum: 1.00
- Maximum: 58.00
- Standard Deviation: 14.28

Location: 1035-1036 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT66: Relationship to yourself (6)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
	-	7	0.3%
-1	-1: N/A	2418	98.8%
-7	-7: Refused	0	0.0%
-8	-8: Do not know	0	0.0%
-9	-9: Missing	0	0.0%
DAUGHTER	-	3	0.1%
DAUGHTERS-HUSBAND	-	1	0.0%
FIANCE	-	1	0.0%
FOSTER CHILD	-	1	0.0%
FRIEND OF SON	-	1	0.0%
FRIEND'S SON	-	1	0.0%
GRAND SON	-	2	0.1%
GRANDCHILD	-	1	0.0%
GRANDDAUGHTEF	-	1	0.0%
GRANDMOTHER	-	1	0.0%
GRANDSON	-	4	0.2%
HUSBAND	-	1	0.0%
NEPHEW	-	1	0.0%
S.O. SISTER	-	1	0.0%
SON	-	2	0.1%
STEP SON	-	1	0.0%
	Total	**2,448**	**100.0%**

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 1037-1053 (width: 17; decimal: 0)
Variable Type: character

SEX66: Gender (6)

Please tell me their gender

Value	Label	Unweighted Frequency	%
	-	7	0.3%
-1	-1: N/A	2418	98.8%
-7	-7: Refused	0	0.0%
-8	-8: Do not know	0	0.0%
-9	-9: Missing	0	0.0%
F	-	7	0.3%
M	-	16	0.7%
	Total	**2,448**	**100.0%**

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 1054-1055 (width: 2; decimal: 0)
Variable Type: character

AGE66: Age (6)

Please tell me their age

Value	Label	Unweighted Frequency	%
1	-	1	0.0%
2	-	1	0.0%
3	-	3	0.1%
4	-	1	0.0%
5	-	1	0.0%
6	-	1	0.0%
10	-	2	0.1%
12	-	1	0.0%
14	-	1	0.0%
16	-	1	0.0%
17	-	1	0.0%
19	-	2	0.1%
23	-	1	0.0%
27	-	1	0.0%
40	-	2	0.1%
51	-	1	0.0%
52	-	1	0.0%
88	-	1	0.0%

Value	Label	Unweighted Frequency	%
	Total	**23**	**0.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2418	98.8%
.	-	7	0.3%
	Total	**2,425**	**99.1%**

This variable has 23 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 20.22
- Median: 14.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 88.00
- Standard Deviation: 21.34

Location: 1056-1057 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT76: Relationship to yourself (7)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
	-	7	0.3%
-1	-1: N/A	2430	99.3%
-7	-7: Refused	0	0.0%
-8	-8: Do not know	0	0.0%
-9	-9: Missing	0	0.0%
BROTHER IN LAW	-	1	0.0%
DAUGHTER	-	2	0.1%
FRIEND	-	1	0.0%
GRAND DAUGHTER	-	2	0.1%
GRAND SON	-	1	0.0%
GRANDCHILD	-	1	0.0%

Value	Label	Unweighted Frequency	%
GRANDSON	-	1	0.0%
HUSBAND	-	1	0.0%
SON	-	1	0.0%
	Total	**2,448**	**100.0%**

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 1058-1071 (width: 14; decimal: 0)
Variable Type: character

SEX76: Gender (7)

Please tell me their gender

Value	Label	Unweighted Frequency	%
	-	7	0.3%
-1	-1: N/A	2430	99.3%
-7	-7: Refused	0	0.0%
-8	-8: Do not know	0	0.0%
-9	-9: Missing	0	0.0%
F	-	5	0.2%
M	-	6	0.2%
	Total	**2,448**	**100.0%**

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 1072-1073 (width: 2; decimal: 0)
Variable Type: character

AGE76: Age (7)

Please tell me their age

Value	Label	Unweighted Frequency	%
1	-	2	0.1%
2	-	1	0.0%
3	-	1	0.0%
8	-	1	0.0%
9	-	1	0.0%
14	-	1	0.0%

Value	Label	Unweighted Frequency	%
21	-	1	0.0%
40	-	1	0.0%
54	-	1	0.0%
73	-	1	0.0%
	Total	**11**	**0.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2430	99.3%
.	-	7	0.3%
	Total	**2,437**	**99.6%**

This variable has 11 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 20.55
- Median: 9.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 73.00
- Standard Deviation: 24.49

Location: 1074-1075 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT86: Relationship to yourself (8)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
	-	7	0.3%
-1	-1: N/A	2436	99.5%
-7	-7: Refused	0	0.0%
-8	-8: Do not know	0	0.0%
-9	-9: Missing	0	0.0%
DAUGHTER	-	1	0.0%
FRIEND	-	1	0.0%
GRANCHILD	-	1	0.0%

Value	Label	Unweighted Frequency	%
GRANDCHILD	-	1	0.0%
HUSBAND	-	1	0.0%
	Total	**2,448**	**100.0%**

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 1076-1085 (width: 10; decimal: 0)
Variable Type: character

SEX86: Gender (8)

Please tell me their gender

Value	Label	Unweighted Frequency	%
	-	7	0.3%
-1	-1: N/A	2436	99.5%
-7	-7: Refused	0	0.0%
-8	-8: Do not know	0	0.0%
-9	-9: Missing	0	0.0%
F	-	3	0.1%
M	-	2	0.1%
	Total	**2,448**	**100.0%**

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 1086-1087 (width: 2; decimal: 0)
Variable Type: character

AGE86: Age (8)

Please tell me their age

Value	Label	Unweighted Frequency	%
1	-	1	0.0%
2	-	1	0.0%
12	-	1	0.0%
40	-	1	0.0%
57	-	1	0.0%
	Total	**5**	**0.2%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2436	99.5%
.	-	7	0.3%
	Total	**2,443**	**99.8%**

This variable has 5 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 22.40
- Median: 12.00
- Minimum: 1.00
- Maximum: 57.00
- Standard Deviation: 24.95

Location: 1088-1089 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT96: Relationship to yourself (9)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
	-	7	0.3%
-1	-1: N/A	2440	99.7%
-7	-7: Refused	0	0.0%
-8	-8: Do not know	0	0.0%
-9	-9: Missing	0	0.0%
NEPHEW	-	1	0.0%
	Total	**2,448**	**100.0%**

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 1090-1095 (width: 6; decimal: 0)
Variable Type: character

SEX96: Gender (9)

Please tell me their gender

Value	Label	Unweighted Frequency	%
	-	7	0.3%
-1	-1: N/A	2440	99.7%
-7	-7: Refused	0	0.0%
-8	-8: Do not know	0	0.0%
-9	-9: Missing	0	0.0%
M	-	1	0.0%
	Total	**2,448**	**100.0%**

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 1096-1097 (width: 2; decimal: 0)
Variable Type: character

AGE96: Age (9)

Please tell me their age

Value	Label	Unweighted Frequency	%
15	-	1	0.0%
	Total	**1**	**0.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2440	99.7%
.	-	7	0.3%
	Total	**2,447**	**100.0%**

This variable has 1 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 15.00
- Median: 15.00
- Mode: 15.00
- Minimum: 15.00
- Maximum: 15.00
- Standard Deviation: 0.00

Location: 1098-1099 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT106: Relationship to yourself (10)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
	-	7	0.3%
-1	-1: N/A	2441	99.7%
-7	-7: Refused	0	0.0%
-8	-8: Do not know	0	0.0%
-9	-9: Missing	0	0.0%
	Total	**2,448**	**100.0%**

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 1100-1101 (width: 2; decimal: 0)
Variable Type: character

SEX106: Gender (10)

Please tell me their gender

Value	Label	Unweighted Frequency	%
	-	7	0.3%
-1	-1: N/A	2441	99.7%
-7	-7: Refused	0	0.0%
-8	-8: Do not know	0	0.0%
-9	-9: Missing	0	0.0%
	Total	**2,448**	**100.0%**

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 1102-1103 (width: 2; decimal: 0)
Variable Type: character

AGE106: Age (10)

Please tell me their age

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2441	99.7%
.	-	7	0.3%
	Total	**2,448**	**100.0%**

This variable has 0 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 1104-1105 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT116: Relationship to yourself (11)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
	-	7	0.3%
-1	-1: N/A	2441	99.7%
-7	-7: Refused	0	0.0%
-8	-8: Do not know	0	0.0%
-9	-9: Missing	0	0.0%
	Total	**2,448**	**100.0%**

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 1106-1107 (width: 2; decimal: 0)
Variable Type: character

SEX116: Gender (11)

Please tell me their gender

Value	Label	Unweighted Frequency	%
	-	7	0.3%
-1	-1: N/A	2441	99.7%
-7	-7: Refused	0	0.0%
-8	-8: Do not know	0	0.0%
-9	-9: Missing	0	0.0%
	Total	**2,448**	**100.0%**

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 1108-1109 (width: 2; decimal: 0)
Variable Type: character

AGE116: Age (11)

Please tell me their age

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2441	99.7%
.	-	7	0.3%
	Total	**2,448**	**100.0%**

This variable has 0 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 1110-1111 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT126: Relationship to yourself (12)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
	-	7	0.3%
-1	-1: N/A	2441	99.7%
-7	-7: Refused	0	0.0%
-8	-8: Do not know	0	0.0%
-9	-9: Missing	0	0.0%
	Total	**2,448**	**100.0%**

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 1112-1113 (width: 2; decimal: 0)
Variable Type: character

SEX126: Gender (12)

Please tell me their gender

Value	Label	Unweighted Frequency	%
	-	7	0.3%
-1	-1: N/A	2441	99.7%
-7	-7: Refused	0	0.0%
-8	-8: Do not know	0	0.0%
-9	-9: Missing	0	0.0%
	Total	**2,448**	**100.0%**

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 1114-1115 (width: 2; decimal: 0)
Variable Type: character

AGE126: Age (12)

Please tell me their age

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2441	99.7%
.	-	7	0.3%
	Total	**2,448**	**100.0%**

This variable has 0 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 1116-1117 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FIBROID6: Fibroids since last visit(asked on AINT)

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Fibroids, benign growths of the uterus or womb?

Value	Label	Unweighted Frequency	%
1	1: No	103	4.2%
2	2: Yes	21	0.9%
	Total	**124**	**5.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2317	94.6%
.	-	7	0.3%
	Total	**2,324**	**94.9%**

This variable has 124 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1118-1119 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FORMINT6: Abbreviated (AIN) or regular (INT) interview

Abbreviated (AIN) or regular (INT) interview

Value	Label	Unweighted Frequency	%
	-	7	0.3%
AIN	-	124	5.1%
INT	-	2317	94.6%
	Total	**2,448**	**100.0%**

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 1120-1122 (width: 3; decimal: 0)
Variable Type: character

STATUS6: Menopausal status

Menopausal Status

Value	Label	Unweighted Frequency	%
1	1: Post by bilateral salpingo oophorectomy (BSO)	105	4.3%
2	2: Natural post	1011	41.3%
3	3: Late peri	242	9.9%
4	4: Early peri	737	30.1%
5	5: Pre-menopausal	81	3.3%

Value	Label	Unweighted Frequency	%
6	6: Pregnant/breastfeeding	0	0.0%
7	7: Unknown due to hormone therapy (HT) use	205	8.4%
8	8: Unknown due to hysterectomy	60	2.5%
	Total	**2,441**	**99.7%**

Value	Missing Data	Unweighted Frequency	%
.	-	7	0.3%
	Total	**7**	**0.3%**

This variable has 2,441 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1123-1123 (width: 1; decimal: 0)
Variable Type: numeric

SAADAY6: Self-administered-Part A day

Self-administered-Part A Day

Value	Label	Unweighted Frequency	%
2033	-	1	0.0%
2036	-	1	0.0%
2055	-	1	0.0%
2085	-	1	0.0%
2094	-	1	0.0%
2106	-	1	0.0%
2107	-	3	0.1%
2114	-	1	0.0%
2116	-	1	0.0%
2118	-	3	0.1%
2119	-	1	0.0%
2120	-	1	0.0%
2122	-	1	0.0%
2123	-	2	0.1%
2124	-	1	0.0%
2128	-	3	0.1%
2130	-	1	0.0%

Value	Label	Unweighted Frequency	%
2131	-	3	0.1%
2132	-	2	0.1%
2133	-	2	0.1%
2135	-	4	0.2%
2136	-	4	0.2%
2137	-	3	0.1%
2138	-	1	0.0%
2140	-	1	0.0%
2141	-	6	0.2%
2142	-	9	0.4%
2143	-	5	0.2%
2144	-	4	0.2%
2145	-	6	0.2%
2146	-	18	0.7%
2147	-	13	0.5%
2148	-	16	0.7%
2149	-	33	1.3%
2150	-	15	0.6%
2151	-	13	0.5%
2152	-	13	0.5%
2153	-	15	0.6%
2154	-	18	0.7%
2155	-	16	0.7%
2156	-	35	1.4%
2157	-	21	0.9%
2158	-	17	0.7%
2159	-	12	0.5%
2160	-	13	0.5%
2161	-	23	0.9%
2162	-	26	1.1%
2163	-	35	1.4%
2164	-	6	0.2%
2165	-	9	0.4%
	Total	**2,332**	**95.3%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	116	4.7%
	Total	**116**	**4.7%**

This variable has 2,332 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 2225.70
- Minimum: 2033.00
- Maximum: 2703.00
- Standard Deviation: 78.47

Location: 1124-1127 (width: 4; decimal: 0)
Variable Type: numeric

FORMSAA6: Full form (SAA), Abbreviated (AIN) or Phone Interview (PAT)

Full form (SAA), Abbreviated (AIN) or Phone Interview (PAT)

Value	Label	Unweighted Frequency	%
	-	116	4.7%
AIN	-	99	4.0%
PAT	-	32	1.3%
SAA	-	2201	89.9%
	Total	**2,448**	**100.0%**

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 1128-1130 (width: 3; decimal: 0)
Variable Type: character

LANGSAA6: Language of Self-A

Language of Self-A

Value	Label	Unweighted Frequency	%
1	1: English	2110	86.2%
2	2: Spanish	34	1.4%
3	3: Cantonese	85	3.5%
4	4: Japanese	103	4.2%
	Total	**2,332**	**95.3%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**116**	**4.7%**

This variable has 2,332 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1131-1132 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OVERHLT6: Overall health

In general, would you say your health is excellent, very good, good, fair or poor?

Value	Label	Unweighted Frequency	%
1	1: Excellent	347	14.2%
2	2: Very good	850	34.7%
3	3: Good	761	31.1%
4	4: Fair	303	12.4%
5	5: Poor	54	2.2%
	Total	**2,315**	**94.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	1	0.0%
-8	-8: Do not know	3	0.1%
-7	-7: Refused	13	0.5%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**133**	**5.4%**

This variable has 2,315 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00

- Maximum: 5.00

Location: 1133-1134 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOSPSTA6: Hospital stays since last visit

Since your last study visit, how many different times did you stay in the hospital overnight or longer?

Value	Label	Unweighted Frequency	%
0	-	1963	80.2%
1	-	150	6.1%
2	-	40	1.6%
3	-	7	0.3%
4	-	2	0.1%
5	-	4	0.2%
7	-	1	0.0%
8	-	2	0.1%
10	-	1	0.0%
12	-	1	0.0%
30	-	1	0.0%
	Total	**2,172**	**88.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	155	6.3%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	5	0.2%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**276**	**11.3%**

This variable has 2,172 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 0.90

Location: 1135-1136 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MDTALK6: Number of times talk to health care professional (HCP)

Since your last study visit, about how many times did you see or talk to a doctor, nurse practitioner or other health care provider, regarding your own health? (Do not count hospitalizations or visits for this study).

Value	Label	Unweighted Frequency	%
0	-	200	8.2%
1	-	308	12.6%
2	-	399	16.3%
3	-	328	13.4%
4	-	264	10.8%
5	-	151	6.2%
6	-	156	6.4%
7	-	34	1.4%
8	-	59	2.4%
9	-	16	0.7%
10	-	88	3.6%
11	-	4	0.2%
12	-	41	1.7%
13	-	1	0.0%
14	-	7	0.3%
15	-	28	1.1%
16	-	3	0.1%
17	-	1	0.0%
18	-	4	0.2%
19	-	1	0.0%
20	-	24	1.0%
21	-	1	0.0%
22	-	1	0.0%
23	-	1	0.0%
24	-	5	0.2%
25	-	6	0.2%
28	-	2	0.1%
30	-	11	0.4%
32	-	2	0.1%
34	-	1	0.0%
36	-	1	0.0%

Value	Label	Unweighted Frequency	%
37	-	1	0.0%
40	-	3	0.1%
45	-	1	0.0%
50	-	7	0.3%
53	-	1	0.0%
60	More than or equal to 60 times	6	0.2%
	Total	**2,167**	**88.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	156	6.4%
-8	-8: Do not know	1	0.0%
-7	-7: Refused	8	0.3%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**281**	**11.5%**

This variable has 2,167 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 4.66
- Median: 3.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 60.00
- Standard Deviation: 6.36

Location: 1137-1138 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NERVES6: Talk to professional for nerves

Since your last study visit, about how many times did you see or talk to a health care provider or other professional for problems with emotions, "nerves", or mental health?

Value	Label	Unweighted Frequency	%
0	-	1748	71.4%
1	-	140	5.7%
2	-	63	2.6%
3	-	25	1.0%
4	-	34	1.4%
5	-	20	0.8%

Value	Label	Unweighted Frequency	%
6	-	18	0.7%
7	-	3	0.1%
8	-	7	0.3%
9	-	5	0.2%
10	-	20	0.8%
12	-	13	0.5%
13	-	1	0.0%
14	-	3	0.1%
15	-	4	0.2%
16	-	2	0.1%
18	-	1	0.0%
20	-	10	0.4%
24	-	10	0.4%
25	-	7	0.3%
26	-	2	0.1%
30	-	7	0.3%
31	-	1	0.0%
35	-	1	0.0%
40	-	4	0.2%
45	-	1	0.0%
48	-	2	0.1%
50	-	3	0.1%
52	-	4	0.2%
60	More than or equal to 60 times	10	0.4%
	Total	**2,169**	**88.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	157	6.4%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	6	0.2%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**279**	**11.4%**

This variable has 2,169 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 1.63
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 60.00
- Standard Deviation: 6.63

Location: 1139-1140 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PAPSMEA6: Pap smear since last visit

Since your last study visit, have you had: A Pap Smear (a routine medical test in which the doctor examines the cervix)?

Value	Label	Unweighted Frequency	%
1	1: No	613	25.0%
2	2: Yes	1558	63.6%
	Total	**2,171**	**88.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	157	6.4%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	4	0.2%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**277**	**11.3%**

This variable has 2,171 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1141-1142 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BRSTEXA6: Breast exam since last visit

Since your last study visit, have you had: A breast physical examination (a doctor or medical assistant feels for lumps in the breast)?

Value	Label	Unweighted Frequency	%
1	1: No	506	20.7%
2	2: Yes	1663	67.9%

Value	Label	Unweighted Frequency	%
	Total	**2,169**	**88.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	157	6.4%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	6	0.2%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**279**	**11.4%**

This variable has 2,169 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1143-1144 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MAMOGRA6: Mammogram since last visit

Since your last study visit, have you had: A mammogram (an x-ray taken only of the breast by a machine that presses the breast against a glass plate)?

Value	Label	Unweighted Frequency	%
1	1: No	704	28.8%
2	2: Yes	1465	59.8%
	Total	**2,169**	**88.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	157	6.4%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	6	0.2%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**279**	**11.4%**

This variable has 2,169 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1145-1146 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MEDICDY6: Medicaid/MediCal covering health care

Have your health care costs been covered by Medicaid (MediCal) in the past year?

Value	Label	Unweighted Frequency	%
1	1: No	1932	78.9%
2	2: Yes	209	8.5%
	Total	**2,141**	**87.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	26	1.1%
-8	-8: Do not know	22	0.9%
-7	-7: Refused	11	0.4%
-1	-1: N/A	1	0.0%
.	-	247	10.1%
	Total	**307**	**12.5%**

This variable has 2,141 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1147-1148 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSURDR6: Have insurance for doctor bills

Do you currently have insurance that covers any part of your doctor bills?

Value	Label	Unweighted Frequency	%
1	1: No	169	6.9%
2	2: Yes	1995	81.5%
	Total	**2,164**	**88.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	27	1.1%
-8	-8: Do not know	5	0.2%

Value	Missing Data	Unweighted Frequency	%
-7	-7: Refused	4	0.2%
-1	-1: N/A	1	0.0%
.	-	247	10.1%
	Total	**284**	**11.6%**

This variable has 2,164 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1149-1150 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSDRCO6: Insurance doctor bill coverage

If YES to INSURDR6: How much does it cover?

Value	Label	Unweighted Frequency	%
1	1: All	490	20.0%
2	2: Most	1264	51.6%
3	3: Part	196	8.0%
	Total	**1,950**	**79.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	45	1.8%
-1	-1: N/A	206	8.4%
.	-	247	10.1%
	Total	**498**	**20.3%**

This variable has 1,950 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1151-1152 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSURRX6: Have insurance for medication

Do you currently have insurance that covers any part of your prescription medication bills?

Value	Label	Unweighted Frequency	%
1	1: No	213	8.7%
2	2: Yes	1926	78.7%
	Total	**2,139**	**87.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	32	1.3%
-8	-8: Do not know	21	0.9%
-7	-7: Refused	8	0.3%
-1	-1: N/A	1	0.0%
.	-	247	10.1%
	Total	**309**	**12.6%**

This variable has 2,139 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1153-1154 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSRXCO6: Insurance medication coverage

If YES to INSURRX6: How much does it cover?

Value	Label	Unweighted Frequency	%
1	1: All	169	6.9%
2	2: Most	1358	55.5%
3	3: Part	385	15.7%
	Total	**1,912**	**78.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	14	0.6%
-1	-1: N/A	275	11.2%
.	-	247	10.1%

Value	Missing Data	Unweighted Frequency	%
	Total	**536**	**21.9%**

This variable has 1,912 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1155-1156 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSURHO6: Have insurance for hospital

Do you currently have insurance that covers any part of your hospital bills?

Value	Label	Unweighted Frequency	%
1	1: No	150	6.1%
2	2: Yes	1991	81.3%
	Total	**2,141**	**87.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	31	1.3%
-8	-8: Do not know	19	0.8%
-7	-7: Refused	9	0.4%
-1	-1: N/A	1	0.0%
.	-	247	10.1%
	Total	**307**	**12.5%**

This variable has 2,141 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1157-1158 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSHOCO6: Insurance hospital coverage

If YES to INSURHO6: How much does it cover?

Value	Label	Unweighted Frequency	%
1	1: All	703	28.7%

Value	Label	Unweighted Frequency	%
2	2: Most	1074	43.9%
3	3: Part	190	7.8%
	Total	**1,967**	**80.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	24	1.0%
-1	-1: N/A	210	8.6%
.	-	247	10.1%
	Total	**481**	**19.6%**

This variable has 1,967 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1159-1160 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HLTHSER6: Health services needed but did not receive

Since your last study visit, are there any health services that you needed but did not receive?

Value	Label	Unweighted Frequency	%
1	1: No	1758	71.8%
2	2: Yes	324	13.2%
	Total	**2,082**	**85.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	241	9.8%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	9	0.4%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**366**	**15.0%**

This variable has 2,082 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1161-1162 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSURAN6: Insurance doesn't cover

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - Insurance or health plan does not cover

Value	Label	Unweighted Frequency	%
1	1: No	193	7.9%
2	2: Yes	118	4.8%
	Total	**311**	**12.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	131	5.4%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	13	0.5%
-1	-1: N/A	1877	76.7%
.	-	116	4.7%
	Total	**2,137**	**87.3%**

This variable has 311 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1163-1164 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOTAFFR6: Cannot afford

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - Cannot afford

Value	Label	Unweighted Frequency	%
1	1: No	184	7.5%
2	2: Yes	124	5.1%
	Total	**308**	**12.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	132	5.4%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	15	0.6%
-1	-1: N/A	1877	76.7%
.	-	116	4.7%
	Total	**2,140**	**87.4%**

This variable has 308 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1165-1166 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOTRANS6: Travel distance/no transportation

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - Travel distance / lack of transportation

Value	Label	Unweighted Frequency	%
1	1: No	279	11.4%
2	2: Yes	25	1.0%
	Total	**304**	**12.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	131	5.4%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	20	0.8%
-1	-1: N/A	1877	76.7%
.	-	116	4.7%
	Total	**2,144**	**87.6%**

This variable has 304 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1167-1168 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOPROVI6: No health care provider (HCP)

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - No health care provider

Value	Label	Unweighted Frequency	%
1	1: No	253	10.3%
2	2: Yes	54	2.2%
	Total	**307**	**12.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	131	5.4%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	17	0.7%
-1	-1: N/A	1877	76.7%
.	-	116	4.7%
	Total	**2,141**	**87.5%**

This variable has 307 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1169-1170 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TOOBUSY6: Too busy

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - Too busy / didn't have the time

Value	Label	Unweighted Frequency	%
1	1: No	184	7.5%
2	2: Yes	124	5.1%
	Total	**308**	**12.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	131	5.4%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	16	0.7%

Value	Missing Data	Unweighted Frequency	%
-1	-1: N/A	1877	76.7%
.	-	116	4.7%
	Total	**2,140**	**87.4%**

This variable has 308 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1171-1172 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOTRUST6: Don't trust doctors

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - Don't trust doctors

Value	Label	Unweighted Frequency	%
1	1: No	279	11.4%
2	2: Yes	25	1.0%
	Total	**304**	**12.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	131	5.4%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	20	0.8%
-1	-1: N/A	1877	76.7%
.	-	116	4.7%
	Total	**2,144**	**87.6%**

This variable has 304 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1173-1174 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BETTROF6: Better off not knowing

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - I'm better off not knowing

Value	Label	Unweighted Frequency	%
1	1: No	289	11.8%
2	2: Yes	15	0.6%
	Total	**304**	**12.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	131	5.4%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	20	0.8%
-1	-1: N/A	1877	76.7%
.	-	116	4.7%
	Total	**2,144**	**87.6%**

This variable has 304 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1175-1176 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FAILOTH6: No health care - other reason

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - Other

Value	Label	Unweighted Frequency	%
1	1: No	211	8.6%
2	2: Yes	95	3.9%
	Total	**306**	**12.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	131	5.4%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	18	0.7%
-1	-1: N/A	1877	76.7%
.	-	116	4.7%
	Total	**2,142**	**87.5%**

This variable has 306 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1177-1178 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SMOKERE6: Smoked regularly since last visit

Since your last study visit, have you smoked cigarettes regularly (at least one cigarette a day)?

Value	Label	Unweighted Frequency	%
1	1: No	2006	81.9%
2	2: Yes	323	13.2%
	Total	**2,329**	**95.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	2	0.1%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	1	0.0%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**119**	**4.9%**

This variable has 2,329 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1179-1180 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

AVCIGDA6: Average cigarettes/day since last visit

If YES to SMOKERE6: How many cigarettes, on average, do you smoke per day now?

Value	Label	Unweighted Frequency	%
0	-	13	0.5%
1	-	14	0.6%
2	-	14	0.6%
3	-	9	0.4%
4	-	24	1.0%

Value	Label	Unweighted Frequency	%
5	-	16	0.7%
6	-	12	0.5%
7	-	9	0.4%
8	-	12	0.5%
9	-	2	0.1%
10	-	74	3.0%
11	-	1	0.0%
12	-	7	0.3%
14	-	2	0.1%
15	-	16	0.7%
16	-	2	0.1%
17	-	2	0.1%
18	-	4	0.2%
20	-	59	2.4%
21	-	2	0.1%
25	-	6	0.2%
28	-	1	0.0%
30	-	12	0.5%
35	-	2	0.1%
40	-	6	0.2%
	Total	**321**	**13.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	3	0.1%
-1	-1: N/A	2008	82.0%
.	-	116	4.7%
	Total	**2,127**	**86.9%**

This variable has 321 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 11.85
- Median: 10.00
- Mode: 10.00
- Minimum: 0.00
- Maximum: 40.00
- Standard Deviation: 8.73

Location: 1181-1182 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DRNKBEE6: Drink alcoholic beverages since last visit

Since your last study visit, did you drink any beer, wine, liquor, or mixed drinks?

Value	Label	Unweighted Frequency	%
1	1: No	685	28.0%
2	2: Yes	1486	60.7%
	Total	**2,171**	**88.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	27	1.1%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	2	0.1%
-1	-1: N/A	1	0.0%
.	-	247	10.1%
	Total	**277**	**11.3%**

This variable has 2,171 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 1183-1184 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLASBEE6: Average glasses of beer

How many glasses of beer (a medium glass or serving of beer is twelve ounces) did you drink on average per day, week or month?

Value	Label	Unweighted Frequency	%
1	1: None or less than 1/month	930	38.0%
2	2: 1-3/month	291	11.9%
3	3: 1/week	94	3.8%
4	4: 2-4/week	95	3.9%
5	5: 5-6/week	32	1.3%
6	6: 1/day	21	0.9%
7	7: 2-3/day	15	0.6%
8	8: 4/day	2	0.1%

Value	Label	Unweighted Frequency	%
9	9: Equal to or more than 5/day	4	0.2%
	Total	**1,484**	**60.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	2	0.1%
-1	-1: N/A	715	29.2%
.	-	247	10.1%
	Total	**964**	**39.4%**

This variable has 1,484 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1185-1186 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLASWIN6: Average glasses of wine

How many glasses of wine or wine coolers (a medium glass or serving of wine is 4 to 6 ounces), did you drink on average per day, week or month?

Value	Label	Unweighted Frequency	%
1	1: None or less than 1/month	618	25.2%
2	2: 1-3/month	380	15.5%
3	3: 1/week	120	4.9%
4	4: 2-4/week	186	7.6%
5	5: 5-6/week	54	2.2%
6	6: 1/day	73	3.0%
7	7: 2-3/day	53	2.2%
8	8: 4/day	1	0.0%
9	9: Equal to or more than 5/day	0	0.0%
	Total	**1,485**	**60.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	1	0.0%
-1	-1: N/A	715	29.2%
.	-	247	10.1%
	Total	**963**	**39.3%**

This variable has 1,485 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1187-1188 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLASLIQ6: Average glasses of liquor

How many glasses of liquor or mixed drinks (a medium serving is one shot), did you drink on average per day, week or month?

Value	Label	Unweighted Frequency	%
1	1: None or less than 1/month	1024	41.8%
2	2: 1-3/month	288	11.8%
3	3: 1/week	70	2.9%
4	4: 2-4/week	68	2.8%
5	5: 5-6/week	13	0.5%
6	6: 1/day	11	0.4%
7	7: 2-3/day	9	0.4%
8	8: 4/day	1	0.0%
9	9: Equal to or more than 5/day	0	0.0%
	Total	**1,484**	**60.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	2	0.1%
-1	-1: N/A	715	29.2%
.	-	247	10.1%
	Total	**964**	**39.4%**

This variable has 1,484 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1189-1190 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HLTHAYR6: Rate health compared to 1 year ago

Compared to one year ago, how would you rate your health in general now?

Value	Label	Unweighted Frequency	%
1	1: Much better now	127	5.2%
2	2: Somewhat better now	312	12.7%
3	3: About the same now	1353	55.3%
4	4: Somewhat worse now	357	14.6%
5	5: Much worse now	18	0.7%
	Total	**2,167**	**88.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	27	1.1%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	6	0.2%
-1	-1: N/A	1	0.0%
.	-	247	10.1%
	Total	**281**	**11.5%**

This variable has 2,167 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1191-1192 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

V_ACTI6: Health limits vigorous activities

The following items are about activities you might do during a typical day. Does your health now limit you in these activities? If so, how much? - Vigorous activities, such as running, lifting heavy objects, participating in strenuous sports

Value	Label	Unweighted Frequency	%
1	1: Yes, limited a lot	493	20.1%

Value	Label	Unweighted Frequency	%
2	2: Yes, limited a little	918	37.5%
3	3: No, not limited at all	785	32.1%
	Total	**2,196**	**89.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	1	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	3	0.1%
-1	-1: N/A	1	0.0%
.	-	247	10.1%
	Total	**252**	**10.3%**

This variable has 2,196 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1193-1194 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

M_ACTI6: Health limits moderate activities

The following items are about activities you might do during a typical day. Does your health now limit you in these activities? If so, how much? - Moderate activities, such as moving a table, pushing a vacuum cleaner, bowling, or playing golf

Value	Label	Unweighted Frequency	%
1	1: Yes, limited a lot	131	5.4%
2	2: Yes, limited a little	373	15.2%
3	3: No, not limited at all	1688	69.0%
	Total	**2,192**	**89.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	1	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	7	0.3%
-1	-1: N/A	1	0.0%
.	-	247	10.1%
	Total	**256**	**10.5%**

This variable has 2,192 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1195-1196 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LIFTING6: Health limits lifting groceries

The following items are about activities you might do during a typical day. Does your health now limit you in these activities? If so, how much? - Lifting or carrying groceries

Value	Label	Unweighted Frequency	%
1	1: Yes, limited a lot	88	3.6%
2	2: Yes, limited a little	359	14.7%
3	3: No, not limited at all	1747	71.4%
	Total	**2,194**	**89.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	2	0.1%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	4	0.2%
-1	-1: N/A	1	0.0%
.	-	247	10.1%
	Total	**254**	**10.4%**

This variable has 2,194 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1197-1198 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CLIMBS6: Health limits climbing several flights

The following items are about activities you might do during a typical day. Does your health now limit you in these activities? If so, how much? - Climbing several flights of stairs

Value	Label	Unweighted Frequency	%
1	1: Yes, limited a lot	203	8.3%

Value	Label	Unweighted Frequency	%
2	2: Yes, limited a little	557	22.8%
3	3: No, not limited at all	1435	58.6%
	Total	**2,195**	**89.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	1	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	4	0.2%
-1	-1: N/A	1	0.0%
.	-	247	10.1%
	Total	**253**	**10.3%**

This variable has 2,195 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1199-1200 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CLIMB1_6: Health limits climbing 1 flight

The following items are about activities you might do during a typical day. Does your health now limit you in these activities? If so, how much? - Climbing one flight of stairs

Value	Label	Unweighted Frequency	%
1	1: Yes, limited a lot	91	3.7%
2	2: Yes, limited a little	261	10.7%
3	3: No, not limited at all	1843	75.3%
	Total	**2,195**	**89.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	1	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	4	0.2%
-1	-1: N/A	1	0.0%
.	-	247	10.1%
	Total	**253**	**10.3%**

This variable has 2,195 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1201-1202 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BENDING6: Health limits bending, kneeling

The following items are about activities you might do during a typical day. Does your health now limit you in these activities? If so, how much? - Bending, kneeling, or stooping

Value	Label	Unweighted Frequency	%
1	1: Yes, limited a lot	181	7.4%
2	2: Yes, limited a little	651	26.6%
3	3: No, not limited at all	1362	55.6%
	Total	**2,194**	**89.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	1	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	5	0.2%
-1	-1: N/A	1	0.0%
.	-	247	10.1%
	Total	**254**	**10.4%**

This variable has 2,194 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1203-1204 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WALKM6: Health limits walking less than a mile

The following items are about activities you might do during a typical day. Does your health now limit you in these activities? If so, how much? - Walking more than a mile

Value	Label	Unweighted Frequency	%
1	1: Yes, limited a lot	214	8.7%

Value	Label	Unweighted Frequency	%
2	2: Yes, limited a little	369	15.1%
3	3: No, not limited at all	1611	65.8%
	Total	**2,194**	**89.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	1	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	5	0.2%
-1	-1: N/A	1	0.0%
.	-	247	10.1%
	Total	**254**	**10.4%**

This variable has 2,194 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1205-1206 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WALKS6: Health limits walking several blocks

The following items are about activities you might do during a typical day. Does your health now limit you in these activities? If so, how much? - Walking several blocks

Value	Label	Unweighted Frequency	%
1	1: Yes, limited a lot	129	5.3%
2	2: Yes, limited a little	250	10.2%
3	3: No, not limited at all	1815	74.1%
	Total	**2,194**	**89.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	2	0.1%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	4	0.2%
-1	-1: N/A	1	0.0%
.	-	247	10.1%
	Total	**254**	**10.4%**

This variable has 2,194 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1207-1208 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WALK1_6: Health limits walking 1 block

The following items are about activities you might do during a typical day. Does your health now limit you in these activities? If so, how much? - Walking one block

Value	Label	Unweighted Frequency	%
1	1: Yes, limited a lot	82	3.3%
2	2: Yes, limited a little	139	5.7%
3	3: No, not limited at all	1973	80.6%
	Total	**2,194**	**89.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	1	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	5	0.2%
-1	-1: N/A	1	0.0%
.	-	247	10.1%
	Total	**254**	**10.4%**

This variable has 2,194 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1209-1210 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BATHING6: Health limits bathing, dressing

The following items are about activities you might do during a typical day. Does your health now limit you in these activities? If so, how much? - Bathing or dressing yourself

Value	Label	Unweighted Frequency	%
1	1: Yes, limited a lot	51	2.1%

Value	Label	Unweighted Frequency	%
2	2: Yes, limited a little	81	3.3%
3	3: No, not limited at all	2064	84.3%
	Total	**2,196**	**89.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	1	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	3	0.1%
-1	-1: N/A	1	0.0%
.	-	247	10.1%
	Total	**252**	**10.3%**

This variable has 2,196 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1211-1212 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYCTDW6: Cut down on activities/work past month due to health

During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health? - Cut down on the amount of time you spent on work or other activities

Value	Label	Unweighted Frequency	%
1	1: No	1905	77.8%
2	2: Yes	289	11.8%
	Total	**2,194**	**89.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	1	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	5	0.2%
-1	-1: N/A	1	0.0%
.	-	247	10.1%
	Total	**254**	**10.4%**

This variable has 2,194 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1213-1214 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYACCO6: Accomplished less past month due to health

During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health? - Accomplished less than you would like

Value	Label	Unweighted Frequency	%
1	1: No	1658	67.7%
2	2: Yes	535	21.9%
	Total	**2,193**	**89.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	1	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	6	0.2%
-1	-1: N/A	1	0.0%
.	-	247	10.1%
	Total	**255**	**10.4%**

This variable has 2,193 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1215-1216 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYLIMI6: Limited in activities/work past month due to health

During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health? - Were limited in the kind of work or other activities

Value	Label	Unweighted Frequency	%
1	1: No	1790	73.1%
2	2: Yes	402	16.4%
	Total	**2,192**	**89.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	1	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	7	0.3%
-1	-1: N/A	1	0.0%
.	-	247	10.1%
	Total	**256**	**10.5%**

This variable has 2,192 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1217-1218 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYDFCL6: Difficulty performing activities/work past month due to health

During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health? - Had difficulty performing the work or other activities (for example, it took extra effort)

Value	Label	Unweighted Frequency	%
1	1: No	1759	71.9%
2	2: Yes	431	17.6%
	Total	**2,190**	**89.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	2	0.1%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	8	0.3%
-1	-1: N/A	1	0.0%
.	-	247	10.1%
	Total	**258**	**10.5%**

This variable has 2,190 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1219-1220 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EMOCTDW6: Cut down on activities/work past month due to emotional problems

During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious)? - Cut down on the amount of time you spent on work or other activities

Value	Label	Unweighted Frequency	%
1	1: No	1909	78.0%
2	2: Yes	286	11.7%
	Total	**2,195**	**89.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	1	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	4	0.2%
-1	-1: N/A	1	0.0%
.	-	247	10.1%
	Total	**253**	**10.3%**

This variable has 2,195 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1221-1222 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EMOACCO6: Accomplished less past month due to emotional problems

During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious)? - Accomplished less than you would like

Value	Label	Unweighted Frequency	%
1	1: No	1728	70.6%
2	2: Yes	466	19.0%
	Total	**2,194**	**89.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	1	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	5	0.2%

Value	Missing Data	Unweighted Frequency	%
-1	-1: N/A	1	0.0%
.	-	247	10.1%
	Total	**254**	**10.4%**

This variable has 2,194 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1223-1224 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EMOCARE6: Activities/work less carefully past month due to emotional problems

During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious)? - Didn't do work or other activities as carefully as usual

Value	Label	Unweighted Frequency	%
1	1: No	1896	77.5%
2	2: Yes	296	12.1%
	Total	**2,192**	**89.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	1	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	7	0.3%
-1	-1: N/A	1	0.0%
.	-	247	10.1%
	Total	**256**	**10.5%**

This variable has 2,192 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1225-1226 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INTERFR6: Physical health/emotional problems interfered with normal social activities

During the past 4 weeks, to what extent has your physical health or emotional problems interfered with your normal social activities with family, friends, neighbors, or groups?

Value	Label	Unweighted Frequency	%
1	1: Not at all	1408	57.5%
2	2: Slightly	482	19.7%
3	3: Moderately	191	7.8%
4	4: Quite a bit	91	3.7%
5	5: Extremely	24	1.0%
	Total	**2,196**	**89.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	1	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	3	0.1%
-1	-1: N/A	1	0.0%
.	-	247	10.1%
	Total	**252**	**10.3%**

This variable has 2,196 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1227-1228 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BODYPAI6: Bodily pain past month

How much bodily pain have you had during the past 4 weeks?

Value	Label	Unweighted Frequency	%
1	1: None	386	15.8%
2	2: Very mild	783	32.0%
3	3: Mild	497	20.3%
4	4: Moderately	408	16.7%
5	5: Severe	100	4.1%
6	6: Very severe	22	0.9%
	Total	**2,196**	**89.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	2	0.1%

Value	Missing Data	Unweighted Frequency	%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	2	0.1%
-1	-1: N/A	1	0.0%
.	-	247	10.1%
	Total	**252**	**10.3%**

This variable has 2,196 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1229-1230 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PAINTRF6: Pain interfere w/work past month

During the past 4 weeks, how much did pain interfere with your normal work (including both work outside the home and housework)?

Value	Label	Unweighted Frequency	%
1	1: Not at all	1236	50.5%
2	2: Slightly	615	25.1%
3	3: Moderately	214	8.7%
4	4: Quite a bit	102	4.2%
5	5: Extremely	28	1.1%
	Total	**2,195**	**89.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	1	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	4	0.2%
-1	-1: N/A	1	0.0%
.	-	247	10.1%
	Total	**253**	**10.3%**

This variable has 2,195 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1231-1232 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PEP6: Full of pep last month

How much of the time during the past 4 weeks: Did you feel full of pep?

Value	Label	Unweighted Frequency	%
1	1: All of the time	46	1.9%
2	2: Most of the time	542	22.1%
3	3: A good bit of the time	552	22.5%
4	4: Some of the time	581	23.7%
5	5: A little of the time	317	12.9%
6	6: None of the time	130	5.3%
	Total	**2,168**	**88.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	158	6.5%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	6	0.2%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**280**	**11.4%**

This variable has 2,168 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1233-1234 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NERV4WK6: Very nervous last month

How much of the time during the past 4 weeks: Have you been a very nervous person?

Value	Label	Unweighted Frequency	%
1	1: All of the time	11	0.4%
2	2: Most of the time	53	2.2%
3	3: A good bit of the time	92	3.8%

Value	Label	Unweighted Frequency	%
4	4: Some of the time	305	12.5%
5	5: A little of the time	751	30.7%
6	6: None of the time	956	39.1%
	Total	**2,168**	**88.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	27	1.1%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	5	0.2%
-1	-1: N/A	1	0.0%
.	-	247	10.1%
	Total	**280**	**11.4%**

This variable has 2,168 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1235-1236 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHER4WK6: Nothing could cheer last month

How much of the time during the past 4 weeks: Have you felt so down in the dumps that nothing could cheer you up?

Value	Label	Unweighted Frequency	%
1	1: All of the time	9	0.4%
2	2: Most of the time	31	1.3%
3	3: A good bit of the time	52	2.1%
4	4: Some of the time	172	7.0%
5	5: A little of the time	446	18.2%
6	6: None of the time	1458	59.6%
	Total	**2,168**	**88.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	28	1.1%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	4	0.2%

Value	Missing Data	Unweighted Frequency	%
-1	-1: N/A	1	0.0%
.	-	247	10.1%
	Total	**280**	**11.4%**

This variable has 2,168 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1237-1238 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CALM4WK6: Calm/peaceful last month

How much of the time during the past 4 weeks: Have you felt calm and peaceful?

Value	Label	Unweighted Frequency	%
1	1: All of the time	83	3.4%
2	2: Most of the time	790	32.3%
3	3: A good bit of the time	533	21.8%
4	4: Some of the time	494	20.2%
5	5: A little of the time	218	8.9%
6	6: None of the time	48	2.0%
	Total	**2,166**	**88.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	27	1.1%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	7	0.3%
-1	-1: N/A	1	0.0%
.	-	247	10.1%
	Total	**282**	**11.5%**

This variable has 2,166 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1239-1240 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ENERGY6: Lots energy last month

How much of the time during the past 4 weeks: Did you have a lot of energy?

Value	Label	Unweighted Frequency	%
1	1: All of the time	55	2.2%
2	2: Most of the time	521	21.3%
3	3: A good bit of the time	534	21.8%
4	4: Some of the time	588	24.0%
5	5: A little of the time	325	13.3%
6	6: None of the time	148	6.0%
	Total	**2,171**	**88.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	159	6.5%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	2	0.1%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**277**	**11.3%**

This variable has 2,171 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1241-1242 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BLUE4WK6: Downhearted/blue last month

How much of the time during the past 4 weeks: Have you felt downhearted and blue?

Value	Label	Unweighted Frequency	%
1	1: All of the time	15	0.6%
2	2: Most of the time	44	1.8%
3	3: A good bit of the time	104	4.2%
4	4: Some of the time	315	12.9%
5	5: A little of the time	848	34.6%

Value	Label	Unweighted Frequency	%
6	6: None of the time	841	34.4%
	Total	**2,167**	**88.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	27	1.1%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	6	0.2%
-1	-1: N/A	1	0.0%
.	-	247	10.1%
	Total	**281**	**11.5%**

This variable has 2,167 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1243-1244 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORNOUT6: Felt worn out last month

How much of the time during the past 4 weeks: Did you feel worn out?

Value	Label	Unweighted Frequency	%
1	1: All of the time	39	1.6%
2	2: Most of the time	130	5.3%
3	3: A good bit of the time	222	9.1%
4	4: Some of the time	635	25.9%
5	5: A little of the time	802	32.8%
6	6: None of the time	342	14.0%
	Total	**2,170**	**88.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	158	6.5%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	4	0.2%
-1	-1: N/A	0	0.0%
.	-	116	4.7%

Value	Missing Data	Unweighted Frequency	%
	Total	**278**	**11.4%**

This variable has 2,170 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1245-1246 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HAPY4WK6: Happy person last month

How much of the time during the past 4 weeks: Have you been a happy person?

Value	Label	Unweighted Frequency	%
1	1: All of the time	161	6.6%
2	2: Most of the time	1021	41.7%
3	3: A good bit of the time	442	18.1%
4	4: Some of the time	369	15.1%
5	5: A little of the time	152	6.2%
6	6: None of the time	26	1.1%
	Total	**2,171**	**88.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	27	1.1%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	2	0.1%
-1	-1: N/A	1	0.0%
.	-	247	10.1%
	Total	**277**	**11.3%**

This variable has 2,171 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1247-1248 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TIRED6: Felt tired last month

How much of the time during the past 4 weeks: Did you feel tired?

Value	Label	Unweighted Frequency	%
1	1: All of the time	69	2.8%
2	2: Most of the time	197	8.0%
3	3: A good bit of the time	302	12.3%
4	4: Some of the time	819	33.5%
5	5: A little of the time	701	28.6%
6	6: None of the time	83	3.4%
	Total	**2,171**	**88.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	158	6.5%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	3	0.1%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**277**	**11.3%**

This variable has 2,171 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1249-1250 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOCIAL6: Physical health/emotional problems interfered with social activities/visiting

During the past 4 weeks, how much of the time has your physical health or emotional problems interfered with your social activities (like visiting with friends, relatives, etc.)?

Value	Label	Unweighted Frequency	%
1	1: All of the time	61	2.5%
2	2: Most of the time	103	4.2%
3	3: A good bit of the time	266	10.9%
4	4: Some of the time	437	17.9%
5	5: A little of the time	1302	53.2%
6	6: None of the time	0	0.0%
	Total	**2,169**	**88.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	27	1.1%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	4	0.2%
-1	-1: N/A	1	0.0%
.	-	247	10.1%
	Total	**279**	**11.4%**

This variable has 2,169 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1251-1252 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HEALSIC6: Seem to get sick easier than others

How TRUE or FALSE is each of the following statements for you? - I seem to get sick a little easier than other people

Value	Label	Unweighted Frequency	%
1	1: Definitely true	32	1.3%
2	2: Mostly true	111	4.5%
3	3: Don't know	173	7.1%
4	4: Mostly false	569	23.2%
5	5: Definitely false	1282	52.4%
	Total	**2,167**	**88.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	27	1.1%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	6	0.2%
-1	-1: N/A	1	0.0%
.	-	247	10.1%
	Total	**281**	**11.5%**

This variable has 2,167 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1253-1254 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HEALTHY6: Healthy as anybody I know

How TRUE or FALSE is each of the following statements for you? - I am as healthy as anybody I know

Value	Label	Unweighted Frequency	%
1	1: Definitely true	691	28.2%
2	2: Mostly true	970	39.6%
3	3: Don't know	268	10.9%
4	4: Mostly false	159	6.5%
5	5: Definitely false	78	3.2%
	Total	**2,166**	**88.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	27	1.1%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	7	0.3%
-1	-1: N/A	1	0.0%
.	-	247	10.1%
	Total	**282**	**11.5%**

This variable has 2,166 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1255-1256 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HEALWOR6: Expect health to get worse

How TRUE or FALSE is each of the following statements for you? - I expect my health to get worse

Value	Label	Unweighted Frequency	%
1	1: Definitely true	54	2.2%
2	2: Mostly true	225	9.2%
3	3: Don't know	627	25.6%
4	4: Mostly false	533	21.8%

Value	Label	Unweighted Frequency	%
5	5: Definitely false	728	29.7%
	Total	**2,167**	**88.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	27	1.1%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	6	0.2%
-1	-1: N/A	1	0.0%
.	-	247	10.1%
	Total	**281**	**11.5%**

This variable has 2,167 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1257-1258 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HEALEXC6: My health is excellent

How TRUE or FALSE is each of the following statements for you? - My health is excellent

Value	Label	Unweighted Frequency	%
1	1: Definitely true	436	17.8%
2	2: Mostly true	1186	48.4%
3	3: Don't know	178	7.3%
4	4: Mostly false	233	9.5%
5	5: Definitely false	134	5.5%
	Total	**2,167**	**88.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	27	1.1%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	6	0.2%
-1	-1: N/A	1	0.0%
.	-	247	10.1%
	Total	**281**	**11.5%**

This variable has 2,167 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1259-1260 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CARING6: Time spent past year caring for child

During the past year (in the past 12 months), how much time did you spend on average: Caring for a child or children 5 years of age or less, a disabled child or an elderly person? Only count time actually spent doing physical activities like feeding, dressing, moving, playing or bathing. (If child turned 6 less than 6 months ago, consider him/her age 5 for the whole year.)

Value	Label	Unweighted Frequency	%
1	1: All of the time	1687	68.9%
2	2: Most of the time	326	13.3%
3	3: A good bit of the time	151	6.2%
4	4: Some of the time	0	0.0%
5	5: A little of the time	0	0.0%
6	6: None of the time	0	0.0%
	Total	**2,164**	**88.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	158	6.5%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	10	0.4%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**284**	**11.6%**

This variable has 2,164 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1261-1262 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MEALS6: Time spent past year preparing meals

During the past year (in the last 12 months), how much time did you spend preparing meals or cleaning up from meals?

Value	Label	Unweighted Frequency	%
1	1: 1 hour or less per day	763	31.2%
2	2: Between 1-2 hours/day	1045	42.7%
3	3: More than 2 hours/day	362	14.8%
	Total	**2,170**	**88.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	158	6.5%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	4	0.2%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**278**	**11.4%**

This variable has 2,170 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1263-1264 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ROUTNCH6: Time spent past year light chores

During the past year (in the last 12 months), how often did you do routine chores requiring light physical effort, such as dusting, laundry, changing linens, grocery shopping or other shopping?

Value	Label	Unweighted Frequency	%
1	1: Once a week or less	387	15.8%
2	2: More than 1/week but less than daily	1086	44.4%
3	3: Daily or more	698	28.5%
	Total	**2,171**	**88.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	158	6.5%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	3	0.1%
-1	-1: N/A	0	0.0%

Value	Missing Data	Unweighted Frequency	%
.	-	116	4.7%
	Total	**277**	**11.3%**

This variable has 2,171 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1265-1266 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MODERAT6: Time spent past year moderate chores

During the past year (in the last 12 months), how often did you do chores requiring moderate physical effort, such as vacuuming, washing floors, or gardening/yard work such as mowing the lawn or raking leaves?

Value	Label	Unweighted Frequency	%
1	1: Once a month or less	445	18.2%
2	2: 2-3 times/month	676	27.6%
3	3: 4 or more times/month	1049	42.9%
	Total	**2,170**	**88.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	158	6.5%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	4	0.2%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**278**	**11.4%**

This variable has 2,170 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1267-1268 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VIGOROU6: Time spent past year vigorous chores

During the past year (in the last 12 months), how often did you do chores at home requiring vigorous physical effort, such as chopping wood, tilling soil, shoveling snow, shampooing carpets, washing walls or windows, plumbing, tiling or outdoor painting?

Value	Label	Unweighted Frequency	%
1	1: Once a month or less	1828	74.7%
2	2: 2-3 times/month	257	10.5%
3	3: 4 or more times/month	83	3.4%
	Total	**2,168**	**88.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	158	6.5%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	6	0.2%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**280**	**11.4%**

This variable has 2,168 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1269-1270 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYSACT6: Recreational activity compared to other women same age

In comparison with other women of your own age, do you think your recreational physical activity is...

Value	Label	Unweighted Frequency	%
1	1: Much less	265	10.8%
2	2: Somewhat less	629	25.7%
3	3: The same	688	28.1%
4	4: Somewhat more	435	17.8%
5	5: Much more	151	6.2%
	Total	**2,168**	**88.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	158	6.5%
-8	-8: Do not know	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	-7: Refused	6	0.2%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**280**	**11.4%**

This variable has 2,168 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1271-1272 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WATCHTV6: Time spent past year watching TV

During the past year, when you were not working or doing chores around the house: Did you watch television...

Value	Label	Unweighted Frequency	%
1	1: Never or less than 1 hour/week	132	5.4%
2	2: At least 1 hour/week but less than 1 hour/day	404	16.5%
3	3: 1-2 hours/day	835	34.1%
4	4: 2-4 hours/day	546	22.3%
5	5: More than 4 hour/day	255	10.4%
	Total	**2,172**	**88.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	158	6.5%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	2	0.1%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**276**	**11.3%**

This variable has 2,172 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1273-1274 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WALKBIK6: Time spent walk/bike

During the past year, when you were not working or doing chores around the house: Did you walk or bike to and from work, school or errands...

Value	Label	Unweighted Frequency	%
1	1: Never/less than 5 minutes per day	1243	50.8%
2	2: 5-15 minutes/day	429	17.5%
3	3: 16-30 minutes/day	301	12.3%
4	4: 31-45 minutes/day	127	5.2%
5	5: More than 45 minutes/day	70	2.9%
	Total	**2,170**	**88.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	158	6.5%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	4	0.2%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**278**	**11.4%**

This variable has 2,170 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1275-1276 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SWEATPA6: Time spent sweat from exertion

During the past year, when you were not working or doing chores around the house: Did you sweat from exertion...

Value	Label	Unweighted Frequency	%
1	1: Never/less than once a month	668	27.3%
2	2: Once a month	249	10.2%
3	3: 2-3 times a month	324	13.2%
4	4: Once a week	257	10.5%
5	5: More than once a week	672	27.5%

Value	Label	Unweighted Frequency	%
	Total	**2,170**	**88.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	159	6.5%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	3	0.1%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**278**	**11.4%**

This variable has 2,170 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1277-1278 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SPORTS6: Time spent sport/exercise

During the past year, when you were not working or doing chores around the house: Did you play sports or exercise...

Value	Label	Unweighted Frequency	%
1	1: Never	476	19.4%
2	2: Less than once a month	286	11.7%
3	3: Once a month	95	3.9%
4	4: 2-3 times/month	210	8.6%
5	5: Once a week	226	9.2%
6	6: More than once a week	832	34.0%
	Total	**2,125**	**86.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	204	8.3%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	3	0.1%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**323**	**13.2%**

This variable has 2,125 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1279-1280 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SPOREX16: Sport done most frequently past year

Which sport or exercise did you do most frequently during the past year?

Value	Label	Unweighted Frequency	%
	-	116	4.7%
'GAZELLE' - THE SWINGING-GLIDER TREADMILL WITHOUT THE IMPACT	-	1	0.0%
'WALK' DOG	-	1	0.0%
-1	-1: N/A	506	20.7%
-7	-7: Refused	23	0.9%
-8	-8: Do not know	0	0.0%
-9	-9: Missing	131	5.4%
@HOME (STATIONARY/ REG BIKE,SWIMMING,W	-	1	0.0%
A MIX OF AEROBIC & WEIGHT TRAINING (SUPERCIRCUITS)	-	1	0.0%
A STRETCH ROUTINE	-	1	0.0%
ABDOMINAL EXERCISE	-	1	0.0%
ABDOMINAL EXERCISES	-	1	0.0%
ABDOMINAL EXERCIZE, ARM EXERCIZES, LOW IMPACT AEROBICS	-	1	0.0%

Value	Label	Unweighted Frequency	%
ACQUATIC EXERCISE	-	1	0.0%
ADVANCED STEP AEROBICS	-	1	0.0%
AEROBIC	-	5	0.2%
AEROBIC (TREADMILL, STAIRSTEP) FREE WEIGHTS	-	1	0.0%
AEROBIC AND DANCE CLASSES	-	1	0.0%
AEROBIC DANCE CLASS	-	1	0.0%
AEROBIC DANCING	-	2	0.1%
AEROBIC EXERCISE	-	4	0.2%
AEROBIC EXERCISE & WEIGHT TRAINING	-	1	0.0%
AEROBIC EXERCISE CLASS	-	1	0.0%
AEROBIC EXERCISE CLASSES	-	1	0.0%
AEROBIC KICK-BOXING	-	1	0.0%
AEROBIC TYPE OF EXERCISE	-	1	0.0%
AEROBIC WALKING	-	2	0.1%
AEROBIC WORK OUT	-	1	0.0%
AEROBIC WORKOUT	-	1	0.0%
AEROBICS	-	40	1.6%
AEROBICS & FREE WEIGHTS	-	1	0.0%
AEROBICS & STRETCHES	-	1	0.0%

Value	Label	Unweighted Frequency	%
AEROBICS & WEIGHTS	-	1	0.0%
AEROBICS (OVER 40)	-	1	0.0%
AEROBICS (WITH WEIGHTS)	-	1	0.0%
AEROBICS AND WALKING	-	1	0.0%
AEROBICS AND WEIGHT RESISTANCE	-	1	0.0%
AEROBICS AND WEIGHT TRAINING	-	1	0.0%
AEROBICS CLASS AT Y	-	1	0.0%
AEROBICS CLASS, VIGOROUS WALKING	-	1	0.0%
AEROBICS WITH WEIGHT TRAINING	-	1	0.0%
AEROBICS, PILATTES	-	1	0.0%
AEROBICS/ DANCING	-	1	0.0%
AIKIDO MARTIAL ART	-	1	0.0%
ALKING	-	1	0.0%
AQUA AEROBICS	-	2	0.1%
AQUA-AEROBICS	-	1	0.0%
ARM EXERCISES	-	1	0.0%
AROBICS	-	1	0.0%
AROEBICS	-	1	0.0%
	Total	**2,448**	**100.0%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 1281-1340 (width: 60; decimal: 0)
Variable Type: character

RATEIN16: Increase heart rate sport 1

When you did this activity, did your heart rate and breathing increase?

Value	Label	Unweighted Frequency	%
1	1: No	130	5.3%
2	2: Yes, a small increase	593	24.2%
3	3: Yes, a moderate increase	730	29.8%
4	4: Yes, a large increase	232	9.5%
	Total	**1,685**	**68.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	131	5.4%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	10	0.4%
-1	-1: N/A	506	20.7%
.	-	116	4.7%
	Total	**763**	**31.2%**

This variable has 1,685 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1341-1342 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MTHSAC16: Sport 1 number of months in past year

How many months in this past year did you do this activity?

Value	Label	Unweighted Frequency	%
1	1: Less than 1 month	100	4.1%
2	2: 1-3 months	291	11.9%
3	3: 4-6 months	301	12.3%
4	4: 7-9 months	232	9.5%
5	5: More than 9 months	762	31.1%

Value	Label	Unweighted Frequency	%
	Total	**1,686**	**68.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	131	5.4%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	9	0.4%
-1	-1: N/A	506	20.7%
.	-	116	4.7%
	Total	**762**	**31.1%**

This variable has 1,686 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1343-1344 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HRSACT16: Sport 1 hours/week in these months

During these months, on average, how many hours a week did you do this activity?

Value	Label	Unweighted Frequency	%
1	1: Less than 1 hour	329	13.4%
2	2: At least 1 but less than 2 hours	428	17.5%
3	3: At least 2 but less than 3 hours	362	14.8%
4	4: At least 3 but less than 4 hours	262	10.7%
5	5: More than 4 hours	306	12.5%
	Total	**1,687**	**68.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	131	5.4%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	8	0.3%
-1	-1: N/A	506	20.7%
.	-	116	4.7%
	Total	**761**	**31.1%**

This variable has 1,687 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1345-1346 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHSPOR6: Other sports done past year

Did you do any other exercise or play any other sport in this past year?

Value	Label	Unweighted Frequency	%
1	1: No	815	33.3%
2	2: Yes	864	35.3%
	Total	**1,679**	**68.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	142	5.8%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	6	0.2%
-1	-1: N/A	505	20.6%
.	-	116	4.7%
	Total	**769**	**31.4%**

This variable has 1,679 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1347-1348 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SPOREX26: Sport second most frequently past year

What was the second most frequent sport or exercise you did during the past year?

Value	Label	Unweighted Frequency	%
	-	116	4.7%
-1	-1: N/A	1327	54.2%
-7	-7: Refused	18	0.7%
-8	-8: Do not know	0	0.0%
-9	-9: Missing	131	5.4%

Value	Label	Unweighted Frequency	%
AB ROLLER	-	1	0.0%
ABDOMICIZE	-	1	0.0%
ABS (CRUNCH) CLASS	-	1	0.0%
ABS CLASS	-	1	0.0%
AEROBIC	-	1	0.0%
AEROBIC & LIGHT WEIGHTS	-	1	0.0%
AEROBIC - BICYCLE, TREADMILL, ETC	-	1	0.0%
AEROBIC CLASS	-	1	0.0%
AEROBIC DANCING	-	1	0.0%
AEROBIC EXERCISE	-	1	0.0%
AEROBIC STEP	-	1	0.0%
AEROBICS	-	15	0.6%
AEROBICS & MUSCLE TRAINING	-	1	0.0%
AEROBICS CLASS	-	1	0.0%
AEROBICS CLASSES	-	2	0.1%
AEROBICS, STRECTHING,FLO EXERSCING	-	1	0.0%
AQUA AEROBICS	-	2	0.1%
AROBICS	-	1	0.0%
BACK STRETCHES / EXERCISES	-	1	0.0%
BADMINTON	-	1	0.0%
BALLET	-	2	0.1%
BALLROOM DANCE	-	1	0.0%
BALLROOM DANCING	-	2	0.1%

Value	Label	Unweighted Frequency	%
BASKETBALL	-	3	0.1%
BEACH VOLLEYBALL	-	1	0.0%
BEGINNER YOGA / STRETCHING	-	1	0.0%
BICYCLE	-	2	0.1%
BICYCLE TO WORK	-	1	0.0%
BICYCLING	-	16	0.7%
BIKE	-	7	0.3%
BIKE RIDE	-	1	0.0%
BIKE RIDING	-	10	0.4%
BIKING	-	17	0.7%
BIKING (SPINNING)	-	1	0.0%
BIKRAM YOGA	-	1	0.0%
BODY MOVEMENT	-	1	0.0%
BODY SCULPTING	-	1	0.0%
BOWL	-	3	0.1%
BOWLING	-	14	0.6%
BRISK WALKING	-	2	0.1%
CALESTHENICS	-	1	0.0%
CALISTHENICS (SIT UPS, ETC)	-	1	0.0%
CAMPING	-	1	0.0%
CHI KONG	-	1	0.0%
CHI KONG, TAI CHI	-	1	0.0%
	Total	**2,448**	**100.0%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 1349-1404 (width: 56; decimal: 0)
Variable Type: character

RATEIN26: Increase heart rate sport 2

When you did this activity, did your heart rate and breathing increase?

Value	Label	Unweighted Frequency	%
1	1: No	65	2.7%
2	2: Yes, a small increase	320	13.1%
3	3: Yes, a moderate increase	348	14.2%
4	4: Yes, a large increase	137	5.6%
	Total	**870**	**35.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	131	5.4%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	4	0.2%
-1	-1: N/A	1327	54.2%
.	-	116	4.7%
	Total	**1,578**	**64.5%**

This variable has 870 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1405-1406 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MTHSAC26: Sport 2 number of months in past year

How many months in this past year did you do this activity?

Value	Label	Unweighted Frequency	%
1	1: Less than 1 month	80	3.3%
2	2: 1-3 months	228	9.3%
3	3: 4-6 months	186	7.6%
4	4: 7-9 months	93	3.8%
5	5: More than 9 months	282	11.5%
	Total	**869**	**35.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	131	5.4%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	6	0.2%
-1	-1: N/A	1326	54.2%
.	-	116	4.7%
	Total	**1,579**	**64.5%**

This variable has 869 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1407-1408 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HRSACT26: Sport 2 hours/week in these months

During these months, on average, how many hours a week did you do this activity?

Value	Label	Unweighted Frequency	%
1	1: Less than 1 hour	178	7.3%
2	2: At least 1 but less than 2 hours	316	12.9%
3	3: At least 2 but less than 3 hours	188	7.7%
4	4: At least 3 but less than 4 hours	100	4.1%
5	5: More than 4 hours	85	3.5%
	Total	**867**	**35.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	131	5.4%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	8	0.3%
-1	-1: N/A	1326	54.2%
.	-	116	4.7%
	Total	**1,581**	**64.6%**

This variable has 867 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1409-1410 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYSWOR6: Work physical compared to other women same age

We would like to ask you about the physical activity you did during this past year as part of the work you get paid to do. In comparison with other women your age, do you think your work during this past year is physically...

Value	Label	Unweighted Frequency	%
1	1: Much lighter	129	5.3%
2	2: Lighter	257	10.5%
3	3: The same	922	37.7%
4	4: Heavier	307	12.5%
5	5: Much heavier	103	4.2%
	Total	**1,718**	**70.2%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	32	1.3%
-8	-8: Do not know	73	3.0%
-7	-7: Refused	77	3.1%
-1	-1: N/A	301	12.3%
.	-	247	10.1%
	Total	**730**	**29.8%**

This variable has 1,718 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1411-1412 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORKTIR6: Physically tired after work

We would like to ask you about the physical activity you did during this past year as part of the work you get paid to do. After work, are you physically tired...

Value	Label	Unweighted Frequency	%
1	1: Never	114	4.7%
2	2: Seldom	373	15.2%
3	3: Sometimes	805	32.9%

Value	Label	Unweighted Frequency	%
4	4: Often	373	15.2%
5	5: Always	124	5.1%
	Total	**1,789**	**73.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	33	1.3%
-8	-8: Do not know	2	0.1%
-7	-7: Refused	76	3.1%
-1	-1: N/A	301	12.3%
.	-	247	10.1%
	Total	**659**	**26.9%**

This variable has 1,789 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1413-1414 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WRKACTA6: How often sit in current job

In your current job(s), on a typical day/shift, how often do you do each of the following: Sit

Value	Label	Unweighted Frequency	%
1	1: Never	139	5.7%
2	2: Less than half of the time	452	18.5%
3	3: About half of the time	333	13.6%
4	4: More than half of the time	593	24.2%
5	5: Always	253	10.3%
	Total	**1,770**	**72.3%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	33	1.3%
-8	-8: Do not know	10	0.4%
-7	-7: Refused	87	3.6%
-1	-1: N/A	301	12.3%
.	-	247	10.1%

Value	Missing Data	Unweighted Frequency	%
	Total	**678**	**27.7%**

This variable has 1,770 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1415-1416 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WRKACTB6: How often stand in current job

In your current job(s), on a typical day/shift, how often do you do each of the following: Stand

Value	Label	Unweighted Frequency	%
1	1: Never	144	5.9%
2	2: Less than half of the time	909	37.1%
3	3: About half of the time	260	10.6%
4	4: More than half of the time	263	10.7%
5	5: Always	193	7.9%
	Total	**1,769**	**72.3%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	33	1.3%
-8	-8: Do not know	13	0.5%
-7	-7: Refused	85	3.5%
-1	-1: N/A	301	12.3%
.	-	247	10.1%
	Total	**679**	**27.7%**

This variable has 1,769 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1417-1418 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WRKACTC6: How often walk in current job

In your current job(s), on a typical day/shift, how often do you do each of the following: Walk

Value	Label	Unweighted Frequency	%
1	1: Never	112	4.6%
2	2: Less than half of the time	1015	41.5%
3	3: About half of the time	258	10.5%
4	4: More than half of the time	216	8.8%
5	5: Always	157	6.4%
	Total	**1,758**	**71.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	33	1.3%
-8	-8: Do not know	15	0.6%
-7	-7: Refused	94	3.8%
-1	-1: N/A	301	12.3%
.	-	247	10.1%
	Total	**690**	**28.2%**

This variable has 1,758 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1419-1420 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WRKACTD6: How often lift more than 15 pounds in current job

In your current job(s), on a typical day/shift, how often do you do each of the following: Lift heavy loads greater than 15 pounds (more than the weight of 2 gallons of milk)

Value	Label	Unweighted Frequency	%
1	1: Never	962	39.3%
2	2: Less than half of the time	598	24.4%
3	3: About half of the time	73	3.0%
4	4: More than half of the time	53	2.2%
5	5: Always	85	3.5%
	Total	**1,771**	**72.3%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	34	1.4%

Value	Missing Data	Unweighted Frequency	%
-8	-8: Do not know	13	0.5%
-7	-7: Refused	82	3.3%
-1	-1: N/A	301	12.3%
.	-	247	10.1%
	Total	**677**	**27.7%**

This variable has 1,771 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1421-1422 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WRKACTE6: How often stoop/bend in current job

In your current job(s), on a typical day/shift, how often do you do each of the following: Stoop and bend

Value	Label	Unweighted Frequency	%
1	1: Never	415	17.0%
2	2: Less than half of the time	948	38.7%
3	3: About half of the time	165	6.7%
4	4: More than half of the time	104	4.2%
5	5: Always	132	5.4%
	Total	**1,764**	**72.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	34	1.4%
-8	-8: Do not know	21	0.9%
-7	-7: Refused	81	3.3%
-1	-1: N/A	301	12.3%
.	-	247	10.1%
	Total	**684**	**27.9%**

This variable has 1,764 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1423-1424 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WRKACTF6: How often push heavy equipment in current job

In your current job(s), on a typical day/shift, how often do you do each of the following: Push or move heavy objects

Value	Label	Unweighted Frequency	%
1	1: Never	1010	41.3%
2	2: Less than half of the time	593	24.2%
3	3: About half of the time	58	2.4%
4	4: More than half of the time	55	2.2%
5	5: Always	54	2.2%
	Total	**1,770**	**72.3%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	34	1.4%
-8	-8: Do not know	13	0.5%
-7	-7: Refused	83	3.4%
-1	-1: N/A	301	12.3%
.	-	247	10.1%
	Total	**678**	**27.7%**

This variable has 1,770 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1425-1426 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WRKACTG6: How often sweat from exertion in current job

In your current job(s), on a typical day/shift, how often do you do each of the following: Sweat from exertion

Value	Label	Unweighted Frequency	%
1	1: Never	1194	48.8%
2	2: Less than half of the time	440	18.0%
3	3: About half of the time	50	2.0%
4	4: More than half of the time	33	1.3%
5	5: Always	50	2.0%
	Total	**1,767**	**72.2%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	33	1.3%
-8	-8: Do not know	18	0.7%
-7	-7: Refused	82	3.3%
-1	-1: N/A	301	12.3%
.	-	247	10.1%
	Total	**681**	**27.8%**

This variable has 1,767 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1427-1428 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STIFF6: Stiffness/soreness past 2 weeks

Thinking back over the past two weeks, how often have you had: Stiffness or soreness in joints, neck or shoulders?

Value	Label	Unweighted Frequency	%
1	1: Not at all	548	22.4%
2	2: 1-5 days	906	37.0%
3	3: 6-8 days	198	8.1%
4	4: 9-13 days	160	6.5%
5	5: Every day	514	21.0%
	Total	**2,326**	**95.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	6	0.2%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**122**	**5.0%**

This variable has 2,326 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1429-1430 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACHES6: Back aches/pains past 2 weeks

Thinking back over the past two weeks, how often have you had: Back aches or pains?

Value	Label	Unweighted Frequency	%
1	1: Not at all	802	32.8%
2	2: 1-5 days	826	33.7%
3	3: 6-8 days	155	6.3%
4	4: 9-13 days	127	5.2%
5	5: Every day	286	11.7%
	Total	**2,196**	**89.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	131	5.4%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	5	0.2%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**252**	**10.3%**

This variable has 2,196 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 5.00

Location: 1431-1432 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COLDSWE6: Cold sweats past 2 weeks

Thinking back over the past two weeks, how often have you had: Cold sweats?

Value	Label	Unweighted Frequency	%
1	1: Not at all	1894	77.4%
2	2: 1-5 days	199	8.1%
3	3: 6-8 days	38	1.6%
4	4: 9-13 days	27	1.1%
5	5: Every day	34	1.4%

Value	Label	Unweighted Frequency	%
	Total	**2,192**	**89.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	131	5.4%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	9	0.4%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**256**	**10.5%**

This variable has 2,192 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1433-1434 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NITESWE6: Night sweats past 2 weeks

Thinking back over the past two weeks, how often have you had: Night sweats?

Value	Label	Unweighted Frequency	%
1	1: Not at all	1367	55.8%
2	2: 1-5 days	620	25.3%
3	3: 6-8 days	121	4.9%
4	4: 9-13 days	73	3.0%
5	5: Every day	145	5.9%
	Total	**2,326**	**95.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	6	0.2%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**122**	**5.0%**

This variable has 2,326 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1435-1436 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VAGINDR6: Vaginal dryness past 2 weeks

Thinking back over the past two weeks, how often have you had: Vaginal dryness?

Value	Label	Unweighted Frequency	%
1	1: Not at all	1605	65.6%
2	2: 1-5 days	410	16.7%
3	3: 6-8 days	100	4.1%
4	4: 9-13 days	60	2.5%
5	5: Every day	143	5.8%
	Total	**2,318**	**94.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	1	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	13	0.5%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**130**	**5.3%**

This variable has 2,318 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1437-1438 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FEELBLU6: Feeling blue past 2 weeks

Thinking back over the past two weeks, how often have you had: Feeling blue or depressed?

Value	Label	Unweighted Frequency	%
1	1: Not at all	1104	45.1%
2	2: 1-5 days	923	37.7%

Value	Label	Unweighted Frequency	%
3	3: 6-8 days	134	5.5%
4	4: 9-13 days	94	3.8%
5	5: Every day	71	2.9%
	Total	**2,326**	**95.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	2	0.1%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	4	0.2%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**122**	**5.0%**

This variable has 2,326 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1439-1440 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIZZY6: Dizzy spells past 2 weeks

Thinking back over the past two weeks, how often have you had: Dizzy spells?

Value	Label	Unweighted Frequency	%
1	1: Not at all	1754	71.7%
2	2: 1-5 days	388	15.8%
3	3: 6-8 days	36	1.5%
4	4: 9-13 days	11	0.4%
5	5: Every day	8	0.3%
	Total	**2,197**	**89.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	131	5.4%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	4	0.2%
-1	-1: N/A	0	0.0%

Value	Missing Data	Unweighted Frequency	%
.	-	116	4.7%
	Total	**251**	**10.3%**

This variable has 2,197 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1441-1442 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IRRITAB6: Irritability past 2 weeks

Thinking back over the past two weeks, how often have you had: Irritability or grouchiness?

Value	Label	Unweighted Frequency	%
1	1: Not at all	860	35.1%
2	2: 1-5 days	1195	48.8%
3	3: 6-8 days	158	6.5%
4	4: 9-13 days	58	2.4%
5	5: Every day	53	2.2%
	Total	**2,324**	**94.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	1	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	7	0.3%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**124**	**5.1%**

This variable has 2,324 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1443-1444 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NRVOUS6: Tense/nervous past 2 weeks

Thinking back over the past two weeks, how often have you had: Feeling tense or nervous?

Value	Label	Unweighted Frequency	%
1	1: Not at all	870	35.5%
2	2: 1-5 days	1033	42.2%
3	3: 6-8 days	160	6.5%
4	4: 9-13 days	79	3.2%
5	5: Every day	52	2.1%
	Total	**2,194**	**89.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	131	5.4%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	7	0.3%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**254**	**10.4%**

This variable has 2,194 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1445-1446 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FORGET6: Forgetfulness past 2 weeks

Thinking back over the past two weeks, how often have you had: Forgetfulness?

Value	Label	Unweighted Frequency	%
1	1: Not at all	665	27.2%
2	2: 1-5 days	1070	43.7%
3	3: 6-8 days	212	8.7%
4	4: 9-13 days	112	4.6%
5	5: Every day	136	5.6%
	Total	**2,195**	**89.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	131	5.4%

Value	Missing Data	Unweighted Frequency	%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	6	0.2%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**253**	**10.3%**

This variable has 2,195 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1447-1448 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MOODCHG6: Frequent mood changes past 2 weeks

Thinking back over the past two weeks, how often have you had: Frequent mood changes?

Value	Label	Unweighted Frequency	%
1	1: Not at all	1324	54.1%
2	2: 1-5 days	770	31.5%
3	3: 6-8 days	133	5.4%
4	4: 9-13 days	50	2.0%
5	5: Every day	48	2.0%
	Total	**2,325**	**95.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	7	0.3%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**123**	**5.0%**

This variable has 2,325 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1449-1450 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HARTRAC6: Heart pounding/racing past 2 weeks

Thinking back over the past two weeks, how often have you had: Heart pounding or racing?

Value	Label	Unweighted Frequency	%
1	1: Not at all	1594	65.1%
2	2: 1-5 days	486	19.9%
3	3: 6-8 days	66	2.7%
4	4: 9-13 days	28	1.1%
5	5: Every day	23	0.9%
	Total	**2,197**	**89.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	4	0.2%
-1	-1: N/A	0	0.0%
.	-	247	10.1%
	Total	**251**	**10.3%**

This variable has 2,197 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1451-1452 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FEARFULA6: Feeling fearful past 2 weeks

Thinking back over the past two weeks, how often have you had: Feeling fearful for no reason?

Value	Label	Unweighted Frequency	%
1	1: Not at all	1836	75.0%
2	2: 1-5 days	287	11.7%
3	3: 6-8 days	41	1.7%
4	4: 9-13 days	23	0.9%
5	5: Every day	11	0.4%
	Total	**2,198**	**89.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	131	5.4%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	3	0.1%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**250**	**10.2%**

This variable has 2,198 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1453-1454 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HDACHE6: Headaches past 2 weeks

Thinking back over the past two weeks, how often have you had: Headaches?

Value	Label	Unweighted Frequency	%
1	1: Not at all	960	39.2%
2	2: 1-5 days	1002	40.9%
3	3: 6-8 days	144	5.9%
4	4: 9-13 days	59	2.4%
5	5: Every day	30	1.2%
	Total	**2,195**	**89.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	131	5.4%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	6	0.2%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**253**	**10.3%**

This variable has 2,195 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1455-1456 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOTFLAS6: Hot flashes past 2 weeks

Thinking back over the past two weeks, how often have you had: Hot flashes or flushes?

Value	Label	Unweighted Frequency	%
1	1: Not at all	1160	47.4%
2	2: 1-5 days	648	26.5%
3	3: 6-8 days	168	6.9%
4	4: 9-13 days	122	5.0%
5	5: Every day	227	9.3%
	Total	**2,325**	**95.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	7	0.3%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**123**	**5.0%**

This variable has 2,325 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 5.00

Location: 1457-1458 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BRSTPAI6: Breast pain/tenderness past 2 weeks

Thinking back over the past two weeks, how often have you had: Breast pain/tenderness?

Value	Label	Unweighted Frequency	%
1	1: Not at all	1613	65.9%
2	2: 1-5 days	498	20.3%
3	3: 6-8 days	55	2.2%
4	4: 9-13 days	16	0.7%
5	5: Every day	17	0.7%

Value	Label	Unweighted Frequency	%
	Total	**2,199**	**89.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	131	5.4%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	2	0.1%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**249**	**10.2%**

This variable has 2,199 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1459-1460 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TRBLSLE6: Trouble falling asleep past 2 weeks

In the past two weeks: Did you have trouble falling asleep?

Value	Label	Unweighted Frequency	%
1	1: No, not in the past 2 weeks	1196	48.9%
2	2: Yes, less than once a week	353	14.4%
3	3: Yes, 1-2 times/week	314	12.8%
4	4: Yes, 3-4 times/week	151	6.2%
5	5: Yes, 5 or more times/week	156	6.4%
	Total	**2,170**	**88.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	157	6.4%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	5	0.2%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**278**	**11.4%**

This variable has 2,170 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1461-1462 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WAKEUP6: Wake up several times/night past 2 weeks

In the past two weeks: Did you wake up several times a night?

Value	Label	Unweighted Frequency	%
1	1: No, not in the past 2 weeks	589	24.1%
2	2: Yes, less than once a week	352	14.4%
3	3: Yes, 1-2 times/week	437	17.9%
4	4: Yes, 3-4 times/week	328	13.4%
5	5: Yes, 5 or more times/week	464	19.0%
	Total	**2,170**	**88.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	157	6.4%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	5	0.2%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**278**	**11.4%**

This variable has 2,170 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1463-1464 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WAKEARL6: Wake up early past 2 weeks

In the past two weeks: Did you wake up earlier than you had planned to, and were unable to fall asleep again?

Value	Label	Unweighted Frequency	%
1	1: No, not in the past 2 weeks	1011	41.3%
2	2: Yes, less than once a week	424	17.3%

Value	Label	Unweighted Frequency	%
3	3: Yes, 1-2 times/week	353	14.4%
4	4: Yes, 3-4 times/week	207	8.5%
5	5: Yes, 5 or more times/week	176	7.2%
	Total	**2,171**	**88.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	157	6.4%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	4	0.2%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**277**	**11.3%**

This variable has 2,171 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1465-1466 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SLEEPQL6: Sleep quality overall past month

During the past month, how would you rate your sleep quality overall?

Value	Label	Unweighted Frequency	%
1	1: Very good	507	20.7%
2	2: Fairly good	1179	48.2%
3	3: Fairly bad	396	16.2%
4	4: Very bad	88	3.6%
	Total	**2,170**	**88.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	158	6.5%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	4	0.2%
-1	-1: N/A	0	0.0%
.	-	116	4.7%

Value	Missing Data	Unweighted Frequency	%
	Total	**278**	**11.4%**

This variable has 2,170 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1467-1468 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GETUPUR6: How often get up to urinate

How often do you usually get up from bed at night to urinate?

Value	Label	Unweighted Frequency	%
1	1: Never	257	10.5%
2	2: Rarely (less than once a week)	486	19.9%
3	3: Once/week	159	6.5%
4	4: A few times/week	444	18.1%
5	5: Once a night, every night	532	21.7%
6	6: More than once per night	291	11.9%
	Total	**2,169**	**88.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	159	6.5%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	4	0.2%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**279**	**11.4%**

This variable has 2,169 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1469-1470 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INVOLEA6: Involuntary leakage since last visit

Since your last study visit, have you ever leaked, even a very small amount, of urine involuntarily?

Value	Label	Unweighted Frequency	%
1	1: No	803	32.8%
2	2: Yes	1492	60.9%
	Total	**2,295**	**93.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	28	1.1%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	4	0.2%
-1	-1: N/A	5	0.2%
.	-	116	4.7%
	Total	**153**	**6.2%**

This variable has 2,295 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1471-1472 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DAYSLEA6: Leakage days past month

If YES to INVOLEA6: In the last month, about how many days have you lost any urine, even a small amount, beyond your own control?

Value	Label	Unweighted Frequency	%
1	1: Never	181	7.4%
2	2: Less than 1 day/week	870	35.5%
3	3: Several days/week	287	11.7%
4	4: Almost daily/daily	150	6.1%
	Total	**1,488**	**60.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	2	0.1%
-7	-7: Refused	5	0.2%
-1	-1: N/A	837	34.2%

Value	Missing Data	Unweighted Frequency	%
.	-	116	4.7%
	Total	**960**	**39.2%**

This variable has 1,488 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1473-1474 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COUGHLE6: Leak because cough,sneeze,laugh,jog,pick up

If YES to INVOLEA6: Under what circumstances does it occur? - When you are coughing, laughing, sneezing, jogging, or picking up an object from the floor.

Value	Label	Unweighted Frequency	%
1	1: No	361	14.7%
2	2: Yes	1037	42.4%
	Total	**1,398**	**57.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	131	5.4%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	30	1.2%
-1	-1: N/A	773	31.6%
.	-	116	4.7%
	Total	**1,050**	**42.9%**

This variable has 1,398 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1475-1476 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

URGEVOI6: Urge to void caused leakage

If YES to INVOLEA6: Under what circumstances does it occur? - When you have an urge to void and can't get to a toilet fast enough.

Value	Label	Unweighted Frequency	%
1	1: No	633	25.9%
2	2: Yes	767	31.3%
	Total	**1,400**	**57.2%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	131	5.4%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	28	1.1%
-1	-1: N/A	773	31.6%
.	-	116	4.7%
	Total	**1,048**	**42.8%**

This variable has 1,400 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1477-1478 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRLEA6: Other causes of leakage

If YES to INVOLEA6: Under what circumstances does it occur? - Other

Value	Label	Unweighted Frequency	%
1	1: No	1151	47.0%
2	2: Yes	139	5.7%
	Total	**1,290**	**52.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	132	5.4%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	137	5.6%
-1	-1: N/A	773	31.6%
.	-	116	4.7%
	Total	**1,158**	**47.3%**

This variable has 1,290 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1479-1480 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NUTRIRE6: Nutritional remedies past year

In the past 12 months, have you used any of the following for any reason? Special diets or nutritional remedies, such as macrobiotic or vegetarian diets, or vitamin supplements or therapy?

Value	Label	Unweighted Frequency	%
1	1: No	1406	57.4%
2	2: Yes	890	36.4%
	Total	**2,296**	**93.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	28	1.1%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	3	0.1%
-1	-1: N/A	5	0.2%
.	-	116	4.7%
	Total	**152**	**6.2%**

This variable has 2,296 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1481-1482 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HERBREM6: Herbal remedies past year

In the past 12 months, have you used any of the following for any reason? Herbs or herbal remedies, such as homeopathy or Chinese herbs or teas?

Value	Label	Unweighted Frequency	%
1	1: No	1836	75.0%
2	2: Yes	458	18.7%
	Total	**2,294**	**93.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	28	1.1%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	5	0.2%
-1	-1: N/A	5	0.2%
.	-	116	4.7%
	Total	**154**	**6.3%**

This variable has 2,294 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1483-1484 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PSYCMET6: Psychological methods past year

In the past 12 months, have you used any of the following for any reason? Psychological methods, such as meditation, mental imagery, or relaxation techniques?

Value	Label	Unweighted Frequency	%
1	1: No	1802	73.6%
2	2: Yes	490	20.0%
	Total	**2,292**	**93.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	28	1.1%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	7	0.3%
-1	-1: N/A	5	0.2%
.	-	116	4.7%
	Total	**156**	**6.4%**

This variable has 2,292 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1485-1486 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYSMET6: Physical methods past year

In the past 12 months, have you used any of the following for any reason? Physical methods, such as massage, acupressure, acupuncture, or chiropractic therapy?

Value	Label	Unweighted Frequency	%
1	1: No	1722	70.3%
2	2: Yes	571	23.3%
	Total	**2,293**	**93.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	28	1.1%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	6	0.2%
-1	-1: N/A	5	0.2%
.	-	116	4.7%
	Total	**155**	**6.3%**

This variable has 2,293 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1487-1488 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FOLKMED6: Folk medicine past year

In the past 12 months, have you used and of the following for any reason? Folk medicine or traditional Chinese medicine?

Value	Label	Unweighted Frequency	%
1	1: No	2196	89.7%
2	2: Yes	95	3.9%
	Total	**2,291**	**93.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	28	1.1%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	8	0.3%

Value	Missing Data	Unweighted Frequency	%
-1	-1: N/A	5	0.2%
.	-	116	4.7%
	Total	**157**	**6.4%**

This variable has 2,291 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1489-1490 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTHE6: Other diet/behavioral therapies past year

In the past 12 months, have you used and of the following for any reason? Any others?

Value	Label	Unweighted Frequency	%
1	1: No	1994	81.5%
2	2: Yes	221	9.0%
	Total	**2,215**	**90.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	28	1.1%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	84	3.4%
-1	-1: N/A	5	0.2%
.	-	116	4.7%
	Total	**233**	**9.5%**

This variable has 2,215 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1491-1492 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SPECOTH6: Other diet/behavioral therapies-specify

In the past 12 months, have you used and of the following for any reason? Any others? - Specify

Value	Label	Unweighted Frequency	%
	-	116	4.7%
-1	-1: N/A	2111	86.2%
-7	-7: Refused	2	0.1%
-8	-8: Do not know	0	0.0%
-9	-9: Missing	0	0.0%
12 DROPS PROPOLIS DAILY	-	1	0.0%
1ADAY VITAMIN, BODY MASSAGE	-	1	0.0%
ACCUPUNCTURE TRAUMA HEALING/ SOMATIC EXPERANCING	-	1	0.0%
ACUPUNCTURE FOR STIFFNESS IN KNEE AND FINGER JOINTS	-	1	0.0%
ADDED FLAXSEED TO DIET	-	1	0.0%
ALTERNATIVE MEDICINE, SUPPLEMENTS THAT ARE NOT VITA	-	1	0.0%
ANTI-DEPRESSANTS	-	1	0.0%
AROMA THERAPY	-	1	0.0%
AROMATHERAPY	-	1	0.0%
ART THERAPY	-	1	0.0%
ATKINS DIET	-	1	0.0%
AYUREVEDIC , RAW FOODEST	-	1	0.0%
B. PAPAYA ENZYME FOR UPSET STOMACH; D. MASSAGE, CH	-	1	0.0%
BACH FLOWER ESSENCES	-	1	0.0%

Value	Label	Unweighted Frequency	%
BACK PAIN-SEEN CHIROPRACTOR THEN PHYSICAL THERAPIST	-	1	0.0%
BATHS AND SOFT MUSIC	-	1	0.0%
BIBLE READING	-	1	0.0%
BIBLE STUDYING	-	1	0.0%
BIO-ENERGY, REKI	-	1	0.0%
BLACK COHASH	-	1	0.0%
BLACK COHOSH, ST. JOHN'S WORT	-	1	0.0%
BODY MASSAGE	-	1	0.0%
CAPAZINE HP RUBBED ON LOWER BACK &KNEES TO HELP RED	-	1	0.0%
CENTRUM 3-5 DAYS/WEEK	-	1	0.0%
CHAMOMILE TEA	-	1	0.0%
CHAMOMILE TEA/VALERIAN ROOT FOR SLEEPING	-	1	0.0%
CHI QONG UNDER D. CHIBESE MASSAGE	-	1	0.0%
CHINESE EXERCISE (CHI GON)	-	1	0.0%
CHINESE TEA	-	1	0.0%
CHIROPRACTIC	-	1	0.0%
CHIROPRACTIC THERAPY FOR	-	1	0.0%

Value	Label	Unweighted Frequency	%
NECK AND BACK PAIN			
CO-Q-10 100 MG DAILY STARTED 2 WKS AGO	-	1	0.0%
COUNSELING	-	1	0.0%
CRANIAL SACRAL	-	1	0.0%
DETOXIFYING MINERAL BODY WRAPS	-	1	0.0%
DIET, WEIGHT WATCHERS TO LOSE WEIGHT & FEEL BETTER	-	1	0.0%
DIETRY SUPPLEMENT CALLED NOVI, FRUIT DRINK	-	1	0.0%
ECHINACEA (FOR PREVENTING A FLU)	-	1	0.0%
ELIMINATE SPECIFIC FOODS FROM DIET	-	1	0.0%
ENERGY HEALING SIMILAR TO REIKI	-	1	0.0%
ENZYME THERAPY	-	1	0.0%
ESTROVEN-VITAMIN SUPPLEMENT	-	1	0.0%
ESTROVIN TO TRY AND DEAL WITH HOT FLASHES, SO-SO RE	-	1	0.0%
EXERCISE, SEX -- STRONG PC MUSCLES (ORGASMS)	-	1	0.0%

Value	Label	Unweighted Frequency	%
FASTING, HERBAL LAXATIVE TEA	-	1	0.0%
	Total	**2,448**	**100.0%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 1493-1543 (width: 51; decimal: 0)
Variable Type: character

STARTNE6: Started new job/school upsetting since last visit

Since your last study visit, have you experienced any of the following: Started school, a training program, or new job?

Value	Label	Unweighted Frequency	%
1	1: No	1777	72.6%
2	2: Yes, not at all upsetting	204	8.3%
3	3: Yes, somewhat upsetting	140	5.7%
4	4: Yes, very upsetting	35	1.4%
5	5: Yes, very upsetting & still upsetting	17	0.7%
	Total	**2,173**	**88.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9 : Missing	157	6.4%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	2	0.1%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**275**	**11.2%**

This variable has 2,173 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1544-1545 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORKTRB6: Work problems upsetting since last visit

Since your last study visit, have you experienced any of the following: Had trouble with a boss or conditions at work got worse?

Value	Label	Unweighted Frequency	%
1	1: No	1560	63.7%
2	2: Yes, not at all upsetting	86	3.5%
3	3: Yes, somewhat upsetting	404	16.5%
4	4: Yes, very upsetting	149	6.1%
5	5: Yes, very upsetting & still upsetting	103	4.2%
	Total	**2,302**	**94.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9 : Missing	26	1.1%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	4	0.2%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**146**	**6.0%**

This variable has 2,302 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1546-1547 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

QUITJOB6: Quit job upsetting since last visit

Since your last study visit, have you experienced any of the following: Quit, fired or laid off from a job?

Value	Label	Unweighted Frequency	%
1	1: No	1970	80.5%
2	2: Yes, not at all upsetting	61	2.5%
3	3: Yes, somewhat upsetting	70	2.9%
4	4: Yes, very upsetting	33	1.3%
5	5: Yes, very upsetting & still upsetting	34	1.4%
	Total	**2,168**	**88.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9 : Missing	157	6.4%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	7	0.3%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**280**	**11.4%**

This variable has 2,168 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1548-1549 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORKLOA6: Increase work load upsetting since last visit

Since your last study visit, have you experienced any of the following: Took on a greatly increased workload at job?

Value	Label	Unweighted Frequency	%
1	1: No	1569	64.1%
2	2: Yes, not at all upsetting	232	9.5%
3	3: Yes, somewhat upsetting	289	11.8%
4	4: Yes, very upsetting	48	2.0%
5	5: Yes, very upsetting & still upsetting	27	1.1%
	Total	**2,165**	**88.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9 : Missing	157	6.4%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	10	0.4%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**283**	**11.6%**

This variable has 2,165 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00

- Maximum: 5.00

Location: 1550-1551 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRTUNEM6: Partner unemployed upsetting since last visit

Since your last study visit, have you experienced any of the following: Husband/partner became unemployed?

Value	Label	Unweighted Frequency	%
1	1: No	2016	82.4%
2	2: Yes, not at all upsetting	28	1.1%
3	3: Yes, somewhat upsetting	78	3.2%
4	4: Yes, very upsetting	29	1.2%
5	5: Yes, very upsetting & still upsetting	17	0.7%
	Total	**2,168**	**88.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9 : Missing	158	6.5%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	6	0.2%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**280**	**11.4%**

This variable has 2,168 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1552-1553 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MONEYPR6: Money problems upsetting since last visit

Since your last study visit, have you experienced any of the following: Major money problems?

Value	Label	Unweighted Frequency	%
1	1: No	1683	68.8%
2	2: Yes, not at all upsetting	78	3.2%
3	3: Yes, somewhat upsetting	320	13.1%

Value	Label	Unweighted Frequency	%
4	4: Yes, very upsetting	110	4.5%
5	5: Yes, very upsetting & still upsetting	109	4.5%
	Total	**2,300**	**94.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9 : Missing	28	1.1%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	4	0.2%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**148**	**6.0%**

This variable has 2,300 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1554-1555 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORSREL6: Worsening relationship upsetting since last visit

Since your last study visit, have you experienced any of the following: Relations with husband/partner changed for the worse but without separation or divorce?

Value	Label	Unweighted Frequency	%
1	1: No	1916	78.3%
2	2: Yes, not at all upsetting	42	1.7%
3	3: Yes, somewhat upsetting	122	5.0%
4	4: Yes, very upsetting	45	1.8%
5	5: Yes, very upsetting & still upsetting	43	1.8%
	Total	**2,168**	**88.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9 : Missing	157	6.4%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	7	0.3%
-1	-1: N/A	0	0.0%

Value	Missing Data	Unweighted Frequency	%
.	-	116	4.7%
	Total	**280**	**11.4%**

This variable has 2,168 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1556-1557 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELATEN6: Ended relationship upsetting since last visit

Since your last study visit, have you experienced any of the following: Were separated or divorced or a long-term relationship ended?

Value	Label	Unweighted Frequency	%
1	1: No	2064	84.3%
2	2: Yes, not at all upsetting	18	0.7%
3	3: Yes, somewhat upsetting	32	1.3%
4	4: Yes, very upsetting	28	1.1%
5	5: Yes, very upsetting & still upsetting	27	1.1%
	Total	**2,169**	**88.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9 : Missing	157	6.4%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	6	0.2%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**279**	**11.4%**

This variable has 2,169 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1558-1559 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SERIPRO6: Serious family problem upsetting since last visit

Since your last study visit, have you experienced any of the following: Had a serious problem with child or family member (other than husband/partner) or with a close friend?

Value	Label	Unweighted Frequency	%
1	1: No	1668	68.1%
2	2: Yes, not at all upsetting	46	1.9%
3	3: Yes, somewhat upsetting	289	11.8%
4	4: Yes, very upsetting	180	7.4%
5	5: Yes, very upsetting & still upsetting	118	4.8%
	Total	**2,301**	**94.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9 : Missing	26	1.1%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	5	0.2%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**147**	**6.0%**

This variable has 2,301 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1560-1561 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHILDMO6: Child moved upsetting since last visit

Since your last study visit, have you experienced any of the following: A child moved out of the house or left the area?

Value	Label	Unweighted Frequency	%
1	1: No	1813	74.1%
2	2: Yes, not at all upsetting	159	6.5%
3	3: Yes, somewhat upsetting	139	5.7%
4	4: Yes, very upsetting	32	1.3%
5	5: Yes, very upsetting & still upsetting	25	1.0%
	Total	**2,168**	**88.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9 : Missing	157	6.4%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	7	0.3%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**280**	**11.4%**

This variable has 2,168 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1562-1563 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RESPCAR6: Responsibility for care upsetting since last visit

Since your last study visit, have you experienced any of the following: Took on responsibility for the care of another child, grandchild, parent, other family member or friend?

Value	Label	Unweighted Frequency	%
1	1: No	1822	74.4%
2	2: Yes, not at all upsetting	128	5.2%
3	3: Yes, somewhat upsetting	161	6.6%
4	4: Yes, very upsetting	37	1.5%
5	5: Yes, very upsetting & still upsetting	21	0.9%
	Total	**2,169**	**88.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9 : Missing	157	6.4%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	6	0.2%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**279**	**11.4%**

This variable has 2,169 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00

- Maximum: 5.00

Location: 1564-1565 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEGALPR6: Legal problems upsetting since last visit

Since your last study visit, have you experienced any of the following: Family member had legal problems or a problem with the police?

Value	Label	Unweighted Frequency	%
1	1: No	1898	77.5%
2	2: Yes, not at all upsetting	41	1.7%
3	3: Yes, somewhat upsetting	122	5.0%
4	4: Yes, very upsetting	66	2.7%
5	5: Yes, very upsetting & still upsetting	44	1.8%
	Total	**2,171**	**88.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9 : Missing	157	6.4%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	4	0.2%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**277**	**11.3%**

This variable has 2,171 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1566-1567 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CRELDIE6: Close relative died upsetting since last visit

Since your last study visit, have you experienced any of the following: A close relative (husband/partner, child or parent) died?

Value	Label	Unweighted Frequency	%
1	1: No	2048	83.7%
2	2: Yes, not at all upsetting	13	0.5%

Value	Label	Unweighted Frequency	%
3	3: Yes, somewhat upsetting	81	3.3%
4	4: Yes, very upsetting	87	3.6%
5	5: Yes, very upsetting & still upsetting	68	2.8%
	Total	**2,297**	**93.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9 : Missing	26	1.1%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	9	0.4%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**151**	**6.2%**

This variable has 2,297 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1568-1569 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CLOSDIE6: Other close friend/relative died upsetting since last visit

Since your last study visit, have you experienced any of the following: A close friend or family member other than a husband/ partner, child or parent died?

Value	Label	Unweighted Frequency	%
1	1: No	1755	71.7%
2	2: Yes, not at all upsetting	65	2.7%
3	3: Yes, somewhat upsetting	295	12.1%
4	4: Yes, very upsetting	134	5.5%
5	5: Yes, very upsetting & still upsetting	51	2.1%
	Total	**2,300**	**94.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9 : Missing	26	1.1%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	6	0.2%

Value	Missing Data	Unweighted Frequency	%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**148**	**6.0%**

This variable has 2,300 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1570-1571 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFVIO6: Violent event to self upsetting since last visit

Since your last study visit, have you experienced any of the following: Major accident, assault, disaster, robbery or other violent event happened to yourself?

Value	Label	Unweighted Frequency	%
1	1: No	2068	84.5%
2	2: Yes, not at all upsetting	12	0.5%
3	3: Yes, somewhat upsetting	42	1.7%
4	4: Yes, very upsetting	38	1.6%
5	5: Yes, very upsetting & still upsetting	11	0.4%
	Total	**2,171**	**88.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9 : Missing	157	6.4%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	4	0.2%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**277**	**11.3%**

This variable has 2,171 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1572-1573 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FAMLVIO6: Violent event to other family member upsetting since last visit

Since your last study visit, have you experienced any of the following: Major accident, assault, disaster, robbery or other violent event happened to a family member?

Value	Label	Unweighted Frequency	%
1	1: No	2027	82.8%
2	2: Yes, not at all upsetting	10	0.4%
3	3: Yes, somewhat upsetting	57	2.3%
4	4: Yes, very upsetting	60	2.5%
5	5: Yes, very upsetting & still upsetting	16	0.7%
	Total	**2,170**	**88.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9 : Missing	157	6.4%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	5	0.2%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**278**	**11.4%**

This variable has 2,170 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1574-1575 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYSILL6: Serious illness family upsetting since last visit

Since your last study visit, have you experienced any of the following: Serious physical illness, injury or drug/alcohol problem in family member, partner or close friend?

Value	Label	Unweighted Frequency	%
1	1: No	1642	67.1%
2	2: Yes, not at all upsetting	21	0.9%
3	3: Yes, somewhat upsetting	239	9.8%
4	4: Yes, very upsetting	165	6.7%
5	5: Yes, very upsetting & still upsetting	105	4.3%

Value	Label	Unweighted Frequency	%
	Total	**2,172**	**88.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9 : Missing	157	6.4%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	3	0.1%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**276**	**11.3%**

This variable has 2,172 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1576-1577 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MAJEVEN6: Other major event upsetting since last visit

Since your last study visit, have you experienced any of the following: Other major event not included above?

Value	Label	Unweighted Frequency	%
1	1: No	1985	81.1%
2	2: Yes, not at all upsetting	21	0.9%
3	3: Yes, somewhat upsetting	105	4.3%
4	4: Yes, very upsetting	81	3.3%
5	5: Yes, very upsetting & still upsetting	80	3.3%
	Total	**2,272**	**92.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9 : Missing	30	1.2%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	30	1.2%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**176**	**7.2%**

This variable has 2,272 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1578-1579 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EMPLYPA6: Employed for pay

Are you currently employed for pay?

Value	Label	Unweighted Frequency	%
1	1: No	482	19.7%
2	2: Yes	1673	68.3%
	Total	**2,155**	**88.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	170	6.9%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	7	0.3%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**293**	**12.0%**

This variable has 2,155 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1580-1581 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

REWRDJO6: How rewarding is job

If YES to EMPLYPA6: How rewarding is your job?

Value	Label	Unweighted Frequency	%
1	1: Not at all	45	1.8%
2	2: A little	156	6.4%
3	3: Somewhat	488	19.9%
4	4: Quite a bit	656	26.8%
5	5: Extremely	316	12.9%

Value	Label	Unweighted Frequency	%
	Total	**1,661**	**67.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	131	5.4%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	12	0.5%
-1	-1: N/A	528	21.6%
.	-	116	4.7%
	Total	**787**	**32.1%**

This variable has 1,661 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1582-1583 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRSSJO6: How stressful is job

If YES to EMPLYPA6: How stressful is your job?

Value	Label	Unweighted Frequency	%
1	1: Not at all	135	5.5%
2	2: A little	326	13.3%
3	3: Somewhat	614	25.1%
4	4: Quite a bit	412	16.8%
5	5: Extremely	172	7.0%
	Total	**1,659**	**67.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	131	5.4%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	14	0.6%
-1	-1: N/A	528	21.6%
.	-	116	4.7%
	Total	**789**	**32.2%**

This variable has 1,659 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1584-1585 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CRNTCAR6: Caring for older/disabled family member

Are you currently caring for an older or disabled family member?

Value	Label	Unweighted Frequency	%
1	1: No	1869	76.3%
2	2: Yes	280	11.4%
	Total	**2,149**	**87.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	176	7.2%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	7	0.3%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**299**	**12.2%**

This variable has 2,149 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1586-1587 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RWRDCAR6: How rewarding caregiver role

If YES to CRNTCAR6: How rewarding is your role as caregiver?

Value	Label	Unweighted Frequency	%
1	1: Not at all	21	0.9%
2	2: A little	43	1.8%
3	3: Somewhat	106	4.3%
4	4: Quite a bit	77	3.1%
5	5: Extremely	31	1.3%

Value	Label	Unweighted Frequency	%
	Total	**278**	**11.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	131	5.4%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	2	0.1%
-1	-1: N/A	1921	78.5%
.	-	116	4.7%
	Total	**2,170**	**88.6%**

This variable has 278 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1588-1589 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRSCAR6: How stressful caregiver role

If YES to CRNTCAR6: How stressful is your role as caregiver?

Value	Label	Unweighted Frequency	%
1	1: Not at all	18	0.7%
2	2: A little	64	2.6%
3	3: Somewhat	103	4.2%
4	4: Quite a bit	60	2.5%
5	5: Extremely	33	1.3%
	Total	**278**	**11.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	131	5.4%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	2	0.1%
-1	-1: N/A	1921	78.5%
.	-	116	4.7%
	Total	**2,170**	**88.6%**

This variable has 278 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1590-1591 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CRNTMAR6: Currently married/committed relationship

Are you currently married or in a committed relationship?

Value	Label	Unweighted Frequency	%
1	1: No	565	23.1%
2	2: Yes	1589	64.9%
	Total	**2,154**	**88.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	171	7.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	7	0.3%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**294**	**12.0%**

This variable has 2,154 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1592-1593 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RWRDREL6: How rewarding is relationship

If YES to CRNTMAR6: How rewarding is this relationship?

Value	Label	Unweighted Frequency	%
1	1: Not at all	48	2.0%
2	2: A little	88	3.6%
3	3: Somewhat	318	13.0%
4	4: Quite a bit	619	25.3%
5	5: Extremely	510	20.8%

Value	Label	Unweighted Frequency	%
	Total	**1,583**	**64.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	131	5.4%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	6	0.2%
-1	-1: N/A	612	25.0%
.	-	116	4.7%
	Total	**865**	**35.3%**

This variable has 1,583 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1594-1595 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRSREL6: How stressful is relationship

If YES to CRNTMAR6: How stressful is this relationship?

Value	Label	Unweighted Frequency	%
1	1: Not at all	365	14.9%
2	2: A little	612	25.0%
3	3: Somewhat	414	16.9%
4	4: Quite a bit	131	5.4%
5	5: Extremely	62	2.5%
	Total	**1,584**	**64.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	131	5.4%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	5	0.2%
-1	-1: N/A	612	25.0%
.	-	116	4.7%
	Total	**864**	**35.3%**

This variable has 1,584 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1596-1597 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHILDRE6: Have children/stepchildren

Do you have any children or stepchildren?

Value	Label	Unweighted Frequency	%
1	1: No	380	15.5%
2	2: Yes	1778	72.6%
	Total	**2,158**	**88.2%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	168	6.9%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	6	0.2%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**290**	**11.8%**

This variable has 2,158 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1598-1599 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

REWRDMO6: How rewarding is role as mother

If YES to CHILDRE6: How rewarding is your role as a mother?

Value	Label	Unweighted Frequency	%
1	1: Not at all	23	0.9%
2	2: A little	67	2.7%
3	3: Somewhat	241	9.8%
4	4: Quite a bit	633	25.9%
5	5: Extremely	809	33.0%

Value	Label	Unweighted Frequency	%
	Total	**1,773**	**72.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	131	5.4%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	4	0.2%
-1	-1: N/A	424	17.3%
.	-	116	4.7%
	Total	**675**	**27.6%**

This variable has 1,773 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1600-1601 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRSSMO6: How stressful is role as mother

If YES to CHILDRE6: How stressful is your role as a mother?

Value	Label	Unweighted Frequency	%
1	1: Not at all	273	11.2%
2	2: A little	575	23.5%
3	3: Somewhat	545	22.3%
4	4: Quite a bit	271	11.1%
5	5: Extremely	109	4.5%
	Total	**1,773**	**72.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	131	5.4%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	4	0.2%
-1	-1: N/A	424	17.3%
.	-	116	4.7%
	Total	**675**	**27.6%**

This variable has 1,773 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1602-1603 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INCOME6: Total family income

What is your total family income (before taxes) from all sources within your household in the last year?

Value	Label	Unweighted Frequency	%
1	1: Less than $19,999	185	7.6%
2	2: $20,000 to $49,999	559	22.8%
3	3: $50,000 to $99,999	467	19.1%
4	4: $100,000 or more	865	35.3%
	Total	**2,076**	**84.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	157	6.4%
-8	-8: Do not know	33	1.3%
-7	-7: Refused	66	2.7%
-1	-1: N/A	0	0.0%
.	-	116	4.7%
	Total	**372**	**15.2%**

This variable has 2,076 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1604-1605 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOW_HAR6: How hard to pay for basics

How hard is it for you to pay for the very basics like food, housing, medical care, and heating? Would you say it is ...

Value	Label	Unweighted Frequency	%
1	1: Very hard	116	4.7%
2	2: Somewhat hard	469	19.2%
3	3: Not hard at all	1590	65.0%

Value	Label	Unweighted Frequency	%
	Total	**2,175**	**88.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	2	0.1%
-8	-8: Do not know	19	0.8%
-7	-7: Refused	4	0.2%
-1	-1: N/A	1	0.0%
.	-	247	10.1%
	Total	**273**	**11.2%**

This variable has 2,175 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1606-1607 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LOSSINC6: If lost curr income, how long curr address

If you lost your current source of income (your paycheck, your family's paycheck(s), public assistance or other forms of income), how long could you keep your current address and standard of living?

Value	Label	Unweighted Frequency	%
1	1: Less than 1 month	228	9.3%
2	2: 1-2 months	336	13.7%
3	3: 3-6 months	548	22.4%
4	4: 7-12 months	308	12.6%
5	5: More than 1 year	744	30.4%
	Total	**2,164**	**88.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	27	1.1%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	9	0.4%
-1	-1: N/A	1	0.0%
.	-	247	10.1%
	Total	**284**	**11.6%**

This variable has 2,164 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1608-1609 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FINAN1Y6: Compare finances now to 1 year ago

Compared to the current year, were your finances better off, the same or worse off during each of the time periods listed? - One year ago

Value	Label	Unweighted Frequency	%
1	1: Worse off	380	15.5%
2	2: Better off	675	27.6%
3	3: The same	1104	45.1%
	Total	**2,159**	**88.2%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	27	1.1%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	14	0.6%
-1	-1: N/A	1	0.0%
.	-	247	10.1%
	Total	**289**	**11.8%**

This variable has 2,159 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1610-1611 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FINAN2Y6: Compare finances now to 2 years ago

Compared to the current year, were your finances better off, the same or worse off during each of the time periods listed? - Two years ago

Value	Label	Unweighted Frequency	%
1	1: Worse off	403	16.5%

Value	Label	Unweighted Frequency	%
2	2: Better off	820	33.5%
3	3: The same	903	36.9%
	Total	**2,126**	**86.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	27	1.1%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	47	1.9%
-1	-1: N/A	1	0.0%
.	-	247	10.1%
	Total	**322**	**13.2%**

This variable has 2,126 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1612-1613 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FINAN3Y6: Compare finances now to 3 years ago

Compared to the current year, were your finances better off, the same or worse off during each of the time periods listed? - Three years ago

Value	Label	Unweighted Frequency	%
1	1: Worse off	451	18.4%
2	2: Better off	872	35.6%
3	3: The same	805	32.9%
	Total	**2,128**	**86.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	27	1.1%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	45	1.8%
-1	-1: N/A	1	0.0%
.	-	247	10.1%
	Total	**320**	**13.1%**

This variable has 2,128 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1614-1615 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOMEOWN6: Home where you live

Is the home where you live:

Value	Label	Unweighted Frequency	%
1	1: Owned/being bought	1767	72.2%
2	2: Rented for money	347	14.2%
3	3: Occupied without payment	37	1.5%
4	4: Other, home ownership	12	0.5%
	Total	**2,163**	**88.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	29	1.2%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	8	0.3%
-1	-1: N/A	1	0.0%
.	-	247	10.1%
	Total	**285**	**11.6%**

This variable has 2,163 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1616-1617 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOMESPE6: Home where you live, specify

Is the home where you live: Specify

Value	Label	Unweighted Frequency	%
	-	247	10.1%
-1	-1: N/A	2189	89.4%

Value	Label	Unweighted Frequency	%
-7	-7: Refused	0	0.0%
-8	-8: Do not know	0	0.0%
-9	-9: Missing	0	0.0%
BUY MOBILE HOME- PAY SPACE RENT	-	1	0.0%
CO-OWNED / SHARED EXPENDITURES	-	1	0.0%
COOPERATIVE	-	1	0.0%
FORECLOSURE	-	1	0.0%
HOME IS IN FOR CLOSURE	-	1	0.0%
HOMELESS	-	2	0.1%
LIVING IN RELIGIOUS COMMUNITY HOUSE ORDER OWNS	-	1	0.0%
LIVING WITH MOTHER & 2 CHILDREN, PAYING SOME EXPENSES	-	1	0.0%
OWN BY MY FIANCE	-	1	0.0%
OWNER OCCUPED - I RENT 1ST FLOOR, I LIVE ON 2ND FLOOR	-	1	0.0%
PAYMENT FOR TAXES & HELPS UPHEEP	-	1	0.0%
	Total	**2,448**	**100.0%**

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 1618-1670 (width: 53; decimal: 0)
Variable Type: character

LADERCO6: Ladder relative to community

Where would you place yourself on this ladder? Please place an "X" over the circle on the rung where you think you stand at this time in your life, relative to other people in your community.

Value	Label	Unweighted Frequency	%
1	-	107	4.4%
2	-	315	12.9%
3	-	548	22.4%
4	-	462	18.9%
5	-	457	18.7%
6	-	96	3.9%
7	-	87	3.6%
8	-	44	1.8%
9	-	35	1.4%
	Total	**2,151**	**87.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	27	1.1%
-8	-8: Do not know	3	0.1%
-7	-7: Refused	19	0.8%
-1	-1: N/A	1	0.0%
.	-	247	10.1%
	Total	**297**	**12.1%**

This variable has 2,151 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 3.89
- Median: 4.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 9.00
- Standard Deviation: 1.66

Location: 1671-1672 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LADERUS6: Ladder relative to U.S.

Where would you place yourself on this ladder? Please place an "X" over the circle on the rung where you think you stand at this time in your life, relative to other people in the United States.

Value	Label	Unweighted Frequency	%
1	-	32	1.3%
2	-	153	6.2%
3	-	413	16.9%

Value	Label	Unweighted Frequency	%
4	-	528	21.6%
5	-	538	22.0%
6	-	217	8.9%
7	-	166	6.8%
8	-	65	2.7%
9	-	37	1.5%
	Total	**2,149**	**87.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	29	1.2%
-8	-8: Do not know	4	0.2%
-7	-7: Refused	18	0.7%
-1	-1: N/A	1	0.0%
.	-	247	10.1%
	Total	**299**	**12.2%**

This variable has 2,149 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 4.51
- Median: 4.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 9.00
- Standard Deviation: 1.62

Location: 1673-1674 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INTRPAN6: Interested this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Interested

Value	Label	Unweighted Frequency	%
1	1: Not at all/very slightly	70	2.9%
2	2: A little	195	8.0%
3	3: Moderately	588	24.0%
4	4: Quite a bit	912	37.3%
5	5: Extremely	296	12.1%
	Total	**2,061**	**84.2%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	10	0.4%
-1	-1: N/A	0	0.0%
.	-	377	15.4%
	Total	**387**	**15.8%**

This variable has 2,061 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1675-1676 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DISIPAN6: Disinterested this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Disinterested

Value	Label	Unweighted Frequency	%
1	1: Not at all/very slightly	0	0.0%
2	2: A little	0	0.0%
3	3: Moderately	0	0.0%
4	4: Quite a bit	0	0.0%
5	5: Extremely	0	0.0%
	Total	**0**	**0.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	2448	100.0%
	Total	**2,448**	**100.0%**

This variable has 0 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 1677-1678 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXCIPAN6: Excited this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Excited

Value	Label	Unweighted Frequency	%
1	1: Not at all/very slightly	243	9.9%
2	2: A little	453	18.5%
3	3: Moderately	816	33.3%
4	4: Quite a bit	449	18.3%
5	5: Extremely	97	4.0%
	Total	**2,058**	**84.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	1	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	12	0.5%
-1	-1: N/A	0	0.0%
.	-	377	15.4%
	Total	**390**	**15.9%**

This variable has 2,058 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1679-1680 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

UPSEPAN6: Upset this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Upset

Value	Label	Unweighted Frequency	%
1	1: Not at all/very slightly	611	25.0%
2	2: A little	814	33.3%
3	3: Moderately	357	14.6%
4	4: Quite a bit	219	8.9%
5	5: Extremely	62	2.5%
	Total	**2,063**	**84.3%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	8	0.3%
-1	-1: N/A	0	0.0%
.	-	377	15.4%
	Total	**385**	**15.7%**

This variable has 2,063 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1681-1682 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STROPAN6: Strong this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Strong

Value	Label	Unweighted Frequency	%
1	1: Not at all/very slightly	160	6.5%
2	2: A little	288	11.8%
3	3: Moderately	712	29.1%
4	4: Quite a bit	726	29.7%
5	5: Extremely	175	7.1%
	Total	**2,061**	**84.2%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	10	0.4%
-1	-1: N/A	0	0.0%
.	-	377	15.4%
	Total	**387**	**15.8%**

This variable has 2,061 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00

- Maximum: 5.00

Location: 1683-1684 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GUILPAN6: Guilty this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Guilty

Value	Label	Unweighted Frequency	%
1	1: Not at all/very slightly	1441	58.9%
2	2: A little	464	19.0%
3	3: Moderately	104	4.2%
4	4: Quite a bit	44	1.8%
5	5: Extremely	7	0.3%
	Total	**2,060**	**84.2%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	1	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	10	0.4%
-1	-1: N/A	0	0.0%
.	-	377	15.4%
	Total	**388**	**15.8%**

This variable has 2,060 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1685-1686 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SCARPAN6: Scared this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Scared

Value	Label	Unweighted Frequency	%
1	1: Not at all/very slightly	1341	54.8%
2	2: A little	516	21.1%
3	3: Moderately	120	4.9%

Value	Label	Unweighted Frequency	%
4	4: Quite a bit	73	3.0%
5	5: Extremely	12	0.5%
	Total	**2,062**	**84.2%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	1	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	8	0.3%
-1	-1: N/A	0	0.0%
.	-	377	15.4%
	Total	**386**	**15.8%**

This variable has 2,062 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1687-1688 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOSTPAN6: Hostile this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Hostile

Value	Label	Unweighted Frequency	%
1	1: Not at all/very slightly	1478	60.4%
2	2: A little	428	17.5%
3	3: Moderately	108	4.4%
4	4: Quite a bit	34	1.4%
5	5: Extremely	10	0.4%
	Total	**2,058**	**84.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	1	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	12	0.5%
-1	-1: N/A	0	0.0%
.	-	377	15.4%

Value	Missing Data	Unweighted Frequency	%
	Total	**390**	**15.9%**

This variable has 2,058 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1689-1690 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ENTHPAN6: Enthusiastic this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Enthusiastic

Value	Label	Unweighted Frequency	%
1	1: Not at all/very slightly	178	7.3%
2	2: A little	385	15.7%
3	3: Moderately	713	29.1%
4	4: Quite a bit	614	25.1%
5	5: Extremely	171	7.0%
	Total	**2,061**	**84.2%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	10	0.4%
-1	-1: N/A	0	0.0%
.	-	377	15.4%
	Total	**387**	**15.8%**

This variable has 2,061 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1691-1692 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROUPAN6: Proud this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Proud

Value	Label	Unweighted Frequency	%
1	1: Not at all/very slightly	183	7.5%
2	2: A little	327	13.4%
3	3: Moderately	609	24.9%
4	4: Quite a bit	668	27.3%
5	5: Extremely	272	11.1%
	Total	**2,059**	**84.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	12	0.5%
-1	-1: N/A	0	0.0%
.	-	377	15.4%
	Total	**389**	**15.9%**

This variable has 2,059 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1693-1694 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IRRIPAN6: Irritable this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Irritable

Value	Label	Unweighted Frequency	%
1	1: Not at all/very slightly	666	27.2%
2	2: A little	907	37.1%
3	3: Moderately	321	13.1%
4	4: Quite a bit	133	5.4%
5	5: Extremely	32	1.3%
	Total	**2,059**	**84.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	2	0.1%
-8	-8: Do not know	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	-7: Refused	10	0.4%
-1	-1: N/A	0	0.0%
.	-	377	15.4%
	Total	**389**	**15.9%**

This variable has 2,059 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1695-1696 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ALERPAN6: Alert this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Alert

Value	Label	Unweighted Frequency	%
1	1: Not at all/very slightly	92	3.8%
2	2: A little	249	10.2%
3	3: Moderately	669	27.3%
4	4: Quite a bit	808	33.0%
5	5: Extremely	242	9.9%
	Total	**2,060**	**84.2%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	11	0.4%
-1	-1: N/A	0	0.0%
.	-	377	15.4%
	Total	**388**	**15.8%**

This variable has 2,060 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1697-1698 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ASHAPAN6: Ashamed this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Ashamed

Value	Label	Unweighted Frequency	%
1	1: Not at all/very slightly	1692	69.1%
2	2: A little	271	11.1%
3	3: Moderately	59	2.4%
4	4: Quite a bit	23	0.9%
5	5: Extremely	13	0.5%
	Total	**2,058**	**84.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	1	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	12	0.5%
-1	-1: N/A	0	0.0%
.	-	377	15.4%
	Total	**390**	**15.9%**

This variable has 2,058 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1699-1700 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSPPAN6: Inspired this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Inspired

Value	Label	Unweighted Frequency	%
1	1: Not at all/very slightly	272	11.1%
2	2: A little	459	18.8%
3	3: Moderately	660	27.0%
4	4: Quite a bit	495	20.2%
5	5: Extremely	169	6.9%
	Total	**2,055**	**83.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	2	0.1%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	14	0.6%
-1	-1: N/A	0	0.0%
.	-	377	15.4%
	Total	**393**	**16.1%**

This variable has 2,055 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1701-1702 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NERVPAN6: Nervous this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Nervous

Value	Label	Unweighted Frequency	%
1	1: Not at all/very slightly	964	39.4%
2	2: A little	691	28.2%
3	3: Moderately	243	9.9%
4	4: Quite a bit	125	5.1%
5	5: Extremely	33	1.3%
	Total	**2,056**	**84.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	3	0.1%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	12	0.5%
-1	-1: N/A	0	0.0%
.	-	377	15.4%
	Total	**392**	**16.0%**

This variable has 2,056 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1703-1704 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DETEPAN6: Determined this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Determined

Value	Label	Unweighted Frequency	%
1	1: Not at all/very slightly	100	4.1%
2	2: A little	288	11.8%
3	3: Moderately	590	24.1%
4	4: Quite a bit	714	29.2%
5	5: Extremely	367	15.0%
	Total	**2,059**	**84.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	12	0.5%
-1	-1: N/A	0	0.0%
.	-	377	15.4%
	Total	**389**	**15.9%**

This variable has 2,059 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1705-1706 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ATTEPAN6: Attentive this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Attentive

Value	Label	Unweighted Frequency	%
1	1: Not at all/very slightly	58	2.4%
2	2: A little	251	10.3%
3	3: Moderately	719	29.4%
4	4: Quite a bit	804	32.8%

Value	Label	Unweighted Frequency	%
5	5: Extremely	227	9.3%
	Total	**2,059**	**84.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	1	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	11	0.4%
-1	-1: N/A	0	0.0%
.	-	377	15.4%
	Total	**389**	**15.9%**

This variable has 2,059 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1707-1708 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

JITTPAN6: Jittery this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Jittery

Value	Label	Unweighted Frequency	%
1	1: Not at all/very slightly	1297	53.0%
2	2: A little	506	20.7%
3	3: Moderately	152	6.2%
4	4: Quite a bit	76	3.1%
5	5: Extremely	27	1.1%
	Total	**2,058**	**84.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	2	0.1%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	11	0.4%
-1	-1: N/A	0	0.0%
.	-	377	15.4%
	Total	**390**	**15.9%**

This variable has 2,058 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 5.00

Location: 1709-1710 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACTIPAN6: Active this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Active

Value	Label	Unweighted Frequency	%
1	1: Not at all/very slightly	114	4.7%
2	2: A little	297	12.1%
3	3: Moderately	692	28.3%
4	4: Quite a bit	681	27.8%
5	5: Extremely	277	11.3%
	Total	**2,061**	**84.2%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	10	0.4%
-1	-1: N/A	0	0.0%
.	-	377	15.4%
	Total	**387**	**15.8%**

This variable has 2,061 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 5.00

Location: 1711-1712 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

AFRAPAN6: Afraid this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Afraid

Value	Label	Unweighted Frequency	%
1	1: Not at all/very slightly	1412	57.7%

Value	Label	Unweighted Frequency	%
2	2: A little	469	19.2%
3	3: Moderately	103	4.2%
4	4: Quite a bit	56	2.3%
5	5: Extremely	21	0.9%
	Total	**2,061**	**84.2%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	1	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	9	0.4%
-1	-1: N/A	0	0.0%
.	-	377	15.4%
	Total	**387**	**15.8%**

This variable has 2,061 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1713-1714 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPUNC6: Acupuncture

During the past 12 months, have you used any of the following for your health? Acupuncture

Value	Label	Unweighted Frequency	%
1	1: No	2066	84.4%
2	2: Yes	99	4.0%
	Total	**2,165**	**88.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	7	0.3%
-1	-1: N/A	0	0.0%
.	-	276	11.3%
	Total	**283**	**11.6%**

This variable has 2,165 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1715-1716 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPHAR6: Acupuncture - heart

If YES to ACUPUNC6: What were the reasons for using this? - To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	1: No	88	3.6%
2	2: Yes	6	0.2%
	Total	**94**	**3.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	5	0.2%
-1	-1: N/A	2073	84.7%
.	-	276	11.3%
	Total	**2,354**	**96.2%**

This variable has 94 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1717-1718 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPOST6: Acupuncture - osteoporosis

If YES to ACUPUNC6: What were the reasons for using this? - To reduce the risk of osteoporosis

Value	Label	Unweighted Frequency	%
1	1: No	92	3.8%
2	2: Yes	3	0.1%
	Total	**95**	**3.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	4	0.2%
-1	-1: N/A	2073	84.7%
.	-	276	11.3%
	Total	**2,353**	**96.1%**

This variable has 95 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1719-1720 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPMEN6: Acupuncture - menopausal symptoms

If YES to ACUPUNC6: What were the reasons for using this? - To relieve menopausal symptoms

Value	Label	Unweighted Frequency	%
1	1: No	80	3.3%
2	2: Yes	14	0.6%
	Total	**94**	**3.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	5	0.2%
-1	-1: N/A	2073	84.7%
.	-	276	11.3%
	Total	**2,354**	**96.2%**

This variable has 94 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1721-1722 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPLOO6: Acupuncture - young looking

If YES to ACUPUNC6: What were the reasons for using this? - To stay young-looking

Value	Label	Unweighted Frequency	%
1	1: No	90	3.7%
2	2: Yes	3	0.1%
	Total	**93**	**3.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	6	0.2%
-1	-1: N/A	2073	84.7%
.	-	276	11.3%
	Total	**2,355**	**96.2%**

This variable has 93 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1723-1724 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPMEM6: Acupuncture - improve memory

If YES to ACUPUNC6: What were the reasons for using this? - To improve memory

Value	Label	Unweighted Frequency	%
1	1: No	90	3.7%
2	2: Yes	2	0.1%
	Total	**92**	**3.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	7	0.3%
-1	-1: N/A	2073	84.7%
.	-	276	11.3%

Value	Missing Data	Unweighted Frequency	%
	Total	**2,356**	**96.2%**

This variable has 92 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1725-1726 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPPER6: Acupuncture - regulate periods

If YES to ACUPUNC6: What were the reasons for using this? - To regulate periods

Value	Label	Unweighted Frequency	%
1	1: No	90	3.7%
2	2: Yes	4	0.2%
	Total	**94**	**3.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	5	0.2%
-1	-1: N/A	2073	84.7%
.	-	276	11.3%
	Total	**2,354**	**96.2%**

This variable has 94 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1727-1728 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPGEN6: Acupuncture - general health

If YES to ACUPUNC6: What were the reasons for using this? - For general health

Value	Label	Unweighted Frequency	%
1	1: No	53	2.2%

Value	Label	Unweighted Frequency	%
2	2: Yes	39	1.6%
	Total	**92**	**3.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	6	0.2%
-1	-1: N/A	2074	84.7%
.	-	276	11.3%
	Total	**2,356**	**96.2%**

This variable has 92 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1729-1730 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPWGH6: Acupuncture - weight

If YES to ACUPUNC6: What were the reasons for using this? - To lose weight or stay the same weight

Value	Label	Unweighted Frequency	%
1	1: No	86	3.5%
2	2: Yes	8	0.3%
	Total	**94**	**3.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	5	0.2%
-1	-1: N/A	2073	84.7%
.	-	276	11.3%
	Total	**2,354**	**96.2%**

This variable has 94 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 1731-1732 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPADV6: Acupuncture - provider advice

If YES to ACUPUNC6: What were the reasons for using this? - On advice from health care provider

Value	Label	Unweighted Frequency	%
1	1: No	74	3.0%
2	2: Yes	20	0.8%
	Total	**94**	**3.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	5	0.2%
-1	-1: N/A	2073	84.7%
.	-	276	11.3%
	Total	**2,354**	**96.2%**

This variable has 94 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1733-1734 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPOTH6: Acupuncture - other reason

If YES to ACUPUNC6: What were the reasons for using this? - Other

Value	Label	Unweighted Frequency	%
1	1: No	30	1.2%
2	2: Yes	58	2.4%
	Total	**88**	**3.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	11	0.4%
-1	-1: N/A	2073	84.7%
.	-	276	11.3%
	Total	**2,360**	**96.4%**

This variable has 88 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1735-1736 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPSPE6: Acupuncture - other specify

If YES to ACUPUNC6: What were the reasons for using this? - Other (please specify)

Value	Label	Unweighted Frequency	%
	-	276	11.3%
-1	-1: N/A	2114	86.4%
-7	-7: Refused	0	0.0%
-8	-8: Do not know	0	0.0%
-9	-9: Missing	0	0.0%
ACID REFLEX, KNEE PAIN (BURSITIS)	-	1	0.0%
ALLERGIES	-	1	0.0%
ALLERGIES, SINUS PROBLEMS	-	1	0.0%
ALLEVIATE PAIN	-	1	0.0%
ARTHRITIS	-	1	0.0%
ARTHRITIS PAIN	-	1	0.0%
BACK ACHE	-	1	0.0%
BACK PAIN	-	1	0.0%
BOWEL PROBLEMS & CAROTENEMIA	-	1	0.0%

Value	Label	Unweighted Frequency	%
CONCERN ABOUT THYROID	-	1	0.0%
DEPRESSION	-	1	0.0%
DIAGNOS A PROBLEM I WAS HAVING	-	1	0.0%
ELBOW PAIN	-	1	0.0%
ENDOMETRIOSIS, ALLERGIES, COLDS	-	1	0.0%
FOOT PAIN	-	1	0.0%
FOR BACK PROBLEMS	-	1	0.0%
FOR HEADACHES	-	1	0.0%
FOR MY NEUROPATHIC PAIN	-	1	0.0%
FOR PAIN AND SWELLING	-	1	0.0%
FOR SHOULDER PAIN	-	1	0.0%
INSOMNIA	-	1	0.0%
JOINT PAIN	-	1	0.0%
JOINT PAIN BURSITIS	-	1	0.0%
JOINT PAIN IN HIP, IRRIT. BOWEL	-	1	0.0%
KNEE PAIN	-	1	0.0%
KNEE PROBLEM	-	1	0.0%
KNEE/BACK PAIN	-	1	0.0%
LOWER BACK PAIN	-	2	0.1%
NECK PAIN	-	1	0.0%
NEVER	-	1	0.0%
PAIN	-	2	0.1%
PAIN & FATIGUE OF	-	1	0.0%

Value	Label	Unweighted Frequency	%
MULTIPLE SCLEROSIS			
PAIN IN ARM	-	1	0.0%
PAIN IN SHOULDER ARM & FINGERS	-	1	0.0%
PAIN TREATMENT	-	1	0.0%
RECOVERY FROM INJURY	-	1	0.0%
REDUCE PAIN	-	2	0.1%
REGULATE PAIN ON LEG	-	1	0.0%
RELIEVE STRESS	-	1	0.0%
RESEARCH STUDY DROPPED OUT	-	1	0.0%
SCIATICA	-	1	0.0%
SHOULDER PAIN	-	1	0.0%
SINUS INFECTION	-	1	0.0%
SORE WRIST	-	1	0.0%
STIFF NECK	-	1	0.0%
	Total	**2,448**	**100.0%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 1737-1772 (width: 36; decimal: 0)
Variable Type: character

BCOHOSH6: Black cohosh

During the past 12 months, have you used any of the following for your health? Black cohosh

Value	Label	Unweighted Frequency	%
1	1: No	2027	82.8%
2	2: Yes	136	5.6%

Value	Label	Unweighted Frequency	%
	Total	**2,163**	**88.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	9	0.4%
-1	-1: N/A	0	0.0%
.	-	276	11.3%
	Total	**285**	**11.6%**

This variable has 2,163 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1773-1774 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHHAR6: Black cohosh - heart

If YES to BCOHOSH6: What were the reasons for using this? - To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	1: No	107	4.4%
2	2: Yes	21	0.9%
	Total	**128**	**5.2%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	8	0.3%
-1	-1: N/A	2036	83.2%
.	-	276	11.3%
	Total	**2,320**	**94.8%**

This variable has 128 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1775-1776 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHOST6: Black cohosh - osteoporosis

If YES to BCOHOSH6: What were the reasons for using this? - To reduce the risk of osteoporosis

Value	Label	Unweighted Frequency	%
1	1: No	119	4.9%
2	2: Yes	7	0.3%
	Total	**126**	**5.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	10	0.4%
-1	-1: N/A	2036	83.2%
.	-	276	11.3%
	Total	**2,322**	**94.9%**

This variable has 126 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1777-1778 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHMEN6: Black cohosh - menopausal symptoms

If YES to BCOHOSH6: What were the reasons for using this? - To relieve menopausal symptoms

Value	Label	Unweighted Frequency	%
1	1: No	9	0.4%
2	2: Yes	126	5.1%
	Total	**135**	**5.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	-7: Refused	1	0.0%
-1	-1: N/A	2036	83.2%
.	-	276	11.3%
	Total	**2,313**	**94.5%**

This variable has 135 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1779-1780 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHLOO6: Black cohosh - young looking

If YES to BCOHOSH6: What were the reasons for using this? - To stay young-looking

Value	Label	Unweighted Frequency	%
1	1: No	119	4.9%
2	2: Yes	7	0.3%
	Total	**126**	**5.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	10	0.4%
-1	-1: N/A	2036	83.2%
.	-	276	11.3%
	Total	**2,322**	**94.9%**

This variable has 126 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1781-1782 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHMEM6: Black cohosh - improve memory

If YES to BCOHOSH6: What were the reasons for using this? - To improve memory

Value	Label	Unweighted Frequency	%
1	1: No	115	4.7%
2	2: Yes	10	0.4%
	Total	**125**	**5.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	11	0.4%
-1	-1: N/A	2036	83.2%
.	-	276	11.3%
	Total	**2,323**	**94.9%**

This variable has 125 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1783-1784 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHPER6: Black cohosh - regulate periods

If YES to BCOHOSH6: What were the reasons for using this? - To regulate periods

Value	Label	Unweighted Frequency	%
1	1: No	120	4.9%
2	2: Yes	6	0.2%
	Total	**126**	**5.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	10	0.4%
-1	-1: N/A	2036	83.2%
.	-	276	11.3%
	Total	**2,322**	**94.9%**

This variable has 126 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1785-1786 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHGEN6: Black cohosh - general health

If YES to BCOHOSH6: What were the reasons for using this? - For general health

Value	Label	Unweighted Frequency	%
1	1: No	104	4.2%
2	2: Yes	23	0.9%
	Total	**127**	**5.2%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	9	0.4%
-1	-1: N/A	2036	83.2%
.	-	276	11.3%
	Total	**2,321**	**94.8%**

This variable has 127 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1787-1788 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHWGH6: Black cohosh - weight

If YES to BCOHOSH6: What were the reasons for using this? - To lose weight or to stay the same weight

Value	Label	Unweighted Frequency	%
1	1: No	118	4.8%
2	2: Yes	8	0.3%
	Total	**126**	**5.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	10	0.4%
-1	-1: N/A	2036	83.2%
.	-	276	11.3%
	Total	**2,322**	**94.9%**

This variable has 126 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 1789-1790 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHADV6: Black cohosh - provider advice

If YES to BCOHOSH6: What were the reasons for using this? - On advice from health care provider

Value	Label	Unweighted Frequency	%
1	1: No	108	4.4%
2	2: Yes	18	0.7%
	Total	**126**	**5.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	10	0.4%
-1	-1: N/A	2036	83.2%
.	-	276	11.3%
	Total	**2,322**	**94.9%**

This variable has 126 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 1791-1792 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHOTH6: Black cohosh - other reason

If YES to BCOHOSH6: What were the reasons for using this? - Other

Value	Label	Unweighted Frequency	%
1	1: No	116	4.7%
2	2: Yes	7	0.3%
	Total	**123**	**5.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	13	0.5%
-1	-1: N/A	2036	83.2%
.	-	276	11.3%
	Total	**2,325**	**95.0%**

This variable has 123 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 1793-1794 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHSPE6: Black cohosh - other specify

If YES to BCOHOSH6: What were the reasons for using this? - Other (please specify)

Value	Label	Unweighted Frequency	%
	-	276	11.3%
-1	-1: N/A	2165	88.4%
-7	-7: Refused	0	0.0%
-8	-8: Do not know	0	0.0%
-9	-9: Missing	0	0.0%
HOT FLASH & NIGHT SWEAT	-	1	0.0%
HOT FLASHES	-	2	0.1%
HOT FLUSHES	-	1	0.0%
LIVER FLUSH	-	1	0.0%
PERI MENOPAUSE SYMPTOMS	-	1	0.0%

Value	Label	Unweighted Frequency	%
TO IMPROVE SLEEP	-	1	0.0%
	Total	**2,448**	**100.0%**

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 1795-1817 (width: 23; decimal: 0)
Variable Type: character

DHEA6: DHEA

During the past 12 months, have you used any of the following for your health? DHEA

Value	Label	Unweighted Frequency	%
1	1: No	2133	87.1%
2	2: Yes	27	1.1%
	Total	**2,160**	**88.2%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	1	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	11	0.4%
-1	-1: N/A	0	0.0%
.	-	276	11.3%
	Total	**288**	**11.8%**

This variable has 2,160 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1818-1819 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DHEAHAR6: DHEA - heart

If YES to DHEA6: What were the reasons for using this? - To reduce the risk of heart disease

Value	Label	Unweighted Frequency	%
1	1: No	21	0.9%

Value	Label	Unweighted Frequency	%
2	2: Yes	4	0.2%
	Total	**25**	**1.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	2	0.1%
-1	-1: N/A	2145	87.6%
.	-	276	11.3%
	Total	**2,423**	**99.0%**

This variable has 25 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1820-1821 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DHEAOST6: DHEA - osteoporosis

If YES to DHEA6: What were the reasons for using this? - To reduce the risk of osteoporosis

Value	Label	Unweighted Frequency	%
1	1: No	20	0.8%
2	2: Yes	4	0.2%
	Total	**24**	**1.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	3	0.1%
-1	-1: N/A	2145	87.6%
.	-	276	11.3%
	Total	**2,424**	**99.0%**

This variable has 24 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 1822-1823 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DHEAMEN6: DHEA - menopausal symptoms

If YES to DHEA6: What were the reasons for using this? - To relieve menopausal symptoms

Value	Label	Unweighted Frequency	%
1	1: No	16	0.7%
2	2: Yes	9	0.4%
	Total	**25**	**1.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	2	0.1%
-1	-1: N/A	2145	87.6%
.	-	276	11.3%
	Total	**2,423**	**99.0%**

This variable has 25 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1824-1825 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DHEALOO6: DHEA - young looking

If YES to DHEA6: What were the reasons for using this? - To stay young-looking

Value	Label	Unweighted Frequency	%
1	1: No	15	0.6%
2	2: Yes	9	0.4%
	Total	**24**	**1.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	3	0.1%
-1	-1: N/A	2145	87.6%
.	-	276	11.3%
	Total	**2,424**	**99.0%**

This variable has 24 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1826-1827 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DHEAMEM6: DHEA - improve memory

If YES to DHEA6: What were the reasons for using this? - To improve memory

Value	Label	Unweighted Frequency	%
1	1: No	17	0.7%
2	2: Yes	5	0.2%
	Total	**22**	**0.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	5	0.2%
-1	-1: N/A	2145	87.6%
.	-	276	11.3%
	Total	**2,426**	**99.1%**

This variable has 22 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1828-1829 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DHEAPER6: DHEA - regulate periods

If YES to DHEA6: What were the reasons for using this? - To regulate periods

Value	Label	Unweighted Frequency	%
1	1: No	22	0.9%
2	2: Yes	1	0.0%
	Total	**23**	**0.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	4	0.2%
-1	-1: N/A	2145	87.6%
.	-	276	11.3%
	Total	**2,425**	**99.1%**

This variable has 23 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1830-1831 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DHEAGEN6: DHEA - general health

If YES to DHEA6: What were the reasons for using this? - For general health

Value	Label	Unweighted Frequency	%
1	1: No	11	0.4%
2	2: Yes	14	0.6%
	Total	**25**	**1.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	2	0.1%
-1	-1: N/A	2145	87.6%
.	-	276	11.3%
	Total	**2,423**	**99.0%**

This variable has 25 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1832-1833 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DHEAWGH6: DHEA - weight

If YES to DHEA6: What were the reasons for using this? - To lose weight or to stay the same weight

Value	Label	Unweighted Frequency	%
1	1: No	20	0.8%
2	2: Yes	3	0.1%
	Total	**23**	**0.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	4	0.2%
-1	-1: N/A	2145	87.6%
.	-	276	11.3%
	Total	**2,425**	**99.1%**

This variable has 23 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1834-1835 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DHEAADV6: DHEA - provider advice

If YES to DHEA6: What were the reasons for using this? - On advice from health care provider

Value	Label	Unweighted Frequency	%
1	1: No	16	0.7%
2	2: Yes	8	0.3%
	Total	**24**	**1.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	3	0.1%
-1	-1: N/A	2145	87.6%
.	-	276	11.3%
	Total	**2,424**	**99.0%**

This variable has 24 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 1836-1837 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DHEAOTH6: DHEA - other reason

If YES to DHEA6: What were the reasons for using this? - Other

Value	Label	Unweighted Frequency	%
1	1: No	18	0.7%
2	2: Yes	4	0.2%
	Total	**22**	**0.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	5	0.2%
-1	-1: N/A	2145	87.6%
.	-	276	11.3%
	Total	**2,426**	**99.1%**

This variable has 22 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 1838-1839 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DHEASPE6: DHEA - other specify

If YES to DHEA6: What were the reasons for using this? - Other (please specify)

Value	Label	Unweighted Frequency	%
	-	276	11.3%
-1	-1: N/A	2168	88.6%
-7	-7: Refused	0	0.0%
-8	-8: Do not know	0	0.0%
-9	-9: Missing	0	0.0%
BETTER SLEEP	-	1	0.0%
CAN'T REMEMBER	-	1	0.0%
ENERGY	-	1	0.0%
ENHANCE LIBIDO	-	1	0.0%
	Total	**2,448**	**100.0%**

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 1840-1853 (width: 14; decimal: 0)
Variable Type: character

DQUAI6: Dong Quai

During the past 12 months, have you used any of the following for your health? Dong Quai

Value	Label	Unweighted Frequency	%
1	1: No	2104	85.9%
2	2: Yes	61	2.5%
	Total	**2,165**	**88.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	7	0.3%
-1	-1: N/A	0	0.0%
.	-	276	11.3%
	Total	**283**	**11.6%**

This variable has 2,165 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 1854-1855 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUAHAR6: Dong Quai - heart

If YES to DQUAI6: What were the reasons for using this? - To reduce the risk of heart disease

Value	Label	Unweighted Frequency	%
1	1: No	43	1.8%
2	2: Yes	8	0.3%
	Total	**51**	**2.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	10	0.4%
-1	-1: N/A	2111	86.2%
.	-	276	11.3%
	Total	**2,397**	**97.9%**

This variable has 51 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1856-1857 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUAOST6: Dong Quai - osteoporosis

If YES to DQUAI6: What were the reasons for using this? - To reduce the risk of osteoporosis

Value	Label	Unweighted Frequency	%
1	1: No	46	1.9%
2	2: Yes	5	0.2%
	Total	**51**	**2.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	10	0.4%
-1	-1: N/A	2111	86.2%
.	-	276	11.3%
	Total	**2,397**	**97.9%**

This variable has 51 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1858-1859 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUAMEN6: Dong Quai - menopausal symptoms

If YES to DQUAI6: What were the reasons for using this? - To relieve menopausal symptoms

Value	Label	Unweighted Frequency	%
1	1: No	21	0.9%
2	2: Yes	36	1.5%
	Total	**57**	**2.3%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	4	0.2%
-1	-1: N/A	2111	86.2%
.	-	276	11.3%
	Total	**2,391**	**97.7%**

This variable has 57 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1860-1861 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUALOO6: Dong Quai - young looking

If YES to DQUAI6: What were the reasons for using this? - To stay young-looking

Value	Label	Unweighted Frequency	%
1	1: No	45	1.8%
2	2: Yes	5	0.2%
	Total	**50**	**2.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	11	0.4%
-1	-1: N/A	2111	86.2%
.	-	276	11.3%
	Total	**2,398**	**98.0%**

This variable has 50 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1862-1863 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUAMEM6: Dong Quai - improve memory

If YES to DQUAI6: What were the reasons for using this? - To improve memory

Value	Label	Unweighted Frequency	%
1	1: No	45	1.8%
2	2: Yes	5	0.2%
	Total	**50**	**2.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	11	0.4%
-1	-1: N/A	2111	86.2%
.	-	276	11.3%
	Total	**2,398**	**98.0%**

This variable has 50 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1864-1865 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUAPER6: Dong Quai - regulate periods

If YES to DQUAI6: What were the reasons for using this? - To regulate periods

Value	Label	Unweighted Frequency	%
1	1: No	44	1.8%
2	2: Yes	9	0.4%
	Total	**53**	**2.2%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	8	0.3%
-1	-1: N/A	2111	86.2%
.	-	276	11.3%
	Total	**2,395**	**97.8%**

This variable has 53 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1866-1867 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUAGEN6: Dong Quai - general health

If YES to DQUAI6: What were the reasons for using this? - For general health

Value	Label	Unweighted Frequency	%
1	1: No	20	0.8%
2	2: Yes	34	1.4%
	Total	**54**	**2.2%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	7	0.3%
-1	-1: N/A	2111	86.2%
.	-	276	11.3%
	Total	**2,394**	**97.8%**

This variable has 54 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1868-1869 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUAWGH6: Dong Quai - weight

If YES to DQUAI6: What were the reasons for using this? - To lose weight or to stay the same weight

Value	Label	Unweighted Frequency	%
1	1: No	46	1.9%
2	2: Yes	4	0.2%
	Total	**50**	**2.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	11	0.4%
-1	-1: N/A	2111	86.2%
.	-	276	11.3%
	Total	**2,398**	**98.0%**

This variable has 50 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1870-1871 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUAADV6: Dong Quai - provider advice

If YES to DQUAI6: What were the reasons for using this? - On advice from health care provider

Value	Label	Unweighted Frequency	%
1	1: No	44	1.8%
2	2: Yes	6	0.2%
	Total	**50**	**2.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	11	0.4%
-1	-1: N/A	2111	86.2%
.	-	276	11.3%
	Total	**2,398**	**98.0%**

This variable has 50 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1872-1873 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUAOTH6: Dong Quai - other reason

If YES to DQUAI6: What were the reasons for using this? - Other

Value	Label	Unweighted Frequency	%
1	1: No	28	1.1%
2	2: Yes	6	0.2%
	Total	**34**	**1.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	27	1.1%
-1	-1: N/A	2111	86.2%
.	-	276	11.3%

Value	Missing Data	Unweighted Frequency	%
	Total	**2,414**	**98.6%**

This variable has 34 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1874-1875 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUASPE6: Dong Quai - other specify

If YES to DQUAI6: What were the reasons for using this? - Other (please specify)

Value	Label	Unweighted Frequency	%
	-	276	11.3%
-1	-1: N/A	2166	88.5%
-7	-7: Refused	0	0.0%
-8	-8: Do not know	0	0.0%
-9	-9: Missing	0	0.0%
CAN'T REMEMBER	-	1	0.0%
CAROTENEMIA	-	1	0.0%
HOT FLASH	-	1	0.0%
HOT FLASHES	-	1	0.0%
SAME AS I1	-	1	0.0%
TONIC	-	1	0.0%
	Total	**2,448**	**100.0%**

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 1876-1889 (width: 14; decimal: 0)
Variable Type: character

DIETNUT6: Nutritious diet

During the past 12 months, have you used any of the following for your health? Eating a nutritious diet

Value	Label	Unweighted Frequency	%
1	1: No	733	29.9%

Value	Label	Unweighted Frequency	%
2	2: Yes	1425	58.2%
	Total	**2,158**	**88.2%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	14	0.6%
-1	-1: N/A	0	0.0%
.	-	276	11.3%
	Total	**290**	**11.8%**

This variable has 2,158 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1890-1891 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETHAR6: Nutritious diet - heart

If YES to DIETNUT6: What were the reasons for using this? - To reduce the risk of heart disease

Value	Label	Unweighted Frequency	%
1	1: No	420	17.2%
2	2: Yes	964	39.4%
	Total	**1,384**	**56.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	41	1.7%
-1	-1: N/A	747	30.5%
.	-	276	11.3%
	Total	**1,064**	**43.5%**

This variable has 1,384 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 1892-1893 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETOST6: Nutritious diet - osteoporosis

If YES to DIETNUT6: What were the reasons for using this? - To reduce the risk of osteoporosis

Value	Label	Unweighted Frequency	%
1	1: No	674	27.5%
2	2: Yes	701	28.6%
	Total	**1,375**	**56.2%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	48	2.0%
-1	-1: N/A	749	30.6%
.	-	276	11.3%
	Total	**1,073**	**43.8%**

This variable has 1,375 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1894-1895 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETMEN6: Nutritious diet - menopausal symptoms

If YES to DIETNUT6: What were the reasons for using this? - To relieve menopausal symptoms

Value	Label	Unweighted Frequency	%
1	1: No	1068	43.6%
2	2: Yes	302	12.3%
	Total	**1,370**	**56.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	53	2.2%
-1	-1: N/A	749	30.6%
.	-	276	11.3%
	Total	**1,078**	**44.0%**

This variable has 1,370 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1896-1897 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETLOO6: Nutritious diet - young looking

If YES to DIETNUT6: What were the reasons for using this? - To stay young-looking

Value	Label	Unweighted Frequency	%
1	1: No	833	34.0%
2	2: Yes	542	22.1%
	Total	**1,375**	**56.2%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	48	2.0%
-1	-1: N/A	749	30.6%
.	-	276	11.3%
	Total	**1,073**	**43.8%**

This variable has 1,375 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1898-1899 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETMEM6: Nutritious diet - improve memory

If YES to DIETNUT6: What were the reasons for using this? - To improve memory

Value	Label	Unweighted Frequency	%
1	1: No	1020	41.7%
2	2: Yes	348	14.2%
	Total	**1,368**	**55.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	54	2.2%
-1	-1: N/A	750	30.6%
.	-	276	11.3%
	Total	**1,080**	**44.1%**

This variable has 1,368 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1900-1901 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETPER6: Nutritious diet - regulate periods

If YES to DIETNUT6: What were the reasons for using this? - To regulate periods

Value	Label	Unweighted Frequency	%
1	1: No	1299	53.1%
2	2: Yes	62	2.5%
	Total	**1,361**	**55.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	61	2.5%
-1	-1: N/A	750	30.6%
.	-	276	11.3%
	Total	**1,087**	**44.4%**

This variable has 1,361 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1902-1903 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETGEN6: Nutritious diet - general health

If YES to DIETNUT6: What were the reasons for using this? - For general health

Value	Label	Unweighted Frequency	%
1	1: No	83	3.4%
2	2: Yes	1321	54.0%
	Total	**1,404**	**57.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	20	0.8%
-1	-1: N/A	748	30.6%
.	-	276	11.3%
	Total	**1,044**	**42.6%**

This variable has 1,404 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1904-1905 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETWGH6: Nutritious diet - weight

If YES to DIETNUT6: What were the reasons for using this? - To lose weight or to stay the same weight

Value	Label	Unweighted Frequency	%
1	1: No	271	11.1%
2	2: Yes	1121	45.8%
	Total	**1,392**	**56.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	31	1.3%
-1	-1: N/A	749	30.6%
.	-	276	11.3%
	Total	**1,056**	**43.1%**

This variable has 1,392 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 1906-1907 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETADV6: Nutritious diet - provider advice

If YES to DIETNUT6: What were the reasons for using this? - On advice from health care provider

Value	Label	Unweighted Frequency	%
1	1: No	978	40.0%
2	2: Yes	387	15.8%
	Total	**1,365**	**55.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	57	2.3%
-1	-1: N/A	750	30.6%
.	-	276	11.3%
	Total	**1,083**	**44.2%**

This variable has 1,365 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 1908-1909 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETOTH6: Nutritious diet - other reason

If YES to DIETNUT6: What were the reasons for using this? - Other

Value	Label	Unweighted Frequency	%
1	1: No	1136	46.4%
2	2: Yes	56	2.3%
	Total	**1,192**	**48.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	228	9.3%
-1	-1: N/A	752	30.7%
.	-	276	11.3%
	Total	**1,256**	**51.3%**

This variable has 1,192 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1910-1911 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETSPE6: Nutritious diet - other specify

If YES to DIETNUT6: What were the reasons for using this? - Other (please specify)

Value	Label	Unweighted Frequency	%
	-	276	11.3%
-1	-1: N/A	2116	86.4%
-7	-7: Refused	0	0.0%
-8	-8: Do not know	0	0.0%
-9	-9: Missing	0	0.0%
ACID AKALINE BALANCE	-	1	0.0%
ARTHRITIS	-	1	0.0%
BE HEALTHY.	-	1	0.0%
BECAUSE I WANT TO LIVE LONGER	-	1	0.0%

Value	Label	Unweighted Frequency	%
BECAUSE IT TASTE GOOD	-	1	0.0%
BLOOD SUGAR CONDITION	-	1	0.0%
CANCER	-	1	0.0%
COMMON SENSE	-	1	0.0%
DAUGHTER COOKS VERY NUTRITIOUS MEALS	-	1	0.0%
DECREASE CHOLESTEROL	-	1	0.0%
DIABETES	-	6	0.2%
DIAGNOSED WITH BREAST CANCER	-	1	0.0%
EROSIVE ESOPHAGAS	-	1	0.0%
FIGHT SYMTOMS OFF DISEASE	-	1	0.0%
GEN. HEALTH	-	1	0.0%
HAVE CHILD ON HEALTH DIET- SO WE ALL ARE	-	1	0.0%
HIGH CHOLESTEROL	-	1	0.0%
HUNGRY	-	1	0.0%
I FEEL BETTER WHEN I EAT HEALTHY.	-	1	0.0%
I JUST SHOULD	-	1	0.0%
I LIKE NUTRITIOUS FOOD	-	1	0.0%
IMPROVE ENERGY	-	1	0.0%
IMPROVE FACIAL LOOK	-	1	0.0%
LENT	-	1	0.0%

Value	Label	Unweighted Frequency	%
LOWER BLOOD SUGAR, CHOLESTEROL	-	1	0.0%
LOWER CHOLESTEROL	-	2	0.1%
MENOPAUSE	-	1	0.0%
MODERATE BLOOD SUGAR	-	1	0.0%
NORMAL EATING PATTERN	-	1	0.0%
PLEASURE	-	1	0.0%
PREVENT DIABETES (WEIGHT)	-	1	0.0%
PROLONG NRG SUPPORT, EXERCISE, CLEAR THINKING, PREV CATABOLI	-	1	0.0%
SET EXAMPLE FOR MY DAUGHTER	-	1	0.0%
SPIRITUAL CLARITY	-	1	0.0%
STAYING HEALTHY AND STRONG	-	1	0.0%
TO AVOID ALL GLUTENS DUE TO WHEAT INTOLERANCE	-	1	0.0%
TO CONTROL DIABETES	-	1	0.0%
TO FEEL BETTER	-	1	0.0%
TO FEEL GOOD	-	1	0.0%
TO GAIN WEIGHT	-	1	0.0%
TO HELP MY VIRUS (COXSACHIE B1)	-	1	0.0%

Value	Label	Unweighted Frequency	%
TO IMPROVE ANEMIA	-	1	0.0%
TO IMPROVE MOOD SWINGS	-	1	0.0%
TO INCREASE CALCIUM INTAKE	-	1	0.0%
TO LOWER CHOLESTEROL	-	1	0.0%
	Total	**2,448**	**100.0%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 1912-1971 (width: 60; decimal: 0)
Variable Type: character

HEALENR6: Energy healing

During the past 12 months, have you used any of the following for your health? Energy healing

Value	Label	Unweighted Frequency	%
1	1: No	2055	83.9%
2	2: Yes	101	4.1%
	Total	**2,156**	**88.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	1	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	15	0.6%
-1	-1: N/A	0	0.0%
.	-	276	11.3%
	Total	**292**	**11.9%**

This variable has 2,156 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1972-1973 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HEALHAR6: Energy healing - heart

If YES to HEALENR6: What were the reasons for using this? - To reduce the risk of heart disease

Value	Label	Unweighted Frequency	%
1	1: No	57	2.3%
2	2: Yes	38	1.6%
	Total	**95**	**3.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	6	0.2%
-1	-1: N/A	2071	84.6%
.	-	276	11.3%
	Total	**2,353**	**96.1%**

This variable has 95 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1974-1975 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HEALOST6: Energy healing - osteoporosis

If YES to HEALENR6: What were the reasons for using this? - To reduce the risk of osteoporosis

Value	Label	Unweighted Frequency	%
1	1: No	67	2.7%
2	2: Yes	28	1.1%
	Total	**95**	**3.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	6	0.2%

Value	Missing Data	Unweighted Frequency	%
-1	-1: N/A	2071	84.6%
.	-	276	11.3%
	Total	**2,353**	**96.1%**

This variable has 95 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1976-1977 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HEALMEN6: Energy healing - menopausal symptoms

If YES to HEALENR6: What were the reasons for using this? - To relieve menopausal symptoms

Value	Label	Unweighted Frequency	%
1	1: No	68	2.8%
2	2: Yes	27	1.1%
	Total	**95**	**3.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	6	0.2%
-1	-1: N/A	2071	84.6%
.	-	276	11.3%
	Total	**2,353**	**96.1%**

This variable has 95 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1978-1979 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HEALLOO6: Energy healing - young looking

If YES to HEALENR6: What were the reasons for using this? - To stay young-looking

Value	Label	Unweighted Frequency	%
1	1: No	57	2.3%
2	2: Yes	38	1.6%
	Total	**95**	**3.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	6	0.2%
-1	-1: N/A	2071	84.6%
.	-	276	11.3%
	Total	**2,353**	**96.1%**

This variable has 95 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1980-1981 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HEALMEM6: Energy healing - improve memory

If YES to HEALENR6: What were the reasons for using this? - To improve memory

Value	Label	Unweighted Frequency	%
1	1: No	60	2.5%
2	2: Yes	34	1.4%
	Total	**94**	**3.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	7	0.3%
-1	-1: N/A	2071	84.6%
.	-	276	11.3%
	Total	**2,354**	**96.2%**

This variable has 94 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1982-1983 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HEALPER6: Energy healing - regulate periods

If YES to HEALENR6: What were the reasons for using this? - To regulate periods

Value	Label	Unweighted Frequency	%
1	1: No	85	3.5%
2	2: Yes	10	0.4%
	Total	**95**	**3.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	6	0.2%
-1	-1: N/A	2071	84.6%
.	-	276	11.3%
	Total	**2,353**	**96.1%**

This variable has 95 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1984-1985 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HEALGEN6: Energy healing - general health

If YES to HEALENR6: What were the reasons for using this? - For general health

Value	Label	Unweighted Frequency	%
1	1: No	13	0.5%
2	2: Yes	87	3.6%
	Total	**100**	**4.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	1	0.0%
-1	-1: N/A	2071	84.6%
.	-	276	11.3%
	Total	**2,348**	**95.9%**

This variable has 100 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 1986-1987 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HEALWGH6: Energy healing - weight

If YES to HEALENR6: What were the reasons for using this? - To lose weight or to stay the same weight

Value	Label	Unweighted Frequency	%
1	1: No	60	2.5%
2	2: Yes	35	1.4%
	Total	**95**	**3.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	6	0.2%
-1	-1: N/A	2071	84.6%
.	-	276	11.3%
	Total	**2,353**	**96.1%**

This variable has 95 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 1988-1989 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HEALADV6: Energy healing - provider advice

If YES to HEALENR6: What were the reasons for using this? - On advice from health care provider

Value	Label	Unweighted Frequency	%
1	1: No	73	3.0%
2	2: Yes	22	0.9%
	Total	**95**	**3.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	6	0.2%
-1	-1: N/A	2071	84.6%
.	-	276	11.3%
	Total	**2,353**	**96.1%**

This variable has 95 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1990-1991 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HEALOTH6: Energy healing - other reason

If YES to HEALENR6: What were the reasons for using this? - Other

Value	Label	Unweighted Frequency	%
1	1: No	66	2.7%
2	2: Yes	21	0.9%
	Total	**87**	**3.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	14	0.6%
-1	-1: N/A	2071	84.6%
.	-	276	11.3%
	Total	**2,361**	**96.4%**

This variable has 87 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1992-1993 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HEALSPE6: Energy healing - other specify

If YES to HEALENR6: What were the reasons for using this? - Other (please specify)

Value	Label	Unweighted Frequency	%
	-	276	11.3%
-1	-1: N/A	2151	87.9%
-7	-7: Refused	0	0.0%
-8	-8: Do not know	0	0.0%
-9	-9: Missing	0	0.0%
BECAUSE I WANT TO LIVE LONGER	-	1	0.0%
BEFORE SURGERY	-	1	0.0%
CORRECT KNEE PROBLEM	-	1	0.0%
DIAGNOSED WITH BREAST CANCER	-	1	0.0%
EMOTIONAL BALANCE	-	1	0.0%
EMOTIONAL HEALING	-	1	0.0%
EMOTIONAL RELIEF	-	1	0.0%
FOR EMOTIONS	-	1	0.0%
FRESH OUT DOOR AIR	-	1	0.0%
GENERAL WELL BEING/ EMOTIONAL HEALTH	-	1	0.0%
HELP RECOVER	-	1	0.0%

Value	Label	Unweighted Frequency	%
FROM SURGERY & VIRUS			
HELP W/ AFFECTS PTSD	-	1	0.0%
IN CONJUNCTION WITH CHEMO	-	1	0.0%
INCREASE EMOTIONAL HEALTH	-	1	0.0%
MASSAGE POLARITY REIKE	-	1	0.0%
PAIN	-	1	0.0%
PAIN TREATMENT	-	1	0.0%
SPIRITUAL HEALING, BECOMING MORE CAUSATIVE	-	1	0.0%
TO RELIEVE FEAR & SLUGGISHNESS	-	1	0.0%
TO STAY IN BALANCE	-	1	0.0%
WELL-BEING, LESSEN STRESS	-	1	0.0%
	Total	**2,448**	**100.0%**

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 1994-2035 (width: 42; decimal: 0)
Variable Type: character

EXERCIS6: Exercise

During the past 12 months, have you used any of the following for your health? Exercise

Value	Label	Unweighted Frequency	%
1	1: No	625	25.5%
2	2: Yes	1540	62.9%

Value	Label	Unweighted Frequency	%
	Total	**2,165**	**88.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	7	0.3%
-1	-1: N/A	0	0.0%
.	-	276	11.3%
	Total	**283**	**11.6%**

This variable has 2,165 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2036-2037 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXERHAR6: Exercise - heart

If YES to EXERCIS6: What were the reasons for using this? - To reduce the risk of heart disease

Value	Label	Unweighted Frequency	%
1	1: No	431	17.6%
2	2: Yes	1072	43.8%
	Total	**1,503**	**61.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	37	1.5%
-1	-1: N/A	632	25.8%
.	-	276	11.3%
	Total	**945**	**38.6%**

This variable has 1,503 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2038-2039 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXEROST6: Exercise - osteoporosis

If YES to EXERCIS6: What were the reasons for using this? - To reduce the risk of osteoporosis

Value	Label	Unweighted Frequency	%
1	1: No	632	25.8%
2	2: Yes	859	35.1%
	Total	**1,491**	**60.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	46	1.9%
-1	-1: N/A	635	25.9%
.	-	276	11.3%
	Total	**957**	**39.1%**

This variable has 1,491 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2040-2041 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXERMEN6: Exercise - menopausal symptoms

If YES to EXERCIS6: What were the reasons for using this? - To relieve menopausal symptoms

Value	Label	Unweighted Frequency	%
1	1: No	1155	47.2%
2	2: Yes	327	13.4%
	Total	**1,482**	**60.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	-7: Refused	56	2.3%
-1	-1: N/A	634	25.9%
.	-	276	11.3%
	Total	**966**	**39.5%**

This variable has 1,482 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2042-2043 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXERLOO6: Exercise - young looking

If YES to EXERCIS6: What were the reasons for using this? - To stay young-looking

Value	Label	Unweighted Frequency	%
1	1: No	669	27.3%
2	2: Yes	823	33.6%
	Total	**1,492**	**60.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	45	1.8%
-1	-1: N/A	635	25.9%
.	-	276	11.3%
	Total	**956**	**39.1%**

This variable has 1,492 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2044-2045 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXERMEM6: Exercise - improve memory

If YES to EXERCIS6: What were the reasons for using this? - To improve memory

Value	Label	Unweighted Frequency	%
1	1: No	1066	43.5%
2	2: Yes	410	16.7%
	Total	**1,476**	**60.3%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	60	2.5%
-1	-1: N/A	636	26.0%
.	-	276	11.3%
	Total	**972**	**39.7%**

This variable has 1,476 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2046-2047 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXERPER6: Exercise - regulate periods

If YES to EXERCIS6: What were the reasons for using this? - To regulate periods

Value	Label	Unweighted Frequency	%
1	1: No	1406	57.4%
2	2: Yes	64	2.6%
	Total	**1,470**	**60.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	66	2.7%
-1	-1: N/A	636	26.0%
.	-	276	11.3%
	Total	**978**	**40.0%**

This variable has 1,470 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2048-2049 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXERGEN6: Exercise - general health

If YES to EXERCIS6: What were the reasons for using this? - For general health

Value	Label	Unweighted Frequency	%
1	1: No	86	3.5%
2	2: Yes	1434	58.6%
	Total	**1,520**	**62.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	19	0.8%
-1	-1: N/A	633	25.9%
.	-	276	11.3%
	Total	**928**	**37.9%**

This variable has 1,520 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2050-2051 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXERWGH6: Exercise - weight

If YES to EXERCIS6: What were the reasons for using this? - To lose weight or to stay the same weight

Value	Label	Unweighted Frequency	%
1	1: No	227	9.3%
2	2: Yes	1277	52.2%
	Total	**1,504**	**61.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	33	1.3%
-1	-1: N/A	635	25.9%
.	-	276	11.3%
	Total	**944**	**38.6%**

This variable has 1,504 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 2052-2053 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXERADV6: Exercise - provider advice

If YES to EXERCIS6: What were the reasons for using this? - On advice from health care provider

Value	Label	Unweighted Frequency	%
1	1: No	956	39.1%
2	2: Yes	524	21.4%
	Total	**1,480**	**60.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	56	2.3%
-1	-1: N/A	636	26.0%
.	-	276	11.3%
	Total	**968**	**39.5%**

This variable has 1,480 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 2054-2055 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXEROTH6: Exercise - other reason

If YES to EXERCIS6: What were the reasons for using this? - Other

Value	Label	Unweighted Frequency	%
1	1: No	1192	48.7%
2	2: Yes	84	3.4%
	Total	**1,276**	**52.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	259	10.6%
-1	-1: N/A	637	26.0%
.	-	276	11.3%
	Total	**1,172**	**47.9%**

This variable has 1,276 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2056-2057 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXERSPE6: Exercise - other specify

If YES to EXERCIS6: What were the reasons for using this? - Other (please specify)

Value	Label	Unweighted Frequency	%
	-	276	11.3%
-1	-1: N/A	2088	85.3%
-7	-7: Refused	0	0.0%
-8	-8: Do not know	0	0.0%
-9	-9: Missing	0	0.0%
ARTHRITIS	-	1	0.0%
BACK STRECTHES	-	1	0.0%
CHAIR EXERCISES	-	1	0.0%
CHOLESTEROL CONTROL	-	1	0.0%

Value	Label	Unweighted Frequency	%
CORE STRENGTH FLEXABILITY	-	1	0.0%
DEAL WITH TENSION	-	1	0.0%
DIABETES	-	4	0.2%
ENJOY BEING OUTSIDE	-	1	0.0%
FEEL BETTER PHYSICALLY	-	1	0.0%
FEEL GOOD	-	1	0.0%
FEELS GOOD	-	1	0.0%
FITNESS & FLEXIBILITY, STRENGTH, ENDURANCE	-	1	0.0%
FOR BACK PROBLEMS	-	1	0.0%
FOR FUN	-	5	0.2%
FOR HEALTH	-	1	0.0%
FOR HIP REPLACEMENT HEALING	-	1	0.0%
FOR MENTAL WELL BEING	-	1	0.0%
FUN	-	1	0.0%
GENERAL WELL-BEING-MAKES ME FEEL GOOD	-	1	0.0%
GOING TO DO 26 MILE WALK NEED TO PREPARE	-	1	0.0%
HELPS ME FEEL GREAT, I ENJOY IT	-	1	0.0%
I ENJOY IT	-	1	0.0%
I HAD A LOT OF PHYSICAL WORK TO DO	-	1	0.0%
I LIKE THE FRIENDS I HAVE MADE	-	1	0.0%

Value	Label	Unweighted Frequency	%
PLAYING SPORTS			
IMPROVE MOOD	-	1	0.0%
IT IS PART OF MY HOBBY	-	1	0.0%
KEEPING MYSELF BUSY AND IN SHAPE	-	1	0.0%
LEFT LEG FLUID RETENTION	-	1	0.0%
LIKE TO!	-	1	0.0%
LOWER BLOOD SUGAR, HIGH BLOOD PRESSURE, CHOLESTEROL	-	1	0.0%
MAINTAIN BODY TONE; IMPROVE SKIN TEXTURE	-	1	0.0%
MY DOGS NEED TO BE WALKED!	-	1	0.0%
NOT OFTEN	-	1	0.0%
PART OF MY WORK	-	1	0.0%
PHYSCIAL UP KEEP ON RENTAL YARD/ STRUCTURE	-	1	0.0%
PHYSICAL THERAPY	-	1	0.0%
PHYSICAL THERAPY FOR HIP FRACTURE	-	1	0.0%
PHYSICAL THERAPY FOR KNEE	-	1	0.0%
PHYSICAL THERAPY ON FOOT	-	1	0.0%
PLEASURE	-	2	0.1%
PREVENT DEPRESSION	-	1	0.0%

Value	Label	Unweighted Frequency	%
PURE PLEASURE	-	1	0.0%
REDUCE RISK OF DIABETES	-	1	0.0%
REHAB LEFT KNEE	-	1	0.0%
RELAXATION AND FOCUS	-	1	0.0%
	Total	**2,448**	**100.0%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 2058-2114 (width: 57; decimal: 0)
Variable Type: character

FLAXSEE6: Flaxseed

During the past 12 months, have you used any of the following for your health? Flaxseed or flaxseed oil supplements

Value	Label	Unweighted Frequency	%
1	1: No	1940	79.2%
2	2: Yes	226	9.2%
	Total	**2,166**	**88.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	6	0.2%
-1	-1: N/A	0	0.0%
.	-	276	11.3%
	Total	**282**	**11.5%**

This variable has 2,166 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2115-2116 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXHAR6: Flaxseed - heart

If YES to FLAXSEE6: What were the reasons for using this? - To reduce the risk of heart disease

Value	Label	Unweighted Frequency	%
1	1: No	82	3.3%
2	2: Yes	139	5.7%
	Total	**221**	**9.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	5	0.2%
-1	-1: N/A	1946	79.5%
.	-	276	11.3%
	Total	**2,227**	**91.0%**

This variable has 221 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2117-2118 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXOST6: Flaxseed - osteoporosis

If YES to FLAXSEE6: What were the reasons for using this? - To reduce the risk of osteoporosis

Value	Label	Unweighted Frequency	%
1	1: No	185	7.6%
2	2: Yes	32	1.3%
	Total	**217**	**8.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	9	0.4%
-1	-1: N/A	1946	79.5%
.	-	276	11.3%

Value	Missing Data	Unweighted Frequency	%
	Total	**2,231**	**91.1%**

This variable has 217 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2119-2120 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXMEN6: Flaxseed - menopausal symptoms

If YES to FLAXSEE6: What were the reasons for using this? - To relieve menopausal symptoms

Value	Label	Unweighted Frequency	%
1	1: No	166	6.8%
2	2: Yes	53	2.2%
	Total	**219**	**8.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	7	0.3%
-1	-1: N/A	1946	79.5%
.	-	276	11.3%
	Total	**2,229**	**91.1%**

This variable has 219 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2121-2122 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXLOO6: Flaxseed - young looking

If YES to FLAXSEE6: What were the reasons for using this? - To stay young-looking

Value	Label	Unweighted Frequency	%
1	1: No	165	6.7%

Value	Label	Unweighted Frequency	%
2	2: Yes	52	2.1%
	Total	**217**	**8.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	9	0.4%
-1	-1: N/A	1946	79.5%
.	-	276	11.3%
	Total	**2,231**	**91.1%**

This variable has 217 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2123-2124 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXMEM6: Flaxseed - improve memory

If YES to FLAXSEE6: What were the reasons for using this? - To improve memory

Value	Label	Unweighted Frequency	%
1	1: No	189	7.7%
2	2: Yes	27	1.1%
	Total	**216**	**8.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	10	0.4%
-1	-1: N/A	1946	79.5%
.	-	276	11.3%
	Total	**2,232**	**91.2%**

This variable has 216 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 2125-2126 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXPER6: Flaxseed - regulate periods

If YES to FLAXSEE6: What were the reasons for using this? - To regulate periods

Value	Label	Unweighted Frequency	%
1	1: No	213	8.7%
2	2: Yes	2	0.1%
	Total	**215**	**8.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	11	0.4%
-1	-1: N/A	1946	79.5%
.	-	276	11.3%
	Total	**2,233**	**91.2%**

This variable has 215 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2127-2128 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXGEN6: Flaxseed - general health

If YES to FLAXSEE6: What were the reasons for using this? - For general health

Value	Label	Unweighted Frequency	%
1	1: No	39	1.6%
2	2: Yes	184	7.5%
	Total	**223**	**9.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	3	0.1%
-1	-1: N/A	1946	79.5%
.	-	276	11.3%
	Total	**2,225**	**90.9%**

This variable has 223 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2129-2130 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXWGH6: Flaxseed - weight

If YES to FLAXSEE6: What were the reasons for using this? - To lose weight or to stay the same weight

Value	Label	Unweighted Frequency	%
1	1: No	173	7.1%
2	2: Yes	43	1.8%
	Total	**216**	**8.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	10	0.4%
-1	-1: N/A	1946	79.5%
.	-	276	11.3%
	Total	**2,232**	**91.2%**

This variable has 216 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2131-2132 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXADV6: Flaxseed - provider advice

If YES to FLAXSEE6: What were the reasons for using this? - On advice from health care provider

Value	Label	Unweighted Frequency	%
1	1: No	188	7.7%
2	2: Yes	27	1.1%
	Total	**215**	**8.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	11	0.4%
-1	-1: N/A	1946	79.5%
.	-	276	11.3%
	Total	**2,233**	**91.2%**

This variable has 215 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2133-2134 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXOTH6: Flaxseed - other reason

If YES to FLAXSEE6: What were the reasons for using this? - Other

Value	Label	Unweighted Frequency	%
1	1: No	166	6.8%
2	2: Yes	26	1.1%
	Total	**192**	**7.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	34	1.4%
-1	-1: N/A	1946	79.5%
.	-	276	11.3%
	Total	**2,256**	**92.2%**

This variable has 192 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2135-2136 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXSPE6: Flaxseed - other specify

If YES to FLAXSEE6: What were the reasons for using this? - Other (please specify)

Value	Label	Unweighted Frequency	%
	-	276	11.3%
-1	-1: N/A	2146	87.7%
-7	-7: Refused	0	0.0%
-8	-8: Do not know	0	0.0%
-9	-9: Missing	0	0.0%
ALTERNATE OMEGA 3	-	1	0.0%
BETTER SKIN / MOST FOLKS ARE OMEGA 3 DEFICIENT	-	1	0.0%
BETTER SKIN TONE	-	1	0.0%
BOWEL REGULATING	-	1	0.0%
FOR DRY EYES	-	2	0.1%
FOR DRY EYES (ON ADVICE OF OPTHAMOLOGIST	-	1	0.0%
FOR MY MS TREATMENT	-	1	0.0%
HOT FLASHES	-	1	0.0%
I LIKE IT	-	1	0.0%
IMPROVE THE SYMPTOMS OF PSORIASIS	-	1	0.0%
INCREASE FIBER IN MY DIET	-	1	0.0%
IRRITABLE BOWEL SYNDROME	-	1	0.0%

Value	Label	Unweighted Frequency	%
LOWER CHOLESTEROL	-	1	0.0%
ONE OF THE VEGTABLE OILS I CAN EAT	-	1	0.0%
PSORIASIS	-	2	0.1%
REDUCE CHOLESTEROL	-	1	0.0%
REGULATE BOWEL	-	1	0.0%
RELIEVE CONSTIPATION	-	1	0.0%
SKIN	-	1	0.0%
SNACK TASTES GOOD	-	1	0.0%
TO HELP CHRONIC DERMATITIS	-	1	0.0%
TO LOWER CHOLESTEROL	-	1	0.0%
TO PREVENT DRY SKIN/ ITCHY SKIN	-	1	0.0%
TO REDUCE BREAST CANCER AND COLON CANCER	-	1	0.0%
	Total	**2,448**	**100.0%**

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 2137-2182 (width: 46; decimal: 0)
Variable Type: character

GINKGO6: Ginkgo Biloba

During the past 12 months, have you used any of the following for your health? Ginkgo Biloba

Value	Label	Unweighted Frequency	%
1	1: No	2023	82.6%
2	2: Yes	143	5.8%
	Total	**2,166**	**88.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	6	0.2%
-1	-1: N/A	0	0.0%
.	-	276	11.3%
	Total	**282**	**11.5%**

This variable has 2,166 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 2183-2184 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKHAR6: Ginkgo Biloba - heart

If YES to GINKGO6: What were the reasons for using this? - To reduce the risk of heart disease

Value	Label	Unweighted Frequency	%
1	1: No	131	5.4%
2	2: Yes	9	0.4%
	Total	**140**	**5.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	3	0.1%
-1	-1: N/A	2029	82.9%
.	-	276	11.3%
	Total	**2,308**	**94.3%**

This variable has 140 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 2185-2186 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKOST6: Ginkgo Biloba - osteoporosis

If YES to GINKGO6: What were the reasons for using this? - To reduce the risk of osteoporosis

Value	Label	Unweighted Frequency	%
1	1: No	135	5.5%
2	2: Yes	5	0.2%
	Total	**140**	**5.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	3	0.1%
-1	-1: N/A	2029	82.9%
.	-	276	11.3%
	Total	**2,308**	**94.3%**

This variable has 140 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2187-2188 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKMEN6: Ginkgo Biloba - menopausal symptoms

If YES to GINKGO6: What were the reasons for using this? - To relieve menopausal symptoms

Value	Label	Unweighted Frequency	%
1	1: No	132	5.4%
2	2: Yes	8	0.3%
	Total	**140**	**5.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	3	0.1%
-1	-1: N/A	2029	82.9%
.	-	276	11.3%
	Total	**2,308**	**94.3%**

This variable has 140 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2189-2190 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKLOO6: Ginkgo Biloba - young looking

If YES to GINKGO6: What were the reasons for using this? - To stay young-looking

Value	Label	Unweighted Frequency	%
1	1: No	128	5.2%
2	2: Yes	12	0.5%
	Total	**140**	**5.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	3	0.1%
-1	-1: N/A	2029	82.9%
.	-	276	11.3%
	Total	**2,308**	**94.3%**

This variable has 140 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2191-2192 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKMEM6: Ginkgo Biloba - improve memory

If YES to GINKGO6: What were the reasons for using this? - To improve memory

Value	Label	Unweighted Frequency	%
1	1: No	13	0.5%
2	2: Yes	130	5.3%
	Total	**143**	**5.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2029	82.9%
.	-	276	11.3%
	Total	**2,305**	**94.2%**

This variable has 143 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 2193-2194 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKPER6: Ginkgo Biloba - regulate periods

If YES to GINKGO6: What were the reasons for using this? - To regulate periods

Value	Label	Unweighted Frequency	%
1	1: No	138	5.6%
2	2: Yes	1	0.0%
	Total	**139**	**5.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	4	0.2%
-1	-1: N/A	2029	82.9%
.	-	276	11.3%
	Total	**2,309**	**94.3%**

This variable has 139 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 2195-2196 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKGEN6: Ginkgo Biloba - general health

If YES to GINKGO6: What were the reasons for using this? - For general health

Value	Label	Unweighted Frequency	%
1	1: No	96	3.9%
2	2: Yes	45	1.8%
	Total	**141**	**5.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	2	0.1%
-1	-1: N/A	2029	82.9%
.	-	276	11.3%
	Total	**2,307**	**94.2%**

This variable has 141 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2197-2198 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKWGH6: Ginkgo Biloba - weight

If YES to GINKGO6: What were the reasons for using this? - To lose weight or to stay the same weight

Value	Label	Unweighted Frequency	%
1	1: No	137	5.6%
2	2: Yes	3	0.1%
	Total	**140**	**5.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	3	0.1%
-1	-1: N/A	2029	82.9%
.	-	276	11.3%
	Total	**2,308**	**94.3%**

This variable has 140 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2199-2200 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKADV6: Ginkgo Biloba - provider advice

If YES to GINKGO6: What were the reasons for using this? - On advice from health care provider

Value	Label	Unweighted Frequency	%
1	1: No	131	5.4%
2	2: Yes	6	0.2%
	Total	**137**	**5.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	6	0.2%
-1	-1: N/A	2029	82.9%
.	-	276	11.3%
	Total	**2,311**	**94.4%**

This variable has 137 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2201-2202 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKOTH6: Ginkgo Biloba - other reason

If YES to GINKGO6: What were the reasons for using this? - Other

Value	Label	Unweighted Frequency	%
1	1: No	113	4.6%
2	2: Yes	4	0.2%
	Total	**117**	**4.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	26	1.1%
-1	-1: N/A	2029	82.9%
.	-	276	11.3%
	Total	**2,331**	**95.2%**

This variable has 117 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2203-2204 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKSPE6: Ginkgo Biloba - other specify

If YES to GINKGO6: What were the reasons for using this? - Other (please specify)

Value	Label	Unweighted Frequency	%
	-	276	11.3%
-1	-1: N/A	2168	88.6%
-7	-7: Refused	0	0.0%
-8	-8: Do not know	0	0.0%
-9	-9: Missing	0	0.0%
ALSO FOR MY MS TREATMENT	-	1	0.0%
INCREASE MEMORY RETENTION	-	1	0.0%
JOINT PREPARATION	-	1	0.0%
TO REMOVE A WART	-	1	0.0%
	Total	**2,448**	**100.0%**

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 2205-2229 (width: 25; decimal: 0)
Variable Type: character

GINSENG6: Ginseng

During the past 12 months, have you used any of the following for your health? Ginseng

Value	Label	Unweighted Frequency	%
1	1: No	2041	83.4%
2	2: Yes	123	5.0%
	Total	**2,164**	**88.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	8	0.3%
-1	-1: N/A	0	0.0%
.	-	276	11.3%
	Total	**284**	**11.6%**

This variable has 2,164 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2230-2231 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINSHAR6: Ginseng - heart

If YES to GINSENG6: What were the reasons for using this? - To reduce the risk of heart disease

Value	Label	Unweighted Frequency	%
1	1: No	101	4.1%
2	2: Yes	14	0.6%
	Total	**115**	**4.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	8	0.3%
-1	-1: N/A	2049	83.7%
.	-	276	11.3%

Value	Missing Data	Unweighted Frequency	%
	Total	**2,333**	**95.3%**

This variable has 115 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2232-2233 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINSOST6: Ginseng - osteoporosis

If YES to GINSENG6: What were the reasons for using this? - To reduce the risk of osteoporosis

Value	Label	Unweighted Frequency	%
1	1: No	108	4.4%
2	2: Yes	7	0.3%
	Total	**115**	**4.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	8	0.3%
-1	-1: N/A	2049	83.7%
.	-	276	11.3%
	Total	**2,333**	**95.3%**

This variable has 115 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2234-2235 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINSMEN6: Ginseng - menopausal symptoms

If YES to GINSENG6: What were the reasons for using this? - To relieve menopausal symptoms

Value	Label	Unweighted Frequency	%
1	1: No	105	4.3%

Value	Label	Unweighted Frequency	%
2	2: Yes	12	0.5%
	Total	**117**	**4.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	6	0.2%
-1	-1: N/A	2049	83.7%
.	-	276	11.3%
	Total	**2,331**	**95.2%**

This variable has 117 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2236-2237 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINSLOO6: Ginseng - young looking

If YES to GINSENG6: What were the reasons for using this? - To stay young-looking

Value	Label	Unweighted Frequency	%
1	1: No	101	4.1%
2	2: Yes	15	0.6%
	Total	**116**	**4.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	7	0.3%
-1	-1: N/A	2049	83.7%
.	-	276	11.3%
	Total	**2,332**	**95.3%**

This variable has 116 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 2238-2239 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINSMEM6: Ginseng - improve memory

If YES to GINSENG6: What were the reasons for using this? - To improve memory

Value	Label	Unweighted Frequency	%
1	1: No	74	3.0%
2	2: Yes	42	1.7%
	Total	**116**	**4.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	7	0.3%
-1	-1: N/A	2049	83.7%
.	-	276	11.3%
	Total	**2,332**	**95.3%**

This variable has 116 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2240-2241 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINSPER6: Ginseng - regulate periods

If YES to GINSENG6: What were the reasons for using this? - To regulate periods

Value	Label	Unweighted Frequency	%
1	1: No	110	4.5%
2	2: Yes	4	0.2%
	Total	**114**	**4.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	9	0.4%
-1	-1: N/A	2049	83.7%
.	-	276	11.3%
	Total	**2,334**	**95.3%**

This variable has 114 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2242-2243 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINSGEN6: Ginseng - general health

If YES to GINSENG6: What were the reasons for using this? - For general health

Value	Label	Unweighted Frequency	%
1	1: No	27	1.1%
2	2: Yes	93	3.8%
	Total	**120**	**4.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	3	0.1%
-1	-1: N/A	2049	83.7%
.	-	276	11.3%
	Total	**2,328**	**95.1%**

This variable has 120 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2244-2245 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINSWGH6: Ginseng - weight

If YES to GINSENG6: What were the reasons for using this? - To lose weight or to stay the same weight

Value	Label	Unweighted Frequency	%
1	1: No	103	4.2%
2	2: Yes	13	0.5%
	Total	**116**	**4.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	7	0.3%
-1	-1: N/A	2049	83.7%
.	-	276	11.3%
	Total	**2,332**	**95.3%**

This variable has 116 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2246-2247 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINSADV6: Ginseng - provider advice

If YES to GINSENG6: What were the reasons for using this? - On advice from health care provider

Value	Label	Unweighted Frequency	%
1	1: No	100	4.1%
2	2: Yes	13	0.5%
	Total	**113**	**4.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	10	0.4%
-1	-1: N/A	2049	83.7%
.	-	276	11.3%
	Total	**2,335**	**95.4%**

This variable has 113 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2248-2249 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINSOTH6: Ginseng - other reason

If YES to GINSENG6: What were the reasons for using this? - Other

Value	Label	Unweighted Frequency	%
1	1: No	71	2.9%
2	2: Yes	17	0.7%
	Total	**88**	**3.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	35	1.4%
-1	-1: N/A	2049	83.7%
.	-	276	11.3%
	Total	**2,360**	**96.4%**

This variable has 88 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2250-2251 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINSSPE6: Ginseng - other specify

If YES to GINSENG6: What were the reasons for using this? - Other (please specify)

Value	Label	Unweighted Frequency	%
	-	276	11.3%
-1	-1: N/A	2155	88.0%
-7	-7: Refused	0	0.0%
-8	-8: Do not know	0	0.0%

Value	Label	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
EMERGENCY	-	1	0.0%
ENERGY	-	7	0.3%
FOR ENERGY	-	2	0.1%
INCREASE ENERGY	-	2	0.1%
INCREASE ENERGY LEVEL	-	1	0.0%
STAMINE	-	1	0.0%
TEA - I LIKE THE FLAVOR. MAYBE 2 CUPS A WEEK.	-	1	0.0%
TO IMPROVE ENERGY LEVEL	-	1	0.0%
TO STAY ALERT	-	1	0.0%
	Total	**2,448**	**100.0%**

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 2252-2297 (width: 46; decimal: 0)
Variable Type: character

GLUSAMI6: Glucosamine

During the past 12 months, have you used any of the following for your health? Glucosamine with or without Chondroitin

Value	Label	Unweighted Frequency	%
1	1: No	1830	74.8%
2	2: Yes	338	13.8%
	Total	**2,168**	**88.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	4	0.2%
-1	-1: N/A	0	0.0%
.	-	276	11.3%
	Total	**280**	**11.4%**

This variable has 2,168 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2298-2299 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSHAR6: Glucosamine - heart

If YES to GLUSAMI6: What were the reasons for using this? - To reduce the risk of heart disease

Value	Label	Unweighted Frequency	%
1	1: No	296	12.1%
2	2: Yes	25	1.0%
	Total	**321**	**13.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	17	0.7%
-1	-1: N/A	1834	74.9%
.	-	276	11.3%
	Total	**2,127**	**86.9%**

This variable has 321 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2300-2301 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSOST6: Glucosamine - osteoporosis

If YES to GLUSAMI6: What were the reasons for using this? - To reduce the risk of osteoporosis

Value	Label	Unweighted Frequency	%
1	1: No	205	8.4%
2	2: Yes	118	4.8%
	Total	**323**	**13.2%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	15	0.6%
-1	-1: N/A	1834	74.9%
.	-	276	11.3%
	Total	**2,125**	**86.8%**

This variable has 323 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2302-2303 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSMEN6: Glucosamine - menopausal symptoms

If YES to GLUSAMI6: What were the reasons for using this? - To relieve menopausal symptoms

Value	Label	Unweighted Frequency	%
1	1: No	307	12.5%
2	2: Yes	13	0.5%
	Total	**320**	**13.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	18	0.7%
-1	-1: N/A	1834	74.9%
.	-	276	11.3%
	Total	**2,128**	**86.9%**

This variable has 320 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2304-2305 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSLOO6: Glucosamine - young looking

If YES to GLUSAMI6: What were the reasons for using this? - To stay young-looking

Value	Label	Unweighted Frequency	%
1	1: No	293	12.0%
2	2: Yes	29	1.2%
	Total	**322**	**13.2%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	16	0.7%
-1	-1: N/A	1834	74.9%
.	-	276	11.3%
	Total	**2,126**	**86.8%**

This variable has 322 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2306-2307 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSMEM6: Glucosamine - improve memory

If YES to GLUSAMI6: What were the reasons for using this? - To improve memory

Value	Label	Unweighted Frequency	%
1	1: No	312	12.7%
2	2: Yes	8	0.3%
	Total	**320**	**13.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	18	0.7%
-1	-1: N/A	1834	74.9%
.	-	276	11.3%

Value	Missing Data	Unweighted Frequency	%
	Total	**2,128**	**86.9%**

This variable has 320 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2308-2309 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSPER6: Glucosamine - regulate periods

If YES to GLUSAMI6: What were the reasons for using this? - To regulate periods

Value	Label	Unweighted Frequency	%
1	1: No	315	12.9%
2	2: Yes	4	0.2%
	Total	**319**	**13.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	19	0.8%
-1	-1: N/A	1834	74.9%
.	-	276	11.3%
	Total	**2,129**	**87.0%**

This variable has 319 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2310-2311 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSGEN6: Glucosamine - general health

If YES to GLUSAMI6: What were the reasons for using this? - For general health

Value	Label	Unweighted Frequency	%
1	1: No	138	5.6%

Value	Label	Unweighted Frequency	%
2	2: Yes	188	7.7%
	Total	**326**	**13.3%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	12	0.5%
-1	-1: N/A	1834	74.9%
.	-	276	11.3%
	Total	**2,122**	**86.7%**

This variable has 326 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2312-2313 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSWGH6: Glucosamine - weight

If YES to GLUSAMI6: What were the reasons for using this? - To lose weight or to stay the same weight

Value	Label	Unweighted Frequency	%
1	1: No	308	12.6%
2	2: Yes	11	0.4%
	Total	**319**	**13.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	19	0.8%
-1	-1: N/A	1834	74.9%
.	-	276	11.3%
	Total	**2,129**	**87.0%**

This variable has 319 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 2314-2315 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSADV6: Glucosamine - provider advice

If YES to GLUSAMI6: What were the reasons for using this? - On advice from health care provider

Value	Label	Unweighted Frequency	%
1	1: No	258	10.5%
2	2: Yes	62	2.5%
	Total	**320**	**13.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	18	0.7%
-1	-1: N/A	1834	74.9%
.	-	276	11.3%
	Total	**2,128**	**86.9%**

This variable has 320 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2316-2317 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSOTH6: Glucosamine - other reason

If YES to GLUSAMI6: What were the reasons for using this? - Other

Value	Label	Unweighted Frequency	%
1	1: No	160	6.5%
2	2: Yes	145	5.9%
	Total	**305**	**12.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	33	1.3%
-1	-1: N/A	1834	74.9%
.	-	276	11.3%
	Total	**2,143**	**87.5%**

This variable has 305 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2318-2319 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSSPE6: Glucosamine - other specify

If YES to GLUSAMI6: What were the reasons for using this? - Other (please specify)

Value	Label	Unweighted Frequency	%
	-	276	11.3%
-1	-1: N/A	2027	82.8%
-7	-7: Refused	0	0.0%
-8	-8: Do not know	0	0.0%
-9	-9: Missing	0	0.0%
ALLEVIATE PAIN	-	1	0.0%
ARITHITIS JOINTS CARTILLAGE	-	1	0.0%
ARTHRITIS	-	14	0.6%
ARTHRITIS KNEES	-	1	0.0%
ARTHRITIS PAIN	-	2	0.1%
ARTHRITIS RELIEF	-	1	0.0%
ARTHRITIS, JOINT PAIN, STIFFNESS	-	1	0.0%
ARTHRITIS-KNEES	-	1	0.0%
BODY ACHES	-	1	0.0%

Value	Label	Unweighted Frequency	%
CONTROL JOINT PAIN	-	1	0.0%
DON'T KNOW	-	1	0.0%
FOR ARTHRITIS	-	1	0.0%
FOR BONES	-	1	0.0%
FOR BROKEN BACK L2	-	1	0.0%
FOR JOINT HEALTH-KNEES	-	1	0.0%
FOR JOINT MOBILITY	-	1	0.0%
FOR JOINT PAIN	-	1	0.0%
FOR JOINT PAIN, ARTHRITIS	-	1	0.0%
FOR JOINTS	-	4	0.2%
FOR KNEE PAIN	-	2	0.1%
FOR MILD ARTHRITIS	-	1	0.0%
FOR MY ARTHRITIS	-	1	0.0%
FOR MY JOINTS	-	1	0.0%
FOR OSTEOARTHRITIS	-	1	0.0%
FOR SHOULDER, ANKLE, KNEE PAIN	-	1	0.0%
FOR STIFFNESS BACK, ETC.	-	1	0.0%
HAD A PAIN IN MY ARM-SOMEONE SUGGESTED GLUCOSAMINE IT WORKED	-	1	0.0%
HAD KNEE & BACK PAIN	-	1	0.0%

Value	Label	Unweighted Frequency	%
HELP W/ JOINTS	-	1	0.0%
HELP WITH ANKLE JOINT	-	1	0.0%
HELP WITH JOINT STIFFNESS AND PAIN	-	1	0.0%
HIP PAIN	-	1	0.0%
IMPROVE JOINTS	-	2	0.1%
IMPROVE JOINTS, RELIEVE JOINT PAIN	-	1	0.0%
IMPROVE OR MAINTAIN JOINTS	-	1	0.0%
INJURED KNEE	-	1	0.0%
JOINT & PAIN	-	1	0.0%
JOINT DISCOMFORT	-	1	0.0%
JOINT HEALTH	-	7	0.3%
JOINT HEALTH RELATED TO BACK PAIN	-	1	0.0%
JOINT HEALTH, TO STOP PROGRESS OF ARTHRITIS	-	1	0.0%
JOINT PAIN	-	9	0.4%
JOINT PAIN AND LIGAMENT PAIN	-	1	0.0%
JOINT PAIN IN HANDS AND BACK	-	1	0.0%
JOINT PAINE (KNEE)	-	1	0.0%
	Total	**2,448**	**100.0%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 2320-2379 (width: 60; decimal: 0)
Variable Type: character

MYAMPRO6: Mexican yam

During the past 12 months, have you used any of the following for your health? Mexican yam / progesterone cream

Value	Label	Unweighted Frequency	%
1	1: No	2102	85.9%
2	2: Yes	61	2.5%
	Total	**2,163**	**88.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	9	0.4%
-1	-1: N/A	0	0.0%
.	-	276	11.3%
	Total	**285**	**11.6%**

This variable has 2,163 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2380-2381 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMHAR6: Mexican yam - heart

If YES to MYAMPRO6: What were the reasons for using this? - To reduce the risk of heart disease

Value	Label	Unweighted Frequency	%
1	1: No	53	2.2%
2	2: Yes	6	0.2%
	Total	**59**	**2.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	2	0.1%

Value	Missing Data	Unweighted Frequency	%
-1	-1: N/A	2111	86.2%
.	-	276	11.3%
	Total	**2,389**	**97.6%**

This variable has 59 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2382-2383 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMOST6: Mexican yam - osteoporosis

If YES to MYAMPRO6: What were the reasons for using this? - To reduce the risk of osteoporosis

Value	Label	Unweighted Frequency	%
1	1: No	45	1.8%
2	2: Yes	13	0.5%
	Total	**58**	**2.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	2	0.1%
-1	-1: N/A	2112	86.3%
.	-	276	11.3%
	Total	**2,390**	**97.6%**

This variable has 58 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2384-2385 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMMEN6: Mexican yam - menopausal symptoms

If YES to MYAMPRO6: What were the reasons for using this? - To relieve menopausal symptoms

Value	Label	Unweighted Frequency	%
1	1: No	8	0.3%
2	2: Yes	53	2.2%
	Total	**61**	**2.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2111	86.2%
.	-	276	11.3%
	Total	**2,387**	**97.5%**

This variable has 61 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2386-2387 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMLOO6: Mexican yam - young looking

If YES to MYAMPRO6: What were the reasons for using this? - To stay young-looking

Value	Label	Unweighted Frequency	%
1	1: No	52	2.1%
2	2: Yes	6	0.2%
	Total	**58**	**2.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	2	0.1%
-1	-1: N/A	2112	86.3%
.	-	276	11.3%
	Total	**2,390**	**97.6%**

This variable has 58 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2388-2389 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMMEM6: Mexican yam - improve memory

If YES to MYAMPRO6: What were the reasons for using this? - To improve memory

Value	Label	Unweighted Frequency	%
1	1: No	53	2.2%
2	2: Yes	5	0.2%
	Total	**58**	**2.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	2	0.1%
-1	-1: N/A	2112	86.3%
.	-	276	11.3%
	Total	**2,390**	**97.6%**

This variable has 58 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2390-2391 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMPER6: Mexican yam - regulate periods

If YES to MYAMPRO6: What were the reasons for using this? - To regulate periods

Value	Label	Unweighted Frequency	%
1	1: No	48	2.0%
2	2: Yes	9	0.4%
	Total	**57**	**2.3%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	3	0.1%
-1	-1: N/A	2112	86.3%
.	-	276	11.3%
	Total	**2,391**	**97.7%**

This variable has 57 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 2392-2393 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMGEN6: Mexican yam - general health

If YES to MYAMPRO6: What were the reasons for using this? - For general health

Value	Label	Unweighted Frequency	%
1	1: No	39	1.6%
2	2: Yes	19	0.8%
	Total	**58**	**2.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	2	0.1%
-1	-1: N/A	2112	86.3%
.	-	276	11.3%
	Total	**2,390**	**97.6%**

This variable has 58 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 2394-2395 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMWGH6: Mexican yam - weight

If YES to MYAMPRO6: What were the reasons for using this? - To lose weight or to stay the same weight

Value	Label	Unweighted Frequency	%
1	1: No	53	2.2%
2	2: Yes	4	0.2%
	Total	**57**	**2.3%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	3	0.1%
-1	-1: N/A	2112	86.3%
.	-	276	11.3%
	Total	**2,391**	**97.7%**

This variable has 57 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2396-2397 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMADV6: Mexican yam - provider advice

If YES to MYAMPRO6: What were the reasons for using this? - On advice from health care provider

Value	Label	Unweighted Frequency	%
1	1: No	48	2.0%
2	2: Yes	9	0.4%
	Total	**57**	**2.3%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	3	0.1%
-1	-1: N/A	2112	86.3%
.	-	276	11.3%
	Total	**2,391**	**97.7%**

This variable has 57 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 2398-2399 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMOTH6: Mexican yam - other reason

If YES to MYAMPRO6: What were the reasons for using this? - Other

Value	Label	Unweighted Frequency	%
1	1: No	45	1.8%
2	2: Yes	5	0.2%
	Total	**50**	**2.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	10	0.4%
-1	-1: N/A	2112	86.3%
.	-	276	11.3%
	Total	**2,398**	**98.0%**

This variable has 50 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 2400-2401 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMSPE6: Mexican yam - other specify

If YES to MYAMPRO6: What were the reasons for using this? - Other (please specify)

Value	Label	Unweighted Frequency	%
	-	276	11.3%
-1	-1: N/A	2167	88.5%
-7	-7: Refused	0	0.0%
-8	-8: Do not know	0	0.0%

Value	Label	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
KEROTOSIS MOLE	-	1	0.0%
OVER THE COUNTER PROGESTERONE CREAM	-	1	0.0%
TO REDUCE MOLES	-	1	0.0%
TO REGULATE LEVEL OF ESTROGEN	-	1	0.0%
VAGINAL ATROPHY	-	1	0.0%
	Total	**2,448**	**100.0%**

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 2402-2436 (width: 35; decimal: 0)
Variable Type: character

MSM6: MSM (Methyl Sulfonyl Methane)

During the past 12 months, have you used any of the following for your health? MSM (methyl-sulfonyl-methane)

Value	Label	Unweighted Frequency	%
1	1: No	2080	85.0%
2	2: Yes	80	3.3%
	Total	**2,160**	**88.2%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	1	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	11	0.4%
-1	-1: N/A	0	0.0%
.	-	276	11.3%
	Total	**288**	**11.8%**

This variable has 2,160 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 2437-2438 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MSMHAR6: MSM - heart

If YES to MSM6: What were the reasons for using this? - To reduce the risk of heart disease

Value	Label	Unweighted Frequency	%
1	1: No	67	2.7%
2	2: Yes	11	0.4%
	Total	**78**	**3.2%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	2	0.1%
-1	-1: N/A	2092	85.5%
.	-	276	11.3%
	Total	**2,370**	**96.8%**

This variable has 78 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2439-2440 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MSMOST6: MSM - osteoporosis

If YES to MSM6: What were the reasons for using this? - To reduce the risk of osteoporosis

Value	Label	Unweighted Frequency	%
1	1: No	57	2.3%
2	2: Yes	20	0.8%
	Total	**77**	**3.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	3	0.1%
-1	-1: N/A	2092	85.5%
.	-	276	11.3%
	Total	**2,371**	**96.9%**

This variable has 77 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2441-2442 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MSMMEN6: MSM - menopausal symptoms

If YES to MSM6: What were the reasons for using this? - To relieve menopausal symptoms

Value	Label	Unweighted Frequency	%
1	1: No	73	3.0%
2	2: Yes	4	0.2%
	Total	**77**	**3.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	3	0.1%
-1	-1: N/A	2092	85.5%
.	-	276	11.3%
	Total	**2,371**	**96.9%**

This variable has 77 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2443-2444 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MSMLOO6: MSM - young looking

If YES to MSM6: What were the reasons for using this? - To stay young-looking

Value	Label	Unweighted Frequency	%
1	1: No	65	2.7%
2	2: Yes	12	0.5%
	Total	**77**	**3.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	3	0.1%
-1	-1: N/A	2092	85.5%
.	-	276	11.3%
	Total	**2,371**	**96.9%**

This variable has 77 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2445-2446 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MSMMEM6: MSM - improve memory

If YES to MSM6: What were the reasons for using this? - To improve memory

Value	Label	Unweighted Frequency	%
1	1: No	72	2.9%
2	2: Yes	5	0.2%
	Total	**77**	**3.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	3	0.1%
-1	-1: N/A	2092	85.5%
.	-	276	11.3%
	Total	**2,371**	**96.9%**

This variable has 77 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2447-2448 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MSMPER6: MSM - regulate periods

If YES to MSM6: What were the reasons for using this? - To regulate periods

Value	Label	Unweighted Frequency	%
1	1: No	74	3.0%
2	2: Yes	2	0.1%
	Total	**76**	**3.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	4	0.2%
-1	-1: N/A	2092	85.5%
.	-	276	11.3%
	Total	**2,372**	**96.9%**

This variable has 76 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2449-2450 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MSMGEN6: MSM - general health

If YES to MSM6: What were the reasons for using this? - For general health

Value	Label	Unweighted Frequency	%
1	1: No	22	0.9%
2	2: Yes	57	2.3%
	Total	**79**	**3.2%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	1	0.0%
-1	-1: N/A	2092	85.5%
.	-	276	11.3%
	Total	**2,369**	**96.8%**

This variable has 79 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2451-2452 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MSMWGH6: MSM - weight

If YES to MSM6: What were the reasons for using this? - To lose weight or to stay the same weight

Value	Label	Unweighted Frequency	%
1	1: No	72	2.9%
2	2: Yes	4	0.2%
	Total	**76**	**3.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	4	0.2%
-1	-1: N/A	2092	85.5%
.	-	276	11.3%
	Total	**2,372**	**96.9%**

This variable has 76 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2453-2454 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MSMADV6: MSM - provider advice

If YES to MSM6: What were the reasons for using this? - On advice from health care provider

Value	Label	Unweighted Frequency	%
1	1: No	70	2.9%
2	2: Yes	7	0.3%
	Total	**77**	**3.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	3	0.1%
-1	-1: N/A	2092	85.5%
.	-	276	11.3%
	Total	**2,371**	**96.9%**

This variable has 77 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2455-2456 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MSMOTH6: MSM - other reason

If YES to MSM6: What were the reasons for using this? - Other

Value	Label	Unweighted Frequency	%
1	1: No	43	1.8%
2	2: Yes	29	1.2%
	Total	**72**	**2.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	8	0.3%
-1	-1: N/A	2092	85.5%
.	-	276	11.3%

Value	Missing Data	Unweighted Frequency	%
	Total	**2,376**	**97.1%**

This variable has 72 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2457-2458 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MSMSPE6: MSM - other specify

If YES to MSM6: What were the reasons for using this? - Other (please specify)

Value	Label	Unweighted Frequency	%
	-	276	11.3%
-1	-1: N/A	2143	87.5%
-7	-7: Refused	0	0.0%
-8	-8: Do not know	0	0.0%
-9	-9: Missing	0	0.0%
ARTHRITIS	-	1	0.0%
BODY ACHES	-	1	0.0%
CAN'T REMEMBER	-	1	0.0%
FOR ARTHRITIS	-	1	0.0%
FOR BENEFITS	-	1	0.0%
FOR JOINTS	-	2	0.1%
FOR KNEE PAIN	-	1	0.0%
FOR PAIN, PARASITES	-	1	0.0%
HEALING JOINT MUSCLE PROBLEMS AND ALLERGIES	-	1	0.0%
IMPROVE JOINTS	-	1	0.0%
IMPROVE OR MAINTAIN JOINTS	-	1	0.0%

Value	Label	Unweighted Frequency	%
INJURED KNEE	-	1	0.0%
JOINT HEALTH	-	2	0.1%
JOINT PAIN-KNEE	-	1	0.0%
JOINTS	-	1	0.0%
KNEE JOINT HEALTH	-	1	0.0%
KNEE JOINTS	-	1	0.0%
MENTAL & EMOTIONAL WELL BEING	-	1	0.0%
MIGHT HELP PREVENT ARTHRITIS	-	1	0.0%
PAIN RELIEF	-	1	0.0%
RELIEVE ARTHRITIS PAIN	-	1	0.0%
RELIEVE KNEE	-	1	0.0%
RELIGION	-	1	0.0%
SPIRITUAL EMOTIONAL HEALTH	-	1	0.0%
TENNIS ELBOW	-	1	0.0%
TO PREVENT JOINT PAIN	-	1	0.0%
USED FOR ARTHRITIS	-	1	0.0%
	Total	**2,448**	**100.0%**

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 2459-2501 (width: 43; decimal: 0)
Variable Type: character

PRAYER6: Prayer

During the past 12 months, have you used any of the following for your health? Prayer

Value	Label	Unweighted Frequency	%
1	1: No	976	39.9%
2	2: Yes	1191	48.7%

Value	Label	Unweighted Frequency	%
	Total	**2,167**	**88.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	5	0.2%
-1	-1: N/A	0	0.0%
.	-	276	11.3%
	Total	**281**	**11.5%**

This variable has 2,167 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2502-2503 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYHAR6: Prayer - heart

If YES to PRAYER6: What were the reasons for using this? - To reduce the risk of heart disease

Value	Label	Unweighted Frequency	%
1	1: No	858	35.0%
2	2: Yes	269	11.0%
	Total	**1,127**	**46.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	64	2.6%
-1	-1: N/A	981	40.1%
.	-	276	11.3%
	Total	**1,321**	**54.0%**

This variable has 1,127 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2504-2505 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYOST6: Prayer - osteoporosis

If YES to PRAYER6: What were the reasons for using this? - To reduce the risk of osteoporosis

Value	Label	Unweighted Frequency	%
1	1: No	984	40.2%
2	2: Yes	134	5.5%
	Total	**1,118**	**45.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	73	3.0%
-1	-1: N/A	981	40.1%
.	-	276	11.3%
	Total	**1,330**	**54.3%**

This variable has 1,118 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2506-2507 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYMEN6: Prayer - menopausal symptoms

If YES to PRAYER6: What were the reasons for using this? - To relieve menopausal symptoms

Value	Label	Unweighted Frequency	%
1	1: No	974	39.8%
2	2: Yes	144	5.9%
	Total	**1,118**	**45.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	-7: Refused	73	3.0%
-1	-1: N/A	981	40.1%
.	-	276	11.3%
	Total	**1,330**	**54.3%**

This variable has 1,118 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2508-2509 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYLOO6: Prayer - young looking

If YES to PRAYER6: What were the reasons for using this? - To stay young-looking

Value	Label	Unweighted Frequency	%
1	1: No	969	39.6%
2	2: Yes	152	6.2%
	Total	**1,121**	**45.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	70	2.9%
-1	-1: N/A	981	40.1%
.	-	276	11.3%
	Total	**1,327**	**54.2%**

This variable has 1,121 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2510-2511 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYMEM6: Prayer - improve memory

If YES to PRAYER6: What were the reasons for using this? - To improve memory

Value	Label	Unweighted Frequency	%
1	1: No	918	37.5%
2	2: Yes	201	8.2%
	Total	**1,119**	**45.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	72	2.9%
-1	-1: N/A	981	40.1%
.	-	276	11.3%
	Total	**1,329**	**54.3%**

This variable has 1,119 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2512-2513 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYPER6: Prayer - regulate periods

If YES to PRAYER6: What were the reasons for using this? - To regulate periods

Value	Label	Unweighted Frequency	%
1	1: No	1040	42.5%
2	2: Yes	76	3.1%
	Total	**1,116**	**45.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	75	3.1%
-1	-1: N/A	981	40.1%
.	-	276	11.3%
	Total	**1,332**	**54.4%**

This variable has 1,116 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2514-2515 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYGEN6: Prayer - general health

If YES to PRAYER6: What were the reasons for using this? - For general health

Value	Label	Unweighted Frequency	%
1	1: No	331	13.5%
2	2: Yes	825	33.7%
	Total	**1,156**	**47.2%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	35	1.4%
-1	-1: N/A	981	40.1%
.	-	276	11.3%
	Total	**1,292**	**52.8%**

This variable has 1,156 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2516-2517 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYWGH6: Prayer - weight

If YES to PRAYER6: What were the reasons for using this? - To lose weight or to stay the same weight

Value	Label	Unweighted Frequency	%
1	1: No	923	37.7%
2	2: Yes	196	8.0%
	Total	**1,119**	**45.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	72	2.9%
-1	-1: N/A	981	40.1%
.	-	276	11.3%
	Total	**1,329**	**54.3%**

This variable has 1,119 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 2518-2519 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYADV6: Prayer - provider advice

If YES to PRAYER6: What were the reasons for using this? - On advice from health care provide

Value	Label	Unweighted Frequency	%
1	1: No	1035	42.3%
2	2: Yes	79	3.2%
	Total	**1,114**	**45.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	77	3.1%
-1	-1: N/A	981	40.1%
.	-	276	11.3%
	Total	**1,334**	**54.5%**

This variable has 1,114 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 2520-2521 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYOTH6: Prayer - other reason

If YES to PRAYER6: What were the reasons for using this? - Other

Value	Label	Unweighted Frequency	%
1	1: No	591	24.1%
2	2: Yes	517	21.1%
	Total	**1,108**	**45.3%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	82	3.3%
-1	-1: N/A	982	40.1%
.	-	276	11.3%
	Total	**1,340**	**54.7%**

This variable has 1,108 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 2522-2523 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYSPE6: Prayer - other specify

If YES to PRAYER6: What were the reasons for using this? - Other (please specify)

Value	Label	Unweighted Frequency	%
	-	276	11.3%
'WHY NOT'	-	1	0.0%
-1	-1: N/A	1655	67.6%
-7	-7: Refused	2	0.1%
-8	-8: Do not know	0	0.0%
-9	-9: Missing	0	0.0%
-RELIEVE STRESS	-	1	0.0%
A PRINICPLE	-	1	0.0%
ALL THINGS ARE POSSIABLE	-	1	0.0%
ALWAYS PRAY	-	1	0.0%

Value	Label	Unweighted Frequency	%
AS A COPING MECHANISM	-	1	0.0%
ATTITUDE	-	1	0.0%
BECAUSE I BELIEVE IN JESUS	-	1	0.0%
BECAUSE I ENJOY TALKING TO GOD	-	1	0.0%
BECAUSE I LIKE TO TALK TO GOD	-	1	0.0%
BECAUSE I LOVE THE LORD	-	1	0.0%
BECAUSE I TALK TO GOD DAILY	-	1	0.0%
BECAUSE I WANT TO.	-	1	0.0%
BECAUSE IT HELPS	-	1	0.0%
BECAUSE IT IS GOOD FOR YOU	-	1	0.0%
BECAUSE OF MY FAITH	-	1	0.0%
BECAUSE OF R'S FAITH	-	1	0.0%
BECAUSE WE NEED TO AND FOR GENERAL WELL BEING	-	1	0.0%
BELIEVE IN PRAYER	-	1	0.0%
BELIEVE IN PRAYER (GOD)	-	1	0.0%
BELIEVE PRAYER HELPS	-	1	0.0%
BETTER LIFE	-	1	0.0%
BODY, MIND, SOUL	-	1	0.0%

Value	Label	Unweighted Frequency	%
BREAST CANCER	-	1	0.0%
BUILD MY FAITH	-	1	0.0%
CALM MYSELF	-	1	0.0%
CALMING	-	1	0.0%
CALMNESS	-	1	0.0%
CAN'T DO IT ALL BY MYSELF	-	1	0.0%
CANT LIVE WITHOUT PRAYING TO MY SAVIOUR	-	1	0.0%
CHRISTIAN	-	1	0.0%
CHRISTIANITY	-	2	0.1%
COMFORT	-	3	0.1%
COMFORT & STRENGTH	-	1	0.0%
COMFORT, PEACE	-	1	0.0%
COMFORT, THANKS, HABIT	-	1	0.0%
COMMUNICATE	-	1	0.0%
COMMUNICATE WITH OUR CREATOR/ BEST FRIEND SPIRITUAL HEALTH	-	1	0.0%
CONNECTION	-	1	0.0%
CONSOLATION CALMING INFLUENCE	-	1	0.0%
COPE WITH LIFE	-	1	0.0%
DAILY COMMUNE WITH GOD	-	1	0.0%
DAILY DEVOTION	-	1	0.0%
DAILY HEALTH	-	1	0.0%

Value	Label	Unweighted Frequency	%
DAILY THANKS TO THE LORD	-	1	0.0%
	Total	**2,448**	**100.0%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 2524-2583 (width: 60; decimal: 0)
Variable Type: character

SAME6: SAM-E

During the past 12 months, have you used any of the following for your health? SAM-E (S-adenosylmethionine endogenous)

Value	Label	Unweighted Frequency	%
1	1: No	2136	87.3%
2	2: Yes	24	1.0%
	Total	**2,160**	**88.2%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	1	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	11	0.4%
-1	-1: N/A	0	0.0%
.	-	276	11.3%
	Total	**288**	**11.8%**

This variable has 2,160 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2584-2585 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SAMEHAR6: SAM-E - heart

If YES to SAME6: What were the reasons for using this? - To reduce the risk of heart disease

Value	Label	Unweighted Frequency	%
1	1: No	17	0.7%
2	2: Yes	7	0.3%
	Total	**24**	**1.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2148	87.7%
.	-	276	11.3%
	Total	**2,424**	**99.0%**

This variable has 24 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2586-2587 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SAMEOST6: SAM-E - osteoporosis

If YES to SAME6: What were the reasons for using this? - To reduce the risk of osteoporosis

Value	Label	Unweighted Frequency	%
1	1: No	20	0.8%
2	2: Yes	4	0.2%
	Total	**24**	**1.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2148	87.7%
.	-	276	11.3%
	Total	**2,424**	**99.0%**

This variable has 24 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2588-2589 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SAMEMEN6: SAM-E - menopausal symptoms

If YES to SAME6: What were the reasons for using this? - To relieve menopausal symptoms

Value	Label	Unweighted Frequency	%
1	1: No	19	0.8%
2	2: Yes	5	0.2%
	Total	**24**	**1.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2148	87.7%
.	-	276	11.3%
	Total	**2,424**	**99.0%**

This variable has 24 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2590-2591 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SAMELOO6: SAM-E - young looking

If YES to SAME6: What were the reasons for using this? - To stay young-looking

Value	Label	Unweighted Frequency	%
1	1: No	19	0.8%
2	2: Yes	5	0.2%
	Total	**24**	**1.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2148	87.7%
.	-	276	11.3%
	Total	**2,424**	**99.0%**

This variable has 24 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 2592-2593 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SAMEMEM6: SAM-E - improve memory

If YES to SAME6: What were the reasons for using this? - To improve memory

Value	Label	Unweighted Frequency	%
1	1: No	18	0.7%
2	2: Yes	6	0.2%
	Total	**24**	**1.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2148	87.7%
.	-	276	11.3%
	Total	**2,424**	**99.0%**

This variable has 24 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 2594-2595 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SAMEPER6: SAM-E - regulate periods

If YES to SAME6: What were the reasons for using this? - To regulate periods

Value	Label	Unweighted Frequency	%
1	1: No	23	0.9%
2	2: Yes	1	0.0%
	Total	**24**	**1.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2148	87.7%
.	-	276	11.3%
	Total	**2,424**	**99.0%**

This variable has 24 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2596-2597 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SAMEGEN6: SAM-E - general health

If YES to SAME6: What were the reasons for using this? - For general health

Value	Label	Unweighted Frequency	%
1	1: No	11	0.4%
2	2: Yes	13	0.5%
	Total	**24**	**1.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2148	87.7%
.	-	276	11.3%
	Total	**2,424**	**99.0%**

This variable has 24 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2598-2599 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SAMEWGH6: SAM-E - weight

If YES to SAME6: What were the reasons for using this? - To lose weight or to stay the same weight

Value	Label	Unweighted Frequency	%
1	1: No	22	0.9%
2	2: Yes	2	0.1%
	Total	**24**	**1.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2148	87.7%
.	-	276	11.3%
	Total	**2,424**	**99.0%**

This variable has 24 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2600-2601 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SAMEADV6: SAM-E - provider advice

If YES to SAME6: What were the reasons for using this? - On advice from health care provider

Value	Label	Unweighted Frequency	%
1	1: No	24	1.0%
2	2: Yes	0	0.0%
	Total	**24**	**1.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2148	87.7%
.	-	276	11.3%
	Total	**2,424**	**99.0%**

This variable has 24 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 1.00

Location: 2602-2603 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SAMEOTH6: SAM-E - other reason

If YES to SAME6: What were the reasons for using this? - Other

Value	Label	Unweighted Frequency	%
1	1: No	15	0.6%
2	2: Yes	9	0.4%
	Total	**24**	**1.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2148	87.7%
.	-	276	11.3%
	Total	**2,424**	**99.0%**

This variable has 24 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 2604-2605 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SAMESPE6: SAM-E - other specify

If YES to SAME6: What were the reasons for using this? - Other (please specify)

Value	Label	Unweighted Frequency	%
	-	276	11.3%
-1	-1: N/A	2163	88.4%
-7	-7: Refused	0	0.0%
-8	-8: Do not know	0	0.0%
-9	-9: Missing	0	0.0%
CAN'T REMEMBER	-	1	0.0%
DEPRESSION	-	1	0.0%
ENERGY	-	1	0.0%
FOR EMOTIONAL HEALTH	-	1	0.0%
JOINT PAIN	-	1	0.0%
MOOD ARTHRITIS	-	1	0.0%
REDUCE PAIN	-	1	0.0%
RELIEVE ARTHRITS PAIN	-	1	0.0%
TO STOP DEPRESSION BEFORE ZOLOFT	-	1	0.0%
	Total	**2,448**	**100.0%**

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 2606-2637 (width: 32; decimal: 0)
Variable Type: character

SELFHEL6: Self-help group

During the past 12 months, have you used any of the following for your health? Self-help group

Value	Label	Unweighted Frequency	%
1	1: No	2049	83.7%
2	2: Yes	114	4.7%
	Total	**2,163**	**88.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	9	0.4%
-1	-1: N/A	0	0.0%
.	-	276	11.3%
	Total	**285**	**11.6%**

This variable has 2,163 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 2638-2639 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFHAR6: Self-help group - heart

If YES to SELFHEL6: What were the reasons for using this? - To reduce the risk of heart disease

Value	Label	Unweighted Frequency	%
1	1: No	73	3.0%
2	2: Yes	34	1.4%
	Total	**107**	**4.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	7	0.3%
-1	-1: N/A	2058	84.1%
.	-	276	11.3%
	Total	**2,341**	**95.6%**

This variable has 107 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 2640-2641 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFOST6: Self-help group - osteoporosis

If YES to SELFHEL6: What were the reasons for using this? - To reduce the risk of osteoporosis

Value	Label	Unweighted Frequency	%
1	1: No	91	3.7%
2	2: Yes	15	0.6%
	Total	**106**	**4.3%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	8	0.3%
-1	-1: N/A	2058	84.1%
.	-	276	11.3%
	Total	**2,342**	**95.7%**

This variable has 106 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2642-2643 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFMEN6: Self-help group - menopausal symptoms

If YES to SELFHEL6: What were the reasons for using this? - To relieve menopausal symptoms

Value	Label	Unweighted Frequency	%
1	1: No	90	3.7%
2	2: Yes	16	0.7%
	Total	**106**	**4.3%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	8	0.3%
-1	-1: N/A	2058	84.1%
.	-	276	11.3%
	Total	**2,342**	**95.7%**

This variable has 106 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2644-2645 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFLOO6: Self-help group - young looking

If YES to SELFHEL6: What were the reasons for using this? - To stay young-looking

Value	Label	Unweighted Frequency	%
1	1: No	85	3.5%
2	2: Yes	21	0.9%
	Total	**106**	**4.3%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	8	0.3%
-1	-1: N/A	2058	84.1%
.	-	276	11.3%
	Total	**2,342**	**95.7%**

This variable has 106 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2646-2647 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFMEM6: Self-help group - improve memory

If YES to SELFHEL6: What were the reasons for using this? - To improve memory

Value	Label	Unweighted Frequency	%
1	1: No	89	3.6%
2	2: Yes	18	0.7%
	Total	**107**	**4.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	7	0.3%
-1	-1: N/A	2058	84.1%
.	-	276	11.3%
	Total	**2,341**	**95.6%**

This variable has 107 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 2648-2649 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFPER6: Self-help group - regulate periods

If YES to SELFHEL6: What were the reasons for using this? - To regulate periods

Value	Label	Unweighted Frequency	%
1	1: No	99	4.0%
2	2: Yes	7	0.3%
	Total	**106**	**4.3%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	8	0.3%
-1	-1: N/A	2058	84.1%
.	-	276	11.3%
	Total	**2,342**	**95.7%**

This variable has 106 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 2650-2651 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFGEN6: Self-help group - general health

If YES to SELFHEL6: What were the reasons for using this? - For general health

Value	Label	Unweighted Frequency	%
1	1: No	30	1.2%
2	2: Yes	82	3.3%
	Total	**112**	**4.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	2	0.1%
-1	-1: N/A	2058	84.1%
.	-	276	11.3%
	Total	**2,336**	**95.4%**

This variable has 112 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2652-2653 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFWGH6: Self-help group - weight

If YES to SELFHEL6: What were the reasons for using this? - To lose weight or to stay the same weight

Value	Label	Unweighted Frequency	%
1	1: No	67	2.7%
2	2: Yes	41	1.7%
	Total	**108**	**4.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	6	0.2%
-1	-1: N/A	2058	84.1%
.	-	276	11.3%
	Total	**2,340**	**95.6%**

This variable has 108 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2654-2655 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFADV6: Self-help group - provider advice

If YES to SELFHEL6: What were the reasons for using this? - On advice from health care provider

Value	Label	Unweighted Frequency	%
1	1: No	79	3.2%
2	2: Yes	28	1.1%
	Total	**107**	**4.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	7	0.3%
-1	-1: N/A	2058	84.1%
.	-	276	11.3%
	Total	**2,341**	**95.6%**

This variable has 107 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2656-2657 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFOTH6: Self-help group - other reason

If YES to SELFHEL6: What were the reasons for using this? - Other

Value	Label	Unweighted Frequency	%
1	1: No	84	3.4%
2	2: Yes	24	1.0%
	Total	**108**	**4.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	6	0.2%
-1	-1: N/A	2058	84.1%
.	-	276	11.3%
	Total	**2,340**	**95.6%**

This variable has 108 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2658-2659 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFSPE6: Self-help group - other specify

If YES to SELFHEL6: What were the reasons for using this? - Other (please specify)

Value	Label	Unweighted Frequency	%
	-	276	11.3%
-1	-1: N/A	2148	87.7%
-7	-7: Refused	0	0.0%
-8	-8: Do not know	0	0.0%
-9	-9: Missing	0	0.0%
ALANON MENTAL HEALTH	-	1	0.0%
BEREAVEMENT	-	1	0.0%
BLIND SUPPORT GROUP	-	1	0.0%
DEPRESSION	-	1	0.0%
EMOTIONAL SUPPORT	-	2	0.1%
ENCOURAGEMEN SOCIAL RELIEF	-	1	0.0%
FEEL MORE CREATIVE	-	1	0.0%
FOR CARDIAC PATIENT &	-	1	0.0%

Value	Label	Unweighted Frequency	%
CAREGIVER SUPPORT			
FOR MAKING MYSELF A BETTER PERSON	-	1	0.0%
FOR MY SELF	-	1	0.0%
FOR SHARING, LAUGHING, FRIENDSHIP	-	1	0.0%
GRIEF GROUP	-	1	0.0%
LESS STRESS IN MY LIFE	-	1	0.0%
PEACE OF MIND	-	1	0.0%
PRAYER GROUPS	-	1	0.0%
RELIEVE ANXIETY	-	1	0.0%
REMAIN SOBER	-	1	0.0%
SPIRITUAL HEALTH COVENAT GROUP	-	1	0.0%
SUPPORT GROUP FOR ABUSED WOMEN	-	1	0.0%
TALKING TO OTHERS MAKE ONE FEEL CONNECTED	-	1	0.0%
TO GET OUT OF MY DEPRESSION	-	1	0.0%
TO HELP US HELP OUR SON AND OWN MENTAL HEALTH	-	1	0.0%
TO SUPPORT OTHERS AT A CHURCH GROUP	-	1	0.0%
	Total	**2,448**	**100.0%**

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 2660-2704 (width: 45; decimal: 0)
Variable Type: character

SOYSUPP6: Soy supplement

During the past 12 months, have you used any of the following for your health? Soy supplement

Value	Label	Unweighted Frequency	%
1	1: No	1813	74.1%
2	2: Yes	353	14.4%
	Total	**2,166**	**88.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	6	0.2%
-1	-1: N/A	0	0.0%
.	-	276	11.3%
	Total	**282**	**11.5%**

This variable has 2,166 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 2705-2706 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYHAR6: Soy supplement - heart

If YES to SOYSUPP6: What were the reasons for using this? - To reduce the risk of heart disease

Value	Label	Unweighted Frequency	%
1	1: No	186	7.6%
2	2: Yes	148	6.0%
	Total	**334**	**13.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	19	0.8%
-1	-1: N/A	1819	74.3%
.	-	276	11.3%
	Total	**2,114**	**86.4%**

This variable has 334 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2707-2708 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYOST6: Soy supplement - osteoporosis

If YES to SOYSUPP6: What were the reasons for using this? - To reduce the risk of osteoporosis

Value	Label	Unweighted Frequency	%
1	1: No	195	8.0%
2	2: Yes	139	5.7%
	Total	**334**	**13.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	19	0.8%
-1	-1: N/A	1819	74.3%
.	-	276	11.3%
	Total	**2,114**	**86.4%**

This variable has 334 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2709-2710 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYMEN6: Soy supplement - menopausal symptoms

If YES to SOYSUPP6: What were the reasons for using this? - To relieve menopausal symptoms

Value	Label	Unweighted Frequency	%
1	1: No	99	4.0%
2	2: Yes	243	9.9%
	Total	**342**	**14.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	11	0.4%
-1	-1: N/A	1819	74.3%
.	-	276	11.3%
	Total	**2,106**	**86.0%**

This variable has 342 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2711-2712 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYLOO6: Soy supplement - young looking

If YES to SOYSUPP6: What were the reasons for using this? - To stay young-looking

Value	Label	Unweighted Frequency	%
1	1: No	257	10.5%
2	2: Yes	75	3.1%
	Total	**332**	**13.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	20	0.8%
-1	-1: N/A	1820	74.3%
.	-	276	11.3%
	Total	**2,116**	**86.4%**

This variable has 332 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2713-2714 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYMEM6: Soy supplement - improve memory

If YES to SOYSUPP6: What were the reasons for using this? - To improve memory

Value	Label	Unweighted Frequency	%
1	1: No	286	11.7%
2	2: Yes	44	1.8%
	Total	**330**	**13.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	22	0.9%
-1	-1: N/A	1820	74.3%
.	-	276	11.3%
	Total	**2,118**	**86.5%**

This variable has 330 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2715-2716 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYPER6: Soy supplement - regulate periods

If YES to SOYSUPP6: What were the reasons for using this? - To regulate periods

Value	Label	Unweighted Frequency	%
1	1: No	313	12.8%
2	2: Yes	17	0.7%
	Total	**330**	**13.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	22	0.9%
-1	-1: N/A	1820	74.3%
.	-	276	11.3%
	Total	**2,118**	**86.5%**

This variable has 330 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 2717-2718 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYGEN6: Soy supplement - general health

If YES to SOYSUPP6: What were the reasons for using this? - For general health

Value	Label	Unweighted Frequency	%
1	1: No	94	3.8%
2	2: Yes	248	10.1%
	Total	**342**	**14.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	11	0.4%
-1	-1: N/A	1819	74.3%
.	-	276	11.3%
	Total	**2,106**	**86.0%**

This variable has 342 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 2719-2720 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYWGH6: Soy supplement - weight

If YES to SOYSUPP6: What were the reasons for using this? - To lose weight or to stay the same weight

Value	Label	Unweighted Frequency	%
1	1: No	254	10.4%
2	2: Yes	79	3.2%
	Total	**333**	**13.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	20	0.8%
-1	-1: N/A	1819	74.3%
.	-	276	11.3%
	Total	**2,115**	**86.4%**

This variable has 333 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2721-2722 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYADV6: Soy supplement - provider advice

If YES to SOYSUPP6: What were the reasons for using this? - On advice from health care provider

Value	Label	Unweighted Frequency	%
1	1: No	284	11.6%
2	2: Yes	47	1.9%
	Total	**331**	**13.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	21	0.9%
-1	-1: N/A	1820	74.3%
.	-	276	11.3%
	Total	**2,117**	**86.5%**

This variable has 331 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 2723-2724 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYOTH6: Soy supplement - other reason

If YES to SOYSUPP6: What were the reasons for using this? - Other

Value	Label	Unweighted Frequency	%
1	1: No	274	11.2%
2	2: Yes	18	0.7%
	Total	**292**	**11.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	60	2.5%
-1	-1: N/A	1820	74.3%
.	-	276	11.3%
	Total	**2,156**	**88.1%**

This variable has 292 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 2725-2726 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYSPE6: Soy supplement - other specify

If YES to SOYSUPP6: What were the reasons for using this? - Other (please specify)

Value	Label	Unweighted Frequency	%
	-	276	11.3%
-1	-1: N/A	2154	88.0%
-7	-7: Refused	0	0.0%
-8	-8: Do not know	0	0.0%

Value	Label	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
ALLERGIC TO MILK SO I USE SOY MILK	-	1	0.0%
CALCIUM?	-	1	0.0%
DIDN'T WORK HAD BAD RASH	-	1	0.0%
EROSIVE ESOPHAGAS	-	1	0.0%
FAMILY/CHILD ALLERGIC TO MILK	-	1	0.0%
HELPS WITH MY MENOPAUSE	-	1	0.0%
HEMORRHOIDS & JOINT TROUBLE	-	1	0.0%
HOT FLASHES	-	2	0.1%
I DON'T DRINK MILK	-	1	0.0%
I DON'T EAT DRINK DAIRY BY HAVE A LOT OF SOY	-	1	0.0%
REDUCE INSULIN RESISTANCE	-	1	0.0%
SOY MILK ONLY	-	1	0.0%
SUBSTITUTE FOR MILK	-	1	0.0%
SUPPLEMENTS TO ABSORB NUTRIENTS BETTER	-	1	0.0%
TASTES GOOD	-	1	0.0%
USUAL DIET	-	1	0.0%
VERY INFREQUENT	-	1	0.0%
	Total	**2,448**	**100.0%**

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 2727-2770 (width: 44; decimal: 0)
Variable Type: character

WORTSTJ6: St. John's wort

During the past 12 months, have you used any of the following for your health? St. John's Wort

Value	Label	Unweighted Frequency	%
1	1: No	2118	86.5%
2	2: Yes	46	1.9%
	Total	**2,164**	**88.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	8	0.3%
-1	-1: N/A	0	0.0%
.	-	276	11.3%
	Total	**284**	**11.6%**

This variable has 2,164 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2771-2772 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTHAR6: St. John's wort - heart

If YES to WORTSTJ6: What were the reasons for using this? - To reduce the risk of heart disease

Value	Label	Unweighted Frequency	%
1	1: No	40	1.6%
2	2: Yes	3	0.1%
	Total	**43**	**1.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	3	0.1%

Value	Missing Data	Unweighted Frequency	%
-1	-1: N/A	2126	86.8%
.	-	276	11.3%
	Total	**2,405**	**98.2%**

This variable has 43 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2773-2774 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTOST6: St. John's wort - osteoporosis

If YES to WORTSTJ6: What were the reasons for using this? - To reduce the risk of osteoporosis

Value	Label	Unweighted Frequency	%
1	1: No	43	1.8%
2	2: Yes	1	0.0%
	Total	**44**	**1.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	2	0.1%
-1	-1: N/A	2126	86.8%
.	-	276	11.3%
	Total	**2,404**	**98.2%**

This variable has 44 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2775-2776 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTMEN6: St. John's wort - menopausal symptoms

If YES to WORTSTJ6: What were the reasons for using this? - To relieve menopausal symptoms

Value	Label	Unweighted Frequency	%
1	1: No	33	1.3%
2	2: Yes	10	0.4%
	Total	**43**	**1.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	3	0.1%
-1	-1: N/A	2126	86.8%
.	-	276	11.3%
	Total	**2,405**	**98.2%**

This variable has 43 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2777-2778 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTLOO6: St. John's wort - young looking

If YES to WORTSTJ6: What were the reasons for using this? - To stay young-looking

Value	Label	Unweighted Frequency	%
1	1: No	39	1.6%
2	2: Yes	4	0.2%
	Total	**43**	**1.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	3	0.1%
-1	-1: N/A	2126	86.8%
.	-	276	11.3%
	Total	**2,405**	**98.2%**

This variable has 43 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2779-2780 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTMEM6: St. John's wort - improve memory

If YES to WORTSTJ6: What were the reasons for using this? - To improve memory

Value	Label	Unweighted Frequency	%
1	1: No	38	1.6%
2	2: Yes	5	0.2%
	Total	**43**	**1.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	3	0.1%
-1	-1: N/A	2126	86.8%
.	-	276	11.3%
	Total	**2,405**	**98.2%**

This variable has 43 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2781-2782 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTPER6: St. John's wort - regulate periods

If YES to WORTSTJ6: What were the reasons for using this? - To regulate periods

Value	Label	Unweighted Frequency	%
1	1: No	42	1.7%
2	2: Yes	1	0.0%
	Total	**43**	**1.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	3	0.1%
-1	-1: N/A	2126	86.8%
.	-	276	11.3%
	Total	**2,405**	**98.2%**

This variable has 43 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 2783-2784 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTGEN6: St. John's wort - general health

If YES to WORTSTJ6: What were the reasons for using this? - For general health

Value	Label	Unweighted Frequency	%
1	1: No	21	0.9%
2	2: Yes	23	0.9%
	Total	**44**	**1.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	2	0.1%
-1	-1: N/A	2126	86.8%
.	-	276	11.3%
	Total	**2,404**	**98.2%**

This variable has 44 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 2785-2786 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTWGH6: St. John's wort - weight

If YES to WORTSTJ6: What were the reasons for using this? - To lose weight or to stay the same weight

Value	Label	Unweighted Frequency	%
1	1: No	42	1.7%
2	2: Yes	1	0.0%
	Total	**43**	**1.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	3	0.1%
-1	-1: N/A	2126	86.8%
.	-	276	11.3%
	Total	**2,405**	**98.2%**

This variable has 43 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2787-2788 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTADV6: St. John's wort - provider advice

If YES to WORTSTJ6: What were the reasons for using this? - On advice from health care provider

Value	Label	Unweighted Frequency	%
1	1: No	40	1.6%
2	2: Yes	2	0.1%
	Total	**42**	**1.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	4	0.2%
-1	-1: N/A	2126	86.8%
.	-	276	11.3%
	Total	**2,406**	**98.3%**

This variable has 42 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 2789-2790 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTOTH6: St. John's wort - other reason

If YES to WORTSTJ6: What were the reasons for using this? - Other

Value	Label	Unweighted Frequency	%
1	1: No	19	0.8%
2	2: Yes	23	0.9%
	Total	**42**	**1.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	4	0.2%
-1	-1: N/A	2126	86.8%
.	-	276	11.3%
	Total	**2,406**	**98.3%**

This variable has 42 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 2791-2792 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTSPE6: St. John's wort - other specify

If YES to WORTSTJ6: What were the reasons for using this? - Other (please specify)

Value	Label	Unweighted Frequency	%
	-	276	11.3%
-1	-1: N/A	2149	87.8%
-7	-7: Refused	0	0.0%
-8	-8: Do not know	0	0.0%

Value	Label	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
ANTI-DEPRESSION	-	1	0.0%
ANXIETY	-	1	0.0%
CALMS NERVES	-	1	0.0%
DEPRESSION	-	2	0.1%
DEPRESSION AND ANXIETY	-	1	0.0%
DEPRESSION AROUND PERIODS	-	1	0.0%
FEEL MORE UP	-	1	0.0%
FOR EMOTIONAL HEALTH	-	1	0.0%
FOR S.A.D.	-	1	0.0%
HELP WITH MOOD	-	1	0.0%
LOW ENERGY & MILD DEPRESSION	-	1	0.0%
MOOD ENHANCEMENT	-	1	0.0%
MOOD SWINGS	-	1	0.0%
MOODY MESS	-	1	0.0%
NATURAL DEPRESSION	-	1	0.0%
NERVOUS	-	1	0.0%
SLEEP	-	1	0.0%
TO BE CALM	-	1	0.0%
TO EVEN OUT MOODS	-	1	0.0%
TO FEEL BETTER.	-	1	0.0%
TO HELP WITH DEPRESSION	-	1	0.0%
TREAT DEPRESSION	-	1	0.0%
	Total	**2,448**	**100.0%**

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 2793-2820 (width: 28; decimal: 0)
Variable Type: character

TAICHI6: Tai Chi

During the past 12 months, have you used any of the following for your health? Tai Chi

Value	Label	Unweighted Frequency	%
1	1: No	2097	85.7%
2	2: Yes	65	2.7%
	Total	**2,162**	**88.3%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	1	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	9	0.4%
-1	-1: N/A	0	0.0%
.	-	276	11.3%
	Total	**286**	**11.7%**

This variable has 2,162 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2821-2822 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TAIHAR6: Tai Chi - heart

If YES to TAICHI6: What were the reasons for using this? - To reduce the risk of heart disease

Value	Label	Unweighted Frequency	%
1	1: No	38	1.6%
2	2: Yes	23	0.9%
	Total	**61**	**2.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	-7: Refused	4	0.2%
-1	-1: N/A	2107	86.1%
.	-	276	11.3%
	Total	**2,387**	**97.5%**

This variable has 61 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2823-2824 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TAIOST6: Tai Chi - osteoporosis

If YES to TAICHI6: What were the reasons for using this? - To reduce the risk of osteoporosis

Value	Label	Unweighted Frequency	%
1	1: No	40	1.6%
2	2: Yes	21	0.9%
	Total	**61**	**2.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	4	0.2%
-1	-1: N/A	2107	86.1%
.	-	276	11.3%
	Total	**2,387**	**97.5%**

This variable has 61 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2825-2826 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TAIMEN6: Tai Chi - menopausal symptoms

If YES to TAICHI6: What were the reasons for using this? - To relieve menopausal symptoms

Value	Label	Unweighted Frequency	%
1	1: No	50	2.0%
2	2: Yes	11	0.4%
	Total	**61**	**2.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	4	0.2%
-1	-1: N/A	2107	86.1%
.	-	276	11.3%
	Total	**2,387**	**97.5%**

This variable has 61 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2827-2828 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TAILOO6: Tai Chi - young looking

If YES to TAICHI6: What were the reasons for using this? - To stay young-looking

Value	Label	Unweighted Frequency	%
1	1: No	41	1.7%
2	2: Yes	20	0.8%
	Total	**61**	**2.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	4	0.2%
-1	-1: N/A	2107	86.1%
.	-	276	11.3%
	Total	**2,387**	**97.5%**

This variable has 61 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2829-2830 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TAIMEM6: Tai Chi - improve memory

If YES to TAICHI6: What were the reasons for using this? - To improve memory

Value	Label	Unweighted Frequency	%
1	1: No	42	1.7%
2	2: Yes	19	0.8%
	Total	**61**	**2.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	4	0.2%
-1	-1: N/A	2107	86.1%
.	-	276	11.3%
	Total	**2,387**	**97.5%**

This variable has 61 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2831-2832 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TAIPER6: Tai Chi - regulate periods

If YES to TAICHI6: What were the reasons for using this? - To regulate periods

Value	Label	Unweighted Frequency	%
1	1: No	56	2.3%
2	2: Yes	5	0.2%
	Total	**61**	**2.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	4	0.2%
-1	-1: N/A	2107	86.1%
.	-	276	11.3%
	Total	**2,387**	**97.5%**

This variable has 61 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 2833-2834 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TAIGEN6: Tai Chi - general health

If YES to TAICHI6: What were the reasons for using this? - For general health

Value	Label	Unweighted Frequency	%
1	1: No	4	0.2%
2	2: Yes	61	2.5%
	Total	**65**	**2.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	2107	86.1%
.	-	276	11.3%
	Total	**2,383**	**97.3%**

This variable has 65 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 2835-2836 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TAIWGH6: Tai Chi - weight

If YES to TAICHI6: What were the reasons for using this? - To lose weight or to stay the same weight

Value	Label	Unweighted Frequency	%
1	1: No	38	1.6%
2	2: Yes	23	0.9%
	Total	**61**	**2.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	4	0.2%
-1	-1: N/A	2107	86.1%
.	-	276	11.3%
	Total	**2,387**	**97.5%**

This variable has 61 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2837-2838 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TAIADV6: Tai Chi - provider advice

If YES to TAICHI6: What were the reasons for using this? - On advice from health care provider

Value	Label	Unweighted Frequency	%
1	1: No	52	2.1%
2	2: Yes	9	0.4%
	Total	**61**	**2.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	4	0.2%
-1	-1: N/A	2107	86.1%
.	-	276	11.3%
	Total	**2,387**	**97.5%**

This variable has 61 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 2839-2840 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TAIOTH6: Tai Chi - other reason

If YES to TAICHI6: What were the reasons for using this? - Other

Value	Label	Unweighted Frequency	%
1	1: No	37	1.5%
2	2: Yes	7	0.3%
	Total	**44**	**1.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	21	0.9%
-1	-1: N/A	2107	86.1%
.	-	276	11.3%
	Total	**2,404**	**98.2%**

This variable has 44 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 2841-2842 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TAISPE6: Tai Chi - other specify

If YES to TAICHI6: What were the reasons for using this? - Other (please specify)

Value	Label	Unweighted Frequency	%
	-	276	11.3%
-1	-1: N/A	2165	88.4%
-7	-7: Refused	0	0.0%
-8	-8: Do not know	0	0.0%

Value	Label	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
BETTER BODY MOVEMENT	-	1	0.0%
FOR MEDITATION	-	1	0.0%
IMPROVE RIDING	-	1	0.0%
MENTAL FOCUS WELL BEING	-	1	0.0%
MOVING MEDITATION	-	1	0.0%
SAME REASON AS ABOVE	-	1	0.0%
STRESS REDUCTION	-	1	0.0%
	Total	**2,448**	**100.0%**

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 2843-2865 (width: 23; decimal: 0)
Variable Type: character

WVITAMI6: Women's vitamins

During the past 12 months, have you used any of the following for your health? Vitamin/supplement combination especially for women's health

Value	Label	Unweighted Frequency	%
1	1: No	1077	44.0%
2	2: Yes	1087	44.4%
	Total	**2,164**	**88.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	8	0.3%
-1	-1: N/A	0	0.0%
.	-	276	11.3%
	Total	**284**	**11.6%**

This variable has 2,164 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2866-2867 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITHAR6: Women's vitamins - heart

If YES to WVITAMI6: What were the reasons for using this? - To reduce the risk of heart disease

Value	Label	Unweighted Frequency	%
1	1: No	542	22.1%
2	2: Yes	505	20.6%
	Total	**1,047**	**42.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	40	1.6%
-1	-1: N/A	1085	44.3%
.	-	276	11.3%
	Total	**1,401**	**57.2%**

This variable has 1,047 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2868-2869 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITOST6: Women's vitamins - osteoporosis

If YES to WVITAMI6: What were the reasons for using this? - To reduce the risk of osteoporosis

Value	Label	Unweighted Frequency	%
1	1: No	387	15.8%
2	2: Yes	663	27.1%
	Total	**1,050**	**42.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	37	1.5%
-1	-1: N/A	1085	44.3%
.	-	276	11.3%
	Total	**1,398**	**57.1%**

This variable has 1,050 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 2870-2871 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITMEN6: Women's vitamins - menopausal symptoms

If YES to WVITAMI6: What were the reasons for using this? - To relieve menopausal symptoms

Value	Label	Unweighted Frequency	%
1	1: No	758	31.0%
2	2: Yes	281	11.5%
	Total	**1,039**	**42.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	48	2.0%
-1	-1: N/A	1085	44.3%
.	-	276	11.3%
	Total	**1,409**	**57.6%**

This variable has 1,039 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 2872-2873 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITLOO6: Women's vitamins - young looking

If YES to WVITAMI6: What were the reasons for using this? - To stay young-looking

Value	Label	Unweighted Frequency	%
1	1: No	680	27.8%
2	2: Yes	362	14.8%
	Total	**1,042**	**42.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	45	1.8%
-1	-1: N/A	1085	44.3%
.	-	276	11.3%
	Total	**1,406**	**57.4%**

This variable has 1,042 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2874-2875 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITMEM6: Women's vitamins - improve memory

If YES to WVITAMI6: What were the reasons for using this? - To improve memory

Value	Label	Unweighted Frequency	%
1	1: No	719	29.4%
2	2: Yes	317	12.9%
	Total	**1,036**	**42.3%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	51	2.1%
-1	-1: N/A	1085	44.3%
.	-	276	11.3%
	Total	**1,412**	**57.7%**

This variable has 1,036 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2876-2877 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITPER6: Women's vitamins - regulate periods

If YES to WVITAMI6: What were the reasons for using this? - To regulate periods

Value	Label	Unweighted Frequency	%
1	1: No	958	39.1%
2	2: Yes	67	2.7%
	Total	**1,025**	**41.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	61	2.5%
-1	-1: N/A	1086	44.4%
.	-	276	11.3%
	Total	**1,423**	**58.1%**

This variable has 1,025 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2878-2879 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITGEN6: Women's vitamins - general health

If YES to WVITAMI6: What were the reasons for using this? - For general health

Value	Label	Unweighted Frequency	%
1	1: No	53	2.2%
2	2: Yes	1022	41.7%
	Total	**1,075**	**43.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	12	0.5%
-1	-1: N/A	1085	44.3%
.	-	276	11.3%
	Total	**1,373**	**56.1%**

This variable has 1,075 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 2880-2881 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITWGH6: Women's vitamins - weight

If YES to WVITAMI6: What were the reasons for using this? - To lose weight or to stay the same weight

Value	Label	Unweighted Frequency	%
1	1: No	803	32.8%
2	2: Yes	226	9.2%
	Total	**1,029**	**42.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	58	2.4%
-1	-1: N/A	1085	44.3%
.	-	276	11.3%
	Total	**1,419**	**58.0%**

This variable has 1,029 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 2882-2883 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITADV6: Women's vitamins - provider advice

If YES to WVITAMI6: What were the reasons for using this? - On advice from health care provider

Value	Label	Unweighted Frequency	%
1	1: No	731	29.9%
2	2: Yes	306	12.5%
	Total	**1,037**	**42.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	49	2.0%
-1	-1: N/A	1086	44.4%
.	-	276	11.3%
	Total	**1,411**	**57.6%**

This variable has 1,037 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2884-2885 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITOTH6: Women's vitamins - other reason

If YES to WVITAMI6: What were the reasons for using this? - Other

Value	Label	Unweighted Frequency	%
1	1: No	893	36.5%
2	2: Yes	27	1.1%
	Total	**920**	**37.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	166	6.8%
-1	-1: N/A	1086	44.4%
.	-	276	11.3%
	Total	**1,528**	**62.4%**

This variable has 920 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2886-2887 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITSPE6: Women's vitamins - other specify

If YES to WVITAMI6: What were the reasons for using this? - Other (please specify)

Value	Label	Unweighted Frequency	%
	-	276	11.3%
-1	-1: N/A	2145	87.6%
-7	-7: Refused	0	0.0%
-8	-8: Do not know	0	0.0%
-9	-9: Missing	0	0.0%
ANTIOXIDANTS	-	1	0.0%
BECAUSE USA DIETS ARE DEFICIENT	-	1	0.0%
COD LIVER OIL	-	1	0.0%
ENERGY	-	1	0.0%
EYES	-	1	0.0%
FOR ENERGY	-	1	0.0%
FOR IMPROVING SKIN TONE	-	1	0.0%
FOR SKIN	-	1	0.0%
FRIEND ADVISED	-	1	0.0%
HAIR, NAIL, & SKIN	-	1	0.0%
HAIRS' NAIL'S	-	1	0.0%
HEALTHY HAIR	-	1	0.0%
HELP GET OFF OF PREMARIN	-	1	0.0%
I USE CHILDREN'S VITAMINS NOT THE ONES FOR WOMEN	-	1	0.0%

Value	Label	Unweighted Frequency	%
LATEIN EYES	-	1	0.0%
MENOPAUSE SYMPTOMS (CRYING)	-	1	0.0%
NOT ONE SUPPLEMENT, A SLEW OF THIS AND THAT!	-	1	0.0%
STRESS B'S + TO STRENGTHEN MY BONE	-	1	0.0%
STRESS VITAMINS	-	1	0.0%
SUGGESTION FROM SISTER	-	1	0.0%
TO DECREAST MOOD SWINGS	-	1	0.0%
TO IMPROVE ALERTNESS	-	1	0.0%
TO PROTECT BODY AGAINST DISEASES AND ENHANCE GOOD HEALTH	-	1	0.0%
TO REDUCE POSSIBILITY OF ANOTHER BLOOD CLOT	-	1	0.0%
TO REGALATE HEART BEAT	-	1	0.0%
VITAMIN E	-	1	0.0%
WOMEN 1 A DAY FOR SUPPLEMENT	-	1	0.0%
	Total	**2,448**	**100.0%**

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 2888-2943 (width: 56; decimal: 0)
Variable Type: character

YOGA6: Yoga

During the past 12 months, have you used any of the following for your health? Yoga

Value	Label	Unweighted Frequency	%
1	1: No	1894	77.4%
2	2: Yes	269	11.0%
	Total	**2,163**	**88.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	9	0.4%
-1	-1: N/A	0	0.0%
.	-	276	11.3%
	Total	**285**	**11.6%**

This variable has 2,163 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2944-2945 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGAHAR6: Yoga - heart

If YES to YOGA6: What were the reasons for using this? - To reduce the risk of heart disease

Value	Label	Unweighted Frequency	%
1	1: No	161	6.6%
2	2: Yes	96	3.9%
	Total	**257**	**10.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	12	0.5%
-1	-1: N/A	1903	77.7%
.	-	276	11.3%
	Total	**2,191**	**89.5%**

This variable has 257 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2946-2947 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGAOST6: Yoga - osteoporosis

If YES to YOGA6: What were the reasons for using this? - To reduce the risk of osteoporosis

Value	Label	Unweighted Frequency	%
1	1: No	161	6.6%
2	2: Yes	97	4.0%
	Total	**258**	**10.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	11	0.4%
-1	-1: N/A	1903	77.7%
.	-	276	11.3%
	Total	**2,190**	**89.5%**

This variable has 258 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2948-2949 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGAMEN6: Yoga - menopausal symptoms

If YES to YOGA6: What were the reasons for using this? - To relieve menopausal symptoms

Value	Label	Unweighted Frequency	%
1	1: No	203	8.3%
2	2: Yes	53	2.2%
	Total	**256**	**10.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	13	0.5%
-1	-1: N/A	1903	77.7%
.	-	276	11.3%
	Total	**2,192**	**89.5%**

This variable has 256 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 2950-2951 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGALOO6: Yoga - young looking

If YES to YOGA6: What were the reasons for using this? - To stay young-looking

Value	Label	Unweighted Frequency	%
1	1: No	129	5.3%
2	2: Yes	131	5.4%
	Total	**260**	**10.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	9	0.4%
-1	-1: N/A	1903	77.7%
.	-	276	11.3%
	Total	**2,188**	**89.4%**

This variable has 260 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 2952-2953 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGAMEM6: Yoga - improve memory

If YES to YOGA6: What were the reasons for using this? - To improve memory

Value	Label	Unweighted Frequency	%
1	1: No	200	8.2%
2	2: Yes	58	2.4%
	Total	**258**	**10.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	11	0.4%
-1	-1: N/A	1903	77.7%
.	-	276	11.3%
	Total	**2,190**	**89.5%**

This variable has 258 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2954-2955 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGAPER6: Yoga - regulate periods

If YES to YOGA6: What were the reasons for using this? - To regulate periods

Value	Label	Unweighted Frequency	%
1	1: No	245	10.0%
2	2: Yes	9	0.4%
	Total	**254**	**10.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	15	0.6%
-1	-1: N/A	1903	77.7%
.	-	276	11.3%
	Total	**2,194**	**89.6%**

This variable has 254 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2956-2957 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGAGEN6: Yoga - general health

If YES to YOGA6: What were the reasons for using this? - For general health

Value	Label	Unweighted Frequency	%
1	1: No	10	0.4%
2	2: Yes	256	10.5%
	Total	**266**	**10.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	3	0.1%
-1	-1: N/A	1903	77.7%
.	-	276	11.3%
	Total	**2,182**	**89.1%**

This variable has 266 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2958-2959 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGAWGH6: Yoga - weight

If YES to YOGA6: What were the reasons for using this? - To lose weight or to stay the same weight

Value	Label	Unweighted Frequency	%
1	1: No	127	5.2%
2	2: Yes	131	5.4%
	Total	**258**	**10.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	11	0.4%
-1	-1: N/A	1903	77.7%
.	-	276	11.3%
	Total	**2,190**	**89.5%**

This variable has 258 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 2960-2961 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGAADV6: Yoga - provider advice

If YES to YOGA6: What were the reasons for using this? - On advice from health care provider

Value	Label	Unweighted Frequency	%
1	1: No	231	9.4%
2	2: Yes	22	0.9%
	Total	**253**	**10.3%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	16	0.7%
-1	-1: N/A	1903	77.7%
.	-	276	11.3%
	Total	**2,195**	**89.7%**

This variable has 253 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 2962-2963 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGAOTH6: Yoga - other reason

If YES to YOGA6: What were the reasons for using this? - Other

Value	Label	Unweighted Frequency	%
1	1: No	184	7.5%
2	2: Yes	41	1.7%
	Total	**225**	**9.2%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	44	1.8%
-1	-1: N/A	1903	77.7%
.	-	276	11.3%
	Total	**2,223**	**90.8%**

This variable has 225 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2964-2965 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGASPE6: Yoga - other specify

If YES to YOGA6: What were the reasons for using this? - Other (please specify)

Value	Label	Unweighted Frequency	%
	-	276	11.3%
-1	-1: N/A	2131	87.1%
-7	-7: Refused	0	0.0%
-8	-8: Do not know	0	0.0%
-9	-9: Missing	0	0.0%
ARTHRITIS	-	1	0.0%
BACK AND NECK RELIEF, FLEXIBILITY	-	1	0.0%
BREATHING, STRETCHING, RELAXATION	-	1	0.0%
DE-STRESS	-	1	0.0%

Value	Label	Unweighted Frequency	%
DIDNT ENJOY YOGA	-	1	0.0%
EMOTIONAL HEALTH; MORE ENERGY, FLEXIBILITY & STRENGTH	-	1	0.0%
ENJOYMENT, FEEL BETTER	-	1	0.0%
FEEL GOOD	-	1	0.0%
FLEXABILITY	-	1	0.0%
FOR BACK INJURY	-	1	0.0%
FOR BALANCE	-	1	0.0%
FOR EXERCISE	-	1	0.0%
FOR RELAXATION	-	1	0.0%
I ENJOY IT!	-	1	0.0%
IF I DO YOGA I FEEL BETTER	-	1	0.0%
IMPROVE FLEXIBILITY	-	1	0.0%
INCREASE FLEXIBILITY	-	1	0.0%
INCREASE FLEXIBLITY AND RELIEVE DJD PAIN	-	1	0.0%
ITS MY FORM OF PRAYER	-	1	0.0%
KRIYA YOGA MEDITATION	-	1	0.0%
MENTAL ALERTNESS, FLEXIBILITY	-	1	0.0%
MENTAL AND PHYSICAL HEALTH	-	1	0.0%
MENTAL HEALTH	-	1	0.0%
ONLY A FEW TIMES	-	1	0.0%
PEACE OF MIND	-	1	0.0%

Value	Label	Unweighted Frequency	%
PEACE OF MIND, JOY,	-	1	0.0%
QUIET TIME	-	1	0.0%
RECOVERY FROM INJURY	-	1	0.0%
REDUCE STRESS	-	1	0.0%
RELAX	-	1	0.0%
RELIEVE NECK PAIN STAY FLEXIBLE AND IMPROVE POSTURE	-	1	0.0%
RELIEVE STRESS	-	1	0.0%
SPIRITUAL PRACTICE	-	1	0.0%
STAY FLEXIBLE	-	1	0.0%
STAY LIMBER, DECREASE BODY STIFFNESS	-	1	0.0%
TO MAINTAIN LIMBERNESS	-	1	0.0%
TO MAKE MY BODY FLEXIBLE.	-	1	0.0%
TO RELAX	-	1	0.0%
TO RELIEVE ACHES & PAINS	-	1	0.0%
TO RELIEVE BACKPAIN & INCREASE FLEXIBILITY	-	1	0.0%
TO RELIEVE MUSCULAR PAIN	-	1	0.0%
	Total	**2,448**	**100.0%**

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 2966-3018 (width: 53; decimal: 0)
Variable Type: character

OTHALT6: Other

During the past 12 months, have you used any of the following for your health? Other (specify)

Value	Label	Unweighted Frequency	%
1	1: No	1997	81.6%
2	2: Yes	168	6.9%
	Total	**2,165**	**88.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	7	0.3%
-1	-1: N/A	0	0.0%
.	-	276	11.3%
	Total	**283**	**11.6%**

This variable has 2,165 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3019-3020 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHALTS6: Other - specify

If YES to OTHALT6: During the past 12 months, have you used any of the following for your health? Other - Specify

Value	Label	Unweighted Frequency	%
	-	276	11.3%
-1	-1: N/A	2004	81.9%
-7	-7: Refused	0	0.0%
-8	-8: Do not know	0	0.0%
-9	-9: Missing	0	0.0%
ACCUPRESSURE	-	2	0.1%
ACCUPRESSURE TO BACK OF FOOT	-	1	0.0%
ACUPRESSURE	-	1	0.0%
AEROBICS	-	1	0.0%

Value	Label	Unweighted Frequency	%
AEROBICS, KICKBOXING AND SWIMMING	-	1	0.0%
AIKIDO	-	1	0.0%
ANTIOXIDANTS WITH VITAMIN SUPPLEMENTS	-	1	0.0%
AOJIRU (GREEN OAT POWDER)	-	1	0.0%
ASPIRIN	-	1	0.0%
ASPIRIN 81 MG	-	1	0.0%
BALLET	-	1	0.0%
BAYER W/ CALCIUM FOR WOMEN	-	1	0.0%
BIOCALTH, ESTRADIOL	-	1	0.0%
BODY SOLUTION	-	1	0.0%
BOVINE COLOSTRUM	-	1	0.0%
CALCIUM	-	5	0.2%
CALCIUM AND CENTRUM SILVER	-	1	0.0%
CALCIUM MAGNESIUM	-	1	0.0%
CALCIUM TABLETS	-	1	0.0%
CATIRON	-	1	0.0%
CELEXA	-	1	0.0%
CENTERING PRAYER / MEDITATION	-	1	0.0%
CHI CUNG	-	1	0.0%
CHI GON (CHINESE EXERCISE)	-	1	0.0%
CHI GONG	-	1	0.0%
CHI KONG	-	1	0.0%
CHI KUNG	-	1	0.0%

Value	Label	Unweighted Frequency	%
CHIROPRACTOR	-	1	0.0%
CO Q10	-	1	0.0%
CO-ENZYME; ROYAL JELLY; MASSAGE.	-	1	0.0%
COD LIVER OIL	-	2	0.1%
COD LIVER OIL PILL	-	1	0.0%
COENZYME Q10	-	1	0.0%
COLON DETOXIFICATION/ CLEANSING PRODUCT	-	1	0.0%
CORDYCEPS	-	1	0.0%
COUNSELING	-	1	0.0%
CURRY LEAVES (BOILED AS IN TEA)	-	1	0.0%
DO IN (SELF-HEALING EXERISE)	-	1	0.0%
EATING WHOLE FOOD	-	1	0.0%
ECHINACEA	-	2	0.1%
EDUCATION / TOPIC GROUPS, SEMINARS	-	1	0.0%
EVENING OIL OF PRIMROSE	-	1	0.0%
EVENING PRIMROSE OIL	-	1	0.0%
EXERCISE	-	2	0.1%
EXERCISE - RUN IN H2O	-	1	0.0%
	Total	**2,448**	**100.0%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 3021-3080 (width: 60; decimal: 0)
Variable Type: character

OTHHAR6: Other - heart

If YES to OTHALT6: What were the reasons for using this? - To reduce the risk of heart disease

Value	Label	Unweighted Frequency	%
1	1: No	98	4.0%
2	2: Yes	63	2.6%
	Total	**161**	**6.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	7	0.3%
-1	-1: N/A	2004	81.9%
.	-	276	11.3%
	Total	**2,287**	**93.4%**

This variable has 161 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3081-3082 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHOST6: Other - osteoporosis

If YES to OTHALT6: What were the reasons for using this? - To reduce the risk of osteoporosis

Value	Label	Unweighted Frequency	%
1	1: No	109	4.5%
2	2: Yes	54	2.2%
	Total	**163**	**6.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	5	0.2%

Value	Missing Data	Unweighted Frequency	%
-1	-1: N/A	2004	81.9%
.	-	276	11.3%
	Total	**2,285**	**93.3%**

This variable has 163 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3083-3084 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMEN6: Other - menopausal symptoms

If YES to OTHALT6: What were the reasons for using this? - To relieve menopausal symptoms

Value	Label	Unweighted Frequency	%
1	1: No	123	5.0%
2	2: Yes	38	1.6%
	Total	**161**	**6.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	7	0.3%
-1	-1: N/A	2004	81.9%
.	-	276	11.3%
	Total	**2,287**	**93.4%**

This variable has 161 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3085-3086 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHLOO6: Other - young looking

If YES to OTHALT6: What were the reasons for using this? - To stay young-looking

Value	Label	Unweighted Frequency	%
1	1: No	112	4.6%
2	2: Yes	48	2.0%
	Total	**160**	**6.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	8	0.3%
-1	-1: N/A	2004	81.9%
.	-	276	11.3%
	Total	**2,288**	**93.5%**

This variable has 160 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3087-3088 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMEM6: Other - improve memory

If YES to OTHALT6: What were the reasons for using this? - To improve memory

Value	Label	Unweighted Frequency	%
1	1: No	122	5.0%
2	2: Yes	38	1.6%
	Total	**160**	**6.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	8	0.3%
-1	-1: N/A	2004	81.9%
.	-	276	11.3%
	Total	**2,288**	**93.5%**

This variable has 160 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3089-3090 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHPER6: Other - regulate periods

If YES to OTHALT6: What were the reasons for using this? - To regulate periods

Value	Label	Unweighted Frequency	%
1	1: No	155	6.3%
2	2: Yes	5	0.2%
	Total	**160**	**6.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	8	0.3%
-1	-1: N/A	2004	81.9%
.	-	276	11.3%
	Total	**2,288**	**93.5%**

This variable has 160 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3091-3092 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHGEN6: Other - general health

If YES to OTHALT6: What were the reasons for using this? - For general health

Value	Label	Unweighted Frequency	%
1	1: No	32	1.3%
2	2: Yes	133	5.4%
	Total	**165**	**6.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	3	0.1%
-1	-1: N/A	2004	81.9%
.	-	276	11.3%
	Total	**2,283**	**93.3%**

This variable has 165 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 3093-3094 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHWGH6: Other - weight

If YES to OTHALT6: What were the reasons for using this? - To lose weight or to stay the same weight

Value	Label	Unweighted Frequency	%
1	1: No	108	4.4%
2	2: Yes	54	2.2%
	Total	**162**	**6.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	6	0.2%
-1	-1: N/A	2004	81.9%
.	-	276	11.3%
	Total	**2,286**	**93.4%**

This variable has 162 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 3095-3096 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHADV6: Other - provider advice

If YES to OTHALT6: What were the reasons for using this? - On advice from health care provider

Value	Label	Unweighted Frequency	%
1	1: No	113	4.6%
2	2: Yes	45	1.8%
	Total	**158**	**6.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	10	0.4%
-1	-1: N/A	2004	81.9%
.	-	276	11.3%
	Total	**2,290**	**93.5%**

This variable has 158 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3097-3098 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHALTR6: Other - other reason

If YES to OTHALT6: What were the reasons for using this? - Other

Value	Label	Unweighted Frequency	%
1	1: No	107	4.4%
2	2: Yes	36	1.5%
	Total	**143**	**5.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	25	1.0%
-1	-1: N/A	2004	81.9%
.	-	276	11.3%
	Total	**2,305**	**94.2%**

This variable has 143 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3099-3100 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WHYOTHA6: Other - other specify

If YES to OTHALT6: What were the reasons for using this? - Other (please specify)

Value	Label	Unweighted Frequency	%
	-	276	11.3%
-1	-1: N/A	2136	87.3%
-7	-7: Refused	1	0.0%
-8	-8: Do not know	0	0.0%
-9	-9: Missing	0	0.0%
ANIMIA	-	1	0.0%
BACK	-	1	0.0%
BATTLE DEPRESS./ FEAR/ ANXIETY,DEAL W/ DISABILITEIS/ PHYS. LIMIT	-	1	0.0%
BROKE ANKLE	-	1	0.0%
CHOLESTEROL CONTROL	-	1	0.0%
CONTINUOUS INTERACTION ACTIVITY HEALTHY. WIN OR LOSE.	-	1	0.0%
DENTAL PAIN, BRONCHITIS, BOWEL PROBLEMS	-	1	0.0%
EXERCISE	-	1	0.0%
FOR DEPRESSION/ ANXIETY	-	1	0.0%
FOR HOT FLASHES	-	1	0.0%

Value	Label	Unweighted Frequency	%
FOR JOINTS	-	1	0.0%
FOR LEG CRAMPS	-	1	0.0%
FOR MENTAL/ EMOTIONAL HEALTH & SUPPORT & THAT OF MY KIDS	-	1	0.0%
FOR PHYSICAL PEACE AND RELAXATION	-	1	0.0%
FOR WORLD PEACE	-	1	0.0%
GET RID OF FATIGUE	-	1	0.0%
HELP WITH EMOTIONAL PROBLEMS	-	1	0.0%
LIVER SUPPORT / DETOXING	-	1	0.0%
MENTAL FUNCTIONING	-	1	0.0%
MENTAL HEALTH	-	1	0.0%
PANIC ATTACKS	-	1	0.0%
PREVENT COLD ONSET OR MINIMIZE EXISTING SYMPTOMS	-	1	0.0%
PREVENTIVE HART ATTACK/ STROKE	-	1	0.0%
RELIEVE DEPRESSION	-	1	0.0%
RELIEVE PAIN FROM ARTHRITIS	-	1	0.0%
RELIEVE STRESS, STAY FIT, STAY STRONG	-	1	0.0%

Value	Label	Unweighted Frequency	%
SENSE OF WELL-BEING	-	1	0.0%
STRENGTH FLEXABILITY	-	1	0.0%
STRESS RELEASE	-	1	0.0%
TO BOOST GOOD CHOLESTEROL	-	1	0.0%
TO FEEL BETTER	-	1	0.0%
TO HEAL KNEE INJURY	-	1	0.0%
TO IMPROVE MY MENTAL HEALTH & OUTLOOK ON LIFE; TO SEE SITUAT	-	1	0.0%
TO PREVENT COLDS	-	1	0.0%
WITH CHEMO	-	1	0.0%
	Total	**2,448**	**100.0%**

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 3101-3160 (width: 60; decimal: 0)
Variable Type: character

FLGSAAV6: (FLGSAAV6) Completed after V6 cutoff (02/15/2004)

Completed after V6 cutoff (02/15/2004)

Value	Label	Unweighted Frequency	%
0	0: No	2328	95.1%
1	1: Yes	3	0.1%
	Total	**2,331**	**95.2%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	-1: Before V6	1	0.0%
.	-	116	4.7%
	Total	**117**	**4.8%**

This variable has 2,331 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3161-3162 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRENEX6: Strenuous exercise times/week

Considering a usual 7-day period in the past year, how many times on the average did you do the following kinds of exercise or physical activity? - Strenuous exercise or physical activity where your heart beats rapidly (i.e., running, jogging, soccer, singles tennis, vigorous swimming, vigorous long distance bicycling, vigorous aerobic dance)

Value	Label	Unweighted Frequency	%
0	-	91	3.7%
1	-	9	0.4%
2	-	7	0.3%
3	-	8	0.3%
4	-	6	0.2%
5	-	2	0.1%
6	-	2	0.1%
	Total	**125**	**5.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	2202	90.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	5	0.2%
.	-	116	4.7%
	Total	**2,323**	**94.9%**

This variable has 125 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 0.74
- Median: 0.00
- Mode: 0.00

- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.44

Location: 3163-3164 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MODEREX6: Moderate exercise times/week

Considering a usual 7-day period in the past year, how many times on the average did you do the following kinds of exercise or physical activity? - Moderate exercise or physical activity, not exhausting (i.e., fast walking, doubles tennis, easy bicycling, easy swimming, alpine skiing, dancing, low impact aerobics, weight lifting/training)

Value	Label	Unweighted Frequency	%
0	-	32	1.3%
1	-	15	0.6%
2	-	19	0.8%
3	-	26	1.1%
4	-	12	0.5%
5	-	8	0.3%
6	-	4	0.2%
7	-	9	0.4%
	Total	**125**	**5.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	2202	90.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	5	0.2%
.	-	116	4.7%
	Total	**2,323**	**94.9%**

This variable has 125 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 2.45
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 2.11

Location: 3165-3166 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SABDAY6: Self-administered Part B day

Self-administered-Part B Day

Value	Label	Unweighted Frequency	%
2041	-	1	0.0%
2045	-	1	0.0%
2085	-	1	0.0%
2094	-	1	0.0%
2095	-	1	0.0%
2107	-	3	0.1%
2114	-	1	0.0%
2116	-	1	0.0%
2118	-	1	0.0%
2119	-	1	0.0%
2120	-	1	0.0%
2122	-	1	0.0%
2123	-	1	0.0%
2128	-	3	0.1%
2129	-	1	0.0%
2132	-	2	0.1%
2133	-	3	0.1%
2135	-	5	0.2%
2136	-	2	0.1%
2137	-	4	0.2%
2138	-	1	0.0%
2140	-	1	0.0%
2141	-	5	0.2%
2142	-	7	0.3%
2143	-	4	0.2%
2144	-	6	0.2%
2145	-	4	0.2%
2146	-	18	0.7%
2147	-	13	0.5%
2148	-	12	0.5%
2149	-	36	1.5%
2150	-	16	0.7%

Value	Label	Unweighted Frequency	%
2151	-	14	0.6%
2152	-	9	0.4%
2153	-	13	0.5%
2154	-	13	0.5%
2155	-	15	0.6%
2156	-	31	1.3%
2157	-	21	0.9%
2158	-	13	0.5%
2159	-	10	0.4%
2160	-	12	0.5%
2161	-	24	1.0%
2162	-	26	1.1%
2163	-	34	1.4%
2164	-	6	0.2%
2165	-	8	0.3%
2166	-	15	0.6%
2167	-	14	0.6%
2168	-	12	0.5%
	Total	**2,158**	**88.2%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	290	11.8%
	Total	**290**	**11.8%**

This variable has 2,158 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 2221.11
- Minimum: 2041.00
- Maximum: 2703.00
- Standard Deviation: 70.43

Location: 3167-3170 (width: 4; decimal: 0)
Variable Type: numeric

LANGSAB6: Language of Self-B

Language of Self-B

Value	Label	Unweighted Frequency	%
1	1: English	1944	79.4%
2	2: Spanish	33	1.3%
3	3: Cantonese	83	3.4%
4	4: Japanese	98	4.0%
	Total	**2,158**	**88.2%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	290	11.8%
	Total	**290**	**11.8%**

This variable has 2,158 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3171-3172 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMPORSE6: Importance of sex

How important is sex in your life?

Value	Label	Unweighted Frequency	%
1	1: Extremely important	141	5.8%
2	2: Quite important	401	16.4%
3	3: Moderately important	838	34.2%
4	4: Not very important	517	21.1%
5	5: Not at all important	214	8.7%
	Total	**2,111**	**86.2%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	46	1.9%

Value	Missing Data	Unweighted Frequency	%
-1	-1: N/A	1	0.0%
.	-	290	11.8%
	Total	**337**	**13.8%**

This variable has 2,111 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 5.00

Location: 3173-3174 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DESIRSE6: Desire to engage in sex past 6 months

During the past 6 months, how often have you felt a desire to engage in any form of sexual activity, either alone or with a partner?

Value	Label	Unweighted Frequency	%
1	1: Not at all	328	13.4%
2	2: Once or twice/month	894	36.5%
3	3: About once/week	517	21.1%
4	4: More than once/week	360	14.7%
5	5: Daily	49	2.0%
	Total	**2,148**	**87.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	10	0.4%
-1	-1: N/A	0	0.0%
.	-	290	11.8%
	Total	**300**	**12.3%**

This variable has 2,148 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 5.00

Location: 3175-3176 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ENGAGSE6: Engaged in sexual activity past 6 months

During the past 6 months, have you engaged in sexual activities with a partner?

Value	Label	Unweighted Frequency	%
1	1: No	583	23.8%
2	2: Yes	1470	60.0%
	Total	**2,053**	**83.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	99	4.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	6	0.2%
-1	-1: N/A	0	0.0%
.	-	290	11.8%
	Total	**395**	**16.1%**

This variable has 2,053 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3177-3178 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOPARTN6: No sex past 6 months: no partner

If NO to ENGAGSE6: I have not had sex in the last 6 months because: I do not have a partner at this time.

Value	Label	Unweighted Frequency	%
1	1: No	183	7.5%
2	2: Yes	353	14.4%
	Total	**536**	**21.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	99	4.0%
-8	-8: Do not know	4	0.2%
-7	-7: Refused	43	1.8%
-1	-1: N/A	1476	60.3%
.	-	290	11.8%
	Total	**1,912**	**78.1%**

This variable has 536 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3179-3180 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PARTPRO6: No sex past 6 months: partner physical problem

If NO to ENGAGSE6: I have not had sex in the last 6 months because: My partner has a physical problem that interferes with sex.

Value	Label	Unweighted Frequency	%
1	1: No	387	15.8%
2	2: Yes	59	2.4%
	Total	**446**	**18.2%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	99	4.0%
-8	-8: Do not know	7	0.3%
-7	-7: Refused	130	5.3%
-1	-1: N/A	1476	60.3%
.	-	290	11.8%
	Total	**2,002**	**81.8%**

This variable has 446 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3181-3182 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYSPRO6: No sex past 6 months: physical problem

If NO to ENGAGSE6: I have not had sex in the last 6 months because: I have a physical problem that interferes with sex.

Value	Label	Unweighted Frequency	%
1	1: No	417	17.0%
2	2: Yes	25	1.0%
	Total	**442**	**18.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	99	4.0%
-8	-8: Do not know	8	0.3%
-7	-7: Refused	133	5.4%
-1	-1: N/A	1476	60.3%
.	-	290	11.8%
	Total	**2,006**	**81.9%**

This variable has 442 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3183-3184 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOSEXOT6: No sex past 6 months: other reason

If NO to ENGAGSE6: I have not had sex in the last 6 months because: Other - Please Specify

Value	Label	Unweighted Frequency	%
1	1: No	218	8.9%
2	2: Yes	133	5.4%
	Total	**351**	**14.3%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	99	4.0%
-8	-8: Do not know	13	0.5%
-7	-7: Refused	219	8.9%
-1	-1: N/A	1476	60.3%
.	-	290	11.8%
	Total	**2,097**	**85.7%**

This variable has 351 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3185-3186 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SATISFY6: Emotionally satisfying past 6 months

If YES to ENGAGSE6: In the past 6 months, how emotionally satisfying was your relationship with your main partner?

Value	Label	Unweighted Frequency	%
1	1: Extremely satisfying	212	8.7%
2	2: Very satisfying	549	22.4%
3	3: Moderately satisfying	512	20.9%
4	4: Slightly satisfying	160	6.5%
5	5: Not at all satisfying	30	1.2%
	Total	**1,463**	**59.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	99	4.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	7	0.3%
-1	-1: N/A	589	24.1%
.	-	290	11.8%
	Total	**985**	**40.2%**

This variable has 1,463 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3187-3188 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

KISSING6: Frequency of sexual activity: kissing

During the past 6 months, how often, on average, have you engaged in each of the following sexual activities? - Kissing or hugging?

Value	Label	Unweighted Frequency	%
1	1: Not at all	50	2.0%
2	2: Once or twice/month	209	8.5%
3	3: About once/week	173	7.1%
4	4: More than once/week	338	13.8%
5	5: Daily	685	28.0%
	Total	**1,455**	**59.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	99	4.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	15	0.6%
-1	-1: N/A	589	24.1%
.	-	290	11.8%
	Total	**993**	**40.6%**

This variable has 1,455 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3189-3190 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TOUCHIN6: Frequency of sexual activity: touching

During the past 6 months, how often, on average, have you engaged in each of the following sexual activities? - Sexual touching or caressing?

Value	Label	Unweighted Frequency	%
1	1: Not at all	52	2.1%
2	2: Once or twice/month	396	16.2%
3	3: About once/week	371	15.2%
4	4: More than once/week	438	17.9%
5	5: Daily	190	7.8%
	Total	**1,447**	**59.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	99	4.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	23	0.9%
-1	-1: N/A	589	24.1%
.	-	290	11.8%
	Total	**1,001**	**40.9%**

This variable has 1,447 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3191-3192 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ORALSEX6: Frequency of sexual activity: oral sex

During the past 6 months, how often, on average, have you engaged in each of the following sexual activities? - Oral sex?

Value	Label	Unweighted Frequency	%
1	1: Not at all	673	27.5%
2	2: Once or twice/month	511	20.9%
3	3: About once/week	160	6.5%
4	4: More than once/week	74	3.0%
5	5: Daily	3	0.1%
	Total	**1,421**	**58.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	100	4.1%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	48	2.0%
-1	-1: N/A	589	24.1%
.	-	290	11.8%
	Total	**1,027**	**42.0%**

This variable has 1,421 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3193-3194 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INTCOUR6: Frequency of sexual activity: intercourse

During the past 6 months, how often, on average, have you engaged in each of the following sexual activities? - Sexual intercourse?

Value	Label	Unweighted Frequency	%
1	1: Not at all	73	3.0%
2	2: Once or twice/month	618	25.2%
3	3: About once/week	450	18.4%
4	4: More than once/week	298	12.2%

Value	Label	Unweighted Frequency	%
5	5: Daily	10	0.4%
	Total	**1,449**	**59.2%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	99	4.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	21	0.9%
-1	-1: N/A	589	24.1%
.	-	290	11.8%
	Total	**999**	**40.8%**

This variable has 1,449 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3195-3196 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

AROUSED6: Arousal during sexual activity past 6 months

During the last 6 months, how often did you feel aroused during sexual activity?

Value	Label	Unweighted Frequency	%
1	1 : Always	355	14.5%
2	2 : Almost always	578	23.6%
3	3 : Sometimes	430	17.6%
4	4 : Almost never	72	2.9%
5	5 : Never	28	1.1%
6	6 : No intercourse in last 6 months	0	0.0%
	Total	**1,463**	**59.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9 : Missing	99	4.0%
-8	-8 : Do not know	0	0.0%
-7	-7 : Refused	7	0.3%
-1	-1 : N/A	589	24.1%
.	-	290	11.8%

Value	Missing Data	Unweighted Frequency	%
	Total	**985**	**40.2%**

This variable has 1,463 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3197-3198 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PELVIC6: Vaginal or pelvic pain past 6 months

During the past 6 months, have you felt vaginal or pelvic pain during intercourse?

Value	Label	Unweighted Frequency	%
1	1 : Always	17	0.7%
2	2 : Almost always	50	2.0%
3	3 : Sometimes	308	12.6%
4	4 : Almost never	314	12.8%
5	5 : Never	702	28.7%
6	6 : No intercourse in last 6 months	72	2.9%
	Total	**1,463**	**59.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9 : Missing	99	4.0%
-8	-8 : Do not know	0	0.0%
-7	-7 : Refused	7	0.3%
-1	-1 : N/A	589	24.1%
.	-	290	11.8%
	Total	**985**	**40.2%**

This variable has 1,463 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 3199-3200 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LUBRICN6: Use of lubricants past 6 months

During the last 6 months, how often have you used lubricants, such as creams or jellies, to make sex more comfortable?

Value	Label	Unweighted Frequency	%
1	1 : Always	121	4.9%
2	2 : Almost always	129	5.3%
3	3 : Sometimes	193	7.9%
4	4 : Almost never	120	4.9%
5	5 : Never	844	34.5%
6	6 : No intercourse in last 6 months	59	2.4%
	Total	**1,466**	**59.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9 : Missing	99	4.0%
-8	-8 : Do not know	0	0.0%
-7	-7 : Refused	4	0.2%
-1	-1 : N/A	589	24.1%
.	-	290	11.8%
	Total	**982**	**40.1%**

This variable has 1,466 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 3201-3202 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ABLECLM6: Able to reach climax past 6 months

During the past 6 months, how often were you able to reach climax (come)?

Value	Label	Unweighted Frequency	%
1	1 : Always	268	10.9%
2	2 : Almost always	538	22.0%
3	3 : Sometimes	451	18.4%
4	4 : Almost never	116	4.7%
5	5 : Never	86	3.5%
6	6 : No intercourse in last 6 months	0	0.0%
	Total	**1,459**	**59.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9 : Missing	99	4.0%
-8	-8 : Do not know	0	0.0%
-7	-7 : Refused	11	0.4%
-1	-1 : N/A	589	24.1%
.	-	290	11.8%
	Total	**989**	**40.4%**

This variable has 1,459 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 5.00

Location: 3203-3204 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMPCLMX6: How important reach climax past 6 months

During the past 6 months, how often was it important for you to reach a climax?

Value	Label	Unweighted Frequency	%
1	1 : Always	181	7.4%
2	2 : Almost always	445	18.2%
3	3 : Sometimes	586	23.9%
4	4 : Almost never	182	7.4%
5	5 : Never	64	2.6%
6	6 : No intercourse in last 6 months	0	0.0%
	Total	**1,458**	**59.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9 : Missing	99	4.0%
-8	-8 : Do not know	0	0.0%
-7	-7 : Refused	12	0.5%
-1	-1 : N/A	589	24.1%
.	-	290	11.8%
	Total	**990**	**40.4%**

This variable has 1,458 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 5.00

Location: 3205-3206 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SATISFD6: Satisfied after sexual activity past 6 months

During the past 6 months, how often did you feel satisfied after sexual activity?

Value	Label	Unweighted Frequency	%
1	1 : Always	302	12.3%
2	2 : Almost always	635	25.9%
3	3 : Sometimes	408	16.7%
4	4 : Almost never	72	2.9%
5	5 : Never	42	1.7%
6	6 : No intercourse in last 6 months	0	0.0%
	Total	**1,459**	**59.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9 : Missing	99	4.0%
-8	-8 : Do not know	0	0.0%
-7	-7 : Refused	11	0.4%
-1	-1 : N/A	589	24.1%
.	-	290	11.8%
	Total	**989**	**40.4%**

This variable has 1,459 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 5.00

Location: 3207-3208 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FREQUEN6: Satisfied with frequency of sex activity past 6 months

During the past 6 months, how often were you satisfied with the frequency of sexual activity?

Value	Label	Unweighted Frequency	%
1	1 : Always	224	9.2%
2	2 : Almost always	570	23.3%
3	3 : Sometimes	498	20.3%
4	4 : Almost never	119	4.9%

Value	Label	Unweighted Frequency	%
5	5 : Never	50	2.0%
6	6 : No intercourse in last 6 months	0	0.0%
	Total	**1,461**	**59.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9 : Missing	99	4.0%
-8	-8 : Do not know	0	0.0%
-7	-7 : Refused	9	0.4%
-1	-1 : N/A	589	24.1%
.	-	290	11.8%
	Total	**987**	**40.3%**

This variable has 1,461 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3209-3210 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MEN6MOS6: Number of men had intercourse with in past 6 months

Over the past 6 months, how many men have you had intercourse with?

Value	Label	Unweighted Frequency	%
1	1: Zero	73	3.0%
2	2: One	1127	46.0%
3	3: Two	37	1.5%
4	4: Three	4	0.2%
5	5: Four - ten	1	0.0%
6	6: More than 10	0	0.0%
	Total	**1,242**	**50.7%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	99	4.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	9	0.4%
-1	-1: N/A	808	33.0%

Value	Missing Data	Unweighted Frequency	%
.	-	290	11.8%
	Total	**1,206**	**49.3%**

This variable has 1,242 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 5.00

Location: 3211-3212 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MASTURB6: Frequency of masturbation past 6 months

On average, in the last 6 months, how often have you engaged in masturbation (self-stimulation)?

Value	Label	Unweighted Frequency	%
1	1: Not at all	1077	44.0%
2	2: Less than once/month	452	18.5%
3	3: Once or twice/month	370	15.1%
4	4: About once/week	117	4.8%
5	5: More than once/week	56	2.3%
6	6: Daily	7	0.3%
	Total	**2,079**	**84.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	79	3.2%
-1	-1: N/A	0	0.0%
.	-	290	11.8%
	Total	**369**	**15.1%**

This variable has 2,079 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 1.00
- Maximum: 6.00

Location: 3213-3214 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLGSABV6: (FLGSABV6) Completed after V6 cutoff (02/15/2004)

Completed after V6 cutoff (02/15/2004)

Value	Label	Unweighted Frequency	%
0	0: No	2154	88.0%
1	1: Yes	3	0.1%
	Total	**2,157**	**88.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: Before V6	0	0.0%
.	-	291	11.9%
	Total	**291**	**11.9%**

This variable has 2,157 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3215-3216 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYDAY6: Physical measures day

Physical measures Day

Value	Label	Unweighted Frequency	%
2036	-	1	0.0%
2041	-	1	0.0%
2045	-	1	0.0%
2055	-	1	0.0%
2085	-	1	0.0%
2095	-	1	0.0%
2106	-	1	0.0%
2107	-	3	0.1%
2114	-	1	0.0%
2116	-	1	0.0%
2118	-	2	0.1%

Value	Label	Unweighted Frequency	%
2119	-	1	0.0%
2120	-	1	0.0%
2122	-	1	0.0%
2123	-	2	0.1%
2128	-	2	0.1%
2129	-	1	0.0%
2131	-	1	0.0%
2132	-	2	0.1%
2133	-	3	0.1%
2135	-	5	0.2%
2136	-	2	0.1%
2137	-	5	0.2%
2138	-	1	0.0%
2140	-	2	0.1%
2141	-	4	0.2%
2142	-	7	0.3%
2143	-	3	0.1%
2144	-	5	0.2%
2145	-	4	0.2%
2146	-	12	0.5%
2147	-	16	0.7%
2148	-	14	0.6%
2149	-	35	1.4%
2150	-	19	0.8%
2151	-	12	0.5%
2152	-	13	0.5%
2153	-	12	0.5%
2154	-	15	0.6%
2155	-	17	0.7%
2156	-	34	1.4%
2157	-	25	1.0%
2158	-	17	0.7%
2159	-	10	0.4%
2160	-	14	0.6%
2161	-	23	0.9%

Value	Label	Unweighted Frequency	%
2162	-	23	0.9%
2163	-	36	1.5%
2164	-	8	0.3%
2165	-	9	0.4%
	Total	**2,304**	**94.1%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	144	5.9%
	Total	**144**	**5.9%**

This variable has 2,304 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 2225.73
- Minimum: 2036.00
- Maximum: 2687.00
- Standard Deviation: 77.65

Location: 3217-3220 (width: 4; decimal: 0)
Variable Type: numeric

PULSE6: Pulse, beats/30 seconds

Pulse, beats/30 seconds

Value	Label	Unweighted Frequency	%
18	-	1	0.0%
19	-	1	0.0%
20	-	2	0.1%
21	-	1	0.0%
22	-	4	0.2%
23	-	5	0.2%
24	-	7	0.3%
25	-	23	0.9%
26	-	31	1.3%
27	-	43	1.8%
28	-	86	3.5%
29	-	80	3.3%
30	-	168	6.9%

Value	Label	Unweighted Frequency	%
31	-	161	6.6%
32	-	204	8.3%
33	-	176	7.2%
34	-	217	8.9%
35	-	172	7.0%
36	-	208	8.5%
37	-	99	4.0%
38	-	96	3.9%
39	-	71	2.9%
40	-	83	3.4%
41	-	35	1.4%
42	-	57	2.3%
43	-	23	0.9%
44	-	28	1.1%
45	-	20	0.8%
46	-	13	0.5%
47	-	6	0.2%
48	-	5	0.2%
49	-	6	0.2%
50	-	2	0.1%
51	-	1	0.0%
52	-	3	0.1%
54	-	2	0.1%
60	-	1	0.0%
62	-	1	0.0%
64	-	2	0.1%
66	-	3	0.1%
70	-	5	0.2%
80	-	2	0.1%
	Total	**2,154**	**88.0%**

Value	Missing Data	Unweighted Frequency	%
.	-	294	12.0%
	Total	**294**	**12.0%**

This variable has 2,154 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 34.41
- Median: 34.00
- Mode: 34.00
- Minimum: 18.00
- Maximum: 80.00
- Standard Deviation: 5.46

Location: 3221-3222 (width: 2; decimal: 0)
Variable Type: numeric

SYSBP16: Systolic blood pressure #1

Systolic BP #1

Value	Label	Unweighted Frequency	%
74	-	1	0.0%
78	-	3	0.1%
80	-	3	0.1%
84	-	5	0.2%
86	-	5	0.2%
88	-	18	0.7%
89	-	1	0.0%
90	-	13	0.5%
92	-	21	0.9%
94	-	31	1.3%
96	-	43	1.8%
98	-	71	2.9%
100	-	81	3.3%
102	-	86	3.5%
103	-	1	0.0%
104	-	76	3.1%
106	-	82	3.3%
108	-	140	5.7%
109	-	1	0.0%
110	-	140	5.7%
112	-	108	4.4%
114	-	72	2.9%
116	-	93	3.8%
118	-	122	5.0%
120	-	130	5.3%

Value	Label	Unweighted Frequency	%
122	-	76	3.1%
124	-	80	3.3%
126	-	77	3.1%
128	-	87	3.6%
129	-	1	0.0%
130	-	73	3.0%
132	-	47	1.9%
134	-	43	1.8%
136	-	33	1.3%
138	-	46	1.9%
140	-	50	2.0%
142	-	35	1.4%
144	-	20	0.8%
146	-	13	0.5%
148	-	22	0.9%
150	-	20	0.8%
152	-	5	0.2%
153	-	1	0.0%
154	-	7	0.3%
156	-	5	0.2%
158	-	13	0.5%
160	-	15	0.6%
162	-	2	0.1%
164	-	2	0.1%
166	-	3	0.1%
	Total	**2,154**	**88.0%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	294	12.0%
	Total	**294**	**12.0%**

This variable has 2,154 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 118.28
- Median: 116.00
- Minimum: 74.00

- Maximum: 220.00
- Standard Deviation: 16.95

Location: 3223-3225 (width: 3; decimal: 0)
Variable Type: numeric

DIABP16: Diastolic blood pressure #1

Diastolic BP #1

Value	Label	Unweighted Frequency	%
20	-	1	0.0%
34	-	1	0.0%
40	-	2	0.1%
42	-	1	0.0%
44	-	1	0.0%
46	-	1	0.0%
48	-	6	0.2%
50	-	19	0.8%
52	-	10	0.4%
54	-	19	0.8%
56	-	17	0.7%
58	-	45	1.8%
59	-	1	0.0%
60	-	90	3.7%
62	-	82	3.3%
64	-	116	4.7%
66	-	79	3.2%
68	-	207	8.5%
70	-	251	10.3%
72	-	155	6.3%
74	-	143	5.8%
76	-	118	4.8%
78	-	169	6.9%
79	-	1	0.0%
80	-	157	6.4%
82	-	89	3.6%
84	-	73	3.0%
86	-	71	2.9%

Value	Label	Unweighted Frequency	%
88	-	70	2.9%
90	-	64	2.6%
92	-	24	1.0%
94	-	18	0.7%
96	-	10	0.4%
98	-	18	0.7%
100	-	17	0.7%
102	-	1	0.0%
104	-	2	0.1%
110	-	2	0.1%
112	-	2	0.1%
120	-	1	0.0%
	Total	**2,154**	**88.0%**

Value	Missing Data	Unweighted Frequency	%
.	-	294	12.0%
	Total	**294**	**12.0%**

This variable has 2,154 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 73.64
- Median: 72.00
- Mode: 70.00
- Minimum: 20.00
- Maximum: 120.00
- Standard Deviation: 10.25

Location: 3226-3228 (width: 3; decimal: 0)
Variable Type: numeric

SYSBP26: Systolic blood pressure #2

Systolic BP #2

Value	Label	Unweighted Frequency	%
70	-	1	0.0%
76	-	2	0.1%
78	-	1	0.0%
80	-	2	0.1%
82	-	1	0.0%

Value	Label	Unweighted Frequency	%
84	-	4	0.2%
86	-	5	0.2%
88	-	13	0.5%
90	-	20	0.8%
92	-	33	1.3%
94	-	24	1.0%
95	-	1	0.0%
96	-	54	2.2%
98	-	66	2.7%
100	-	94	3.8%
102	-	98	4.0%
103	-	1	0.0%
104	-	77	3.1%
106	-	97	4.0%
108	-	113	4.6%
110	-	129	5.3%
112	-	103	4.2%
113	-	1	0.0%
114	-	89	3.6%
116	-	103	4.2%
118	-	112	4.6%
120	-	119	4.9%
122	-	69	2.8%
123	-	1	0.0%
124	-	84	3.4%
126	-	69	2.8%
128	-	76	3.1%
129	-	1	0.0%
130	-	94	3.8%
132	-	53	2.2%
133	-	1	0.0%
134	-	33	1.3%
135	-	1	0.0%
136	-	42	1.7%
138	-	43	1.8%

Value	Label	Unweighted Frequency	%
140	-	41	1.7%
142	-	23	0.9%
144	-	30	1.2%
146	-	17	0.7%
148	-	8	0.3%
150	-	18	0.7%
152	-	12	0.5%
153	-	1	0.0%
154	-	6	0.2%
156	-	5	0.2%
	Total	**2,153**	**87.9%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	295	12.1%
	Total	**295**	**12.1%**

This variable has 2,153 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 117.83
- Median: 116.00
- Mode: 110.00
- Minimum: 70.00
- Maximum: 226.00
- Standard Deviation: 17.10

Location: 3229-3231 (width: 3; decimal: 0)
Variable Type: numeric

DIABP26: Diastolic blood pressure #2

Diastolic BP #2

Value	Label	Unweighted Frequency	%
20	-	1	0.0%
40	-	1	0.0%
42	-	2	0.1%
46	-	2	0.1%
48	-	6	0.2%
50	-	20	0.8%

Value	Label	Unweighted Frequency	%
52	-	12	0.5%
54	-	11	0.4%
56	-	22	0.9%
58	-	41	1.7%
60	-	117	4.8%
62	-	64	2.6%
64	-	118	4.8%
66	-	100	4.1%
68	-	183	7.5%
70	-	263	10.7%
72	-	134	5.5%
74	-	157	6.4%
76	-	127	5.2%
78	-	158	6.5%
80	-	165	6.7%
82	-	95	3.9%
84	-	71	2.9%
85	-	1	0.0%
86	-	67	2.7%
87	-	1	0.0%
88	-	66	2.7%
90	-	63	2.6%
92	-	21	0.9%
94	-	12	0.5%
96	-	11	0.4%
98	-	21	0.9%
100	-	11	0.4%
102	-	2	0.1%
104	-	1	0.0%
106	-	1	0.0%
108	-	2	0.1%
110	-	1	0.0%
118	-	1	0.0%
128	-	1	0.0%
	Total	**2,153**	**87.9%**

Value	Missing Data	Unweighted Frequency	%
.	-	295	12.1%
	Total	**295**	**12.1%**

This variable has 2,153 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 73.49
- Median: 72.00
- Mode: 70.00
- Minimum: 20.00
- Maximum: 128.00
- Standard Deviation: 10.15

Location: 3232-3234 (width: 3; decimal: 0)
Variable Type: numeric

HEIGHT6: Height (in cm)

Height (in cm)

Value	Label	Unweighted Frequency	%
143.80	-	1	0.0%
144.00	-	1	0.0%
144.60	-	2	0.1%
145.00	-	1	0.0%
145.20	-	1	0.0%
145.50	-	1	0.0%
145.70	-	2	0.1%
145.80	-	1	0.0%
145.90	-	1	0.0%
146.00	-	1	0.0%
146.10	-	1	0.0%
146.20	-	1	0.0%
146.50	-	1	0.0%
146.80	-	1	0.0%
146.90	-	1	0.0%
147.00	-	2	0.1%
147.10	-	1	0.0%
147.20	-	1	0.0%
147.50	-	5	0.2%
147.60	-	2	0.1%

Value	Label	Unweighted Frequency	%
147.90	-	1	0.0%
148.00	-	2	0.1%
148.30	-	2	0.1%
148.40	-	1	0.0%
148.50	-	1	0.0%
148.60	-	3	0.1%
148.70	-	2	0.1%
148.80	-	1	0.0%
149.40	-	7	0.3%
149.50	-	4	0.2%
149.60	-	1	0.0%
149.70	-	3	0.1%
149.80	-	1	0.0%
149.90	-	3	0.1%
150.00	-	4	0.2%
150.10	-	1	0.0%
150.20	-	1	0.0%
150.30	-	1	0.0%
150.40	-	2	0.1%
150.47	-	1	0.0%
150.50	-	2	0.1%
150.60	-	2	0.1%
150.70	-	1	0.0%
150.80	-	3	0.1%
150.90	-	4	0.2%
151.00	-	3	0.1%
151.10	-	2	0.1%
151.20	-	1	0.0%
151.30	-	5	0.2%
151.40	-	3	0.1%
	Total	**2,150**	**87.8%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	298	12.2%

Value	Missing Data	Unweighted Frequency	%
	Total	**298**	**12.2%**

This variable has 2,150 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 162.33
- Minimum: 143.80
- Maximum: 185.60
- Standard Deviation: 6.57

Location: 3235-3240 (width: 6; decimal: 2)
Variable Type: numeric

HTMETHO6: Height measurement method

Height Measurement Method

Value	Label	Unweighted Frequency	%
1	1: Stadiometer	1910	78.0%
2	2: Portable	240	9.8%
3	3: Self-reported	13	0.5%
	Total	**2,163**	**88.4%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	285	11.6%
	Total	**285**	**11.6%**

This variable has 2,163 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 3241-3242 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WEIGHT6: Weight (in kg)

Weight (in kg)

Value	Label	Unweighted Frequency	%
37.40000000000	-	1	0.0%
39.00000000000	-	1	0.0%
40.40000000000	-	1	0.0%
40.80000000000	-	1	0.0%
41.00000000000	-	1	0.0%
41.20000000001	-	1	0.0%
41.90000000000	-	1	0.0%
42.00000000000	-	2	0.1%
42.70000000001	-	1	0.0%
42.80000000000	-	2	0.1%
43.70000000001	-	1	0.0%
43.80000000000	-	1	0.0%
44.00000000000	-	1	0.0%
44.10000000000	-	1	0.0%
44.20000000000	-	1	0.0%
44.30000000000	-	1	0.0%
44.40000000000	-	2	0.1%
44.50000000000	-	1	0.0%
44.80000000000	-	1	0.0%
45.00000000000	-	1	0.0%
45.20000000000	-	2	0.1%
45.40000000000	-	1	0.0%
45.45454545455	-	1	0.0%
45.60000000000	-	2	0.1%
45.70000000000	-	1	0.0%
46.10000000000	-	2	0.1%
46.20000000000	-	2	0.1%
46.36363636364	-	1	0.0%
46.40000000000	-	1	0.0%
46.50000000000	-	1	0.0%
46.60000000000	-	3	0.1%
46.70000000000	-	2	0.1%
46.80000000000	-	2	0.1%
47.00000000000	-	1	0.0%
47.20000000000	-	1	0.0%

Value	Label	Unweighted Frequency	%
47.40000000000	-	2	0.1%
47.60000000000	-	3	0.1%
47.70000000000	-	1	0.0%
47.80000000000	-	3	0.1%
47.90000000000	-	4	0.2%
48.00000000000	-	3	0.1%
48.10000000000	-	2	0.1%
48.20000000000	-	1	0.0%
48.40000000000	-	5	0.2%
48.50000000000	-	1	0.0%
48.60000000000	-	2	0.1%
48.70000000000	-	2	0.1%
48.80000000000	-	1	0.0%
49.00000000000	-	2	0.1%
49.20000000000	-	3	0.1%
	Total	**2,295**	**93.8%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	153	6.2%
	Total	**153**	**6.2%**

This variable has 2,295 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 76.97951673599
- Minimum: 37.40000000000
- Maximum: 208.80000000000
- Standard Deviation: 21.20246190993

Location: 3243-3257 (width: 15; decimal: 11)
Variable Type: numeric

SCALE6: Weight scale type

Weight Scale Type

Value	Label	Unweighted Frequency	%
1	1: Balance beam	1149	46.9%
2	2: Clinic digital	354	14.5%

Value	Label	Unweighted Frequency	%
3	3: Portable	642	26.2%
4	4: Self-reported	151	6.2%
	Total	**2,296**	**93.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	152	6.2%
	Total	**152**	**6.2%**

This variable has 2,296 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3258-3259 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WAIST6: Waist circumference

Waist Circumference

Value	Label	Unweighted Frequency	%
59.6	-	1	0.0%
60.2	-	2	0.1%
60.4	-	1	0.0%
60.5	-	1	0.0%
60.6	-	2	0.1%
61.0	-	2	0.1%
61.5	-	1	0.0%
61.7	-	1	0.0%
62.0	-	1	0.0%
62.2	-	1	0.0%
62.7	-	1	0.0%
63.2	-	2	0.1%
63.4	-	2	0.1%

Value	Label	Unweighted Frequency	%
63.5	-	5	0.2%
64.0	-	3	0.1%
64.1	-	2	0.1%
64.2	-	1	0.0%
64.3	-	1	0.0%
64.4	-	2	0.1%
64.5	-	1	0.0%
64.8	-	3	0.1%
64.9	-	2	0.1%
65.0	-	7	0.3%
65.1	-	2	0.1%
65.3	-	5	0.2%
65.4	-	1	0.0%
65.5	-	5	0.2%
65.6	-	4	0.2%
65.7	-	3	0.1%
65.8	-	2	0.1%
65.9	-	2	0.1%
66.0	-	6	0.2%
66.2	-	2	0.1%
66.3	-	1	0.0%
66.4	-	3	0.1%
66.5	-	2	0.1%
66.6	-	1	0.0%
66.8	-	6	0.2%
66.9	-	3	0.1%
67.0	-	9	0.4%
67.2	-	2	0.1%
67.3	-	5	0.2%
67.4	-	1	0.0%
67.5	-	2	0.1%
67.6	-	3	0.1%
67.7	-	2	0.1%
67.8	-	5	0.2%
67.9	-	1	0.0%

Value	Label	Unweighted Frequency	%
68.0	-	10	0.4%
68.1	-	3	0.1%
	Total	**2,150**	**87.8%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	298	12.2%
	Total	**298**	**12.2%**

This variable has 2,150 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 89.24
- Minimum: 59.60
- Maximum: 163.50
- Standard Deviation: 16.80

Location: 3260-3264 (width: 5; decimal: 1)
Variable Type: numeric

WASTMEA6: Waist measurement taken in

Waist measurement taken in:

Value	Label	Unweighted Frequency	%
1	1: Undergarments	1700	69.4%
2	2: Light clothing	451	18.4%
	Total	**2,151**	**87.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	297	12.1%
	Total	**297**	**12.1%**

This variable has 2,151 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3265-3266 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HIP6: Hip circumference

Hip Circumference

Value	Label	Unweighted Frequency	%
73.5	-	1	0.0%
76.0	-	1	0.0%
81.4	-	1	0.0%
81.8	-	1	0.0%
82.0	-	1	0.0%
82.5	-	1	0.0%
82.9	-	1	0.0%
83.2	-	1	0.0%
83.4	-	1	0.0%
83.7	-	1	0.0%
83.8	-	1	0.0%
83.9	-	1	0.0%
84.0	-	1	0.0%
84.1	-	1	0.0%
84.5	-	5	0.2%
84.6	-	1	0.0%
84.8	-	2	0.1%
84.9	-	1	0.0%
85.0	-	1	0.0%
85.1	-	2	0.1%
85.3	-	1	0.0%
85.4	-	2	0.1%
85.5	-	1	0.0%
85.8	-	4	0.2%
86.0	-	4	0.2%
86.1	-	2	0.1%
86.2	-	4	0.2%
86.3	-	3	0.1%
86.4	-	1	0.0%
86.5	-	1	0.0%

Value	Label	Unweighted Frequency	%
86.6	-	1	0.0%
86.8	-	2	0.1%
86.9	-	1	0.0%
87.0	-	3	0.1%
87.1	-	1	0.0%
87.2	-	3	0.1%
87.3	-	2	0.1%
87.4	-	2	0.1%
87.5	-	5	0.2%
87.6	-	1	0.0%
87.7	-	3	0.1%
87.8	-	4	0.2%
88.0	-	5	0.2%
88.1	-	1	0.0%
88.2	-	1	0.0%
88.3	-	2	0.1%
88.4	-	3	0.1%
88.5	-	4	0.2%
88.6	-	1	0.0%
88.7	-	2	0.1%
	Total	**2,149**	**87.8%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	299	12.2%
	Total	**299**	**12.2%**

This variable has 2,149 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 107.92
- Minimum: 73.50
- Maximum: 180.00
- Standard Deviation: 15.10

Location: 3267-3271 (width: 5; decimal: 1)
Variable Type: numeric

HIPMEAS6: Hip measurement taken in

Hip Measurement taken in:

Value	Label	Unweighted Frequency	%
1	1: Undergarments	1489	60.8%
2	2: Light clothing	661	27.0%
	Total	**2,150**	**87.8%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	298	12.2%
	Total	**298**	**12.2%**

This variable has 2,150 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3272-3273 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLGPHYV6: Abbreviated or full physical measures

Abbreviated or Full Physical Measures

Value	Label	Unweighted Frequency	%
	-	144	5.9%
AIN	-	105	4.3%
PAT	-	32	1.3%
PHY	-	2167	88.5%
	Total	**2,448**	**100.0%**

This variable has 2,448 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 3274-3276 (width: 3; decimal: 0)
Variable Type: character

BMI6: Body Mass Index (BMI)

BMI is calculated as weight in kilograms divided by the square of height in meters

Value	Label	Unweighted Frequency	%
16.288374248994	-	1	0.0%
16.410756417328	-	1	0.0%
16.804353065196	-	1	0.0%
16.914130037098	-	1	0.0%
17.081880461001	-	1	0.0%
17.126841165802	-	1	0.0%
17.279208978141	-	1	0.0%
17.300471788541	-	1	0.0%
17.333394436666	-	1	0.0%
17.509797263635	-	1	0.0%
17.621597433555	-	1	0.0%
17.625019849960	-	1	0.0%
17.633228114330	-	1	0.0%
17.674855505181	-	1	0.0%
17.851272183884	-	1	0.0%
17.864717714654	-	1	0.0%
17.892626420138	-	1	0.0%
17.913057751067	-	1	0.0%
17.928269102250	-	1	0.0%
17.971257943221	-	1	0.0%
18.139644970414	-	1	0.0%
18.167525548083	-	1	0.0%
18.229085526643	-	1	0.0%
18.284640626028	-	1	0.0%
18.372976455744	-	1	0.0%
18.396775153532	-	1	0.0%
18.399895102734	-	1	0.0%
18.424629411250	-	1	0.0%
18.458483644529	-	1	0.0%
18.494822027795	-	1	0.0%
18.533722184100	-	1	0.0%
18.594961614135	-	1	0.0%
18.612816562131	-	1	0.0%
18.670147541632	-	1	0.0%
18.753231829934	-	1	0.0%

Value	Label	Unweighted Frequency	%
18.781286461666	-	1	0.0%
18.785810451173	-	1	0.0%
18.788769765858	-	1	0.0%
18.795520400971	-	1	0.0%
18.800132894867	-	1	0.0%
18.812834584185	-	1	0.0%
18.826861654753	-	1	0.0%
18.827538077650	-	1	0.0%
18.842789104991	-	1	0.0%
18.886142028032	-	1	0.0%
18.907479925636	-	1	0.0%
19.012480551008	-	1	0.0%
19.025875190259	-	1	0.0%
19.088002508709	-	1	0.0%
19.124423715575	-	1	0.0%
	Total	**2,141**	**87.5%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	307	12.5%
	Total	**307**	**12.5%**

This variable has 2,141 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 28.909887066551
- Minimum: 16.288374248994
- Maximum: 64.857033759350
- Standard Deviation: 7.352127859737

Location: 3277-3291 (width: 15; decimal: 12)
Variable Type: numeric

COGDAY6: Cognitive function day

Cognitive Function Day

Value	Label	Unweighted Frequency	%
2041	-	1	0.0%
2085	-	1	0.0%

Value	Label	Unweighted Frequency	%
2107	-	3	0.1%
2114	-	1	0.0%
2116	-	2	0.1%
2119	-	1	0.0%
2120	-	1	0.0%
2123	-	2	0.1%
2127	-	1	0.0%
2128	-	2	0.1%
2129	-	1	0.0%
2132	-	2	0.1%
2133	-	3	0.1%
2135	-	5	0.2%
2136	-	2	0.1%
2137	-	3	0.1%
2138	-	1	0.0%
2140	-	2	0.1%
2141	-	4	0.2%
2142	-	7	0.3%
2143	-	3	0.1%
2144	-	5	0.2%
2145	-	4	0.2%
2146	-	10	0.4%
2147	-	16	0.7%
2148	-	13	0.5%
2149	-	34	1.4%
2150	-	17	0.7%
2151	-	11	0.4%
2152	-	9	0.4%
2153	-	13	0.5%
2154	-	15	0.6%
2155	-	15	0.6%
2156	-	33	1.3%
2157	-	23	0.9%
2158	-	16	0.7%
2159	-	9	0.4%

Value	Label	Unweighted Frequency	%
2160	-	14	0.6%
2161	-	22	0.9%
2162	-	23	0.9%
2163	-	34	1.4%
2164	-	8	0.3%
2165	-	9	0.4%
2166	-	16	0.7%
2167	-	11	0.4%
2168	-	15	0.6%
2169	-	11	0.4%
2170	-	32	1.3%
2171	-	18	0.7%
2172	-	14	0.6%
	Total	**2,111**	**86.2%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	337	13.8%
	Total	**337**	**13.8%**

This variable has 2,111 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 2218.78
- Minimum: 2041.00
- Maximum: 2684.00
- Standard Deviation: 66.10

Location: 3292-3295 (width: 4; decimal: 0)
Variable Type: numeric

LANGCOG6: Language of cognitive function

Language of Cognitive Function

Value	Label	Unweighted Frequency	%
1	1: English	1924	78.6%
2	2: Spanish	23	0.9%
3	3: Cantonese	77	3.1%
4	4: Japanese	87	3.6%

Value	Label	Unweighted Frequency	%
	Total	**2,111**	**86.2%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	337	13.8%
	Total	**337**	**13.8%**

This variable has 2,111 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3296-3297 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDTHR6: East Boston Memory Test (EBMT) Immediate Recall: Three

Now I would like to ask you to try to remember a short story. First, I'm going to read you a short story and when I'm through, I'm going to wait a few seconds and then ask you to tell me as much as you can remember. The story is: Three children were alone at home and the house caught on fire. A brave fireman managed to climb in a back window and carry them to safety. Aside from minor cuts and bruises, all were well. Please tell me the story. Is the following idea present: Three

Value	Label	Unweighted Frequency	%
0	0: Absent	41	1.7%
1	1: Present	2064	84.3%
	Total	**2,105**	**86.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	343	14.0%
	Total	**343**	**14.0%**

This variable has 2,105 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3298-3299 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDCH16: East Boston Memory Test (EBMT) Immediate Recall: Children (1)

Is the following idea present: Children

Value	Label	Unweighted Frequency	%
0	0: Absent	28	1.1%
1	1: Present	2077	84.8%
	Total	**2,105**	**86.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	343	14.0%
	Total	**343**	**14.0%**

This variable has 2,105 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3300-3301 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDHOU6: East Boston Memory Test (EBMT) Immediate Recall: House

Is the following idea present: House

Value	Label	Unweighted Frequency	%
0	0: Absent	220	9.0%
1	1: Present	1885	77.0%
	Total	**2,105**	**86.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	343	14.0%
	Total	**343**	**14.0%**

This variable has 2,105 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 0.00
- Maximum: 1.00

Location: 3302-3303 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDFIR6: East Boston Memory Test (EBMT) Immediate Recall: On Fire

Is the following idea present: On Fire

Value	Label	Unweighted Frequency	%
0	0: Absent	108	4.4%
1	1: Present	1997	81.6%
	Total	**2,105**	**86.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	343	14.0%
	Total	**343**	**14.0%**

This variable has 2,105 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 0.00
- Maximum: 1.00

Location: 3304-3305 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDFMN6: East Boston Memory Test (EBMT) Immediate Recall: Fireman

Is the following idea present: Fireman

Value	Label	Unweighted Frequency	%
0	0: Absent	45	1.8%
1	1: Present	2060	84.2%
	Total	**2,105**	**86.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	343	14.0%
	Total	**343**	**14.0%**

This variable has 2,105 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3306-3307 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDCLM6: East Boston Memory Test (EBMT) Immediate Recall: Climb In

Is the following idea present: Climb In

Value	Label	Unweighted Frequency	%
0	0: Absent	383	15.6%
1	1: Present	1722	70.3%
	Total	**2,105**	**86.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	343	14.0%
	Total	**343**	**14.0%**

This variable has 2,105 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3308-3309 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDCH26: East Boston Memory Test (EBMT) Immediate Recall: Children (2)

Is the following idea present: Children

Value	Label	Unweighted Frequency	%
0	0: Absent	277	11.3%
1	1: Present	1828	74.7%
	Total	**2,105**	**86.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	343	14.0%
	Total	**343**	**14.0%**

This variable has 2,105 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3310-3311 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDRES6: East Boston Memory Test (EBMT) Immediate Recall: Rescued

Is the following idea present: Rescued

Value	Label	Unweighted Frequency	%
0	0: Absent	190	7.8%
1	1: Present	1915	78.2%
	Total	**2,105**	**86.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	343	14.0%
	Total	**343**	**14.0%**

This variable has 2,105 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3312-3313 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDMIN6: East Boston Memory Test (EBMT) Immediate Recall: Minor

Is the following idea present: Minor

Value	Label	Unweighted Frequency	%
0	0: Absent	469	19.2%
1	1: Present	1636	66.8%
	Total	**2,105**	**86.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	343	14.0%
	Total	**343**	**14.0%**

This variable has 2,105 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3314-3315 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDINJ6: East Boston Memory Test (EBMT) Immediate Recall: Injuries

Is the following idea present: Injuries

Value	Label	Unweighted Frequency	%
0	0: Absent	443	18.1%
1	1: Present	1662	67.9%
	Total	**2,105**	**86.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	343	14.0%
	Total	**343**	**14.0%**

This variable has 2,105 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3316-3317 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDEVR6: East Boston Memory Test (EBMT) Immediate Recall: Everyone

Is the following idea present: Everyone

Value	Label	Unweighted Frequency	%
0	0: Absent	832	34.0%
1	1: Present	1273	52.0%
	Total	**2,105**	**86.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	343	14.0%

Value	Missing Data	Unweighted Frequency	%
	Total	**343**	**14.0%**

This variable has 2,105 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3318-3319 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDWEL6: East Boston Memory Test (EBMT) Immediate Recall: Well

Is the following idea present: Well

Value	Label	Unweighted Frequency	%
0	0: Absent	740	30.2%
1	1: Present	1365	55.8%
	Total	**2,105**	**86.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	343	14.0%
	Total	**343**	**14.0%**

This variable has 2,105 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3320-3321 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TOTIDE16: East Boston Memory Test (EBMT) Immediate Recall: Total Ideas

Total idea present

Value	Label	Unweighted Frequency	%
2	-	2	0.1%

Value	Label	Unweighted Frequency	%
3	-	7	0.3%
4	-	6	0.2%
5	-	20	0.8%
6	-	41	1.7%
7	-	92	3.8%
8	-	222	9.1%
9	-	223	9.1%
10	-	488	19.9%
11	-	266	10.9%
12	-	738	30.1%
	Total	**2,105**	**86.0%**

Value	Missing Data	Unweighted Frequency	%
.	-	343	14.0%
	Total	**343**	**14.0%**

This variable has 2,105 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 10.21
- Median: 10.00
- Mode: 12.00
- Minimum: 2.00
- Maximum: 12.00
- Standard Deviation: 1.81

Location: 3322-3323 (width: 2; decimal: 0)
Variable Type: numeric

SDMTSTA6: Symbol Digit Modalities Test (SDMT): Administration Status

SDMT: Administration Status

Value	Label	Unweighted Frequency	%
1	1: Test administered	2089	85.3%
6	6: Not administered because of physical impairment	4	0.2%
7	7: Not administered because of verbal refusal	8	0.3%
8	8: Not administered because of behavioral reason	0	0.0%
9	9: Not administered because of other reason	4	0.2%
10	10: Administered but not according to protocol	6	0.2%
	Total	**2,111**	**86.2%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	337	13.8%
	Total	**337**	**13.8%**

This variable has 2,111 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 10.00

Location: 3324-3325 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SDMTADM6: Symbol Digit Modalities Test (SDMT): Number of Test Administrations

SDMT: # of Test Administrations

Value	Label	Unweighted Frequency	%
1	-	2085	85.2%
2	-	10	0.4%
	Total	**2,095**	**85.6%**

Value	Missing Data	Unweighted Frequency	%
.	-	353	14.4%
	Total	**353**	**14.4%**

This variable has 2,095 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.07

Location: 3326-3326 (width: 1; decimal: 0)
Variable Type: numeric

SDMTPRA6: Symbol Digit Modalities Test (SDMT): Number of Practice Items Correct

SDMT: # of Practice Items Correct

Value	Label	Unweighted Frequency	%
0	-	1	0.0%
1	-	3	0.1%
2	-	1	0.0%
4	-	1	0.0%
5	-	12	0.5%
6	-	99	4.0%
7	-	1977	80.8%
	Total	**2,094**	**85.5%**

Value	Missing Data	Unweighted Frequency	%
.	-	354	14.5%
	Total	**354**	**14.5%**

This variable has 2,094 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 6.93
- Median: 7.00
- Mode: 7.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.39

Location: 3327-3327 (width: 1; decimal: 0)
Variable Type: numeric

SDMTATM6: Symbol Digit Modalities Test (SDMT): Number of Test Items Attempted

SDMT: # of Test Items Attempted

Value	Label	Unweighted Frequency	%
1	-	1	0.0%
10	-	1	0.0%
16	-	2	0.1%
20	-	2	0.1%
21	-	4	0.2%
22	-	3	0.1%
23	-	3	0.1%
24	-	3	0.1%
26	-	5	0.2%
27	-	2	0.1%

Value	Label	Unweighted Frequency	%
28	-	4	0.2%
29	-	2	0.1%
30	-	7	0.3%
31	-	3	0.1%
32	-	3	0.1%
33	-	8	0.3%
34	-	3	0.1%
35	-	9	0.4%
36	-	8	0.3%
37	-	10	0.4%
38	-	10	0.4%
39	-	10	0.4%
40	-	14	0.6%
41	-	13	0.5%
42	-	21	0.9%
43	-	17	0.7%
44	-	18	0.7%
45	-	30	1.2%
46	-	28	1.1%
47	-	42	1.7%
48	-	40	1.6%
49	-	37	1.5%
50	-	105	4.3%
51	-	98	4.0%
52	-	79	3.2%
53	-	79	3.2%
54	-	58	2.4%
55	-	64	2.6%
56	-	83	3.4%
57	-	110	4.5%
58	-	89	3.6%
59	-	80	3.3%
60	-	67	2.7%
61	-	86	3.5%
62	-	45	1.8%

Value	Label	Unweighted Frequency	%
63	-	86	3.5%
64	-	41	1.7%
65	-	125	5.1%
66	-	72	2.9%
67	-	52	2.1%
	Total	**2,095**	**85.6%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	353	14.4%
	Total	**353**	**14.4%**

This variable has 2,095 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 57.41
- Median: 58.00
- Mode: 65.00
- Minimum: 1.00
- Maximum: 93.00
- Standard Deviation: 10.50

Location: 3328-3329 (width: 2; decimal: 0)
Variable Type: numeric

SDMTCOR6: Symbol Digit Modalities Test (SDMT): Number of Test Items Correct

SDMT: # of Test Items Correct

Value	Label	Unweighted Frequency	%
0	-	1	0.0%
3	-	1	0.0%
7	-	1	0.0%
9	-	1	0.0%
10	-	3	0.1%
15	-	2	0.1%
16	-	1	0.0%
17	-	3	0.1%
18	-	1	0.0%
19	-	2	0.1%
20	-	3	0.1%

Value	Label	Unweighted Frequency	%
21	-	5	0.2%
22	-	1	0.0%
23	-	5	0.2%
24	-	5	0.2%
25	-	7	0.3%
26	-	1	0.0%
27	-	11	0.4%
28	-	1	0.0%
29	-	5	0.2%
30	-	6	0.2%
31	-	3	0.1%
32	-	7	0.3%
33	-	6	0.2%
34	-	7	0.3%
35	-	13	0.5%
36	-	10	0.4%
37	-	8	0.3%
38	-	15	0.6%
39	-	18	0.7%
40	-	19	0.8%
41	-	16	0.7%
42	-	11	0.4%
43	-	19	0.8%
44	-	19	0.8%
45	-	40	1.6%
46	-	35	1.4%
47	-	36	1.5%
48	-	53	2.2%
49	-	61	2.5%
50	-	109	4.5%
51	-	89	3.6%
52	-	79	3.2%
53	-	60	2.5%
54	-	56	2.3%
55	-	68	2.8%

Value	Label	Unweighted Frequency	%
56	-	84	3.4%
57	-	94	3.8%
58	-	82	3.3%
59	-	83	3.4%
	Total	**2,095**	**85.6%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	353	14.4%
	Total	**353**	**14.4%**

This variable has 2,095 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 56.18
- Median: 57.00
- Mode: 50.00
- Minimum: 0.00
- Maximum: 93.00
- Standard Deviation: 11.40

Location: 3330-3331 (width: 2; decimal: 0)
Variable Type: numeric

DIGIT1A6: Digits Backward: Item 1A

I am going to say some numbers. When I stop, I want you to say them backwards. Ready? 5 - 1

Value	Label	Unweighted Frequency	%
0	0: Error	1	0.0%
1	1: Correct	2093	85.5%
6	6: Not administered because of physical impairment	0	0.0%
7	7: Not administered because of verbal refusal	15	0.6%
8	8: Not administered because of behavioral reason	0	0.0%
9	9: Not administered because of other reason	2	0.1%
10	10: Administered but not according to protocol	0	0.0%
	Total	**2,111**	**86.2%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	337	13.8%
	Total	**337**	**13.8%**

This variable has 2,111 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 0.00
- Maximum: 9.00

Location: 3332-3333 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIGIT1B6: Digits Backward: Item 1B

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 3 - 8

Value	Label	Unweighted Frequency	%
0	0: Error	6	0.2%
1	1: Correct	2088	85.3%
6	6: Not administered because of physical impairment	0	0.0%
7	7: Not administered because of verbal refusal	15	0.6%
8	8: Not administered because of behavioral reason	0	0.0%
9	9: Not administered because of other reason	2	0.1%
10	10: Administered but not according to protocol	0	0.0%
	Total	**2,111**	**86.2%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	337	13.8%
	Total	**337**	**13.8%**

This variable has 2,111 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 0.00
- Maximum: 9.00

Location: 3334-3335 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIGIT2A6: Digits Backward: Item 2A

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 4 - 9 - 3

Value	Label	Unweighted Frequency	%
0	0: Error	139	5.7%
1	1: Correct	1955	79.9%
6	6: Not administered because of physical impairment	0	0.0%
7	7: Not administered because of verbal refusal	15	0.6%
8	8: Not administered because of behavioral reason	0	0.0%
9	9: Not administered because of other reason	2	0.1%
10	10: Administered but not according to protocol	0	0.0%
	Total	**2,111**	**86.2%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	337	13.8%
	Total	**337**	**13.8%**

This variable has 2,111 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 0.00
- Maximum: 9.00

Location: 3336-3337 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIGIT2B6: Digits Backward: Item 2B

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 5 - 2 - 6

Value	Label	Unweighted Frequency	%
0	0: Error	319	13.0%
1	1: Correct	1774	72.5%
6	6: Not administered because of physical impairment	1	0.0%

Value	Label	Unweighted Frequency	%
7	7: Not administered because of verbal refusal	15	0.6%
8	8: Not administered because of behavioral reason	0	0.0%
9	9: Not administered because of other reason	2	0.1%
10	10: Administered but not according to protocol	0	0.0%
	Total	**2,111**	**86.2%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	337	13.8%
	Total	**337**	**13.8%**

This variable has 2,111 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 3338-3339 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIGIT3A6: Digits Backward: Item 3A

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 3 - 8 - 1 - 4

Value	Label	Unweighted Frequency	%
0	0: Error	438	17.9%
1	1: Correct	1613	65.9%
6	6: Not administered because of physical impairment	1	0.0%
7	7: Not administered because of verbal refusal	16	0.7%
8	8: Not administered because of behavioral reason	0	0.0%
9	9: Not administered because of other reason	2	0.1%
10	10: Administered but not according to protocol	0	0.0%
	Total	**2,070**	**84.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	378	15.4%
	Total	**378**	**15.4%**

This variable has 2,070 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 0.00
- Maximum: 9.00

Location: 3340-3341 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIGIT3B6: Digits Backward: Item 3B

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 1 - 7 - 9 - 5

Value	Label	Unweighted Frequency	%
0	0: Error	506	20.7%
1	1: Correct	1543	63.0%
6	6: Not administered because of physical impairment	1	0.0%
7	7: Not administered because of verbal refusal	18	0.7%
8	8: Not administered because of behavioral reason	0	0.0%
9	9: Not administered because of other reason	2	0.1%
10	10: Administered but not according to protocol	0	0.0%
	Total	**2,070**	**84.6%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	378	15.4%
	Total	**378**	**15.4%**

This variable has 2,070 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 0.00
- Maximum: 9.00

Location: 3342-3343 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIGIT4A6: Digits Backward: Item 4A

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 6 - 2 - 9 - 7 - 2

Value	Label	Unweighted Frequency	%
0	0: Error	1169	47.8%
1	1: Correct	667	27.2%
6	6: Not administered because of physical impairment	1	0.0%
7	7: Not administered because of verbal refusal	24	1.0%
8	8: Not administered because of behavioral reason	0	0.0%
9	9: Not administered because of other reason	2	0.1%
10	10: Administered but not according to protocol	0	0.0%
	Total	**1,863**	**76.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	585	23.9%
	Total	**585**	**23.9%**

This variable has 1,863 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 0.00
- Maximum: 9.00

Location: 3344-3345 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIGIT4B6: Digits Backward: Item 4B

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 4 - 8 - 5 - 2 - 7

Value	Label	Unweighted Frequency	%
0	0: Error	904	36.9%
1	1: Correct	924	37.7%
6	6: Not administered because of physical impairment	1	0.0%

Value	Label	Unweighted Frequency	%
7	7: Not administered because of verbal refusal	28	1.1%
8	8: Not administered because of behavioral reason	0	0.0%
9	9: Not administered because of other reason	6	0.2%
10	10: Administered but not according to protocol	0	0.0%
	Total	**1,863**	**76.1%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	585	23.9%
	Total	**585**	**23.9%**

This variable has 1,863 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 3346-3347 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIGIT5A6: Digits Backward: Item 5A

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 7 - 1 - 5 - 2 - 8 - 6

Value	Label	Unweighted Frequency	%
0	0: Error	643	26.3%
1	1: Correct	447	18.3%
6	6: Not administered because of physical impairment	1	0.0%
7	7: Not administered because of verbal refusal	29	1.2%
8	8: Not administered because of behavioral reason	1	0.0%
9	9: Not administered because of other reason	6	0.2%
10	10: Administered but not according to protocol	0	0.0%
	Total	**1,127**	**46.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	1321	54.0%
	Total	**1,321**	**54.0%**

This variable has 1,127 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 0.00
- Maximum: 9.00

Location: 3348-3349 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIGIT5B6: Digits Backward: Item 5B

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 8 - 3 - 1 - 9 - 6 - 4

Value	Label	Unweighted Frequency	%
0	0: Error	592	24.2%
1	1: Correct	493	20.1%
6	6: Not administered because of physical impairment	1	0.0%
7	7: Not administered because of verbal refusal	34	1.4%
8	8: Not administered because of behavioral reason	0	0.0%
9	9: Not administered because of other reason	7	0.3%
10	10: Administered but not according to protocol	0	0.0%
	Total	**1,127**	**46.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	1321	54.0%
	Total	**1,321**	**54.0%**

This variable has 1,127 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 0.00
- Maximum: 9.00

Location: 3350-3351 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIGIT6A6: Digits Backward: Item 6A

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 4 - 7 - 3 - 9 - 1 - 2 - 8

Value	Label	Unweighted Frequency	%
0	0: Error	380	15.5%
1	1: Correct	273	11.2%
6	6: Not administered because of physical impairment	1	0.0%
7	7: Not administered because of verbal refusal	37	1.5%
8	8: Not administered because of behavioral reason	0	0.0%
9	9: Not administered because of other reason	7	0.3%
10	10: Administered but not according to protocol	0	0.0%
	Total	**698**	**28.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	1750	71.5%
	Total	**1,750**	**71.5%**

This variable has 698 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 3352-3353 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIGIT6B6: Digits Backward: Item 6B

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 8 - 1 - 2 - 9 - 3 - 6 - 3

Value	Label	Unweighted Frequency	%
0	0: Error	391	16.0%
1	1: Correct	255	10.4%

Value	Label	Unweighted Frequency	%
6	6: Not administered because of physical impairment	1	0.0%
7	7: Not administered because of verbal refusal	42	1.7%
8	8: Not administered because of behavioral reason	0	0.0%
9	9: Not administered because of other reason	8	0.3%
10	10: Administered but not according to protocol	0	0.0%
	Total	**697**	**28.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	1751	71.5%
	Total	**1,751**	**71.5%**

This variable has 697 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 3354-3355 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIGTOT6: DIGITS BACKWARD TOTAL SCORE

DIGITS BACKWARD TOTAL SCORE

Value	Label	Unweighted Frequency	%
2	-	42	1.7%
3	-	87	3.6%
4	-	197	8.0%
5	-	366	15.0%
6	-	422	17.2%
7	-	250	10.2%
8	-	210	8.6%
9	-	138	5.6%
10	-	149	6.1%
11	-	124	5.1%

Value	Label	Unweighted Frequency	%
12	-	73	3.0%
	Total	**2,058**	**84.1%**

Value	Missing Data	Unweighted Frequency	%
.	-	390	15.9%
	Total	**390**	**15.9%**

This variable has 2,058 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 6.75
- Median: 6.00
- Mode: 6.00
- Minimum: 2.00
- Maximum: 12.00
- Standard Deviation: 2.40

Location: 3356-3357 (width: 2; decimal: 0)
Variable Type: numeric

DLAYTHR6: East Boston Memory Test (EBMT) Delayed Recall: Three

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: Three

Value	Label	Unweighted Frequency	%
0	0: Absent	72	2.9%
1	1: Present	2033	83.0%
	Total	**2,105**	**86.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	343	14.0%
	Total	**343**	**14.0%**

This variable has 2,105 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3358-3359 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DLAYCH16: East Boston Memory Test (EBMT) Delayed Recall: Children (1)

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: Children

Value	Label	Unweighted Frequency	%
0	0: Absent	35	1.4%
1	1: Present	2070	84.6%
	Total	**2,105**	**86.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	343	14.0%
	Total	**343**	**14.0%**

This variable has 2,105 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3360-3361 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DLAYHOU6: East Boston Memory Test (EBMT) Delayed Recall: House

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: House

Value	Label	Unweighted Frequency	%
0	0: Absent	246	10.0%
1	1: Present	1859	75.9%
	Total	**2,105**	**86.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	343	14.0%
	Total	**343**	**14.0%**

This variable has 2,105 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3362-3363 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DLAYFIR6: East Boston Memory Test (EBMT) Delayed Recall: On Fire

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: On Fire

Value	Label	Unweighted Frequency	%
0	0: Absent	127	5.2%
1	1: Present	1978	80.8%
	Total	**2,105**	**86.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	343	14.0%
	Total	**343**	**14.0%**

This variable has 2,105 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3364-3365 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DLAYFMN6: East Boston Memory Test (EBMT) Delayed Recall: Fireman

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: Fireman

Value	Label	Unweighted Frequency	%
0	0: Absent	52	2.1%
1	1: Present	2053	83.9%
	Total	**2,105**	**86.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	343	14.0%
	Total	**343**	**14.0%**

This variable has 2,105 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3366-3367 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DLAYCLM6: East Boston Memory Test (EBMT) Delayed Recall: Climb In

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: Climb In

Value	Label	Unweighted Frequency	%
0	0: Absent	384	15.7%
1	1: Present	1721	70.3%
	Total	**2,105**	**86.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	-1: N/A	0	0.0%
.	-	343	14.0%
	Total	**343**	**14.0%**

This variable has 2,105 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3368-3369 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DLAYCH26: East Boston Memory Test (EBMT) Delayed Recall: Children (2)

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: Children

Value	Label	Unweighted Frequency	%
0	0: Absent	260	10.6%
1	1: Present	1845	75.4%
	Total	**2,105**	**86.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	343	14.0%
	Total	**343**	**14.0%**

This variable has 2,105 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3370-3371 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DLAYRES6: East Boston Memory Test (EBMT) Delayed Recall: Rescued

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: Rescued

Value	Label	Unweighted Frequency	%
0	0: Absent	168	6.9%
1	1: Present	1937	79.1%
	Total	**2,105**	**86.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	343	14.0%
	Total	**343**	**14.0%**

This variable has 2,105 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3372-3373 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DLAYMIN6: East Boston Memory Test (EBMT) Delayed Recall: Minor

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: Minor

Value	Label	Unweighted Frequency	%
0	0: Absent	493	20.1%
1	1: Present	1612	65.8%
	Total	**2,105**	**86.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	343	14.0%
	Total	**343**	**14.0%**

This variable has 2,105 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3374-3375 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DLAYINJ6: East Boston Memory Test (EBMT) Delayed Recall: Injuries

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: Injuries

Value	Label	Unweighted Frequency	%
0	0: Absent	468	19.1%
1	1: Present	1637	66.9%
	Total	**2,105**	**86.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	343	14.0%
	Total	**343**	**14.0%**

This variable has 2,105 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3376-3377 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DLAYEVR6: East Boston Memory Test (EBMT) Delayed Recall: Everyone

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: Everyone

Value	Label	Unweighted Frequency	%
0	0: Absent	974	39.8%
1	1: Present	1131	46.2%
	Total	**2,105**	**86.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	343	14.0%
	Total	**343**	**14.0%**

This variable has 2,105 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3378-3379 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DLAYWEL6: East Boston Memory Test (EBMT) Delayed Recall: Well

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: Well

Value	Label	Unweighted Frequency	%
0	0: Absent	894	36.5%
1	1: Present	1211	49.5%
	Total	**2,105**	**86.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	343	14.0%
	Total	**343**	**14.0%**

This variable has 2,105 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3380-3381 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TOTIDE26: East Boston Memory Test (EBMT) Delayed Recall: Total Ideas

Total ideas present

Value	Label	Unweighted Frequency	%
0	-	3	0.1%
1	-	1	0.0%
2	-	3	0.1%
3	-	3	0.1%
4	-	8	0.3%
5	-	28	1.1%
6	-	50	2.0%
7	-	117	4.8%
8	-	243	9.9%
9	-	214	8.7%
10	-	522	21.3%
11	-	266	10.9%
12	-	647	26.4%
	Total	**2,105**	**86.0%**

Value	Missing Data	Unweighted Frequency	%
.	-	343	14.0%
	Total	**343**	**14.0%**

This variable has 2,105 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 10.02
- Median: 10.00
- Mode: 12.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 1.90

Location: 3382-3383 (width: 2; decimal: 0)
Variable Type: numeric

FLGCOGV6: Collected after V6 cutoff (02/15/2004)

Collected after V6 cutoff (02/15/2004)

Value	Label	Unweighted Frequency	%
0	0: No	2110	86.2%

Value	Label	Unweighted Frequency	%
1	1: Yes	1	0.0%
	Total	**2,111**	**86.2%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	337	13.8%
	Total	**337**	**13.8%**

This variable has 2,111 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3384-3385 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BIODAY6: Bioimpedance day

Bioimpedance Day

Value	Label	Unweighted Frequency	%
2041	-	1	0.0%
2045	-	1	0.0%
2095	-	1	0.0%
2107	-	2	0.1%
2109	-	1	0.0%
2116	-	1	0.0%
2118	-	1	0.0%
2119	-	1	0.0%
2120	-	1	0.0%
2122	-	1	0.0%
2123	-	2	0.1%
2128	-	3	0.1%
2129	-	1	0.0%
2132	-	2	0.1%

Value	Label	Unweighted Frequency	%
2133	-	3	0.1%
2135	-	5	0.2%
2137	-	4	0.2%
2138	-	1	0.0%
2140	-	2	0.1%
2141	-	4	0.2%
2142	-	6	0.2%
2143	-	1	0.0%
2144	-	5	0.2%
2145	-	3	0.1%
2146	-	11	0.4%
2147	-	14	0.6%
2148	-	13	0.5%
2149	-	32	1.3%
2150	-	15	0.6%
2151	-	9	0.4%
2152	-	7	0.3%
2153	-	10	0.4%
2154	-	15	0.6%
2155	-	8	0.3%
2156	-	29	1.2%
2157	-	22	0.9%
2158	-	16	0.7%
2159	-	8	0.3%
2160	-	10	0.4%
2161	-	23	0.9%
2162	-	20	0.8%
2163	-	29	1.2%
2164	-	7	0.3%
2165	-	6	0.2%
2166	-	15	0.6%
2167	-	9	0.4%
2168	-	11	0.4%
2169	-	9	0.4%
2170	-	25	1.0%

Value	Label	Unweighted Frequency	%
2171	-	13	0.5%
	Total	**2,103**	**85.9%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	345	14.1%
	Total	**345**	**14.1%**

This variable has 2,103 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 2227.68
- Minimum: 2041.00
- Maximum: 2684.00
- Standard Deviation: 71.29

Location: 3386-3389 (width: 4; decimal: 0)
Variable Type: numeric

LANGBIO6: Language of Bioimpedance

Language of Bioimpedance

Value	Label	Unweighted Frequency	%
1	1: English	1952	79.7%
2	2: Spanish	23	0.9%
3	3: Cantonese	66	2.7%
4	4: Japanese	62	2.5%
	Total	**2,103**	**85.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	345	14.1%
	Total	**345**	**14.1%**

This variable has 2,103 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00

- Maximum: 4.00

Location: 3390-3391 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

AICDPUM6: Insulin pump, pacemaker or card defibrillator

Do you have an insulin pump, pacemaker or automatic implantable cardiac defibrillator (AICD)?

Value	Label	Unweighted Frequency	%
1	1: No	2099	85.7%
2	2: Yes	4	0.2%
	Total	**2,103**	**85.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	345	14.1%
	Total	**345**	**14.1%**

This variable has 2,103 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3392-3393 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXER12H6: Exercise/sauna within last 12 hours

Have you exercised intensely for at least half an hour or taken a sauna within the last 12 hours? That is, since (time) a.m. / p.m.?

Value	Label	Unweighted Frequency	%
1	1: No	1971	80.5%
2	2: Yes	121	4.9%
	Total	**2,092**	**85.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	1	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	6	0.2%
-1	-1: N/A	4	0.2%
.	-	345	14.1%
	Total	**356**	**14.5%**

This variable has 2,092 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3394-3395 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EAT5HR6: Eat/drink in last 5 hours

Have you had anything to eat or drink, apart from water, in the last 5 hours? That is, since (time) a.m. / p.m.?

Value	Label	Unweighted Frequency	%
1	1: No	421	17.2%
2	2: Yes	1672	68.3%
	Total	**2,093**	**85.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	1	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	5	0.2%
-1	-1: N/A	4	0.2%
.	-	345	14.1%
	Total	**355**	**14.5%**

This variable has 2,093 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3396-3397 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ALCO24H6: More than 2 alcoholic drinks last 24 hours

Have you had more than 2 alcohol drinks in the last 24 hours? That is, since (time) a.m. / p.m.?

Value	Label	Unweighted Frequency	%
1	1: No	1983	81.0%
2	2: Yes	109	4.5%
	Total	**2,092**	**85.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	1	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	6	0.2%
-1	-1: N/A	4	0.2%
.	-	345	14.1%
	Total	**356**	**14.5%**

This variable has 2,092 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3398-3399 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

METJEWL6: Metal jewelry during measurement

Did participant wear any metal jewelry during measurement?

Value	Label	Unweighted Frequency	%
1	1: No	1967	80.4%
2	2: Yes	66	2.7%
	Total	**2,033**	**83.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	70	2.9%
.	-	345	14.1%
	Total	**415**	**17.0%**

This variable has 2,033 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3400-3401 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COMPBIA6: Was bioimpedance measurement completed

Was bioimpedance measurement completed?

Value	Label	Unweighted Frequency	%
1	1: No	35	1.4%
2	2: Yes	2033	83.0%
	Total	**2,068**	**84.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	31	1.3%
-1	-1: N/A	4	0.2%
.	-	345	14.1%
	Total	**380**	**15.5%**

This variable has 2,068 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3402-3403 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SIDE6: Which side of body electrodes placed

On which side of the body were the electrodes placed?

Value	Label	Unweighted Frequency	%
1	1: Right	936	38.2%
2	2: Left	1097	44.8%
	Total	**2,033**	**83.0%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	70	2.9%
.	-	345	14.1%
	Total	**415**	**17.0%**

This variable has 2,033 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3404-3405 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CONDRAW6: Raw conductance/resistance value (ohms)

Record the conductance/resistance value that appears on the impedance meter:

Value	Label	Unweighted Frequency	%
15	-	1	0.0%
46	-	1	0.0%
57	-	1	0.0%
62	-	1	0.0%
64	-	1	0.0%
65	-	1	0.0%
84	-	1	0.0%
300	-	1	0.0%
317	-	1	0.0%
318	-	1	0.0%
325	-	2	0.1%
333	-	1	0.0%
337	-	1	0.0%
341	-	1	0.0%
343	-	1	0.0%
353	-	1	0.0%
354	-	1	0.0%
356	-	2	0.1%

Value	Label	Unweighted Frequency	%
359	-	2	0.1%
360	-	1	0.0%
367	-	1	0.0%
372	-	2	0.1%
373	-	1	0.0%
377	-	1	0.0%
379	-	1	0.0%
381	-	1	0.0%
382	-	1	0.0%
384	-	1	0.0%
386	-	1	0.0%
389	-	3	0.1%
390	-	2	0.1%
393	-	1	0.0%
394	-	2	0.1%
395	-	2	0.1%
396	-	2	0.1%
397	-	1	0.0%
398	-	2	0.1%
399	-	1	0.0%
404	-	4	0.2%
405	-	1	0.0%
406	-	4	0.2%
407	-	2	0.1%
408	-	1	0.0%
409	-	2	0.1%
410	-	2	0.1%
411	-	3	0.1%
412	-	2	0.1%
413	-	1	0.0%
414	-	2	0.1%
416	-	1	0.0%
	Total	**2,026**	**82.8%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-9999	-9999: Missing conductance/impedance	0	0.0%
-2222	-2222: Invalid conductance/impedance	1	0.0%
-1111	-1111: Not applicable conductance/impedance	70	2.9%
-46	-	1	0.0%
-29	-	1	0.0%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	349	14.3%
	Total	**422**	**17.2%**

This variable has 2,026 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 556.22
- Minimum: 15.00
- Maximum: 963.00
- Standard Deviation: 83.41

Location: 3406-3410 (width: 5; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9999 , -2222 , -1111 , -46 , -29 , -9 , -8 , -7 , -1 , .

CONDFRZ6: Frozen conductance/resistance value (ohms)

Record the conductance/resistance value that appears on the impedance meter:

Value	Label	Unweighted Frequency	%
300	-	1	0.0%
317	-	1	0.0%
318	-	1	0.0%
325	-	2	0.1%
333	-	1	0.0%
337	-	1	0.0%
341	-	1	0.0%
343	-	1	0.0%
353	-	1	0.0%
354	-	1	0.0%
356	-	2	0.1%
359	-	2	0.1%

Value	Label	Unweighted Frequency	%
360	-	1	0.0%
367	-	1	0.0%
372	-	2	0.1%
373	-	1	0.0%
377	-	1	0.0%
379	-	1	0.0%
381	-	1	0.0%
382	-	1	0.0%
384	-	1	0.0%
386	-	1	0.0%
389	-	3	0.1%
390	-	2	0.1%
393	-	1	0.0%
394	-	2	0.1%
395	-	2	0.1%
396	-	2	0.1%
397	-	1	0.0%
398	-	2	0.1%
399	-	1	0.0%
404	-	4	0.2%
405	-	1	0.0%
406	-	4	0.2%
407	-	2	0.1%
408	-	1	0.0%
409	-	2	0.1%
410	-	2	0.1%
411	-	3	0.1%
412	-	2	0.1%
413	-	1	0.0%
414	-	2	0.1%
416	-	1	0.0%
417	-	4	0.2%
418	-	1	0.0%
420	-	3	0.1%
421	-	3	0.1%

Value	Label	Unweighted Frequency	%
422	-	2	0.1%
423	-	4	0.2%
424	-	1	0.0%
	Total	**2,017**	**82.4%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	431	17.6%
	Total	**431**	**17.6%**

This variable has 2,017 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 557.60
- Minimum: 300.00
- Maximum: 814.00
- Standard Deviation: 77.36

Location: 3411-3413 (width: 3; decimal: 0)
Variable Type: numeric

IMPERAW6: Raw impedance/reactance value (ohms)

Record the reactance/impedance value that appears on the impedance meter:

Value	Label	Unweighted Frequency	%
19	-	1	0.0%
27	-	1	0.0%
28	-	1	0.0%
29	-	1	0.0%
32	-	2	0.1%
33	-	1	0.0%
35	-	4	0.2%
37	-	2	0.1%
38	-	2	0.1%
39	-	10	0.4%
40	-	10	0.4%
41	-	6	0.2%
42	-	3	0.1%
43	-	10	0.4%

Value	Label	Unweighted Frequency	%
44	-	8	0.3%
45	-	12	0.5%
46	-	20	0.8%
47	-	25	1.0%
48	-	28	1.1%
49	-	24	1.0%
50	-	41	1.7%
51	-	43	1.8%
52	-	55	2.2%
53	-	48	2.0%
54	-	53	2.2%
55	-	52	2.1%
56	-	78	3.2%
57	-	63	2.6%
58	-	64	2.6%
59	-	87	3.6%
60	-	78	3.2%
61	-	78	3.2%
62	-	83	3.4%
63	-	70	2.9%
64	-	94	3.8%
65	-	76	3.1%
66	-	72	2.9%
67	-	58	2.4%
68	-	77	3.1%
69	-	60	2.5%
70	-	59	2.4%
71	-	57	2.3%
72	-	44	1.8%
73	-	41	1.7%
74	-	37	1.5%
75	-	30	1.2%
76	-	27	1.1%
77	-	29	1.2%
78	-	18	0.7%

Value	Label	Unweighted Frequency	%
79	-	13	0.5%
	Total	**2,020**	**82.5%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
-9999	-9999: Missing conductance/impedance	0	0.0%
-2222	-2222: Invalid conductance/impedance	6	0.2%
-1111	-1111: Not applicable conductance/impedance	70	2.9%
-80	-	1	0.0%
-54	-	1	0.0%
-9	-9: Missing	1	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	349	14.3%
	Total	**428**	**17.5%**

This variable has 2,020 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 64.15
- Median: 63.00
- Mode: 64.00
- Minimum: 19.00
- Maximum: 378.00
- Standard Deviation: 15.17

Location: 3414-3418 (width: 5; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9999 , -2222 , -1111 , -80 , -54 , -9 , -8 , -7 , -1 , .

IMPEFRZ6: Frozen impedance/reactance value (ohms)

Record the reactance/impedance value that appears on the impedance meter:

Value	Label	Unweighted Frequency	%
19	-	1	0.0%
27	-	1	0.0%
28	-	1	0.0%
29	-	1	0.0%
32	-	2	0.1%

Value	Label	Unweighted Frequency	%
33	-	1	0.0%
35	-	4	0.2%
37	-	2	0.1%
38	-	2	0.1%
39	-	10	0.4%
40	-	10	0.4%
41	-	6	0.2%
42	-	3	0.1%
43	-	10	0.4%
44	-	8	0.3%
45	-	12	0.5%
46	-	20	0.8%
47	-	25	1.0%
48	-	28	1.1%
49	-	24	1.0%
50	-	41	1.7%
51	-	43	1.8%
52	-	55	2.2%
53	-	48	2.0%
54	-	53	2.2%
55	-	52	2.1%
56	-	78	3.2%
57	-	63	2.6%
58	-	64	2.6%
59	-	87	3.6%
60	-	78	3.2%
61	-	78	3.2%
62	-	83	3.4%
63	-	70	2.9%
64	-	94	3.8%
65	-	76	3.1%
66	-	72	2.9%
67	-	58	2.4%
68	-	77	3.1%
69	-	60	2.5%

Value	Label	Unweighted Frequency	%
70	-	59	2.4%
71	-	57	2.3%
72	-	44	1.8%
73	-	41	1.7%
74	-	37	1.5%
75	-	30	1.2%
76	-	27	1.1%
77	-	29	1.2%
78	-	18	0.7%
79	-	13	0.5%
	Total	**2,018**	**82.4%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	430	17.6%
	Total	**430**	**17.6%**

This variable has 2,018 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 63.93
- Median: 63.00
- Mode: 64.00
- Minimum: 19.00
- Maximum: 156.00
- Standard Deviation: 13.20

Location: 3419-3421 (width: 3; decimal: 0)
Variable Type: numeric

PBFBIA6: Percent body fat (Sowers Equation)

% Body Fat (Eq. from MF Sowers)

Value	Label	Unweighted Frequency	%
15.005819486926	-	1	0.0%
17.017663510273	-	1	0.0%
17.831691353935	-	1	0.0%
18.075740885939	-	1	0.0%
18.306707651509	-	1	0.0%
18.704317534278	-	1	0.0%

Value	Label	Unweighted Frequency	%
19.031200312550	-	1	0.0%
19.143914615888	-	1	0.0%
19.190301409458	-	1	0.0%
19.440034615106	-	1	0.0%
19.501443591506	-	1	0.0%
19.529492660738	-	1	0.0%
19.628241188649	-	1	0.0%
19.824491595038	-	1	0.0%
19.876328289651	-	1	0.0%
20.096425397304	-	1	0.0%
20.262367674530	-	1	0.0%
20.345140103260	-	1	0.0%
20.373508118400	-	1	0.0%
20.503993359189	-	1	0.0%
20.543396408002	-	1	0.0%
20.555002275058	-	1	0.0%
20.566288979266	-	1	0.0%
20.698868089995	-	1	0.0%
20.808305356658	-	1	0.0%
20.855434103469	-	1	0.0%
20.880888905704	-	1	0.0%
20.895891885213	-	1	0.0%
20.897073481673	-	1	0.0%
20.941245584356	-	1	0.0%
20.946563008315	-	1	0.0%
21.108499864996	-	1	0.0%
21.143641702399	-	1	0.0%
21.205261928899	-	1	0.0%
21.277328284606	-	1	0.0%
21.285301119318	-	1	0.0%
21.344806307361	-	1	0.0%
21.398116446702	-	1	0.0%
21.412827096991	-	1	0.0%
21.542887060773	-	1	0.0%
21.589749651599	-	1	0.0%

Value	Label	Unweighted Frequency	%
21.646463368671	-	1	0.0%
21.732815193422	-	1	0.0%
21.783657828349	-	1	0.0%
21.867089888580	-	1	0.0%
21.974383274954	-	1	0.0%
22.015706791172	-	1	0.0%
22.016328153862	-	1	0.0%
22.040439893094	-	1	0.0%
22.041314696068	-	1	0.0%
	Total	**2,010**	**82.1%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	438	17.9%
	Total	**438**	**17.9%**

This variable has 2,010 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 35.695688130423
- Minimum: 15.005819486926
- Maximum: 79.229092101044
- Standard Deviation: 8.915049959990

Location: 3422-3436 (width: 15; decimal: 12)
Variable Type: numeric

SKELMM6: Skeletal muscle mass (Janssen Equation)

Skeletal Muscle Mass (Janssen Eq.)

Value	Label	Unweighted Frequency	%
12.467301989730	-	1	0.0%
13.532956618037	-	1	0.0%
13.645934181326	-	1	0.0%
13.852300348059	-	1	0.0%
13.852718050000	-	1	0.0%
13.889482712610	-	1	0.0%
14.054951534392	-	1	0.0%
14.145877801609	-	1	0.0%

Value	Label	Unweighted Frequency	%
14.150048937785	-	1	0.0%
14.226604729730	-	1	0.0%
14.264371491713	-	1	0.0%
14.280925031368	-	1	0.0%
14.355757541478	-	1	0.0%
14.372240066225	-	1	0.0%
14.451891406045	-	1	0.0%
14.482288658718	-	1	0.0%
14.493224719101	-	1	0.0%
14.530034942363	-	1	0.0%
14.587067027379	-	1	0.0%
14.648570724409	-	1	0.0%
14.652342178771	-	1	0.0%
14.686875404700	-	1	0.0%
14.689359890282	-	1	0.0%
14.766713793566	-	1	0.0%
14.780046657343	-	1	0.0%
14.831024303030	-	1	0.0%
14.837531246377	-	1	0.0%
14.878244450331	-	1	0.0%
14.917162342065	-	1	0.0%
14.960934186667	-	1	0.0%
14.961585619835	-	1	0.0%
14.961805793991	-	1	0.0%
15.010193544304	-	1	0.0%
15.051105859155	-	1	0.0%
15.055608806405	-	1	0.0%
15.063417079208	-	1	0.0%
15.132974424514	-	1	0.0%
15.170174936709	-	1	0.0%
15.206044944444	-	1	0.0%
15.210947435508	-	1	0.0%
15.237236583851	-	1	0.0%
15.240396998636	-	1	0.0%
15.278545292439	-	1	0.0%

Value	Label	Unweighted Frequency	%
15.282061096296	-	1	0.0%
15.285751434783	-	1	0.0%
15.307935784695	-	1	0.0%
15.308236583851	-	1	0.0%
15.316984189560	-	1	0.0%
15.345191669129	-	1	0.0%
15.361168045977	-	1	0.0%
	Total	**2,010**	**82.1%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	438	17.9%
	Total	**438**	**17.9%**

This variable has 2,010 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 20.768816842063
- Minimum: 12.467301989730
- Maximum: 38.830296666667
- Standard Deviation: 3.287883355057

Location: 3437-3451 (width: 15; decimal: 12)
Variable Type: numeric

TBWNHAN6: Total body water 1 (NHANES/RJL Equation)

Total Body Water 1 (NHANES/RJL Eq.)

Value	Label	Unweighted Frequency	%
20.925195250321	-	1	0.0%
22.104122500000	-	1	0.0%
22.573642838196	-	1	0.0%
22.802202235469	-	1	0.0%
22.886495238095	-	1	0.0%
22.970474018945	-	1	0.0%
23.481082844575	-	1	0.0%
23.900775000000	-	1	0.0%
23.980622535211	-	1	0.0%
23.999124844721	-	1	0.0%

Value	Label	Unweighted Frequency	%
24.003228954424	-	1	0.0%
24.019682853026	-	1	0.0%
24.051860240964	-	1	0.0%
24.059447496206	-	1	0.0%
24.083984000000	-	1	0.0%
24.116887603306	-	1	0.0%
24.161466718028	-	1	0.0%
24.199827272727	-	1	0.0%
24.265193006993	-	1	0.0%
24.436928056426	-	1	0.0%
24.451124844720	-	1	0.0%
24.456226666667	-	1	0.0%
24.492322421525	-	1	0.0%
24.508438910506	-	1	0.0%
24.509882119205	-	1	0.0%
24.656826086957	-	1	0.0%
24.667557031250	-	1	0.0%
24.668795634379	-	1	0.0%
24.681632205683	-	1	0.0%
24.708706299213	-	1	0.0%
24.745111173184	-	1	0.0%
24.762585520362	-	1	0.0%
24.775413733906	-	1	0.0%
24.806420253165	-	1	0.0%
24.962228800000	-	1	0.0%
24.969256899489	-	1	0.0%
24.991951528384	-	1	0.0%
24.995738410596	-	1	0.0%
25.043534182306	-	1	0.0%
25.113138118812	-	1	0.0%
25.129846845426	-	1	0.0%
25.145932596685	-	1	0.0%
25.184252997275	-	1	0.0%
25.209957061341	-	1	0.0%
25.219030769231	-	1	0.0%

Value	Label	Unweighted Frequency	%
25.284508050847	-	1	0.0%
25.286505646173	-	1	0.0%
25.334861392405	-	1	0.0%
25.376901435407	-	1	0.0%
25.395008270677	-	1	0.0%
	Total	**2,010**	**82.1%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	438	17.9%
	Total	**438**	**17.9%**

This variable has 2,010 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 34.074852770619
- Minimum: 20.925195250321
- Maximum: 61.061500000000
- Standard Deviation: 5.601317798103

Location: 3452-3466 (width: 15; decimal: 12)
Variable Type: numeric

FFMNHAN6: Fat free mass (NHANES/RJL Equation)

Fat Free Mass (NHANES/RJL Eq.)

Value	Label	Unweighted Frequency	%
29.227589987163	-	1	0.0%
30.425723457526	-	1	0.0%
31.277692000000	-	1	0.0%
31.354836923077	-	1	0.0%
31.385642800000	-	1	0.0%
31.566381466276	-	1	0.0%
31.702863815968	-	1	0.0%
31.819225093168	-	1	0.0%
31.872747301587	-	1	0.0%
32.133380523883	-	1	0.0%
32.142364127466	-	1	0.0%
32.351592727273	-	1	0.0%

Value	Label	Unweighted Frequency	%
32.355842181818	-	1	0.0%
32.396858671210	-	1	0.0%
32.491225093168	-	1	0.0%
32.606994812680	-	1	0.0%
32.714460409449	-	1	0.0%
32.768746875000	-	1	0.0%
32.820869521127	-	1	0.0%
32.832492658228	-	1	0.0%
32.945461345291	-	1	0.0%
32.985860544000	-	1	0.0%
32.997825244444	-	1	0.0%
33.208540271493	-	1	0.0%
33.268660826446	-	1	0.0%
33.315266517483	-	1	0.0%
33.360036782842	-	1	0.0%
33.374208454259	-	1	0.0%
33.471573172691	-	1	0.0%
33.496608347826	-	1	0.0%
33.618025920000	-	1	0.0%
33.620254141414	-	1	0.0%
33.627386220096	-	1	0.0%
33.630849620253	-	1	0.0%
33.730340000000	-	1	0.0%
33.765436923077	-	1	0.0%
33.802952432432	-	1	0.0%
33.839602575107	-	1	0.0%
33.961517030568	-	1	0.0%
34.047568469055	-	1	0.0%
34.050238697674	-	1	0.0%
34.050510614525	-	1	0.0%
34.234278581173	-	1	0.0%
34.261359458647	-	1	0.0%
34.270702678261	-	1	0.0%
34.299787931571	-	1	0.0%
34.305948344371	-	1	0.0%

Value	Label	Unweighted Frequency	%
34.309388645161	-	1	0.0%
34.361647144790	-	1	0.0%
34.515172673267	-	1	0.0%
	Total	**2,010**	**82.1%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	438	17.9%
	Total	**438**	**17.9%**

This variable has 2,010 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 45.783813956865
- Minimum: 29.227589987163
- Maximum: 82.989480000000
- Standard Deviation: 7.548635554306

Location: 3467-3481 (width: 15; decimal: 12)
Variable Type: numeric

TBFNHAN6: Total body fat (NHANES/RJL Equation)

Total Body Fat (NHANES/RJL Eq.)

Value	Label	Unweighted Frequency	%
6.779745858586	-	1	0.0%
6.974276542474	-	1	0.0%
7.111695953757	-	1	0.0%
7.384827326733	-	1	0.0%
7.914837093426	-	1	0.0%
7.979552881356	-	1	0.0%
8.031852459016	-	1	0.0%
8.326277619835	-	1	0.0%
8.716521939394	-	1	0.0%
8.832433043478	-	1	0.0%
9.064804416404	-	1	0.0%
9.124108873239	-	1	0.0%
9.160682852897	-	1	0.0%
9.270289266409	-	1	0.0%

Value	Label	Unweighted Frequency	%
9.301995094645	-	1	0.0%
9.380774906832	-	1	0.0%
9.485630093809	-	1	0.0%
9.534133213645	-	1	0.0%
9.614357200000	-	1	0.0%
9.682033151751	-	1	0.0%
9.765602416107	-	1	0.0%
9.849730951586	-	1	0.0%
10.126502661597	-	1	0.0%
10.216477859532	-	1	0.0%
10.285631578947	-	1	0.0%
10.336688685714	-	1	0.0%
10.403141328790	-	1	0.0%
10.464255207668	-	1	0.0%
10.467182677165	-	1	0.0%
10.557635872534	-	1	0.0%
10.561943646409	-	1	0.0%
10.562039509954	-	1	0.0%
10.591014545455	-	1	0.0%
10.689461063465	-	1	0.0%
10.722308000000	-	1	0.0%
11.014139456000	-	1	0.0%
11.044338732394	-	1	0.0%
11.066286654064	-	1	0.0%
11.099105970636	-	1	0.0%
11.145945454545	-	1	0.0%
11.158942857143	-	1	0.0%
11.166305553957	-	1	0.0%
11.224094228188	-	1	0.0%
11.255653283582	-	1	0.0%
11.350560465890	-	1	0.0%
11.403429629630	-	1	0.0%
11.431253125000	-	1	0.0%
11.475493701016	-	1	0.0%
11.517031803853	-	1	0.0%

Value	Label	Unweighted Frequency	%
11.566619476117	-	1	0.0%
	Total	**2,010**	**82.1%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	438	17.9%
	Total	**438**	**17.9%**

This variable has 2,010 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 30.338574102836
- Minimum: 6.779745858586
- Maximum: 84.462710306407
- Standard Deviation: 13.682937242094

Location: 3482-3496 (width: 15; decimal: 12)
Variable Type: numeric

PBFNHAN6: Percent body fat (NHANES/RJL Equation)

% Body Fat (NHANES/RJL Eq.)

Value	Label	Unweighted Frequency	%
12.767330163949	-	1	0.0%
14.235318513355	-	1	0.0%
14.251895698912	-	1	0.0%
15.748730311797	-	1	0.0%
16.326034548696	-	1	0.0%
16.781549154915	-	1	0.0%
17.624886221319	-	1	0.0%
18.106033723456	-	1	0.0%
18.159420707071	-	1	0.0%
18.248217746479	-	1	0.0%
18.392684494154	-	1	0.0%
18.643815143355	-	1	0.0%
18.647798241909	-	1	0.0%
19.279245041924	-	1	0.0%
19.351141358715	-	1	0.0%
19.780060728745	-	1	0.0%

Value	Label	Unweighted Frequency	%
19.848164142648	-	1	0.0%
19.954058319398	-	1	0.0%
20.176864496090	-	1	0.0%
20.222612379110	-	1	0.0%
20.372079516334	-	1	0.0%
20.462806161510	-	1	0.0%
20.632168587607	-	1	0.0%
20.756302174636	-	1	0.0%
20.809508304504	-	1	0.0%
20.950439402355	-	1	0.0%
21.037932172496	-	1	0.0%
21.166219732282	-	1	0.0%
21.464781251937	-	1	0.0%
21.590807865435	-	1	0.0%
21.661256008095	-	1	0.0%
21.850234010695	-	1	0.0%
21.855605308693	-	1	0.0%
21.971633149171	-	1	0.0%
22.069908399181	-	1	0.0%
22.124385541563	-	1	0.0%
22.185660758034	-	1	0.0%
22.226633602146	-	1	0.0%
22.287292929293	-	1	0.0%
22.287361386820	-	1	0.0%
22.403766950436	-	1	0.0%
22.418844839948	-	1	0.0%
22.568460491355	-	1	0.0%
22.616314653240	-	1	0.0%
22.710768254416	-	1	0.0%
22.768871133088	-	1	0.0%
22.837435261776	-	1	0.0%
22.891048515617	-	1	0.0%
22.924273907910	-	1	0.0%
22.947928086991	-	1	0.0%
	Total	**2,010**	**82.1%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	438	17.9%
	Total	**438**	**17.9%**

This variable has 2,010 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 38.133962273327
- Minimum: 12.767330163949
- Maximum: 58.563288441727
- Standard Deviation: 7.829523770871

Location: 3497-3511 (width: 15; decimal: 12)
Variable Type: numeric

MISSCON6: Invalid conductance value causes missing bio

Invalid cond value causes missing bio

Value	Label	Unweighted Frequency	%
0	0: No	2017	82.4%
1	1: Yes	86	3.5%
	Total	**2,103**	**85.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	345	14.1%
	Total	**345**	**14.1%**

This variable has 2,103 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3512-3513 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MISSPHY6: Missing physical measures causes missing bio

Missing phys measures causes missing bio

Value	Label	Unweighted Frequency	%
0	0: No	2095	85.6%
1	1: Yes	8	0.3%
	Total	**2,103**	**85.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	345	14.1%
	Total	**345**	**14.1%**

This variable has 2,103 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3514-3515 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAGSRP6: Used self-reported physical measures

Used self-reported physical measures

Value	Label	Unweighted Frequency	%
0	0: No	2089	85.3%
1	1: Yes	14	0.6%
	Total	**2,103**	**85.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	345	14.1%
	Total	**345**	**14.1%**

This variable has 2,103 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3516-3517 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLGBIOV6: (FLGBIOV6) Completed after V6 cutoff (02/15/2004)

Completed after V6 cutoff (02/15/2004)

Value	Label	Unweighted Frequency	%
0	0: No	2100	85.8%
1	1: Yes	3	0.1%
	Total	**2,103**	**85.9%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: Before V6	0	0.0%
.	-	345	14.1%
	Total	**345**	**14.1%**

This variable has 2,103 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3518-3519 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CAMDAY6: Complementary and alternative medicines day

Complementary and alternative medicines day

Value	Label	Unweighted Frequency	%
2033	-	1	0.0%
2085	-	1	0.0%
2094	-	1	0.0%
2107	-	3	0.1%
2114	-	1	0.0%

Value	Label	Unweighted Frequency	%
2116	-	1	0.0%
2118	-	1	0.0%
2119	-	1	0.0%
2120	-	1	0.0%
2123	-	2	0.1%
2124	-	1	0.0%
2128	-	3	0.1%
2130	-	1	0.0%
2131	-	3	0.1%
2132	-	2	0.1%
2133	-	2	0.1%
2135	-	4	0.2%
2136	-	4	0.2%
2137	-	2	0.1%
2138	-	1	0.0%
2140	-	1	0.0%
2141	-	6	0.2%
2142	-	8	0.3%
2143	-	5	0.2%
2144	-	4	0.2%
2145	-	6	0.2%
2146	-	17	0.7%
2147	-	12	0.5%
2148	-	15	0.6%
2149	-	33	1.3%
2150	-	15	0.6%
2151	-	12	0.5%
2152	-	10	0.4%
2153	-	15	0.6%
2154	-	18	0.7%
2155	-	14	0.6%
2156	-	35	1.4%
2157	-	20	0.8%
2158	-	15	0.6%
2159	-	11	0.4%

Value	Label	Unweighted Frequency	%
2160	-	13	0.5%
2161	-	22	0.9%
2162	-	26	1.1%
2163	-	35	1.4%
2164	-	6	0.2%
2165	-	9	0.4%
2166	-	12	0.5%
2167	-	16	0.7%
2168	-	14	0.6%
2169	-	10	0.4%
	Total	**2,172**	**88.7%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	276	11.3%
	Total	**276**	**11.3%**

This variable has 2,172 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 2219.04
- Minimum: 2033.00
- Maximum: 2703.00
- Standard Deviation: 67.01

Location: 3520-3523 (width: 4; decimal: 0)
Variable Type: numeric

HRMDAY6: Hormone measures day

Hormone measures Day

Value	Label	Unweighted Frequency	%
2041	-	1	0.0%
2045	-	1	0.0%
2085	-	1	0.0%
2095	-	1	0.0%
2107	-	3	0.1%
2116	-	1	0.0%
2117	-	1	0.0%

Value	Label	Unweighted Frequency	%
2119	-	1	0.0%
2120	-	1	0.0%
2122	-	1	0.0%
2123	-	2	0.1%
2125	-	1	0.0%
2128	-	3	0.1%
2129	-	1	0.0%
2131	-	1	0.0%
2132	-	2	0.1%
2133	-	2	0.1%
2135	-	4	0.2%
2136	-	1	0.0%
2137	-	3	0.1%
2138	-	1	0.0%
2140	-	1	0.0%
2141	-	4	0.2%
2142	-	2	0.1%
2143	-	3	0.1%
2144	-	2	0.1%
2145	-	3	0.1%
2146	-	10	0.4%
2147	-	7	0.3%
2148	-	9	0.4%
2149	-	21	0.9%
2150	-	16	0.7%
2151	-	8	0.3%
2152	-	11	0.4%
2153	-	8	0.3%
2154	-	13	0.5%
2155	-	12	0.5%
2156	-	22	0.9%
2157	-	13	0.5%
2158	-	12	0.5%
2159	-	8	0.3%
2160	-	10	0.4%

Value	Label	Unweighted Frequency	%
2161	-	22	0.9%
2162	-	20	0.8%
2163	-	24	1.0%
2164	-	7	0.3%
2165	-	9	0.4%
2166	-	14	0.6%
2167	-	9	0.4%
2168	-	8	0.3%
	Total	**2,068**	**84.5%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	380	15.5%
	Total	**380**	**15.5%**

This variable has 2,068 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 2233.73
- Minimum: 2041.00
- Maximum: 2684.00
- Standard Deviation: 75.06

Location: 3524-3527 (width: 4; decimal: 0)
Variable Type: numeric

CYCDAY6: Day of cycle

Day of cycle

Value	Label	Unweighted Frequency	%
2	-	77	3.1%
3	-	124	5.1%
4	-	129	5.3%
5	-	128	5.2%
	Total	**458**	**18.7%**

Value	Missing Data	Unweighted Frequency	%
.	-	1990	81.3%
	Total	**1,990**	**81.3%**

This variable has 458 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 3.67
- Median: 4.00
- Mode: 4.00
- Minimum: 2.00
- Maximum: 5.00
- Standard Deviation: 1.06

Location: 3528-3528 (width: 1; decimal: 0)
Variable Type: numeric

DHAS6: Dehydroepiandrosterone sulfate (ug/dL)

Dehydroepiandrosterone sulfate (ug/dL)

Value	Label	Unweighted Frequency	%
4.8	-	1	0.0%
7.1	-	1	0.0%
7.4	-	1	0.0%
9.4	-	1	0.0%
10.2	-	1	0.0%
10.3	-	1	0.0%
10.7	-	1	0.0%
10.9	-	1	0.0%
11.3	-	1	0.0%
11.5	-	1	0.0%
11.8	-	1	0.0%
12.5	-	1	0.0%
12.7	-	1	0.0%
13.1	-	1	0.0%
13.2	-	1	0.0%
13.6	-	1	0.0%
13.7	-	1	0.0%
14.1	-	1	0.0%
14.6	-	1	0.0%
15.2	-	1	0.0%
15.8	-	2	0.1%
16.1	-	1	0.0%
16.8	-	1	0.0%
17.9	-	1	0.0%

Value	Label	Unweighted Frequency	%
18.2	-	1	0.0%
18.3	-	1	0.0%
18.4	-	2	0.1%
18.8	-	1	0.0%
19.1	-	1	0.0%
19.5	-	1	0.0%
19.8	-	1	0.0%
20.0	-	1	0.0%
20.2	-	1	0.0%
20.7	-	1	0.0%
21.2	-	1	0.0%
21.3	-	1	0.0%
21.5	-	1	0.0%
21.7	-	1	0.0%
21.8	-	2	0.1%
22.1	-	1	0.0%
22.3	-	1	0.0%
22.5	-	1	0.0%
22.8	-	1	0.0%
22.9	-	2	0.1%
23.1	-	1	0.0%
23.3	-	2	0.1%
23.5	-	1	0.0%
23.6	-	1	0.0%
23.7	-	1	0.0%
23.8	-	1	0.0%
	Total	**2,067**	**84.4%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	381	15.6%
	Total	**381**	**15.6%**

This variable has 2,067 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 132.77

- Minimum: 4.80
- Maximum: 705.80
- Standard Deviation: 85.44

Location: 3529-3533 (width: 5; decimal: 1)
Variable Type: numeric

FSH6: Follicle-stimulating hormone (mIU/mL)

Follicle-stimulating hormone (mIU/mL)

Value	Label	Unweighted Frequency	%
1.5	-	2	0.1%
1.6	-	1	0.0%
2.1	-	1	0.0%
2.2	-	1	0.0%
2.4	-	1	0.0%
2.6	-	2	0.1%
2.8	-	5	0.2%
2.9	-	1	0.0%
3.1	-	1	0.0%
3.2	-	2	0.1%
3.3	-	1	0.0%
3.4	-	1	0.0%
3.6	-	1	0.0%
3.8	-	1	0.0%
3.9	-	1	0.0%
4.0	-	1	0.0%
4.1	-	3	0.1%
4.2	-	1	0.0%
4.3	-	2	0.1%
4.5	-	2	0.1%
4.6	-	1	0.0%
4.7	-	1	0.0%
4.8	-	3	0.1%
4.9	-	2	0.1%
5.0	-	2	0.1%
5.1	-	7	0.3%
5.2	-	1	0.0%
5.3	-	2	0.1%

Value	Label	Unweighted Frequency	%
5.4	-	2	0.1%
5.5	-	1	0.0%
5.6	-	3	0.1%
5.7	-	3	0.1%
5.8	-	1	0.0%
5.9	-	2	0.1%
6.0	-	2	0.1%
6.1	-	4	0.2%
6.3	-	1	0.0%
6.4	-	2	0.1%
6.5	-	3	0.1%
6.6	-	5	0.2%
6.7	-	3	0.1%
6.8	-	2	0.1%
6.9	-	3	0.1%
7.0	-	3	0.1%
7.1	-	3	0.1%
7.2	-	4	0.2%
7.3	-	2	0.1%
7.4	-	6	0.2%
7.5	-	5	0.2%
7.6	-	10	0.4%
	Total	**2,066**	**84.4%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	382	15.6%
	Total	**382**	**15.6%**

This variable has 2,066 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 63.43
- Minimum: 1.50
- Maximum: 409.90
- Standard Deviation: 45.84

Location: 3534-3538 (width: 5; decimal: 1)
Variable Type: numeric

SHBG6: Sex hormone-binding globulin (nM)

Sex hormone-binding globulin (nM)

Value	Label	Unweighted Frequency	%
2.3	-	1	0.0%
3.4	-	1	0.0%
3.7	-	3	0.1%
4.1	-	1	0.0%
5.0	-	1	0.0%
5.3	-	1	0.0%
5.4	-	1	0.0%
5.6	-	3	0.1%
5.7	-	1	0.0%
6.0	-	2	0.1%
6.3	-	1	0.0%
6.6	-	1	0.0%
6.8	-	2	0.1%
7.0	-	2	0.1%
7.2	-	2	0.1%
7.3	-	2	0.1%
7.5	-	3	0.1%
7.6	-	1	0.0%
7.7	-	1	0.0%
8.1	-	1	0.0%
8.3	-	1	0.0%
8.6	-	1	0.0%
8.7	-	2	0.1%
8.8	-	1	0.0%
8.9	-	1	0.0%
9.0	-	1	0.0%
9.1	-	1	0.0%
9.2	-	1	0.0%
9.9	-	3	0.1%
10.0	-	1	0.0%
10.1	-	2	0.1%
10.3	-	3	0.1%

Value	Label	Unweighted Frequency	%
10.4	-	3	0.1%
10.6	-	1	0.0%
10.7	-	3	0.1%
10.8	-	1	0.0%
10.9	-	2	0.1%
11.0	-	1	0.0%
11.1	-	3	0.1%
11.3	-	1	0.0%
11.4	-	3	0.1%
11.5	-	2	0.1%
11.6	-	2	0.1%
11.7	-	1	0.0%
11.8	-	3	0.1%
11.9	-	3	0.1%
12.0	-	1	0.0%
12.1	-	4	0.2%
12.2	-	1	0.0%
12.4	-	3	0.1%
	Total	**2,060**	**84.2%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	388	15.8%
	Total	**388**	**15.8%**

This variable has 2,060 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 47.80
- Minimum: 2.30
- Maximum: 316.90
- Standard Deviation: 30.34

Location: 3539-3543 (width: 5; decimal: 1)
Variable Type: numeric

T6: Testosterone (ng/dL)

Testosterone (ng/dL)

Value	Label	Unweighted Frequency	%
2.8	-	1	0.0%
3.3	-	1	0.0%
3.9	-	1	0.0%
4.9	-	1	0.0%
5.2	-	1	0.0%
6.0	-	1	0.0%
6.4	-	1	0.0%
6.5	-	1	0.0%
7.0	-	1	0.0%
7.1	-	1	0.0%
7.2	-	1	0.0%
7.3	-	2	0.1%
7.5	-	1	0.0%
8.1	-	1	0.0%
8.6	-	2	0.1%
8.7	-	1	0.0%
8.8	-	1	0.0%
9.0	-	1	0.0%
9.2	-	2	0.1%
9.3	-	1	0.0%
9.6	-	1	0.0%
10.0	-	1	0.0%
10.1	-	1	0.0%
10.2	-	1	0.0%
10.3	-	2	0.1%
10.4	-	2	0.1%
10.6	-	1	0.0%
10.8	-	4	0.2%
10.9	-	2	0.1%
11.0	-	1	0.0%
11.2	-	3	0.1%
11.5	-	2	0.1%
11.6	-	1	0.0%
11.7	-	1	0.0%
11.8	-	1	0.0%

Value	Label	Unweighted Frequency	%
11.9	-	1	0.0%
12.0	-	2	0.1%
12.1	-	2	0.1%
12.2	-	3	0.1%
12.3	-	3	0.1%
12.4	-	1	0.0%
12.6	-	1	0.0%
12.7	-	3	0.1%
12.8	-	2	0.1%
12.9	-	1	0.0%
13.1	-	2	0.1%
13.2	-	2	0.1%
13.3	-	1	0.0%
13.5	-	2	0.1%
13.7	-	5	0.2%
	Total	**2,065**	**84.4%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	383	15.6%
	Total	**383**	**15.6%**

This variable has 2,065 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 39.58
- Minimum: 2.80
- Maximum: 359.20
- Standard Deviation: 20.65

Location: 3544-3548 (width: 5; decimal: 1)
Variable Type: numeric

E2AVE6: Estradiol (average, pg/mL)

Estradiol (average, pg/mL)

Value	Label	Unweighted Frequency	%
4.35000000000	-	1	0.0%
4.45000000000	-	2	0.1%

Value	Label	Unweighted Frequency	%
4.50000000000	-	1	0.0%
4.55000000000	-	2	0.1%
4.60000000000	-	2	0.1%
4.75000000000	-	1	0.0%
4.80000000000	-	1	0.0%
4.90000000000	-	1	0.0%
4.95000000000	-	2	0.1%
5.00000000000	-	1	0.0%
5.15000000000	-	1	0.0%
5.20000000000	-	1	0.0%
5.25000000000	-	3	0.1%
5.30000000000	-	1	0.0%
5.35000000000	-	5	0.2%
5.40000000000	-	1	0.0%
5.45000000000	-	1	0.0%
5.50000000000	-	1	0.0%
5.55000000000	-	1	0.0%
5.60000000000	-	2	0.1%
5.70000000000	-	4	0.2%
5.80000000000	-	2	0.1%
5.85000000000	-	1	0.0%
5.90000000000	-	2	0.1%
5.95000000000	-	3	0.1%
6.00000000000	-	3	0.1%
6.15000000000	-	3	0.1%
6.20000000000	-	2	0.1%
6.25000000000	-	1	0.0%
6.30000000000	-	1	0.0%
6.30000000001	-	4	0.2%
6.35000000000	-	3	0.1%
6.40000000000	-	1	0.0%
6.45000000000	-	2	0.1%
6.50000000000	-	5	0.2%
6.60000000000	-	1	0.0%
6.65000000000	-	1	0.0%

Value	Label	Unweighted Frequency	%
6.75000000000	-	1	0.0%
6.80000000000	-	1	0.0%
6.85000000000	-	3	0.1%
6.90000000000	-	2	0.1%
6.95000000000	-	5	0.2%
7.05000000000	-	1	0.0%
7.10000000000	-	2	0.1%
7.15000000000	-	1	0.0%
7.20000000000	-	1	0.0%
7.25000000000	-	3	0.1%
7.30000000000	-	3	0.1%
7.30000000001	-	1	0.0%
7.35000000000	-	2	0.1%
	Total	**2,054**	**83.9%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	394	16.1%
	Total	**394**	**16.1%**

This variable has 2,054 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 49.72999026290
- Minimum: 4.35000000000
- Maximum: 729.60000000000
- Standard Deviation: 73.22362442006

Location: 3549-3563 (width: 15; decimal: 11)
Variable Type: numeric

FLGCV6: Both Estradiol(E2) results >20 pg/mL & coefficient of variation(CV) >15 percent

Both E2>20 pg/mL & CV>15%

Value	Label	Unweighted Frequency	%
0	0: No	2067	84.4%
1	1: Yes	1	0.0%
	Total	**2,068**	**84.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	380	15.5%
	Total	**380**	**15.5%**

This variable has 2,068 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 0.00
- Maximum: 1.00

Location: 3564-3565 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLGDIF6: 1 or both Estradiol(E2) results <=20 pg/mL & difference between them is >10 pg/mL

1 or both E2<=20 pg/mL & dif>10

Value	Label	Unweighted Frequency	%
0	0: No	2068	84.5%
1	1: Yes	0	0.0%
	Total	**2,068**	**84.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	380	15.5%
	Total	**380**	**15.5%**

This variable has 2,068 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 0.00
- Maximum: 0.00

Location: 3566-3567 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CVRDAY6: Cardiovascular measures day

Cardiovascular measures Day

Value	Label	Unweighted Frequency	%
2041	-	1	0.0%
2045	-	1	0.0%
2085	-	1	0.0%
2095	-	1	0.0%
2107	-	3	0.1%
2116	-	1	0.0%
2117	-	1	0.0%
2118	-	1	0.0%
2119	-	1	0.0%
2120	-	1	0.0%
2122	-	1	0.0%
2123	-	2	0.1%
2125	-	1	0.0%
2128	-	3	0.1%
2129	-	1	0.0%
2131	-	1	0.0%
2132	-	2	0.1%
2133	-	2	0.1%
2135	-	4	0.2%
2136	-	1	0.0%
2137	-	3	0.1%
2138	-	1	0.0%
2140	-	1	0.0%
2141	-	4	0.2%
2142	-	2	0.1%
2143	-	3	0.1%
2144	-	2	0.1%
2145	-	3	0.1%
2146	-	10	0.4%
2147	-	7	0.3%
2148	-	9	0.4%
2149	-	21	0.9%
2150	-	15	0.6%
2151	-	8	0.3%

Value	Label	Unweighted Frequency	%
2152	-	11	0.4%
2153	-	8	0.3%
2154	-	13	0.5%
2155	-	12	0.5%
2156	-	22	0.9%
2157	-	13	0.5%
2158	-	12	0.5%
2159	-	9	0.4%
2160	-	10	0.4%
2161	-	22	0.9%
2162	-	20	0.8%
2163	-	24	1.0%
2164	-	7	0.3%
2165	-	9	0.4%
2166	-	14	0.6%
2167	-	9	0.4%
	Total	**2,085**	**85.2%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	363	14.8%
	Total	**363**	**14.8%**

This variable has 2,085 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 2234.21
- Minimum: 2041.00
- Maximum: 2684.00
- Standard Deviation: 75.12

Location: 3568-3571 (width: 4; decimal: 0)
Variable Type: numeric

FLAGSER6: Lipids measured on serum not plasma

Lipids measured on serum not plasma

Value	Label	Unweighted Frequency	%
0	0: No	2069	84.5%

Value	Label	Unweighted Frequency	%
1	1: Yes	23	0.9%
	Total	**2,092**	**85.5%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	356	14.5%
	Total	**356**	**14.5%**

This variable has 2,092 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3572-3573 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHOLRES6: Total cholesterol (mg/dl)

Total cholesterol (mg/dl)

Value	Label	Unweighted Frequency	%
87	-	1	0.0%
97	-	1	0.0%
103	-	1	0.0%
104	-	1	0.0%
108	-	1	0.0%
110	-	3	0.1%
112	-	2	0.1%
113	-	3	0.1%
114	-	1	0.0%
115	-	1	0.0%
116	-	1	0.0%
117	-	2	0.1%
118	-	2	0.1%
119	-	1	0.0%

Value	Label	Unweighted Frequency	%
121	-	2	0.1%
124	-	2	0.1%
129	-	3	0.1%
130	-	1	0.0%
131	-	3	0.1%
132	-	1	0.0%
133	-	3	0.1%
134	-	3	0.1%
135	-	2	0.1%
136	-	3	0.1%
137	-	4	0.2%
138	-	4	0.2%
140	-	6	0.2%
141	-	3	0.1%
142	-	5	0.2%
143	-	6	0.2%
144	-	3	0.1%
145	-	7	0.3%
146	-	9	0.4%
147	-	1	0.0%
148	-	10	0.4%
149	-	12	0.5%
150	-	4	0.2%
151	-	3	0.1%
152	-	11	0.4%
153	-	6	0.2%
154	-	8	0.3%
155	-	8	0.3%
156	-	8	0.3%
157	-	6	0.2%
158	-	5	0.2%
159	-	10	0.4%
160	-	10	0.4%
161	-	13	0.5%
162	-	13	0.5%

Value	Label	Unweighted Frequency	%
163	-	11	0.4%
	Total	**2,085**	**85.2%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	363	14.8%
	Total	**363**	**14.8%**

This variable has 2,085 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 205.26
- Median: 202.00
- Minimum: 87.00
- Maximum: 690.00
- Standard Deviation: 38.90

Location: 3574-3576 (width: 3; decimal: 0)
Variable Type: numeric

TRIGRES6: Triglycerides (mg/dl)

Triglycerides (mg/dl)

Value	Label	Unweighted Frequency	%
37	-	1	0.0%
40	-	1	0.0%
41	-	1	0.0%
42	-	3	0.1%
43	-	1	0.0%
44	-	2	0.1%
45	-	3	0.1%
46	-	4	0.2%
47	-	5	0.2%
48	-	4	0.2%
49	-	5	0.2%
50	-	6	0.2%
51	-	8	0.3%
52	-	3	0.1%
53	-	13	0.5%

Value	Label	Unweighted Frequency	%
54	-	6	0.2%
55	-	8	0.3%
56	-	11	0.4%
57	-	11	0.4%
58	-	14	0.6%
59	-	12	0.5%
60	-	11	0.4%
61	-	18	0.7%
62	-	18	0.7%
63	-	11	0.4%
64	-	22	0.9%
65	-	12	0.5%
66	-	13	0.5%
67	-	18	0.7%
68	-	16	0.7%
69	-	12	0.5%
70	-	13	0.5%
71	-	19	0.8%
72	-	15	0.6%
73	-	22	0.9%
74	-	21	0.9%
75	-	13	0.5%
76	-	29	1.2%
77	-	22	0.9%
78	-	18	0.7%
79	-	21	0.9%
80	-	19	0.8%
81	-	18	0.7%
82	-	20	0.8%
83	-	25	1.0%
84	-	16	0.7%
85	-	17	0.7%
86	-	24	1.0%
87	-	12	0.5%
88	-	23	0.9%

Value	Label	Unweighted Frequency	%
	Total	**2,013**	**82.2%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	435	17.8%
	Total	**435**	**17.8%**

This variable has 2,013 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 134.43
- Minimum: 37.00
- Maximum: 4640.00
- Standard Deviation: 146.99

Location: 3577-3580 (width: 4; decimal: 0)
Variable Type: numeric

LDLRESU6: Estimated low-density lipoprotein cholesterol [LDL](mg/dl)

Estimated LDL (mg/dl)

Value	Label	Unweighted Frequency	%
30	-	1	0.0%
31	-	1	0.0%
33	-	1	0.0%
34	-	1	0.0%
35	-	1	0.0%
39	-	1	0.0%
40	-	1	0.0%
41	-	1	0.0%
44	-	1	0.0%
45	-	1	0.0%
46	-	2	0.1%
48	-	4	0.2%
49	-	2	0.1%
50	-	1	0.0%
51	-	4	0.2%
52	-	1	0.0%
53	-	4	0.2%

Value	Label	Unweighted Frequency	%
54	-	4	0.2%
55	-	2	0.1%
56	-	4	0.2%
57	-	2	0.1%
58	-	1	0.0%
59	-	2	0.1%
60	-	2	0.1%
61	-	6	0.2%
63	-	2	0.1%
64	-	6	0.2%
65	-	6	0.2%
66	-	6	0.2%
67	-	6	0.2%
68	-	8	0.3%
69	-	7	0.3%
70	-	11	0.4%
71	-	11	0.4%
72	-	6	0.2%
73	-	5	0.2%
74	-	6	0.2%
75	-	12	0.5%
76	-	15	0.6%
77	-	12	0.5%
78	-	6	0.2%
79	-	9	0.4%
80	-	12	0.5%
81	-	17	0.7%
82	-	10	0.4%
83	-	10	0.4%
84	-	17	0.7%
85	-	11	0.4%
86	-	20	0.8%
87	-	13	0.5%
	Total	**1,988**	**81.2%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	460	18.8%
	Total	**460**	**18.8%**

This variable has 1,988 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 121.16
- Median: 119.00
- Mode: 125.00
- Minimum: 30.00
- Maximum: 303.00
- Standard Deviation: 33.52

Location: 3581-3583 (width: 3; decimal: 0)
Variable Type: numeric

HDLRESU6: High density lipoprotein cholesterol [HDL](mg/dl)

HDL (mg/dl)

Value	Label	Unweighted Frequency	%
16	-	1	0.0%
20	-	1	0.0%
22	-	1	0.0%
24	-	1	0.0%
26	-	1	0.0%
28	-	5	0.2%
29	-	2	0.1%
30	-	9	0.4%
31	-	7	0.3%
32	-	11	0.4%
33	-	4	0.2%
34	-	13	0.5%
35	-	9	0.4%
36	-	23	0.9%
37	-	17	0.7%
38	-	37	1.5%
39	-	23	0.9%
40	-	34	1.4%
41	-	35	1.4%
42	-	43	1.8%

Value	Label	Unweighted Frequency	%
43	-	43	1.8%
44	-	60	2.5%
45	-	44	1.8%
46	-	75	3.1%
47	-	46	1.9%
48	-	57	2.3%
49	-	42	1.7%
50	-	72	2.9%
51	-	53	2.2%
52	-	60	2.5%
53	-	56	2.3%
54	-	63	2.6%
55	-	34	1.4%
56	-	51	2.1%
57	-	62	2.5%
58	-	56	2.3%
59	-	52	2.1%
60	-	58	2.4%
61	-	45	1.8%
62	-	52	2.1%
63	-	38	1.6%
64	-	47	1.9%
65	-	39	1.6%
66	-	37	1.5%
67	-	41	1.7%
68	-	41	1.7%
69	-	43	1.8%
70	-	33	1.3%
71	-	30	1.2%
72	-	35	1.4%
	Total	**2,081**	**85.0%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	367	15.0%

Value	Missing Data	Unweighted Frequency	%
	Total	**367**	**15.0%**

This variable has 2,081 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 58.16
- Median: 57.00
- Mode: 46.00
- Minimum: 16.00
- Maximum: 119.00
- Standard Deviation: 14.88

Location: 3584-3586 (width: 3; decimal: 0)
Variable Type: numeric

GLUCRES6: Glucose (mg/dl)

Glucose (mg/dl)

Value	Label	Unweighted Frequency	%
48	-	1	0.0%
52	-	1	0.0%
54	-	1	0.0%
57	-	1	0.0%
62	-	1	0.0%
63	-	2	0.1%
64	-	1	0.0%
65	-	2	0.1%
66	-	3	0.1%
67	-	3	0.1%
68	-	3	0.1%
69	-	8	0.3%
70	-	6	0.2%
71	-	12	0.5%
72	-	18	0.7%
73	-	14	0.6%
74	-	24	1.0%
75	-	26	1.1%
76	-	40	1.6%
77	-	42	1.7%
78	-	63	2.6%

Value	Label	Unweighted Frequency	%
79	-	68	2.8%
80	-	77	3.1%
81	-	76	3.1%
82	-	93	3.8%
83	-	81	3.3%
84	-	81	3.3%
85	-	109	4.5%
86	-	73	3.0%
87	-	75	3.1%
88	-	75	3.1%
89	-	62	2.5%
90	-	64	2.6%
91	-	67	2.7%
92	-	59	2.4%
93	-	62	2.5%
94	-	44	1.8%
95	-	55	2.2%
96	-	40	1.6%
97	-	40	1.6%
98	-	30	1.2%
99	-	40	1.6%
100	-	33	1.3%
101	-	24	1.0%
102	-	16	0.7%
103	-	15	0.6%
104	-	14	0.6%
105	-	15	0.6%
106	-	11	0.4%
107	-	18	0.7%
	Total	**2,015**	**82.3%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	433	17.7%
	Total	**433**	**17.7%**

This variable has 2,015 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 94.23
- Median: 88.00
- Mode: 85.00
- Minimum: 48.00
- Maximum: 639.00
- Standard Deviation: 30.96

Location: 3587-3589 (width: 3; decimal: 0)
Variable Type: numeric

INSURES6: Insulin (uIU/ml)

Insulin (uIU/ml)

Value	Label	Unweighted Frequency	%
4.4	-	1	0.0%
4.5	-	3	0.1%
4.6	-	8	0.3%
4.7	-	9	0.4%
4.9	-	13	0.5%
5.0	-	12	0.5%
5.1	-	20	0.8%
5.2	-	12	0.5%
5.3	-	15	0.6%
5.4	-	15	0.6%
5.5	-	14	0.6%
5.6	-	16	0.7%
5.7	-	13	0.5%
5.8	-	22	0.9%
5.9	-	17	0.7%
6.0	-	21	0.9%
6.1	-	19	0.8%
6.2	-	20	0.8%
6.4	-	17	0.7%
6.5	-	20	0.8%
6.6	-	24	1.0%
6.7	-	28	1.1%
6.8	-	17	0.7%
6.9	-	17	0.7%

Value	Label	Unweighted Frequency	%
7.0	-	26	1.1%
7.1	-	19	0.8%
7.2	-	28	1.1%
7.3	-	20	0.8%
7.4	-	16	0.7%
7.5	-	21	0.9%
7.6	-	17	0.7%
7.7	-	30	1.2%
7.9	-	18	0.7%
8.0	-	20	0.8%
8.1	-	19	0.8%
8.2	-	24	1.0%
8.3	-	19	0.8%
8.4	-	26	1.1%
8.5	-	15	0.6%
8.6	-	14	0.6%
8.7	-	28	1.1%
8.8	-	19	0.8%
8.9	-	17	0.7%
9.0	-	24	1.0%
9.1	-	19	0.8%
9.2	-	18	0.7%
9.3	-	13	0.5%
9.5	-	12	0.5%
9.6	-	23	0.9%
9.7	-	20	0.8%
	Total	**1,988**	**81.2%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	460	18.8%
	Total	**460**	**18.8%**

This variable has 1,988 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 13.33

- Minimum: 4.40
- Maximum: 121.50
- Standard Deviation: 10.22

Location: 3590-3594 (width: 5; decimal: 1)
Variable Type: numeric

PAIRESU6: Plasminogen activator inhibitor-1 [PAI-6] (ng/ml)

PAI-6 (ng/ml)

Value	Label	Unweighted Frequency	%
0.1	-	1	0.0%
0.3	-	3	0.1%
0.4	-	2	0.1%
0.5	-	4	0.2%
0.6	-	5	0.2%
0.7	-	5	0.2%
0.8	-	1	0.0%
0.9	-	2	0.1%
1.0	-	9	0.4%
1.1	-	5	0.2%
1.2	-	12	0.5%
1.3	-	6	0.2%
1.4	-	9	0.4%
1.5	-	6	0.2%
1.6	-	17	0.7%
1.7	-	5	0.2%
1.8	-	5	0.2%
1.9	-	6	0.2%
2.0	-	9	0.4%
2.1	-	3	0.1%
2.2	-	13	0.5%
2.3	-	3	0.1%
2.4	-	19	0.8%
2.5	-	4	0.2%
2.6	-	9	0.4%
2.7	-	8	0.3%
2.8	-	17	0.7%
2.9	-	1	0.0%

Value	Label	Unweighted Frequency	%
3.0	-	15	0.6%
3.1	-	2	0.1%
3.2	-	14	0.6%
3.3	-	1	0.0%
3.4	-	19	0.8%
3.6	-	15	0.6%
3.7	-	2	0.1%
3.8	-	16	0.7%
4.0	-	27	1.1%
4.1	-	5	0.2%
4.2	-	16	0.7%
4.3	-	2	0.1%
4.4	-	19	0.8%
4.5	-	1	0.0%
4.6	-	18	0.7%
4.7	-	1	0.0%
4.8	-	22	0.9%
5.0	-	17	0.7%
5.1	-	1	0.0%
5.2	-	19	0.8%
5.4	-	19	0.8%
5.6	-	23	0.9%
	Total	**2,078**	**84.9%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	370	15.1%
	Total	**370**	**15.1%**

This variable has 2,078 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 21.73
- Minimum: 0.10
- Maximum: 724.00
- Standard Deviation: 35.53

Location: 3595-3599 (width: 5; decimal: 1)
Variable Type: numeric

TPARESU6: Tissue plasminogen activator [tPA] (ng/ml)

tPA (ng/ml)

Value	Label	Unweighted Frequency	%
0.7	-	1	0.0%
0.9	-	1	0.0%
1.1	-	1	0.0%
1.4	-	1	0.0%
1.5	-	1	0.0%
1.6	-	1	0.0%
1.7	-	1	0.0%
1.8	-	1	0.0%
2.0	-	2	0.1%
2.1	-	6	0.2%
2.2	-	3	0.1%
2.3	-	4	0.2%
2.4	-	2	0.1%
2.5	-	4	0.2%
2.6	-	11	0.4%
2.7	-	4	0.2%
2.8	-	4	0.2%
2.9	-	8	0.3%
3.0	-	10	0.4%
3.1	-	11	0.4%
3.2	-	9	0.4%
3.3	-	8	0.3%
3.4	-	9	0.4%
3.5	-	12	0.5%
3.6	-	10	0.4%
3.7	-	12	0.5%
3.8	-	15	0.6%
3.9	-	13	0.5%
4.0	-	17	0.7%
4.1	-	21	0.9%
4.2	-	13	0.5%
4.3	-	19	0.8%

Value	Label	Unweighted Frequency	%
4.4	-	20	0.8%
4.5	-	16	0.7%
4.6	-	24	1.0%
4.7	-	20	0.8%
4.8	-	19	0.8%
4.9	-	23	0.9%
5.0	-	20	0.8%
5.1	-	22	0.9%
5.2	-	27	1.1%
5.3	-	21	0.9%
5.4	-	27	1.1%
5.5	-	19	0.8%
5.6	-	29	1.2%
5.7	-	18	0.7%
5.8	-	30	1.2%
5.9	-	26	1.1%
6.0	-	19	0.8%
6.1	-	26	1.1%
	Total	**2,079**	**84.9%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	369	15.1%
	Total	**369**	**15.1%**

This variable has 2,079 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 9.44
- Median: 7.80
- Mode: 7.40
- Minimum: 0.70
- Maximum: 464.00
- Standard Deviation: 15.54

Location: 3600-3604 (width: 5; decimal: 1)
Variable Type: numeric

LPARESU6: Lipoprotein Lp(a) (mg/dl)

Lipoprotein Lp(a) (mg/dl)

Value	Label	Unweighted Frequency	%
1	-	104	4.2%
2	-	98	4.0%
3	-	88	3.6%
4	-	87	3.6%
5	-	62	2.5%
6	-	64	2.6%
7	-	76	3.1%
8	-	66	2.7%
9	-	58	2.4%
10	-	43	1.8%
11	-	42	1.7%
12	-	37	1.5%
13	-	39	1.6%
14	-	28	1.1%
15	-	29	1.2%
16	-	26	1.1%
17	-	24	1.0%
18	-	22	0.9%
19	-	31	1.3%
20	-	29	1.2%
21	-	28	1.1%
22	-	19	0.8%
23	-	18	0.7%
24	-	16	0.7%
25	-	20	0.8%
26	-	12	0.5%
27	-	24	1.0%
28	-	10	0.4%
29	-	10	0.4%
30	-	9	0.4%
31	-	12	0.5%
32	-	20	0.8%
33	-	16	0.7%
34	-	14	0.6%
35	-	16	0.7%

Value	Label	Unweighted Frequency	%
36	-	20	0.8%
37	-	10	0.4%
38	-	7	0.3%
39	-	16	0.7%
40	-	17	0.7%
41	-	15	0.6%
42	-	14	0.6%
43	-	4	0.2%
44	-	15	0.6%
45	-	12	0.5%
46	-	8	0.3%
47	-	15	0.6%
48	-	10	0.4%
49	-	8	0.3%
50	-	8	0.3%
	Total	**1,998**	**81.6%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	450	18.4%
	Total	**450**	**18.4%**

This variable has 1,998 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 36.92
- Median: 19.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 255.00
- Standard Deviation: 44.21

Location: 3605-3607 (width: 3; decimal: 0)
Variable Type: numeric

APOARES6: Apolipoprotein A-6 (mg/dl)

Apolipoprotein A-6 (mg/dl)

Value	Label	Unweighted Frequency	%
90	-	1	0.0%

Value	Label	Unweighted Frequency	%
93	-	1	0.0%
99	-	1	0.0%
102	-	1	0.0%
103	-	1	0.0%
104	-	1	0.0%
105	-	1	0.0%
106	-	5	0.2%
107	-	1	0.0%
109	-	1	0.0%
110	-	1	0.0%
111	-	2	0.1%
112	-	2	0.1%
113	-	2	0.1%
114	-	7	0.3%
115	-	1	0.0%
116	-	8	0.3%
117	-	6	0.2%
118	-	3	0.1%
119	-	4	0.2%
120	-	6	0.2%
121	-	5	0.2%
122	-	6	0.2%
123	-	5	0.2%
124	-	3	0.1%
125	-	8	0.3%
126	-	12	0.5%
127	-	6	0.2%
128	-	6	0.2%
129	-	5	0.2%
130	-	11	0.4%
131	-	15	0.6%
132	-	8	0.3%
133	-	10	0.4%
134	-	25	1.0%
135	-	12	0.5%

Value	Label	Unweighted Frequency	%
136	-	20	0.8%
137	-	21	0.9%
138	-	12	0.5%
139	-	16	0.7%
140	-	18	0.7%
141	-	16	0.7%
142	-	23	0.9%
143	-	21	0.9%
144	-	32	1.3%
145	-	24	1.0%
146	-	23	0.9%
147	-	26	1.1%
148	-	33	1.3%
149	-	30	1.2%
	Total	**2,085**	**85.2%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	363	14.8%
	Total	**363**	**14.8%**

This variable has 2,085 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 170.79
- Median: 169.00
- Mode: 178.00
- Minimum: 90.00
- Maximum: 279.00
- Standard Deviation: 28.49

Location: 3608-3610 (width: 3; decimal: 0)
Variable Type: numeric

APOBRES6: Apolipoprotein B (mg/dl)

Apolipoprotein B (mg/dl)

Value	Label	Unweighted Frequency	%
29	-	1	0.0%
36	-	1	0.0%

Value	Label	Unweighted Frequency	%
37	-	1	0.0%
38	-	1	0.0%
41	-	1	0.0%
43	-	1	0.0%
47	-	1	0.0%
48	-	2	0.1%
49	-	2	0.1%
50	-	2	0.1%
51	-	4	0.2%
52	-	3	0.1%
53	-	2	0.1%
54	-	2	0.1%
55	-	2	0.1%
56	-	6	0.2%
57	-	4	0.2%
58	-	8	0.3%
59	-	3	0.1%
60	-	5	0.2%
61	-	5	0.2%
62	-	2	0.1%
63	-	6	0.2%
64	-	7	0.3%
65	-	14	0.6%
66	-	8	0.3%
67	-	10	0.4%
68	-	11	0.4%
69	-	12	0.5%
70	-	13	0.5%
71	-	11	0.4%
72	-	17	0.7%
73	-	16	0.7%
74	-	10	0.4%
75	-	12	0.5%
76	-	19	0.8%
77	-	18	0.7%

Value	Label	Unweighted Frequency	%
78	-	15	0.6%
79	-	22	0.9%
80	-	13	0.5%
81	-	23	0.9%
82	-	21	0.9%
83	-	27	1.1%
84	-	23	0.9%
85	-	20	0.8%
86	-	23	0.9%
87	-	16	0.7%
88	-	28	1.1%
89	-	21	0.9%
90	-	23	0.9%
	Total	**2,085**	**85.2%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	363	14.8%
	Total	**363**	**14.8%**

This variable has 2,085 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 111.69
- Median: 110.00
- Mode: 107.00
- Minimum: 29.00
- Maximum: 242.00
- Standard Deviation: 29.84

Location: 3611-3613 (width: 3; decimal: 0)
Variable Type: numeric

CRPRESU6: C-reactive protein (mg/l)

C-reactive protein (mg/l)

Value	Label	Unweighted Frequency	%
0.048	-	1	0.0%
0.050	-	1	0.0%
0.054	-	1	0.0%

Value	Label	Unweighted Frequency	%
0.056	-	1	0.0%
0.058	-	1	0.0%
0.066	-	1	0.0%
0.068	-	1	0.0%
0.069	-	1	0.0%
0.072	-	1	0.0%
0.076	-	3	0.1%
0.079	-	1	0.0%
0.081	-	1	0.0%
0.082	-	1	0.0%
0.084	-	1	0.0%
0.086	-	1	0.0%
0.087	-	1	0.0%
0.089	-	1	0.0%
0.099	-	1	0.0%
0.100	-	2	0.1%
0.101	-	1	0.0%
0.102	-	1	0.0%
0.104	-	1	0.0%
0.109	-	1	0.0%
0.111	-	2	0.1%
0.112	-	1	0.0%
0.113	-	1	0.0%
0.115	-	1	0.0%
0.116	-	1	0.0%
0.117	-	1	0.0%
0.118	-	2	0.1%
0.119	-	1	0.0%
0.121	-	1	0.0%
0.122	-	3	0.1%
0.123	-	3	0.1%
0.125	-	1	0.0%
0.128	-	1	0.0%
0.129	-	2	0.1%
0.131	-	1	0.0%

Value	Label	Unweighted Frequency	%
0.132	-	1	0.0%
0.133	-	2	0.1%
0.138	-	2	0.1%
0.139	-	1	0.0%
0.141	-	2	0.1%
0.142	-	1	0.0%
0.143	-	2	0.1%
0.145	-	2	0.1%
0.147	-	2	0.1%
0.148	-	1	0.0%
0.150	-	2	0.1%
0.152	-	2	0.1%
	Total	**2,085**	**85.2%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	363	14.8%
	Total	**363**	**14.8%**

This variable has 2,085 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 4.058
- Minimum: 0.048
- Maximum: 128.000
- Standard Deviation: 6.764

Location: 3614-3620 (width: 7; decimal: 3)
Variable Type: numeric

SPSCDAY6: Spine scan day

Spine Scan Day

Value	Label	Unweighted Frequency	%
2041	-	1	0.0%
2045	-	1	0.0%
2095	-	1	0.0%
2107	-	1	0.0%
2109	-	1	0.0%

Value	Label	Unweighted Frequency	%
2116	-	1	0.0%
2119	-	1	0.0%
2120	-	1	0.0%
2122	-	1	0.0%
2123	-	2	0.1%
2128	-	3	0.1%
2129	-	1	0.0%
2132	-	2	0.1%
2133	-	3	0.1%
2135	-	5	0.2%
2137	-	4	0.2%
2138	-	1	0.0%
2140	-	2	0.1%
2141	-	4	0.2%
2142	-	5	0.2%
2143	-	1	0.0%
2144	-	4	0.2%
2145	-	2	0.1%
2146	-	9	0.4%
2147	-	9	0.4%
2148	-	7	0.3%
2149	-	25	1.0%
2150	-	12	0.5%
2151	-	9	0.4%
2152	-	5	0.2%
2153	-	8	0.3%
2154	-	10	0.4%
2155	-	5	0.2%
2156	-	25	1.0%
2157	-	13	0.5%
2158	-	13	0.5%
2159	-	6	0.2%
2160	-	8	0.3%
2161	-	21	0.9%
2162	-	14	0.6%

Value	Label	Unweighted Frequency	%
2163	-	22	0.9%
2164	-	4	0.2%
2165	-	4	0.2%
2166	-	12	0.5%
2167	-	9	0.4%
2168	-	8	0.3%
2169	-	6	0.2%
2170	-	23	0.9%
2171	-	11	0.4%
2172	-	10	0.4%
	Total	**1,738**	**71.0%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	710	29.0%
	Total	**710**	**29.0%**

This variable has 1,738 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 2226.94
- Minimum: 2041.00
- Maximum: 2684.00
- Standard Deviation: 68.43

Location: 3621-3624 (width: 4; decimal: 0)
Variable Type: numeric

SPSCTIM6: Spine scan time

Spine Scan Time

Value	Label	Unweighted Frequency	%
10:00:00	-	6	0.2%
10:00:37	-	1	0.0%
10:01:00	-	8	0.3%
10:02:00	-	8	0.3%
10:02:16	-	1	0.0%
10:02:57	-	1	0.0%
10:03:00	-	8	0.3%

Value	Label	Unweighted Frequency	%
10:03:20	-	1	0.0%
10:03:50	-	1	0.0%
10:04:00	-	4	0.2%
10:04:05	-	1	0.0%
10:05:00	-	4	0.2%
10:05:25	-	1	0.0%
10:05:29	-	1	0.0%
10:06:00	-	5	0.2%
10:06:08	-	1	0.0%
10:06:35	-	1	0.0%
10:07:00	-	5	0.2%
10:07:20	-	1	0.0%
10:07:36	-	1	0.0%
10:08:00	-	10	0.4%
10:09:00	-	11	0.4%
10:09:06	-	1	0.0%
10:09:08	-	1	0.0%
10:09:20	-	1	0.0%
10:09:31	-	1	0.0%
10:09:43	-	1	0.0%
10:09:54	-	1	0.0%
10:10:00	-	5	0.2%
10:10:23	-	1	0.0%
10:10:37	-	1	0.0%
10:11:00	-	10	0.4%
10:11:34	-	1	0.0%
10:11:46	-	1	0.0%
10:12:00	-	7	0.3%
10:12:07	-	1	0.0%
10:13:00	-	5	0.2%
10:13:06	-	1	0.0%
10:13:25	-	1	0.0%
10:13:48	-	1	0.0%
10:14:00	-	8	0.3%
10:14:15	-	1	0.0%

Value	Label	Unweighted Frequency	%
10:14:18	-	1	0.0%
10:14:20	-	1	0.0%
10:14:57	-	1	0.0%
10:14:59	-	1	0.0%
10:15:00	-	10	0.4%
10:15:03	-	1	0.0%
10:16:00	-	4	0.2%
10:16:04	-	1	0.0%
	Total	**1,731**	**70.7%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	717	29.3%
	Total	**717**	**29.3%**

This variable has 1,731 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 3625-3636 (width: 12; decimal: 0)
Variable Type: character
(Range of) Missing Values: .

SPSCMOD6: Spine Scan Mode

Spine Scan Mode

Value	Label	Unweighted Frequency	%
5	5: 2000 machine	650	26.6%
11	11: 4500 machine	1081	44.2%
	Total	**1,731**	**70.7%**

Value	Missing Data	Unweighted Frequency	%
.	-	717	29.3%
	Total	**717**	**29.3%**

This variable has 1,731 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.
- Minimum: 5.00
- Maximum: 11.00

Location: 3637-3638 (width: 2; decimal: 0)

Variable Type: numeric

HPSCDAY6: Hip scan day

Hip Scan Day

Value	Label	Unweighted Frequency	%
2041	-	1	0.0%
2045	-	1	0.0%
2095	-	1	0.0%
2107	-	1	0.0%
2109	-	1	0.0%
2116	-	1	0.0%
2118	-	1	0.0%
2119	-	1	0.0%
2120	-	1	0.0%
2122	-	1	0.0%
2123	-	2	0.1%
2128	-	3	0.1%
2129	-	1	0.0%
2132	-	2	0.1%
2133	-	3	0.1%
2135	-	5	0.2%
2137	-	4	0.2%
2138	-	1	0.0%
2140	-	2	0.1%
2141	-	4	0.2%
2142	-	5	0.2%
2143	-	1	0.0%
2144	-	4	0.2%
2145	-	2	0.1%
2146	-	9	0.4%
2147	-	9	0.4%
2148	-	7	0.3%
2149	-	25	1.0%
2150	-	12	0.5%
2151	-	9	0.4%
2152	-	5	0.2%

Value	Label	Unweighted Frequency	%
2153	-	8	0.3%
2154	-	10	0.4%
2155	-	5	0.2%
2156	-	25	1.0%
2157	-	13	0.5%
2158	-	13	0.5%
2159	-	5	0.2%
2160	-	8	0.3%
2161	-	21	0.9%
2162	-	14	0.6%
2163	-	22	0.9%
2164	-	4	0.2%
2165	-	4	0.2%
2166	-	12	0.5%
2167	-	9	0.4%
2168	-	8	0.3%
2169	-	5	0.2%
2170	-	23	0.9%
2171	-	11	0.4%
	Total	**1,738**	**71.0%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	710	29.0%
	Total	**710**	**29.0%**

This variable has 1,738 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 2227.12
- Minimum: 2041.00
- Maximum: 2684.00
- Standard Deviation: 68.72

Location: 3639-3642 (width: 4; decimal: 0)
Variable Type: numeric

HPSCTIM6: Hip scan time

Hip Scan Time

Value	Label	Unweighted Frequency	%
10:00:00	-	8	0.3%
10:00:38	-	1	0.0%
10:00:41	-	1	0.0%
10:01:00	-	6	0.2%
10:01:40	-	1	0.0%
10:01:58	-	1	0.0%
10:02:00	-	5	0.2%
10:02:28	-	1	0.0%
10:03:00	-	3	0.1%
10:03:18	-	1	0.0%
10:04:00	-	3	0.1%
10:04:23	-	1	0.0%
10:04:26	-	1	0.0%
10:04:54	-	1	0.0%
10:05:00	-	5	0.2%
10:05:27	-	1	0.0%
10:06:00	-	6	0.2%
10:06:24	-	1	0.0%
10:06:53	-	1	0.0%
10:06:56	-	1	0.0%
10:06:57	-	1	0.0%
10:06:58	-	1	0.0%
10:07:00	-	7	0.3%
10:07:06	-	1	0.0%
10:07:11	-	1	0.0%
10:07:54	-	1	0.0%
10:07:58	-	1	0.0%
10:08:00	-	6	0.2%
10:08:03	-	1	0.0%
10:09:00	-	3	0.1%
10:09:18	-	1	0.0%
10:09:38	-	1	0.0%
10:09:46	-	1	0.0%
10:09:56	-	1	0.0%
10:10:00	-	9	0.4%

Value	Label	Unweighted Frequency	%
10:10:27	-	1	0.0%
10:10:46	-	1	0.0%
10:11:00	-	9	0.4%
10:11:26	-	1	0.0%
10:11:32	-	1	0.0%
10:11:52	-	1	0.0%
10:11:56	-	1	0.0%
10:11:58	-	1	0.0%
10:12:00	-	6	0.2%
10:12:08	-	1	0.0%
10:13:00	-	7	0.3%
10:13:16	-	1	0.0%
10:13:30	-	1	0.0%
10:13:33	-	1	0.0%
10:14:00	-	9	0.4%
	Total	**1,730**	**70.7%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	718	29.3%
	Total	**718**	**29.3%**

This variable has 1,730 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

Location: 3643-3654 (width: 12; decimal: 0)
Variable Type: character
(Range of) Missing Values: .

HPSCMOD6: Hip scan mode

Hip Scan Mode

Value	Label	Unweighted Frequency	%
5	5: 2000 machine	649	26.5%
11	11: 4500 machine	1081	44.2%
	Total	**1,730**	**70.7%**

Value	Missing Data	Unweighted Frequency	%
.	-	718	29.3%
	Total	**718**	**29.3%**

This variable has 1,730 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 5.00
- Maximum: 11.00

Location: 3655-3656 (width: 2; decimal: 0)
Variable Type: numeric

SPBMDT6: Total spine Bone Mineral Density (BMD) w/cross-calibration applied

Total Spine BMD w/cross-calibration applied

Value	Label	Unweighted Frequency	%
0.589300	-	1	0.0%
0.645556	-	1	0.0%
0.655500	-	1	0.0%
0.661030	-	1	0.0%
0.663200	-	1	0.0%
0.672700	-	1	0.0%
0.678600	-	1	0.0%
0.682300	-	1	0.0%
0.693100	-	1	0.0%
0.697200	-	1	0.0%
0.704008	-	1	0.0%
0.707500	-	1	0.0%
0.707800	-	1	0.0%
0.712817	-	1	0.0%
0.713100	-	1	0.0%
0.720600	-	1	0.0%
0.722400	-	1	0.0%
0.729500	-	1	0.0%
0.730300	-	1	0.0%
0.730492	-	1	0.0%
0.730652	-	1	0.0%
0.733000	-	1	0.0%
0.733700	-	1	0.0%

Value	Label	Unweighted Frequency	%
0.734600	-	1	0.0%
0.736600	-	1	0.0%
0.738400	-	1	0.0%
0.740600	-	1	0.0%
0.741070	-	1	0.0%
0.749100	-	1	0.0%
0.749162	-	1	0.0%
0.751000	-	1	0.0%
0.754900	-	1	0.0%
0.755340	-	1	0.0%
0.759100	-	1	0.0%
0.760290	-	1	0.0%
0.764238	-	1	0.0%
0.764900	-	1	0.0%
0.772100	-	1	0.0%
0.773853	-	1	0.0%
0.774000	-	1	0.0%
0.775000	-	1	0.0%
0.775700	-	1	0.0%
0.776068	-	1	0.0%
0.776200	-	1	0.0%
0.776800	-	1	0.0%
0.777930	-	1	0.0%
0.778140	-	1	0.0%
0.779200	-	1	0.0%
0.779480	-	1	0.0%
0.779876	-	1	0.0%
	Total	**1,734**	**70.8%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	714	29.2%
	Total	**714**	**29.2%**

This variable has 1,734 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 1.043482
- Minimum: 0.589300
- Maximum: 1.636760
- Standard Deviation: 0.155878

Location: 3657-3664 (width: 8; decimal: 6)
Variable Type: numeric

HPBMDT6: Total hip Bone Mineral Density (BMD) w/cross-calibration applied

Total Hip BMD w/cross-calibration applied

Value	Label	Unweighted Frequency	%
0.594100	-	1	0.0%
0.609600	-	1	0.0%
0.616000	-	1	0.0%
0.617500	-	1	0.0%
0.617700	-	1	0.0%
0.620200	-	1	0.0%
0.623200	-	1	0.0%
0.626000	-	1	0.0%
0.631100	-	1	0.0%
0.633000	-	1	0.0%
0.641100	-	1	0.0%
0.642253	-	1	0.0%
0.642660	-	1	0.0%
0.648744	-	1	0.0%
0.651800	-	1	0.0%
0.657000	-	1	0.0%
0.659300	-	1	0.0%
0.662200	-	1	0.0%
0.662300	-	1	0.0%
0.662500	-	1	0.0%
0.663700	-	1	0.0%
0.665400	-	1	0.0%
0.667700	-	1	0.0%
0.667900	-	1	0.0%
0.668300	-	1	0.0%
0.670000	-	1	0.0%
0.672316	-	1	0.0%

Value	Label	Unweighted Frequency	%
0.672600	-	1	0.0%
0.674400	-	2	0.1%
0.674517	-	1	0.0%
0.674700	-	1	0.0%
0.674900	-	1	0.0%
0.680000	-	1	0.0%
0.680800	-	1	0.0%
0.682200	-	1	0.0%
0.684300	-	1	0.0%
0.684832	-	1	0.0%
0.684920	-	1	0.0%
0.685000	-	1	0.0%
0.688100	-	1	0.0%
0.689200	-	1	0.0%
0.689400	-	1	0.0%
0.692400	-	1	0.0%
0.692700	-	1	0.0%
0.693000	-	1	0.0%
0.693100	-	1	0.0%
0.693800	-	1	0.0%
0.696100	-	1	0.0%
0.696300	-	1	0.0%
0.697200	-	1	0.0%
	Total	**1,738**	**71.0%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Value	Missing Data	Unweighted Frequency	%
.	-	710	29.0%
	Total	**710**	**29.0%**

This variable has 1,738 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Mean: 0.944985
- Minimum: 0.594100
- Maximum: 1.602060
- Standard Deviation: 0.146444

Location: 3665-3672 (width: 8; decimal: 6)
Variable Type: numeric

BMDFLG6: Pelvic incidence (PI) recommended for spine exclusion

PI recommended for spine exclusion

Value	Label	Unweighted Frequency	%
0	0: No	1740	71.1%
1	1: Yes	3	0.1%
	Total	**1,743**	**71.2%**

Value	Missing Data	Unweighted Frequency	%
-9	-9: Missing	0	0.0%
-8	-8: Do not know	0	0.0%
-7	-7: Refused	0	0.0%
-1	-1: N/A	0	0.0%
.	-	705	28.8%
	Total	**705**	**28.8%**

This variable has 1,743 valid cases out of 2,448 total cases.

Percentages for valid and missing data are based on 2,448 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3673-3674 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .